ANNUAL HYDROLOGIC DATA REPORT

VOLUME II SURFACE WATER DATA

WATER YEAR 1997

PREFACE

This publication is Volume II of a five volume report containing hydrologic data collected by the Flood Control District Of Maricopa County during Water Year 1997. The four other volumes are: Volume I – Precipitation Data, Volume III – Volunteer Observer Rainfall Data, Volume IV – Stormwater Quality Data, and Volume V – Weather Station Data and Alluvial Fan Watershed Data. Volume II presents the surface water data collected by the Flood Control District of Maricopa County's automated water level gage network. This telemetered network is located primarily throughout Maricopa County, Arizona with additional gages in Yavapai, Pinal, and La Paz Counties.

The surface water data contained in this report was collected, compiled and edited by the Flood Warning and Data Collection Branch of the Engineering Division. Data includes mean daily, total, maximum, and minimum discharges at the flow sites; mean daily, maximum, and minimum pool levels at the storage locations; and mean daily, maximum, and minimum volumes stored at the storage locations. Also included starting in this year's report are maximum discharges, pool levels, and storage volumes for flood events of interest at each site. Additionally, a few hydrographs from significant floods are also presented. Furthermore, flood flow frequency tables have been added at sites where information is available either from statistical analysis of gage records or from rainfall-runoff models. These estimates of flood flow frequency do not necessarily correspond to regulatory discharges for the channel reaches near the gage sites. Always refer to official regulatory documents such as the *Flood Insurance Study, Maricopa County and Incorporated Areas* published by the Federal Emergency Management Agency (FEMA) for such discharge information.

The information contained herein is as accurate and complete as possible within the limitations of real-time data collection technology currently available. Wherever possible, footnotes have been included to identify questionable data. Reliance upon the accuracy, reliability, and authority of this information is solely the responsibility of the user.

Revisions to any of these data for any reason will be published in the following years' reports immediately following the data for the current year for the site where the revisions have been made.

Additional copies of this report may be purchased from:

Flood Control District of Maricopa County 2801 W. Durango Street Phoenix, Arizona 85009 (602) 506-1501

or downloaded from the World Wide Web at http://www.fcd.maricopa.gov/alert/alert.htm.

TABLE OF CONTENTS

Preface	i
Contents	ü
Introduction	iii
Definition of Terms	vi
Surface Water Gage Location Map	ix
List of Stations Sorted By Sensor ID#	x
List of Stations Sorted Alphabetically	xiii
Summary of Significant Streamflow Events	xvi
Surface Water Streamflow Data	Tab 1
Pool Levels at Storage Facilities	Tab 2
Storage Volumes at Storage Facilities	Tab 3
Comment/Errata Sheet	Appendix

INTRODUCTION

The Flood Control District of Maricopa County in cooperation with local, state, and federal agencies collects a large amount of data pertaining to surface water runoff in and around Maricopa County. These data provide a valuable resource for information not otherwise furnished by the traditional sources of this type of material. To make these data readily available to interested parties outside the Flood Control District, the data are published annually in this report entitled "FCDMC ALERT System Annual Surface Water Report."

This report includes records on discharge at uncontrolled stream gages and at flood control storage structures, on depths at flood control storage structures, and on contents at flood control storage structures. Specifically it contains: (1) Discharge records at 43 stream gages and 33 flood control storage structures; (2) Depths of stored water at 35 flood control storage structures; and (3) Contents at 34 flood control storage structures where stage-storage relationships are available. Records included are only a small fraction of those obtained for each site during this water year.

A number of streamflow gages collected by the FCDMC ALERT System are run cooperatively with the United States Geological Survey (USGS). Although real-time data for these sites are collected at the FCDMC for the purposes of flood event monitoring, quality control for the data at these gages lies with the USGS. The official records for these sites are published in the USGS Surface Water Data Reports each water year. The cooperative gages collected jointly for Water Year 1997 were:

<u>USGS Gage Name</u>	FCDMC ID	<u>USGS ID</u>
Gila River near Sacaton, AZ	0783	09478350
Gila River near Maricopa, AZ	0778	09479350
Salt River at Priest Drive	4523	09512165
Cave Cr. below Cottonwood Cr.	4923	09512280
Agua Fria River at El Mirage	5503	09513650
Skunk Creek near Phoenix, AZ	5568	09513860
New River near Glendale, AZ	5508	09513910
Gila River @ Estrella Parkway	6853	09514100
Hassayampa River nr Morristown	5223	09516500
Centennial Wash at SPRR	5103	09517490

In addition to the continuous cooperative stations, the FCDMC also cooperates with the USGS in the collection of peak discharges at a number of crest stage gage sites. The data for these crest stage gage sites are also published by the USGS in their Surface Water Data Reports each water year.

The cooperative crest stage gage sites for Water Year 1997 were:

Gage Site Name	<u>USGS ID</u>
Vekol Wash near Stanfield, AZ	09488650
Tortilla Creek at Tortilla Flat	09501300
Camp Creek near Sunflower	09510170
Rock Creek near Sunflower	09510180
Indian Bend Wash at Shea Blvd	09512090
Agua Fria R. Trib. No. 2	09512700
Deadman Wash near New River	09513820
Waterman Wash near Buckeye	09514200
Hartman Wash near Wickenburg	09515800
Ox Wash near Morristown	09516600
Jackrabbit Wash near Tonapah	09516800
Centennial Wash Trib. nr Wenden	09517200
Tiger Wash near Aguila	09517280
Rainbow Wash Trib. near Buckeye	09519600
Bender Wash near Gila Bend	09519750
Sauceda Wash near Gila Bend	09519760
Military Wash near Sentinel	09520100
Crater Range Wash near Ajo	09520230

This is the fourth annual surface water report published by the District. Prior to water year 1994, surface water data collected by the FCDMC ALERT System were not quality controlled, and therefore, not published. However, there are data resident in archives prior to water year 1994 that may have value to specific individuals. Data are available back to November 1987 for some streamflow sites.

The data are collected as a depth of flow in feet (or stage). The discharge and/or contents is then obtained by applying the stage to a rating curve of stage versus discharge in cubic feet per second (cfs), or stage versus contents in acre-feet (ac-ft). The discharge rating curves have been developed at stream gages by using field surveyed cross sections in a HEC-2 or HECRAS step backwater computer model to obtain a range of stage versus discharge points to be plotted on a curve. These step backwater ratings are refined whenever possible using direct measurements made at or near the gage site. The discharge rating curves at flood control storage structures were developed by application of the Federal Highway Administration's HY-8 computer model for culvert flow and U.S. Geological Survey methods for flow over the uncontrolled emergency spillways. The storage rating curves were obtained from published as-built or construction plans or developed from digital elevation data.

Daily mean discharges are computed by applying the daily mean stages (gage heights) to the stage-discharge curves or tables. The same is similarly true for storage facility contents. The minimum and maximum values are based on instantaneous readings and the volumes for discharge stations are based on accumulations of daily means. Those gages in section 2, Pool Levels at Storage Facilities, which show a continuous gage height during obvious periods of no storage, do so because the orifice to the pressure transducer is set at that gage height above or below 0.0' gage datum.

All of the data in this report have been reviewed and edited in an attempt to provide the most accurate data possible. A blank or blanks within the data set is an indication that data was lost either due to hardware, software, or radio problems, or that the gage had not yet been installed. Where possible, these data are flagged with footnotes describing the time the gage was down. In the event that published records require revision, revisions are printed in later reports. Listed in the heading for each gage where records have been revised are all the reports in which revisions have been published for the station and the water years to which the revisions apply (e.g. WY1997: WY1994-95 means that the data for Water Years 1994-1995 were revised in the report for Water Year 1997).

Comments about this report or errors discovered may be forwarded to the Flood Warning and Data Collection Branch using the comment/errata sheet found at the back of this document. Alternately, comments or errors may be sent via Internet e-mail from the FCDMC ALERT System Home Page or directly to twl@mail.maricopa.gov.

An index of gage names, numbers, locations, and other descriptors is included following the Definition of Terms in this report.

Additional or more detailed surface water data in hard copy or computer disk format is available for the gages listed in this report. Contact the Flood Control District, Engineering Division, Flood Warning and Data Collection Branch at (602) 506-1501.

DEFINITION OF TERMS

Terms related to streamflow and other hydrologic data, as used in this report are defined below.

<u>Acre-foot</u> (ac-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

<u>Contents</u> is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool.

<u>Control</u> designates a feature downstream from the gage that determines the stagedischarge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

<u>Control structure</u> as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream.

<u>Cubic foot per second (cfs)</u> is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to approximately 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic meters per second.

<u>Cubic foot per second-day</u> is the volume of water represented by a flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acrefeet, or about 646,000 gallons or 2,445 cubic meters.

<u>Daily mean discharge</u> is the average discharge in cfs for a 24 hour period from midnight to midnight the following day.

<u>Discharge</u> is the volume of water (or more broadly, total fluid plus suspended sediment), that passes a given point within a given period of time.

<u>Drainage area</u> of a stream at a specified location is that area, measured in a horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the stream above the specified point.

<u>Drainage basin</u> is a part of the surface of the Earth that is occupied by a drainage system, which consists of a surface stream or body of impounded surface water, together with all tributary surface streams and bodies of impounded surface water.

<u>Flood Elevation Frequency</u> refers to the magnitude (in terms of depth or elevation) and probability of floods at a given flood control impoundment structure. The flood elevation frequency is usually given as a depth or elevation of impoundment associated with a given recurrence interval at a particular flood control impoundment structure.

<u>Flood Flow Frequency</u> refers to the magnitude (in terms of peak discharge) and probability of floods at a given gaging station. The flood flow frequency is usually given as a peak discharge associated with a given recurrence interval at a particular gaging station.

<u>Gage datum</u> is the elevation of the zero point of the reference gage from which gage height is determined. This elevation is established by a system of levels from known bench marks or by approximation from topographic maps or arbitrarily established to some given point such as a culvert invert elevation.

<u>Gage height</u> is the water-surface elevation referred to some arbitrary gage datum. Gage height is often used interchangeably with the more general term "stage," although gage height is more appropriate when used with a reading on a gage.

<u>Gaging station</u> is a particular site on a stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

<u>Instantaneous discharge</u> is the discharge at a particular instant of time.

<u>Maximum Level</u> is the highest pool level recorded or observed at a particular gaging station at a flood control impoundment structure for a given event.

<u>Maximum Storage</u> is the greatest volume of water stored behind or within a flood control impoundment structure for a given event. This occurs at the maximum pool level and is obtained from the stage-storage relation for that maximum level for a particular flood control impoundment structure.

<u>Mean discharge</u> (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

National Geodetic Vertical Datum of 1929 (NGVD 1929) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called "Sea Level Datum of 1929" or "mean sea level." Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

North American Vertical Datum of 1988 (NAVD 1988) is a datum based on the mass or density of the Earth instead of the varying values of the heights of the seas. Measurements of the acceleration of gravity are made at observation points in a network. Only one point is defined as the datum point. The vertical reference surface is then defined by the surface on which the gravity values are equal to the datum point value. This is called an equipotential surface.

Peak Discharge is the maximum instantaneous discharge for a given flood event.

<u>Period of Record</u> is the time period for which data exists for a given stream gaging station.

<u>Pressure transducer</u> is an instrument used to measure the depth of water. It is an analog instrument which measures a pressure change over a diaphragm. The depth of water is related to the change in pressure over the diaphragm created by the weight of the water over the instrument.

Recurrence interval is the reciprocal of the probability of a flood occurring in any given year. Thus, the flood having a 1% (1/100) chance of occurring in any given year has a recurrence interval of 100 years and is referred to as the 100-year flood. Similarly, the flood having a 50% (1/2) chance of occurring in any given year has a recurrence interval of 2 years and is referred to as the 2-year flood.


<u>Staff gage</u> is a device located at the gaging station to provide a visual reference to the depth of water at a the gage in terms of gage height above the water level measuring instrument.

<u>Stage-discharge relation</u> is the relation between gage height (stage) and the volume of water, per unit of time, flowing in a channel.

<u>Stage-storage relation</u> is the relation between gage height (stage) and the volume of water stored behind or within a flood control impoundment structure.

<u>Streamflow</u> is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff" as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

<u>Water year</u> dealing with surface-water data is the 12-month period, October 1 through September 30. The water year is designated by the calendar year in which it ends and which includes 9 of the 12 months. Thus, the year ending September 30, 1997, is called the "1997 water year."



ALERT System Water Level Sensors WY 1997

Sorted by ID#

ID#	Gage Name	Sta. Type	Watershed	Repeater	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
778	Gila @ Maricopa Rd	Rain/Stage	Gila /Queen Ck	Signal Peak	4/9/95	3S-3E-13	33 10 16	112 00 21	1120	1:1
783	Gila R. @ Olberg	Rain/Stage	Gila /Queen Ck	Signal Peak	4/12/95	4S-6E-12	33 06 50	111 41 15	1290	1:2
788	Santa Cruz @ SR 84	Rain/Stage	Pinal	Signal Peak	3/16/94	7S-5E-21	32 52 55	111 49 45	1311	1:3
793	Greene Wash @ SR 84	Stage	Pinal	Signal Peak	3/23/94	7S-4E-21	32 52 48	111 56 03	1350	1:4
798	Santa Rosa @ SR 84	Rain/Stage	Pinal	Signal Peak	3/16/94	7S-4E-20	32 52 39	111 56 51	1305	1:5
4523	Salt R. @ Priest Dr.	Stage	C.Creek / Salt	Direct	12/7/93	1N-4E-17	33 26 00	111 57 43	1133	1:6
4563	Spookhill FRS	Rain/Stage	C.Creek / Salt	Thompson Pk	3/13/84	2N-7E-31	33 28 01	111 40 48	1595	1:7,2:1,3:1
4603	IBW @ McKellips Rd.	Rain/Stage	C.Creek / Salt	Thompson Pk	5/21/85	1N-4E-11	33 26 58	111 54 58	1187	1:8
4613	IBW @ Indian Bend Rd.	Rain/Stage	C.Creek / Salt	Thompson Pk	9/28/83	2N-4E-11	33 32 00	111 54 53	1071	1:9
4623	IBW @ Interceptor	Rain/Stage	C.Creek / Salt	Thompson Pk	4/21/94	2N-4E-12	33 31 57	111 53 55	1071	1:10
4638	Tatum Wash @ 40th St.	Rain/Stage	C.Creek / Salt	Thompson Pk	6/3/94	3N-4E-30	33 34 16	111 59 44	1300	1:11
4643	IBW @ Sweetwater	Rain/Stage	C.Creek / Salt	Thompson Pk	12/27/90	3N-3E-13	33 36 15	112 00 18	1400	1:12
4648	East Fork CC #1	Rain/Stage	C.Creek / Salt	Direct	3/2/94	4N-3E-23	33 40 05	112 01 15	1515	1:13,2:2,3:2
4658	East Fork CC #4	Rain/Stage	C.Creek / Salt	Direct	1/18/94	4N-3E-25	33 38 31	112 01 01	1456	1:14,2:3,3:3
4668	EFCC nr 7th Ave.	Rain/Stage	C.Creek / Salt	Direct	5/21/97	3N-3E-5	33 37 43	112 04 50	1325	1:15
4683	East Fork CC #3	Rain/Stage	C.Creek / Salt	Direct	9/13/94	4N-3E-34	33 38 44	112 02 24	1456	1:16,2:4,3:4
4748	Old X-cut @ McDowell	Rain/Stage	C.Creek / Salt	Direct	7/27/94	1N-4E-06	33 27 55	111 58 49	1250	1:17
4753	Old X-cut @ Thomas	Stage	C.Creek / Salt	Direct	7/26/94	2N-5W-30	33 29 17	111 54 52	1200	1:18
4803	Dreamy Draw Dam	Rain/Stage	C.Creek / Salt	Direct	1/24/84	3N-3E-34	33 33 45	112 01 54	1407	1:19,2:5,3:5
4808	ACDC @ 36th St.	Rain/Stage	C.Creek / Salt	Direct	2/24/94	2N-3E-13	33 30 09	112 00 00	1260	1:20
4813	ACDC @ 14th St.	Rain/Stage	C.Creek / Salt	Direct	2/9/94	2N-3E-4	33 32 31	112 02 35	1230	1:21
4818	10th Street Wash Basin #1	Rain/Stage	C.Creek / Salt	Direct	11/26/96	3N-3E-28	33 34 47	112 03 16	1150	1:22,2:6,3:6
4823	ACDC @ 43rd Ave.	Rain/Stage	C.Creek / Salt	White Tanks	11/14/90	3N-2E-22	33 35 03	112 09 16	1225	1:23
4833	Cave Creek @ Cactus	Rain/Stage	C.Creek / Salt	Direct	6/27/91	3N-2E-13	33 35 56	112 07 01	1280	1:24
4903	Cave Buttes Outlet	Rain/Stage	C.Creek / Salt	Direct	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	1:25
4904	Cave Buttes Pool	Rain/Stage	C.Creek / Salt	Direct	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	2:7,3:7
4918	Cave Cr. nr Cave Cr.	Stage	C.Creek / Salt	Thompson Pk	5/27/94	5N-3E-12	33 47 30	112 00 36	1800	1:26
4923	Cave Cr.@ Spur Cross	Rain/Stage	C.Creek / Salt	White Tanks	6/16/93	6N-4E-04	33 53 05	111 57 17	2280	1:27
4938	Reata Pass Dam	Rain/Stage	C.Creek / Salt	Mt. Ord	2/25/93	5N-5E-33	33 44 06	111 50 36	2600	2:8
5103	Centennial Railroad	Rain/Stage	Centennial	White Tanks	2/9/90	1S-6W-28	33 18 35	112 52 56	850	1:28
5113	Saddleback FRS	Rain/Stage	Centennial	White Tanks	12/16/88	2N-10W-34	33 27 55	113 04 21	1177	1:29,2:9,3:8

ALERT System Water Level Sensors WY 1997

Sorted by ID#

ID#	Gage Name	Sta. Type	Watershed	Repeater	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
5128	Harquahala FRS	Rain/Stage	Centennial	Burnt Mtn.	3/1/94	2N-8W-05	33 32 54	113 05 52	1420	1:30,2:10,3:9
5153	Narrows Dam	Rain/Stage	Centennial	Harquahala Mtn.	9/1/94	4N-12W-04	33 43 29	113 30 45	1960	1:31
5203	Buckeye FRS #1	Rain/Stage	Hassayampa	White Tanks	7/26/83	1N-5W-3	33 29 24	112 44 02	1097	1:32,2:11,3:10
5208	Buckeye FRS #2	Rain/Stage	Hassayampa	White Tanks	11/11/92	1N-3W-07	33 26 26	112 35 47	1150	1:33,2:12,3:11
5223	Hassy R. nr Morristown	Stage	Hassayampa	White Tanks	5/7/96	6N-4W-03	33 53 06	112 39 41	1830	1:34
5228	Hassy R. @ US 60	Rain/Stage	Hassayampa	White Tanks	3/14/94	7N-5W-12	33 58 22	112 43 40	2035	1:35
5233	Sunset FRS	Rain/Stage	Hassayampa	Yarnell Hill	2/12/89	7N-5W-11	33 57 50	112 44 33	2100	1:36,2:13,3:12
5248	Sunnycove FRS	Rain/Stage	Hassayampa	Yarnell Hill	7/31/86	7N-5W-11	33 57 25	112 44 24	2200	1:37,2:14,3:13
5283	Hassy R. @ I-10	Rain/Stage	Hassayampa	Yarnell Hill	11/9/94	1N-5W-03	33 27 33	112 45 46	1035	1:38
5308	Hassy R. @ Box Canyon	Rain/Stage	Hassayampa	Towers Mtn.	11/17/83	8N-4W-7	33 58 11	112 43 38	2245	1:39-41
5353	Hassy R. @ Wagoner Rd.	Rain/Stage	Hassayampa	Towers Mtn.	9/26/91	11N-3W-9	34 18 38	112 34 05	3785	1:42
5403	Agua Fria @ Buckeye	Rain/Stage	Agua Fria	Direct	10/12/88	1N-1W-14	33 26 05	112 19 55	940	1:43
5408	Colter @ El Mirage	Rain/Stage	Agua Fria	White Tanks	6/29/94	2N-1W-13	33 30 38	112 19 32	1025	1:44
5413	Dysart Drain @ LAFB	Rain/Stage	Agua Fria	Direct	8/22/96	2N-1W-03	33 32 38	112 20 57	1090	1:45
5418	White Tanks 3	Rain/Stage	Agua Fria	Direct	3/12/86	2N-2W-9	33 32 01	112 28 14	1190	1:46,2:15,3:14
5423	Dysart Chnl @ El Mirage	Stage	Agua Fria	Direct	3/7/97	2N-1W-1	33 32 38	112 19 11	1023	1:47
5438	McMicken Floodway	Rain/Stage	Agua Fria	Direct	9/3/92	4N-1E-18	33 41 04	112 24 33	1337	1:48
5448	McMicken Dam	Rain/Stage	Agua Fria	Direct	3/24/83	4N-2W-24	33 40 38	112 25 23	1361	1:49,2:16,3:15
5503	Agua Fria @ Grand Ave.	Rain/Stage	Agua Fria	Direct	4/27/94	3N-1E-18	33 36 25	112 18 16	1125	1:50
5508	New River @ Glendale	Rain/Stage	Agua Fria	White Tanks	3/21/90	3N-1E-8	33 32 14	112 17 00	1050	1:51
5523	ACDC @ 67th Ave.	Rain/Stage	Agua Fria	White Tanks	6/7/90	3N-1E-12	33 37 26	112 12 10	1220	1:52
5538	Adobe Dam Outlet	Rain/Stage	Agua Fria	Thompson Pk	10/28/82	4N-2E-21	33 40 37	112 09 12	1413	1:53
5539	Adobe Dam Pool	Rain/Stage	Agua Fria	Thompson Pk	10/28/82	4N-2E-21	33 40 37	112 09 12	1413	2:17,3:16
5543	Scatter Wash	Stage	Agua Fria	Thompson Pk	9/18/96	4N-2E-27	33 40 20	112 08 30	1340	1:54
5568	Skunk Creek @ I-17	Rain/Stage	Agua Fria	Direct	10/26/89	5N-2E-35	33 43 47	112 07 21	1475	1:55
5583	Skunk Cr. nr New R.	Stage	Agua Fria	White Tanks	6/21/95	7N-3E-29	33 55 36	112 04 57	1854	1:56
5598	New River @ Bell Rd.	Rain/Stage	Agua Fria	White Tanks	4/4/90	3N-1E-3	33 38 18	112 14 27	1200	1:57
5613	New River Outlet	Rain/Stage	Agua Fria	Direct	4/15/86	5N-1E-35	33 44 09	112 13 31	1498	1:58
5614	New River Pool	Rain/Stage	Agua Fria	Direct	4/15/86	5N-1E-35	33 44 09	112 13 31	1498	2:18,3:17
5968	Stoneridge Dam	Rain/Stage	Verde	Thompson Pk	12/11/96	3N-6E-22	33 35 41	111 44 01	1710	1:59,2:19,3:18
5973	Sunridge Canyon Dam	Rain/Stage	Verde	Mt. Ord	2/4/97	3N-6E-16	33 16 18	111 45 06	1932	1:60,2:20,3:19
5978	Golden Eagle Park Dam	Stage	Verde	Thompson Pk	12/12/96	3N-6E-10	33 37 07	111 44 07	1722	1:61,2:21,3:20

ALERT System Water Level Sensors WY 1997

Sorted by ID#

ID#	Gage Name	Sta. Type	Watershed	Repeater	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
5983	North Heights Dam	Rain/Stage	Verde	Thompson Pk	10/11/96	3N-6E-9	33 37 21	111 44 54	1819	1:62,2:22,3:21
5988	Aspen Dam	Stage	Verde	Thompson Pk	1/2/97	3N-6E-4	33 37 34	111 44 48	1840	1:63,2:23,3:22
5993	Hesperus Dam	Rain/Stage	Verde	Thompson Pk	12/18/96	3N-6E-4	33 38 14	111 44 47	1894	1:64,2:24,3:23
6503	Guadalupe FRS	Rain/Stage	Gila /Queen Ck	Direct	6/29/89	1S-4E-5	33 22 16	111 58 10	1250	1:65,2:25,3:24
6563	South Mountain Fan	Weather	Gila /Queen Ck	White Tanks	6/9/93	1S-2E-26	33 18 57	112 08 05	1420	1:66
6573	EMF @ Broadway	Rain/Stage	Gila /Queen Ck	Thompson Pk	8/10/89	1N-6E-26	33 24 21	111 42 42	1349	1:67
6583	EMF @ Queen Creek Rd.	Rain/Stage	Gila /Queen Ck	Thompson Pk	1/18/89	2S-6E-15	33 15 50	111 43 35	1317	1:68
6598	EMF @ Arizona Ave.	Rain/Stage	Gila /Queen Ck	Kings Ranch	2/10/89	3S-5E-15	33 10 53	111 51 50	1214	1:69
6608	Freestone Park Basin	Rain/Stage	Gila/Queen Ck	Thompson Pk	12/19/95	1S-6E-8	33 21 29	111 46 21	1450	2:26,3:25
6623	Crossroads Park Basin	Weather	Gila/Queen Ck	Thompson Pk	12/18/95	1S-6E-21	33 19 40	111 44 49	1270	2:27,3:26
6628	Signal Butte FRS	Rain/Stage	Gila /Queen Ck	Kings Ranch	11/10/87	1N-7E-12	33 26 25	111 35 25	1650	1:70,2:28,3:27
6673	Apache Junction FRS	Rain/Stage	Gila /Queen Ck	Kings Ranch	12/16/81	1N-8E-8	33 26 28	111 33 07	1989	1:71,2:29,3:28
6683	Powerline FRS	Rain/Stage	Gila /Queen Ck	Kings Ranch	12/3/92	1S-8E-9	33 21 06	111 32 34	1580	1:72,2:30,3:29
6688	Vineyard FRS	Rain/Stage	Gila /Queen Ck	Thompson Pk	11/2/83	1S-8E-9	33 21 06	111 32 34	1582	1:73,2:31,3:30
6703	Rittenhouse FRS	Rain/Stage	Gila /Queen Ck	Thompson Pk	9/27/88	2S-8E-2	33 17 22	111 30 26	1580	1:74,2:32,3:31
6713	Queen Ck @ Rittenhouse	Rain/Stage	Gila /Queen Ck	Kings Ranch	9/14/93	2S-7E-25	33 13 50	111 35 41	1400	1:75
6813	Buckeye FRS #3	Rain/Stage	Wtrmn/Sauceda	White Tanks	11/23/92	1N-3W-10	33 26 49	112 33 20	1200	1:76,2:33,3:32
6823	White Tanks 4	Rain/Stage	Wtrmn/Sauceda	White Tanks	1/9/86	1N-2W-5	33 27 04	112 29 40	1044	1:77,2:34,3:33
6853	Gila @ Estrella Pkwy.	Stage	Wtrmn/Sauceda	White Tanks	12/2/92	1N-1W-31	33 23 19	112 23 33	900	1:78
6893	Estrella Fan	Weather	Wtrmn/Sauceda	Waterman	4/30/93	2S-1W-12	33 16 08	112 19 15	1425	1:79
6923	Sauceda Wash	Rain/Stage	Wtrmn/Sauceda	White Tanks	2/28/90	6S-5W-4	32 52 27	112 44 57	726	1:80
6983	Vekol Wash	Rain/Stage	Wtrmn/Sauceda	White Tanks	3/7/90	7S-1E-3	32 50 30	112 14 58	1720	1:81
7013	Martinez Creek	Rain/Stage	Hassayampa	Yarnell Hill	11/23/94	8N-5W-17	34 01 44	112 47 30	2300	1:82
7043	Sols Wash nr Matthie	Rain/Stage	Hassayampa	Yarnell Hill	8/4/95	8N-5W-32	33 59 14	112 47 36	2220	1:83
7063	Hartman Wash	Rain/Stage	Hassayampa	Yarnell Hill	7/6/94	7N-5W-12	33 57 47	112 49 40	2488	1:84
7083	Flying E Wash	Rain/Stage	Hassayampa	Yarnell Hill	7/12/94	7N-5W-09	33 57 44	112 46 49	2302	1:85
7093	Casandro Wash	Rain/Stage	Hassayampa	Yarnell Hill	7/12/94	7N-5W-10	33 57 44	112 45 53	2240	1:86
7113	Powder House Wash	Rain/Stage	Hassayampa	Yarnell Hill	5/18/95	7N-4W-06	33 59 00	112 42 45	2120	1:87
7133	Casandro Dam	Rain/Stage	Hassayampa	Yarnell Hill	8/15/96	7N-5W-11	33 58 04	112 44 49	2163	1:88,2:35,3:34

ALERT System Water Level Sensors WY 1997

Sorted by Name

ID#	Gage Name	Sta. Type	Watershed	Repeater	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
4813	ACDC @ 14th St.	Rain/Stage	C.Creek / Salt	Direct	2/9/94	2N-3E-4	33 32 31	112 02 35	1230	1:21
4808	ACDC @ 36th St.	Rain/Stage	C.Creek / Salt	Direct	2/24/94	2N-3E-13	33 30 09	112 00 00	1260	1:20
4823	ACDC @ 43rd Ave.	Rain/Stage	C.Creek / Salt	White Tanks	11/14/90	3N-2E-22	33 35 03	112 09 16	1225	1:23
5523	ACDC @ 67th Ave.	Rain/Stage	Agua Fria	White Tanks	6/7/90	3N-1E-12	33 37 26	112 12 10	1220	1:52
5538	Adobe Dam Outlet	Rain/Stage	Agua Fria	Thompson Pk	10/28/82	4N-2E-21	33 40 37	112 09 12	1413	1:53
5539	Adobe Dam Pool	Rain/Stage	Agua Fria	Thompson Pk	10/28/82	4N-2E-21	33 40 37	112 09 12	1413	2:17,3:16
5403	Agua Fria @ Buckeye	Rain/Stage	Agua Fria	Direct	10/12/88	1N-1W-14	33 26 05	112 19 55	940	1:43
5503	Agua Fria @ Grand Ave.	Rain/Stage	Agua Fria	Direct	4/27/94	3N-1E-18	33 36 25	112 18 16	1125	1:50
6673	Apache Junction FRS	Rain/Stage	Gila /Queen Ck	Kings Ranch	12/16/81	1N-8E-8	33 26 28	111 33 07	1989	1:71,2:29,3:28
5988	Aspen Dam	Stage	Verde	Thompson Pk	1/2/97	3N-6E-4	33 37 34	111 44 48	1840	1:63,2:23,3:22
5203	Buckeye FRS #1	Rain/Stage	Hassayampa	White Tanks	7/26/83	1N-5W-3	33 29 24	112 44 02	1097	1:32,2:11,3:10
5208	Buckeye FRS #2	Rain/Stage	Hassayampa	White Tanks	11/11/92	1N-3W-07	33 26 26	112 35 47	1150	1:33,2:12,3:11
6813	Buckeye FRS #3	Rain/Stage	Wtrmn/Sauceda	White Tanks	11/23/92	1N-3W-10	33 26 49	112 33 20	1200	1:76,2:33,3:32
7133	Casandro Dam	Rain/Stage	Hassayampa	Yarnell Hill	8/15/96	7N-5W-11	33 58 04	112 44 49	2163	1:88,2:35,3:34
7093	Casandro Wash	Rain/Stage	Hassayampa	Yarnell Hill	7/12/94	7N-5W-10	33 57 44	112 45 53	2240	1:86
4903	Cave Buttes Outlet	Rain/Stage	C.Creek / Salt	Direct	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	1:25
4904	Cave Buttes Pool	Rain/Stage	C.Creek / Salt	Direct	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	2:7,3:7
4918	Cave Cr. nr Cave Cr.	Stage	C.Creek / Salt	Thompson Pk	5/27/94	5N-3E-12	33 47 30	112 00 36	1800	1:26
4923	Cave Cr.@ Spur Cross	Rain/Stage	C.Creek / Salt	White Tanks	6/16/93	6N-4E-04	33 53 05	111 57 17	2280	1:27
4833	Cave Creek @ Cactus	Rain/Stage	C.Creek / Salt	Direct	6/27/91	3N-2E-13	33 35 56	112 07 01	1280	1:24
5103	Centennial Railroad	Rain/Stage	Centennial	White Tanks	2/9/90	1S-6W-28	33 18 35	112 52 56	850	1:28
5408	Colter @ El Mirage	Rain/Stage	Agua Fria	White Tanks	6/29/94	2N-1W-13	33 30 38	112 19 32	1025	1:44
6623	Crossroads Park Basin	Weather	Gila/Queen Ck	Thompson Pk	12/18/95	1S-6E-21	33 19 40	111 44 49	1270	2:27,3:26
5423	Dysart Chnl @ El Mirage	Stage	Agua Fria	Direct	3/7/97	2N-1W-1	33 32 38	112 19 11	1023	1:47
4803	Dreamy Draw Dam	Rain/Stage	C.Creek / Salt	Direct	1/24/84	3N-3E-34	33 33 45	112 01 54	1407	1:19,2:5,3:5
5413	Dysart Drain @ LAFB	Rain/Stage	Agua Fria	Direct	8/22/96	2N-1W-03	33 32 38	112 20 57	1090	1:45
4648	East Fork CC #1	Rain/Stage	C.Creek / Salt	Direct	3/2/94	4N-3E-23	33 40 05	112 01 15	1515	1:13,2:2,3:2
4683	East Fork CC #3	Rain/Stage	C.Creek / Salt	Direct	9/13/94	4N-3E-34	33 38 44	112 02 24	1456	1:16,2:4,3:4
4658	East Fork CC #4	Rain/Stage	C.Creek / Salt	Direct	1/18/94	4N-3E-25	33 38 31	112 01 01	1456	1:14,2:3,3:3
4668	EFCC near 7th Ave.	Rain/Stage	C.Creek / Salt	Direct	5/21/97	3N-3E-5	33 37 43	112 04 50	1325	1:15
6598	EMF @ Arizona Ave.	Rain/Stage	Gila /Queen Ck	Kings Ranch	2/10/89	3S-5E-15	33 10 53	111 51 50	1214	1:69

ALERT System Water Level Sensors WY 1997

Sorted by Name

ID#	Gage Name	Sta. Type	Watershed	Repeater	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
6573	EMF @ Broadway	Rain/Stage	Gila /Queen Ck	Thompson Pk	8/10/89	1N-6E-26	33 24 21	111 42 42	1349	1:67
6583	EMF @ Queen Creek Rd.	Rain/Stage	Gila /Queen Ck	Thompson Pk	1/18/89	2S-6E-15	33 15 50	111 43 35	1317	1:68
6893	Estrella Fan	Weather	Wtrmn/Sauceda	Waterman	4/30/93	2S-1W-12	33 16 08	112 19 15	1425	1:79
7083	Flying E Wash	Rain/Stage	Hassayampa	Yarnell Hill	7/12/94	7N-5W-09	33 57 44	112 46 49	2302	1:85
6608	Freestone Park Basin	Rain/Stage	Gila/Queen Ck	Thompson Pk	12/19/95	1S-6E-08	33 21 29	111 46 21	1450	2:26,3:25
6853	Gila @ Estrella Pkwy.	Stage	Wtrmn/Sauceda	White Tanks	12/2/92	1N-1W-31	33 23 19	112 23 33	900	1:78
778	Gila @ Maricopa Rd	Rain/Stage	Gila /Queen Ck	Signal Peak	4/9/95	3S-3E-13	33 10 16	112 00 21	1120	1:1
783	Gila R. @ Olberg	Rain/Stage	Gila /Queen Ck	Signal Peak	4/12/95	4S-6E-12	33 06 50	111 41 15	1290	1:2
5978	Golden Eagle Park Dam	Stage	Verde	Thompson Pk	12/12/96	3N-6E-10	33 37 07	111 44 07	1722	1:61,2:21,3:20
793	Greene Wash @ SR 84	Stage	Pinal	Signal Peak	3/23/94	7S-4E-21	32 52 48	111 56 03	1350	1:4
6503	Guadalupe FRS	Rain/Stage	Gila /Queen Ck	Direct	6/29/89	1S-4E-5	33 22 16	111 58 10	1250	1:65,2:25,3:24
5128	Harquahala FRS	Rain/Stage	Centennial	Burnt Mtn.	3/1/94	2N-8W-05	33 32 54	113 05 52	1420	1:30,2:10,3:9
7063	Hartman Wash	Rain/Stage	Hassayampa	Yarnell Hill	7/6/94	7N-5W-12	33 57 47	112 49 40	2488	1:84
5308	Hassy R. @ Box Canyon	Rain/Stage	Hassayampa	Towers Mtn.	11/17/83	8N-4W-7	33 58 11	112 43 38	2245	1:39-41
5283	Hassy R. @ I-10	Rain/Stage	Hassayampa	Yarnell Hill	11/9/94	1N-5W-03	33 27 33	112 45 46	1035	1:38
5228	Hassy R. @ US 60	Rain/Stage	Hassayampa	White Tanks	3/14/94	7N-5W-12	33 58 22	112 43 40	2035	1:35
5353	Hassy R. @ Wagoner Rd.	Rain/Stage	Hassayampa	Towers Mtn.	9/26/91	11N-3W-9	34 18 38	112 34 05	3785	1:42
5223	Hassy R. nr Morristown	Stage	Hassayampa	White Tanks	5/7/96	6N-4W-03	33 53 06	112 39 41	1830	1:34
5993	Hesperus Dam	Rain/Stage	Verde	Thompson Pk	12/18/96	3N-6E-4	33 38 14	111 44 47	1894	1:64,2:24,3:23
4613	IBW @ Indian Bend Rd.	Rain/Stage	C.Creek / Salt	Thompson Pk	9/28/83	2N-4E-11	33 32 00	111 54 53	1071	1:9
4623	IBW @ Interceptor	Rain/Stage	C.Creek / Salt	Thompson Pk	4/21/94	2N-4E-12	33 31 57	111 53 55	1071	1:10
4603	IBW @ McKellips Rd.	Rain/Stage	C.Creek / Salt	Thompson Pk	5/21/85	1N-4E-11	33 26 58	111 54 58	1187	1:8
4643	IBW @ Sweetwater	Rain/Stage	C.Creek / Salt	Thompson Pk	12/27/90	3N-3E-13	33 36 15	112 00 18	1400	1:12
7013	Martinez Creek	Rain/Stage	Hassayampa	Yarnell Hill	11/23/94	8N-5W-17	34 01 44	112 47 30	2300	1:82
5448	McMicken Dam	Rain/Stage	Agua Fria	Direct	3/24/83	4N-2W-24	33 40 38	112 25 23	1361	1:49,2:16,3:15
5438	McMicken Floodway	Rain/Stage	Agua Fria	Direct	9/3/92	4N-1E-18	33 41 04	112 24 33	1337	1:48
5153	Narrows Dam	Rain/Stage	Centennial	Harquahala Mtn.	9/1/94	4N-12W-04	33 43 29	113 30 45	1960	1:31
5598	New River @ Bell Rd.	Rain/Stage	Agua Fria	White Tanks	4/4/90	3N-1E-3	33 38 18	112 14 27	1200	1:57
5508	New River @ Glendale	Rain/Stage	Agua Fria	White Tanks	3/21/90	3N-1E-8	33 32 14	112 17 00	1050	1:51
5613	New River Outlet	Rain/Stage	Agua Fria	Direct	4/15/86	5N-1E-35	33 44 09	112 13 31	1498	1:58
5614	New River Pool	Rain/Stage	Agua Fria	Direct	4/15/86	5N-1E-35	33 44 09	112 13 31	1498	2:18,3:17
5983	North Heights Dam	Rain/Stage	Verde	Thompson Pk	10/11/96	3N-6E-09	33 37 21	111 44 54	1819	1:62,2:22,3:21

ALERT System Water Level Sensors WY 1997

Sorted by Name

ID#	Gage Name	Sta. Type	Watershed	Repeater	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
4748	Old X-cut @ McDowell	Rain/Stage	C.Creek / Salt	Direct	7/27/94	1N-4E-06	33 27 55	111 58 49	1250	1:17
4753	Old X-cut @ Thomas	Stage	C.Creek / Salt	Direct	7/26/94	2N-5W-30	33 29 17	111 54 52	1200	1:18
7113	Powder House Wash	Rain/Stage	Hassayampa	Yarnell Hill	5/18/95	7N-4W-06	33 59 00	112 42 45	2120	1:87
6683	Powerline FRS	Rain/Stage	Gila /Queen Ck	Kings Ranch	12/3/92	1S 8E 09	33 21 06	111 32 34	1580	1:72,2:30,3:29
6713	Queen Ck @ Rittenhouse	Rain/Stage	Gila /Queen Ck	Kings Ranch	9/14/93	2S-7E-25	33 13 50	111 35 41	1400	1:75
4938	Reata Pass Dam	Rain/Stage	C.Creek / Salt	Mt. Ord	2/25/93	5N-5E-33	33 44 06	111 50 36	2600	2:8
6703	Rittenhouse FRS	Rain/Stage	Gila /Queen Ck	Thompson Pk	9/27/88	2S-8E-2	33 17 22	111 30 26	1580	1:74,2:32,3:31
5113	Saddleback FRS	Rain/Stage	Centennial	White Tanks	12/16/88	2N-10W-34	33 27 55	113 04 21	1177	1:29,2:9,3:8
4523	Salt R. @ Priest Dr.	Stage	C.Creek / Salt	Direct	12/7/93	1N-4E-17	33 26 00	111 57 43	1133	1:6
788	Santa Cruz @ SR 84	Rain/Stage	Pinal	Signal Peak	3/16/94	7S-5E-21	32 52 55	111 49 45	1311	1:3
798	Santa Rosa @ SR 84	Rain/Stage	Pinal	Signal Peak	3/16/94	7S-4E-20	32 52 39	111 56 51	1305	1:5
6923	Sauceda Wash	Rain/Stage	Wtrmn/Sauceda	White Tanks	2/28/90	6S-5W-04	32 52 27	112 44 57	726	1:80
5543	Scatter Wash	Stage	Agua Fria	Thompson Pk	9/18/96	4N-2E-27	33 40 20	112 08 30	1340	1:54
6628	Signal Butte FRS	Rain/Stage	Gila /Queen Ck	Kings Ranch	11/10/87	1N-7E-12	33 26 25	111 35 25	1650	1:70,2:28,3:27
5583	Skunk Cr. nr New R.	Stage	Agua Fria	White Tanks	6/21/95	7N-3E-29	33 55 36	112 04 57	1854	1:56
5568	Skunk Creek @ I-17	Rain/Stage	Agua Fria	Direct	10/26/89	5N-2E-35	33 43 47	112 07 21	1475	1:55
7043	Sols Wash nr Matthie	Rain/Stage	Hassayampa	Yarnell Hill	8/4/95	8N-5W-32	33 59 14	112 47 36	2220	1:83
6563	South Mountain Fan	Weather	Gila /Queen Ck	White Tanks	6/9/93	1S-2E-26	33 18 57	112 08 05	1420	1:66
4563	Spookhill FRS	Rain/Stage	C.Creek / Salt	Thompson Pk	3/13/84	2N-7E-31	33 28 01	111 40 48	1595	1:7,2:1,3:1
5968	Stoneridge Dam	Rain/Stage	Verde	Thompson Pk	12/11/96	3N-6E-22	33 35 41	111 44 01	1710	1:59,2:19,3:18
5248	Sunnycove FRS	Rain/Stage	Hassayampa	Yarnell Hill	7/31/86	7N-5W-11	33 57 25	112 44 24	2200	1:37,2:14,3:13
5973	Sunridge Canyon Dam	Rain/Stage	Verde	Mt. Ord	2/4/97	3N-6E-16	33 16 18	111 45 06	1932	1:60,2:20,3:19
5233	Sunset FRS	Rain/Stage	Hassayampa	Yarnell Hill	2/12/89	7N-5W-11	33 57 50	112 44 33	2100	1:36,2:13,3:12
4638	Tatum Wash @ 40th St.	Rain/Stage	C.Creek / Salt	Thompson Pk	6/3/94	3N-4E-30	33 34 16	111 59 44	1300	1:11
4818	10th Street Wash Basin #1	Rain/Stage	C.Creek / Salt	Direct	11/26/96	3N-3E-28	33 34 47	112 03 16	1150	1:22,2:6,3:6
6983	Vekol Wash	Rain/Stage	Wtrmn/Sauceda	White Tanks	3/7/90	7S-1E-3	32 50 30	112 14 58	1720	1:81
6688	Vineyard FRS	Rain/Stage	Gila /Queen Ck	Thompson Pk	11/2/83	1S-8E-9	33 21 06	111 32 34	1582	1:73,2:31,3:30
5418	White Tanks 3	Rain/Stage	Agua Fria	Direct	3/12/86	2N-2W-9	33 32 01	112 28 14	1190	1:46,2:15,3:14
6823	White Tanks 4	Rain/Stage	Wtrmn/Sauceda	White Tanks	1/9/86	1N-2W-5	33 27 04	112 29 40	1044	1:77,2:34,3:33

SUMMARY OF SIGNIFICANT STREAMFLOW EVENTS

Water Year 1997 though drier than average over much of Maricopa County did see a few significant runoff events. The winter season saw two runoff producing events. The first occurred on January 13th-14th and the second on February 28th. The January 13th-14th event resulted in the maximum flow for the year on the Indian Bend Wash gages. Near Indian Bend Road 350 cfs was recorded while near McKellips Road 55 cfs were recorded. Cave Creek near Cave Creek also recorded the annual maximum runoff of 280 cfs during this event which was matched during the runoff event of February 28th.

The summer runoff season saw considerably more runoff activity than the winter season. The west and especially the northwest portions of Maricopa County experienced most of the big runoff events. The largest and most significant runoff producing event occurred almost at water year's end on September 25th and 26th when the remnants of Hurricane Nora crossed western Maricopa County. Many of the washes in these areas experienced flows around the 10-year recurrance interval. Centennial Wash had a peak discharge of 8,100 cfs near Salome, Arizona which overtopped the Narrow Dam emergency spillways and eventually caused the dam to breach in two locations. In and around Wickenburg, Arizona, Hartman Wash saw 1,250 cfs, Flying E Wash 1,145 cfs, Casandro Wash 180 cfs, Sols Wash near Matthie 8,000 cfs, Martinez Creek 10,300 cfs, and the Hassayampa River at US 60 peaked at 15,400 cfs. The three dams in Wickenburg also experienced relatively large impoundments. Casandro Dam filled to 45% of its spillway capacity while Sunset Dam filled to almost 40% and Sunnycove Dam to 14%. September 11th was the big runoff producing event in the metropolitan area when the ACDC and Tatum Wash experienced their annual maximum runoff events of 940 cfs and 90 cfs respectively.

The USGS also recorded several significant events in August and September at several of the cooperative continuous and crest stage gage stations including, Centennial Wash near Arlington, Hassayampa River near Morristown and near Arlington, Tiger Wash, and Jackrabbit Wash. These events will be reported by the USGS in their Water Data Report for Water Year 1997.


The significant flows and/or impoundments recorded by the FCDMC for Water Year 1997 are summarized in the following table. The hydrographs for a number of stations for the Hurricane Nora flood event are shown on the page following the summary table.

Maximum Flows and Impoundments for Water Year 1997 at Selected FCDMC Water Level Sensor Locations

Location	Discharge	Stage	Con	tents	Date
	(cfs)	(feet)	(ac-ft)	(%full)	
ACDC @ 14 th Street	60	, ,	` '	•	9/11/97
ACDC @ 43rd Ave	890				9/11/97
ACDC @ 67th Ave	940				9/11/97
Buckeye FRS #1	95	1.3	48*	0.6	8/8/97
Casandro Dam	19	11.3	65	45	9/26/97
Casandro Wash	180*				9/26/97
Cave Creek near Cave Creek	280				1/14/97 & 2/28/97
Flying E Wash	1,145				9/26/97
Greene Wash	480				9/6/97
Harquahala FRS	290	18.4	151*	1.7	8/8/97
Hartman Wash	1250				9/26/97
Hassayampa River @ I-10	7,440*				9/26/97
Hassayampa River at Box Canyon	3,550				9/26/97
Hassayampa River at US 60	15,400				9/26/97
Hassayampa River at Wagoner Road	215				9/26/97
Indian Bend Wash near Indian Bend Road	350				1/13/97
Indian Bend Wash near McKellips Road	130				8/26/97
Martinez Creek	10,300				9/26/97
Narrows Dam	2,610*	20.7	Unknown	> 100	9/26/97
Powder House Wash	390*				9/26/97
Saddleback FRS	65	1.5	86	1.3	8/8/97
Sauceda Wash	700				9/6/97
Signal Butte FRS	0	5.6	39	2.3	8/10/97
Skunk Creek near New River Road	110				9/11/97
Sols Wash near Matthie	8,000				9/26/97
Sunnycove FRS	44	17.2	30	13.9	9/26/97
Sunset FRS	43	12.3	34	39.5	9/26/97
Tatum Wash at 40 th Street	90				9/11/97
Miscella	neous Flows Record	ded by FCDM	C during Water Yea	1997	
Centennial Wash near Salome, AZ	8,100	Bas	ed on Slope-Convey	ance Survey	9/26/97

Refer to individual station pages for notes on these sites.

Flood of September 26, 1997 15 Minute Maximum Discharges



Water Year 1997

Page xviii

Computation Of Continuous Records Of Streamflow

Station Number: 778 Name: Gila @ Maricopa Rd

USGS Gage: Gila River near Maricopa, AZ, ID# 09479350

Drainage Area: 19,915 mi²

See USGS Water-Data Report AZ-97-1 for data for this site.

Computation Of Continuous Records Of Streamflow

Station Number: 783 Name: Gila R. @ Olberg

USGS Gage: Gila River near Sacaton, AZ, ID# 09478350

Drainage Area: 18,674 mi²

See USGS Water-Data Report AZ-97-1 for data for this site.

Computation Of Continuous Records Of Streamflow

Station Number: 788 Name: Santa Cruz @ SR 84

Period of Record: 03/16/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	Peak	Discharge	(cfs)		Da Da	<u>ıy</u>	<u> </u>	eak Di	scharge	(cfs)	
Dec. 3 Mar. 3 Sept. 3 Sept. 28		40 57 73 42			Αι	an. 4 ug. 8 ept. 6			78 40 56		
DAY C	OCT N	IOV DEC	JAN	Daily Mo	ean Valu MAR	ies Apr	MAY	JUN	JUL	AUG	SEP
1 2 3 4		14	12 4 2 42		25 1	1					 1 40 64 67
5 6 7 8 9		2							1 6	2 24	20 21 5
10 11 12 13		2			6					1 5	
14 15 16 17		2 9									
18 19 20 21		10 13								8 14	
22 23 24 25		2									4
25 26 27 28 29 30 31							1 2				4 3 2 25 2
TOTAL MEAN MAX MIN	0 0 0 0	0 51 0 2 0 40 0 0	60 2 78 0	0 0 0 0	33 1 57 0	1 0 6	3 0 21	0 0 0 0	6 0 12 0	53 2 40 0	255 8 73 0

0

WTR YR 1997 TOTAL

0

102

120

463 MEAN

0

65

1 MAX

 AC_FT

13

0 AC_FT

104

918

505

7

78 MIN

0

2

Computation Of Continuous Records Of Streamflow

Note: Many flows due to irrigation return water.

Computation Of Continuous Records Of Streamflow

Station Number: 793 Name: Greene Wash @ SR 84

Period of Record: 03/23/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Minimum flow recorded by gage is about 40 cfs at 0.1 ft gage height.

Day Peak Discharge (cfs)

Sept. 6 482

					Daily Me							
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL .	AUG	SEP
1												
2												
3 4												
5												
6												101
7												
8												
9												
10 11												
12												
13												
14												
15												
16												
17 18												
19												
20												
21												
22												
23 24												
25												
26												
27												
28												
29												
30 31												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	101
MEAN	0	0	0	0	0	0	0	0	0	0	0	3
MAX	0	0	0	0	0	0	0	0	0	0	0	482
MIN AC_FT	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 199
												199
WTR YR	1997	TOTAL	101	MEAN	0	MAX	482	MIN	0	AC_FT	19	99

Computation Of Continuous Records Of Streamflow

Station Number: 798 Name: Santa Rosa @ SR 84

Period of Record: 03/16/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow above gage during Water Year 1997. Minimum flow recorded by gage is about 325 cfs at -0.14 ft gage height.

Day Peak Discharge (cfs)

Sept. 5 or 6 45*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	45*
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 :	 FOTAL	0	MEAN) MAX	45,	MIN		 O AC_I	 FT	0

^{*} Estimated from high water marks below instrument at -1.42 ft gage height. Therefore, no volume (ac-ft) or mean flow data available.

Computation Of Continuous Records Of Streamflow

Station Number: 4523 Name: Salt R. @ Priest Dr.

USGS Gage: Salt River at Priest Drive, ID# 09512165

Drainage Area: 13,223 mi²

See USGS Water-Data Report AZ-97-1 for data for this site.

(sourc	Flood Flow Frequency (source: Table 2-4 from <i>Study for Modified Roosevelt Dam</i>)								
Magnitude and Probability of Instantaneous Peak Flow									
	Discharge, in cfs, for Indicated Recurrence Interval								
5-year	10-year	20-year	50-year	100-year					
20,500	55,000	90,000	140,000	169,000					

Computation Of Continuous Records Of Streamflow

Station Number: 4563 Name: Spookhill FRS

Drainage Area: 13.6 mi²

Period of Record: Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No outflow during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	 0	 0	 0	0	 0	0	0	0	0	0	
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 :	TOTAL	0	MEAN) MAX	() MIN		AC_F	 Т	0

See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 4603 IBW @ McKellips Rd. Name:

Drainage Area: 101 mi²

3

10

1

Period of Record: Nov. 1987 to current year Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:	Peak	flows	of interes	st durina	Water	Year	1997:
--	------	-------	------------	-----------	-------	------	-------

Day	Peak	Disc		(cfs)	interes	•	y vvater Day	Year 19		Disch	arge	(cfs)
Jan. 14 Aug. 26		5! 128					Feb. 2	7		38		
					Daily	/ Mean	Values					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
						12						
1						12						

-			
6			
7			
8			
9			

11		
12		
11 12 13	15	
14	22	

15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

26 27					5						44 11	
28					15						1	
29												
30												
31										1		
TOTAL	1	0	0	37	20	14	0	0	0	1	 61	1
MEAN	0	0	0	1	1	0	0	0	0	0	2	0
MAX	1	3	0	55	38	18	1	0	0	16	128	9
MTN	0	0	0	0	Ō	0	0	0	0	0	Ο	0

WTR YR 1997 TOTAL 137 MEAN 128 MIN 0 AC_FT 271 0 MAX

28

0

40

74

0

1

AC_FT

1 121

1

1

2 3

> 1 1

> 3

Computation Of Continuous Records Of Streamflow

See also the USGS Water-Data Report for Indian Bend Wash @ Curry Road, USGS gage ID# 09512162, located approximately 1/2 mile downstream.

Flood Flow Frequency (FEMA 9/95)								
Magnitude and Probability of Instantaneous Peak Flow								
Discharge, in cfs, for Indicated Recurrence Interval								
10-year 50-year 100-year								
4,000	14,000	20,000						

Computation Of Continuous Records Of Streamflow

Station Number: 4613 Name: IBW @ Indian Bend

Drainage Area: approximately 88 mi²

Period of Record: USGS -- 1961-1984; FCDMC -- Nov. 1987 to current water year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	Pe	eak Di	scharge	e (cfs	<u>)</u>		ay	<u>P</u>	eak Di	scharge	e (cfs	<u>)</u>
Jan. 13		:	346			Fe	eb. 28		:	243		
DAY	OCT	NOV	DEC	JAN	Daily M	lean Valu MAR	IES APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31				59 16	2 60	7						
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0	0 0 0 0	74 2 346 0 148	62 2 243 0 123	7 0 0 0 15	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0

Flood Flow Frequency (FEMA 9/95)
Magnitude and Probability of Instantaneous Peak Flow

WTR YR 1997 TOTAL 144 MEAN 0 MAX 346 MIN 0 AC_FT 285

Computation Of Continuous Records Of Streamflow

Discharge, in cfs, for Indicated Recurrence Interval										
10-year 50-year 100-year										
3,500	17,000									

Station Number: 4623 Name: IBW Interceptor

Drainage Area: 35 mi²

Period of Record: 04/21/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL MEAN	0	0	0 0	0	0 0	0	0	0	0	0	0 0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 :	COTAL	0	MEAN	(XAM 0	(NIM ((O AC_F	T'	0

Flood Flow Frequency (HEC-1 for IBW FDS 1997)
Magnitude and Probability of Instantaneous Peak Flow
Discharge, in cfs, for Indicated Recurrence Interval
100-year
8,000

Computation Of Continuous Records Of Streamflow

Station Number: 4638 Name: Tatum Wash @ 40th

Drainage Area: 1.82 mi²

Period of Record: 06/03/94 to current year Revised Records: WY1996: WY1995

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	Peak Discharge (cfs)	Day	Peak Discharge (cfs)
Nov. 22	22	Sept. 11	89

Daily Mean Values DAY OCT NOV DEC FEB MAR APR MAY JUN JUL SEP JAN AUG TOTAL 0 15 0 0 0 0 0 0 0 0 7 0 0 0 0 0 0 MEAN 0

Flood Flow Frequency (HEC-1 for Tatum Wash Detention Basin Analysis, 1995)

22 MEAN 0 MAX 89 MIN

0 0

0 0

WTR YR 1997 TOTAL

MAX

 AC_FT

MIN

0 0

0 89

Computation Of Continuous Records Of Streamflow

Magnitude and Probability of Instantaneous Peak Flow
Discharge, in cfs, for Indicated Recurrence Interval
100-year
2,200

Computation Of Continuous Records Of Streamflow

Station Number: 4643 Name: IBW @ Sweetwater

Drainage Area: 9.2 mi²

Period of Record: 12/27/90 to current year*

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Jan. 13 50

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	4	0	0	0					
MEAN	0	0	0	0	0	0	0					
MAX	0	0	0	50	0	0	0					
MIN	0	0	0	0	0	0	0					
AC_FT	0	0	0	8	0	0	0					
WTR YR	1997 :	COTAL	4	MEAN	(XAM C	50) MIN	(0 AC_I	FT	8

Note: Gage removed due to bridge and roadway construction on 04/25/1997. Site to be reinstalled as soon as construction allows.

Flood Flow Frequency (FEMA 9/95)										
Magnitude and Probability of Instantaneous Peak Flow										
Dischar	Discharge, in cfs, for Indicated Recurrence Interval									
10-year	10-year 50-year 100									
2,000 3,500 6,000										

Computation Of Continuous Records Of Streamflow

Station Number: 4648 Name: E.Fork CC #1

Drainage Area: 1.18 mi²

Period of Record: 03/02/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No o	utflows	during	Water	Year 19	997 exc	ept on	following	days:

Day	Peak Discharge (cfs)					Da	ıУ	Pe	Peak Discharge (cfs)			
Aug. 3	2					Sept. 11			7			
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	2	7
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	1
WTR YR	 1997 '	TOTAL	0	MEAN	(0 MAX		 7 MIN		AC I	 FT	1

See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 4658 Name: E.Fork CC #4

Drainage Area: 0.68 mi²

Period of Record: 01/18/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows greater than 10 cfs during Water Year 1997:

Day]		scharge				ay			scharge	(cfs	<u>)</u>
Jan. 13 Aug. 3	17 12						eb. 27 ept. 11		19 37			
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	1	0	0	9	7	1	3	0		0	10	4
MEAN MAX	0 7	0	0	0 17	0 19	0	0 7	0	0	0	0 12	0 37
MIN AC_FT	0 2	0	0 0	0 19	0 14	0 2	0 6	0	0	0	0 19	0 9
WTR YR	1997	TOTAL	36	MEAN		0 MAX	37	MI	 N	0 AC_F	 r	71

See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 4668 **Name:** EFCC nr 7thAve

Drainage Area: 14.1 mi²

Period of Record: 05/21/97 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Maximum flow during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 11 133*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	133*
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 :	TOTAL	0	MEAN	(XAM 0	133	* MIN	Γ	0 AC	FT	0

^{*} Maximum from high water marks on crest stage gage. Gage discovered not functioning on 12/08/97. Assumed not functioning properly since installation. Therefore, many other days of flow less than 9/11/97 maximum may have been missed. Also, therefore no mean daily flows or volumes reported for Water Year 1997.

Flood Flow Frequency (FEMA 9/95)									
Magnitude and Probability of Instantaneous Peak Flow									
Discharg	Discharge, in cfs, for Indicated Recurrence Interval								
10-year	50-year	100-year							
2,300	6,300	8,900							

Computation Of Continuous Records Of Streamflow

Station Number: 4683 Name: E.Fork CC #3

Drainage Area: 3.52 mi² (1.86 mi² controlled by EFCC #1 and EFCC #4)

Period of Record: 07/27/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows greater than 10 cfs during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 11 14*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	14*
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	1
WTR YR	1997 :	TOTAL	0	MEAN	(XAM 0	14	4* MIN		0 AC	_FT	1

^{*} Flows up to about the 2-year are passed beneath the detention basin via storm drains. Also, the 9/11/97 event appears to have been caused by local flow from the area immediate to the gage.

See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 4748 Name: Old Xcut @ McDowell

Period of Record: 07/27/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	Pe	ak Dis	charge	(cfs)		Da	Y	Pe	eak Dis	scharge	(cfs)	•
Jan. 13 Aug. 3 Aug. 26			57 68 78			Au	ly 31 g. 8 pt. 11			66 63 89		
DAY	OCT	NOV	DEC	JAN	Daily Me	an Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5								27 29 30 30 30 30			5	14 13 5 1
7 8 9 10								12			8 5	
11 12 13 14 15 16 17 18 19 20 21 22 23 24				8								14 18
25 26 27 28 29 30 31					8 10		13 10 26			4	15	
TOTAL MEAN MAX MIN AC_FT	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	8 0 57 0	18 1 33 0 36	0 0 0 0 0	49 2 26 0 96	174 6 30 0 345	0 0 0 0 0	4 0 66 0	34 1 78 0 67	65 2 89 0
WTR YR 1	 997 1	OTAL	352	MEAN	1	MAX	 89					

Computation Of Continuous Records Of Streamflow

Station Number: 4753 Name: Old Xcut @ Thomas

Period of Record: 07/26/94 to 06/18/97* **Revised Records:** WY1996: WY1995

Discharge, in cfs, Water Year October 1996 to September 1997

Peak discharges of interest greater than 50 cfs during Water Year 1997:

Day Peak Discharge (cfs)

Jan. 13 104

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2	1	1	1	1		39	79	3			
2	2	1	1	1	1	1	24	107	3			
3	2	1	1	2	1	14	59	83	3			
4	2	1	1	1	1	42	51	60	3			
5	2	1	2	1	1	25	67	54	3			
6	2	2	3	1	1	39	92	89	3			
7	2	2	3	1	1	34	76	21	3			
8	2	2	2	1	1	38	60	141	3			
9	2	1	1	2	1	40	51	141	3			
10	2	1	1	2	1	83	22	63	3			
11	1	1	1	2	1	27	54	62	3			
12	2	1	2	2	1	23	57	96	3			
13	2	1	2	29	1	41	56	27	3			
14	2	1	2	2		23	60	2	3			
15	1	2	2	1		44	48	3	3			
16	1	2	2	1		43	76	2	3			
17	2	2	2	1		71	81	1	3			
18	2	2	1	1		48	97	1	3			
19	2	2	2	1		23	61	2				
20	2	2	1	1		74	77	1				
21	2	1	1	1	25	39	143	2				
22	2	1	1	1	21	51	109	2				
23	2	1	1	1	38	87	74	2				
24	2	1	1	1	24	44	43	3				
25	2	1	2	1	16	25	37	3				
26	3	1	1	1	29	28	52	3				
27	2	1	1	1	51	11	39	3				
28	2	1	1	1	1	32	91	3				
29	2	2	1	1		50	41	3				
30	1	1	1	1		51	89	3				
31	1		1	1		69		3				
TOTAL	 59	46	 50	74	219	1221	 1926	1062	 76			
MEAN	2	2	2	2	8	39	64	34	3			
MAX	17	8	3	104	254	173	225	225	3			
MIN	1	1	1	1	0	0	2	1	3			
AC_FT	117	91	99	147	435	2422	3820	2107	150			
WTR YR	1997	TOTAL	4734	MEAN	1	4 MAX	 25	4 MIN		D AC_1	 FT 939	90

Note: High daily mean values shown for late Feb., March, April, and early May due to presence of a temporary construction dam across the channel which caused backwater onto the gage.

Computation Of Continuous Records Of Streamflow

* Gage discontinued 06/18/97.

Computation Of Continuous Records Of Streamflow

Station Number: 4803 Name: Dreamy Draw Dam

Drainage Area: 1.3 mi²

Period of Record: Nov. 1987 to current year **Revised Records:** WY1996: WY1995

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows occurred on following days during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 11 17

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	1
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	2	0	0	0	0	0	0	17
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	1	0	0	0	0	0	0	2
WTR YR	 1997 :	TOTAL	1	MEAN		 0 MAX	17	 7 MIN		 D AC 1	 FT	2

See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 4808 Name: ACDC @ 36 St

Drainage Area: 4.82 mi²

Period of Record: 02/24/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	Pe	eak Dis	charge	cfs (cfs	<u>)</u>	Da	valer re ay	Pe	eak Dis	scharge	e (cfs)	<u>)</u>
Jan. 13			5			Se	ept. 12	2		7		
						lean Valu						
DAY	OCT	NOV	DEC	JAN		MAR	APR		JUN	JUL 	AUG	SEP
1												
2 3											1	
4												
5 6												
7												
8 9												
10												
11												1 2
12 13				1								2
14												
15 16												
17												
18 19												
20												
21 22												
23												
24 25												
26												
27												
28 29												
30												
31												
TOTAL	1	0	0	1		0	1	0	0	0	1	3
MEAN MAX	0 3	0 0	0 0	0 5	0 3	0 0	0 2	0 0	0 0	0 0	0 2	0 7
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	2	0	0	2	2	0	1	0	0	0	3	5

Flood Flow Frequency (HEC-1 for ACDC ADMS)
Magnitude and Probability of Instantaneous Peak Flow

7 MIN

WTR YR 1997 TOTAL 8 MEAN 0 MAX

0 AC_FT

15

Computation Of Continuous Records Of Streamflow

Discharge	Discharge, in cfs, for Indicated Recurrence Interval								
2-year	10-year	100-year							
590	2,510	5,410							

Computation Of Continuous Records Of Streamflow

Station Number: 4813 Name: ACDC @ 14 St

Drainage Area: 10.2 mi²

Period of Record: 02/09/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:
Day Peak Discharge (cfs)

Day]	Peak Di	scharge	(cfs)		Da	<u>ay</u>	Pe	eak Dis	scharge	(cfs)	-
Jan. 4 Sept. 1	1		21 58			Já	an. 13			21		
					Daily Me	ean Valu	ies					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3				-								
4 5				1								
6												
7												
8												
9												
10												
11												11
12 13				1								10 22
14				_								20
15												1
16												
17												
18												
19 20												
20 21												
22												
23												
24												
25												
26												
27 28												
20 29												
30												
31												
TOTAL	0	0	0	3	0	0	0	0	0	0	0	64
MEAN	0	0	0	0	0	0	0	0	0	0	0	2
MAX	0	0	0	21	0	0	0	0	0	0	0	58
MIN	0	0	0	0	0	0	0	0	0	0	0	107
AC_FT	0	0			0	0 	0 	0	0 			
WTR YR	1997	TOTAL	66	MEAN	0	MAX	58	MIN	C	AC_FI	13	32

Note: Flows on Sept. 12-15, 1997 from water treatment plant releases upstream. Flow on Sept. 11, 1997 storm generated.

Surface Water Streamflow Data Page 26 FCDMC Annual Surface Water Report Water Year 1997

Flood Control District Of Maricopa County ALERT System Computation Of Continuous Records Of Streamflow

Computation Of Continuous Records Of Streamflow

Station Number: 4818 Name: 10 St.Wash Basin #1

Drainage Area: 1.21 mi²

Period of Record: 11/26/96 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 11 12

					Daily M	lean Valu	ies					
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL		0	0	0	0	0	0	0	0	0	0	2
MEAN		0	0	0	0	0	0	0	0	0	0	0
MAX		0	0	1	3	0	2	0	0	0	0	12
MIN		0	0	0	0	0	0	0	0	0	0	0
AC_FT		0	0	0	0	0	0	0	0	0	0	4
WTR YR	1997 :	TOTAL	3	MEAN	() MAX	12	MIN 2	(AC_F	T	5

Note: Gage installed 11/26/96. Also, about 300 cfs bypasses the basin in Tenth Street Wash.

Computation Of Continuous Records Of Streamflow

Station Number: 4823 Name: ACDC @ 43 Av

Drainage Area: 56 mi² below Cave Buttes Dam **Period of Record:** 12/17/91 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	Peak Discharge	(cfs)	Day	Peak Discharge (c:	fs)
			· · ·		

Feb. 27 497 Sept. 11 886

						ean Valu						
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7 8												
9												
10												
11												237
12												26
13												
14												
15												
16												
17												
18 19												
20												
21												
22												
23												
24												
25												
26												
27					85							
28												
29												
30 31												
31												
TOTAL	0	0	0	0	85	0	0	0	0	0	0	262
MEAN	0	0	0	0	3	0	0	0	0	0	0	9
MAX	0	0	0	0	497	0	0	0	0	0	0	886
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	168	0	0	0	0	0	0	520
WTR YR	 1997	TOTAL	347	MEAN		MAX	886	MIN		0 AC_F1	. 6	88

Computation Of Continuous Records Of Streamflow

Station Number: 4833 Name: Cave Creek @ Cactus

Drainage Area: 33.6 mi² below Cave Buttes Dam

Period of Record: 06/21/91 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	Peak Discharge (cfs)	Day	Peak Discharge (cfs)
Jan. 15	151	Mar. 1	160
Sept. 11	194		

DAY	OCT	NOV	DEC	JAN	Daily M	lean Valu MAR	es Apr	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30				20 21 136 74 34 15 6 2	9	142 31 1						69 53 6 2
TOTAL MEAN MAX MIN AC_FT	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	308 10 151 0 611	125 4 139 0 248	174 6 160 0 345	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	130 4 194 0 257
WTR YR	1997	TOTAL	737	MEAN	:	2 MAX	194	MIN	c	AC_F	T 140	52

Note: Receeding limbs of hydrographs greatly affected by clogging of outlet orifice. Therefore, low flows for falling hydrographs may be unrealistically high. See downstream stations 4823 and 5523 for a better representation of the falling limbs.

Flood Flow Frequency (HEC-1 for ACDC ADMS)										
Magnitude a	Magnitude and Probability of Instantaneous Peak Flow									
Discharge	Discharge, in cfs, for Indicated Recurrence Interval									
2-year	2-year 10-year 100-year									
2,225	5,750	14,240								

Computation Of Continuous Records Of Streamflow

Station Number: 4903 **Name:** Cave Buttes Outlet

Drainage Area: 191 mi² at Cave Buttes Dam **Period of Record:** Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	Peak Discharge (cfs)	Day	Peak Discharge (cfs)
Jan. 14 Sept. 12	160 76	Feb. 28	155

	Daily Mean Values											
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1						 53						
2												
3				7								
4												
5				7								
6 7												
8												
9												
10												
11												
12												25
13				0.0								
14 15				89 28								
15 16				28								
17												
18												
19												
20												
21 22												
22												
24												
25												
26												
27					1							
28					103							
29												
30 31												
TOTAL	0	0	0	132	104	53	0	0	0	0	0	25
MEAN	0	0	0	4	4	2	0	0	0	0	0	1
MAX	0	0	0	160	155	135	0	0	0	0	0	76
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	261	206	106	0	0	0	0	0	49
WTR YR	1997	TOTAL	313	MEAN	:	1 MAX	160	MIN	(O AC_F	т 62	21

Note: This is the outflow from Cave Buttes Dam. See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 4918 Name: Cave Cr nr Cave Cr

Drainage Area: 121 mi²

Period of Record: USGS ID# 09512300 -- 05/17/58 to 09/30/67;

1968-1994 (annual peaks only) FCDMC -- 05/27/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	<u>1</u>	Peak Di	scharge			Da	<u>y</u>		eak Dis	charge	(cfs)	į
Jan. 14 Sept. 1			279 162			Feb. 28			279			
DAY	OCT	NOV	DEC	JAN	Daily M	lean Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
1 2						129 1						
11 12 13 14 15				1 132 138								14
27 28					5 169							
TOTAL	0	0	0	271	174	130	0	0	0	0	0	14
MEAN	0	0	0	9	6	4	0	0	0	0	0	0
MAX	0	0	0	279	279	129	0	0	0	0	0	162
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	537 	345	258 	0	0	0 	0	0 	29
WTR YR	1997	TOTAL	589	MEAN		2 MAX	279	MIN	0	AC F	г 116	8

Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 38)											
	Magnitude and Probability of Instantaneous Peak Flow										
	Discha	rge, in cfs, for Ind	icated Recurrenc	e Interval							
2-year	2-year 5-year 10-year 20-year 50-year 100-year										
1,420	,										

Computation Of Continuous Records Of Streamflow

Station Number: 4923 Name: Cave Cr.@ SpurCross

USGS Gage: Cave Creek below Cottonwood Creek, ID# 09512280

Drainage Area: 82.7 mi²

See USGS Water-Data Report AZ-97-1 for data for this site.

Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 18)											
	Magnitude and Probability of Instantaneous Peak Flow										
	Discharge, in cfs, for Indicated Recurrence Interval										
2-year	2-year 5-year 10-year 20-year 50-year 100-year										
970	,										

Computation Of Continuous Records Of Streamflow

Station Number: 5103 Name: Centennial Railroad

USGS Gage: Centennial Wash at SPRR, near Arlington, ID# 09517490

Drainage Area: 1,817 mi²

See USGS Water-Data Report AZ-97-1 for data for this site.

Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 12)												
	Magnitude and Probability of Instantaneous Peak Flow											
	Disch	arge, in cfs, for Ind	icated Recurrence	Interval								
2-year	2-year 5-year 10-year 20-year 50-year 100-year											
830	,,,											

Computation Of Continuous Records Of Streamflow

Station Number: 5113 **Name:** Saddleback FRS **Drainage Area:** 29.6 mi² excluding area brought in from Harquahala FRS

Period of Record: 12/16/88 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest occurred on following days during Water Year 1997:

Day Peak Discharge (cfs) Day Peak Discharge (cfs)

Aug. 8		6	54			Se	pt. 25			47		
DAY	OCT	NOV	DEC	JAN	Daily Mo	ean Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12											5 5	9
13 14 15 16 17 18 19 20 21 22 23 24											3 2	
25 26												6
27 28 29												3
30 31											1 6	
TOTAL MEAN MAX MIN AC_FT	0 0 0 0 0	23 1 64 0 45	22 1 47 0 43									
WTR YR 1	1997	TOTAL	44	MEAN	0	MAX	64	MIN	(AC_F	T 8	38

See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 5128 Name: Harquahala FRS

Drainage Area: 102.3 mi²

Period of Record: 03/01/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflow occurred on the following day during Water Year 1997:

Day Peak Discharge (cfs)

Aug. 8 292

DAY	OCT	NOV	DEC	JAN	Daily Me	an Valu MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2												
3												
4												
5												
6												
7 8											16	
9											31	
10												
11												
12												
13 14												
15												
16												
17												
18 19												
20												
21												
22												
23												
24 25												
26												
27												
28												
29												
30 31												
TOTAL	0	0	0	0	0	0	0		0	0	47	0
MEAN MAX	0 0	0 0	0 0	0 0	0 0	0 0	0 0		0 0	0 0	2 292	0
MIN	0	0	0	0	0	0	0		0	0	292	0 0
AC_FT	0	0	0	0	0	0	0		0	0	93	0
WTR YR	1997 7	TOTAL	47	MEAN	0	MAX	292	MIN	(AC_I	FT :	93

Gage out of service 04/23/97 to 06/18/97 due to instrument failure. No outflows missed.

See also Pool Level and Storage Volume Data.

Surface Water Streamflow Data Page 36

FCDMC Annual Surface Water Report Water Year 1997

Computation Of Continuous Records Of Streamflow

Station Number: 5153 Name: Narrows Dam

Drainage Area: 684 mi²

Day

Period of Record: 09/01/94 to 05/09/96; 04/29/97 to current year* Discharge, in cfs, Water Year October 1996 to September 1997


Peak outflows of interest during Water Year 1997:

Peak Discharge (cfs)

Day

Peak Discharge (cfs)

<u> </u>	=		, , , , , , , , , , , , , , , , , , , 	(0_0,	•		<u> </u>	==			, (0_5	<u> </u>
Aug. 18 Sept. 26	;		L52 510**			Au	g. 31		2	262		
DAY	OCT	NOV	DEC	JAN	Daily M	ean Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
1 2												166 93
18 19 20											129 128 41	
25 26 27 28												61 970 342 16
31											129	
TOTAL MEAN MAX MIN AC_FT	 	 	 	 	 	 	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	426 14 262 0 845	1648 55 2610 0 3269
WTR YR 1	.997	TOTAL	2074	MEAN	6	MAX	2610	MIN	(AC_I	FT 41	.15



- * Gage down from 05/09/96 to 04/29/97 due to construction. Gage reinstalled on principle outlet 04/29/97.
- ** Outflow shown for maximum stage over emergency spillway before dam failure on 09/26/97. Actual peak outflow may have been higher during dam failure. Maximum inflow estimated at 8,100 cfs based on slope-conveyance survey upstream of dam near Salome, AZ.

Computation Of Continuous Records Of Streamflow

Station Number: 5203 **Name:** Buckeye FRS #1 **Drainage Area:** 74 mi² without area from Buckeye FRS #2 and #3

Period of Record: Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997:

Day	1	Peak Di	scharge	(cfs)	<u>)</u>	<u>Da</u>		<u>Ρ</u> ε	ak Dis	charge	e (cfs)	<u>)</u>
Aug. 8 Sept. 2	!		94 15				g. 17 pt. 11			59 6		
DAY	OCT	NOV	DEC	JAN	Daily Me	an Valu MAR	es Apr	MAY	JUN	JUL	AUG	SEP
1												 2
2												11
3												3
4 5												
6												
7												
8											8	
9 10											35 5	
11											5	1
12												
13												
14 15												
16												
17											13	
18											14	
19 20											2	
21												
22												
23 24												
25												
26												
27												
28 29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	78	17
MEAN	0	0	0	0	0	0	0	0	0	0	3	1
MAX MIN	0	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	94 0	15 0
AC_FT	0	0	0	0	0	0	0	0	0	0	154	34
WTR YR		TOTAL	 95	MEAN	0	MAX	94	MIN	0			 38

Note: Because of local drawdown effects at the gage on the principle outlet, discharges for stages below about 1 foot gage height are approximate. See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 5208 Name: Buckeye FRS #2

Drainage Area: 5.7 mi² without area from Buckeye FRS #3

Period of Record: 11/11/92 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997:

Day	Pe	ak Dis	charge	(cfs)		Day		Pe	ak Dis	charge	(cfs)	
Aug. 8			19			Aug.	30		:	20		
						an Values						
DAY 	OCT	NOV	DEC	JAN 	FEB 	MAR AI	PR 	MAY	JUN	JUL 	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 TOTAL		0	0	0		0	0	0	0	0	1 1 1	1
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX MIN	0 0	0	0 0	0	0 0	0 0	0	0 0	0 0	0 0	20 0	4 0
AC_FT	0	0	0	0	0	0	0	0	0	0	12	1
WTR YR 1	 997 т	OTAL	7	MEAN	0	MAX	20	MIN	0	AC_FI	1	3

Note: Because of local drawdown effects at the gage on the principle outlet, discharges for stages below about 1 foot gage height are approximate. See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 5223 Name: Hassy nr Morristown

USGS Gage: Hassayampa River near Morristown, ID# 09516500

Drainage Area: 796 mi²

See USGS Water-Data Report AZ-97-1 for data for this site.

	Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 44, expected probability show as it plots closer to observed data)									
	Magnitude and Probability of Instantaneous Peak Flow									
	Discharge, in cfs, for Indicated Recurrence Interval									
2-year	2-year 5-year 10-year 20-year 50-year 100-year									
2,920 10,200 18,400 29,200 47,500 64,700										

Computation Of Continuous Records Of Streamflow

Station Number: 5228 Name: Hassayampa @ US 60

Drainage Area: 711 mi²

Period of Record: 03/14/94 to current year


Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 26 15,376

DAY	OCT	NOV	DEC	JAN	FEB	ean Valu MAR	APR	MAY	JUN	JUL	AUG	SEP
26												2181
TOTAL	0	0	0	0	0	0	0	0	0	0	0	2181
MEAN	0	0	0	0	0	0	0	0	0	0	0	73
MAX	0	0	0	0	0	0	0	0	0	0	17	15376
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	4326
WTR YR 1	.997 :	TOTAL	2181	MEAN	6	MAX	15376	MIN	0	AC_FI	4	327



Note: This gage location is a wide mobile sand bed channel. Therefore, data reliability is considered poor. See also gage 5308 upstream and USGS gage Hassayampa River near Morristown, 09516500, downstream for additional data and comparative flood flow frequency for this site.

Computation Of Continuous Records Of Streamflow

Station Number: 5233 Name: Sunset FRS

Drainage Area: 0.95 mi² (from Wickenburg ADMS)

Period of Record: 02/12/89 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Day	Peak outflows of interest during Water Peak Discharge (cfs)	Year 1997 assumming <u>Day</u>	outlet gate fully open: Peak Discharge (cfs)
Feb. 28	14	Aug. 9	14
Sept. 5	18	Sept. 26	43

bept.	,		10			50	.pc. 20	0		13		
DAY	OCT	NOV	DEC	JAN	Daily M	lean Valu MAR	ies Apr	MAY	JUN	JUL	AUG	SEP
1						 13						
2						12						
3						12	7					
4						11	11					
5						11	10				4	2
6						10	9				12	17
7						9	6				11	16
8 9						3					11 14	15
9 10											12	15 14
11											12	14
12											11	13
13				11							10	13
14				12							10	12
15				11							9	11
16				11							6	3
17				10								
18 19				7 2								
20				۷								
21												
22												
23												7
24												9
25												9
26					2							33
27					8							27
28 29					14							25
29 30												24 23
31												43
TOTAL	0	0	0	64	24	81	44	0	0	0	122	298
MEAN	0	0	0	2	1	3	1	0	0	0	4	10
MAX	0	0	0	12	14	13	11	0	0	0	14	43
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	126	48	160 	87	0	0	0	242	591
WTR YR			632	MEAN		2 MAX	4:	3 MIN		0 AC_1		

Computation Of Continuous Records Of Streamflow

Note: Outflow based on assumption that the outlet gate is fully open. See also Pool Level and Storage

Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 5248 Name: Sunnycove FRS

Drainage Area: 0.98 mi² (from Wickenburg ADMS) **Period of Record:** Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997 assumming outlet gate fully open:

Day Peak Discharge (cfs)

Sept. 26 44*

DAY	OCT	NOV	DEC	JAN	Daily Me	an Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4												
5											1	2
6												19
7												18
8												18
9												18
10												18
11												18
12												18
13												17
14 15												15
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												4
26												39
27 28												10
28												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	1	214
MEAN	0	0	0	0	0	0	0	0	0	0	0	7
MAX	0	0	0	0	0	0	0	0	0	0	18	44*
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	2	424
WTR YR	 1997	TOTAL	215	MEAN	1	MAX	44*	MIN	0	AC_F	г 42	26

Note: Outflow based on assumption that the outlet gate is fully open. See also Pool Level and Storage Volume Data.

Flood Control District Of Maricopa County ALERT System Computation Of Continuous Records Of Streamflow

*	Maximum based on high water marks for 9/26/97 event. values should be considered estimates.	Due to gage failure during this event, mean
Sur	face Water Streamflow Data	FCDMC Annual Surface Water Report
	ge 45	Water Year 1997

Computation Of Continuous Records Of Streamflow

Station Number: 5283 Name: Hassayampa R @ I-10

Drainage Area: approximately 1,450 mi² **Period of Record:** 11/09/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 26 7,440*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	Ü	0	0	Ü	0	0	0	0	0	0	U	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	7440*
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
			14505									
WTR YR	1997	TOTAL	14797	MEAN	41	L MAX	7440) MIN		0 AC_	FT 293	349

^{*} Peak flow estimated from high water marks. Gage failed to operate during multiple events in August and September 1997. Therefore, no volumes or mean values are reported. See also USGS gages, 09517000, Hassayampa River near Arlington, 09516500, Hassayampa River near Morristown, and 09516800, Jackrabbit Wash near Tonapah, for additional data on volumes and August and September 1997 peak flows.

Note: This location has a mobile sand bed with multiple channels. Therefore, data reliability should be considered poor.

Flood Flow Frequency (from R.W. Cruff analysis of 1995 based on shape of Hassayampa near Arlington relation)									
Magnitude and Probability of Instantaneous Peak Flow									
	Disch	arge, in cfs, for Inc	dicated Recurrenc	e Interval					
2-year	2-year 5-year 10-year 25-year 50-year 100-year								
2,500 8,000 15,000 32,000 51,000 75,000									

Computation Of Continuous Records Of Streamflow

Station Number: 5308 Name: Hassy @ Box Canyon

Drainage Area: 416 mi²

Period of Record: USGS ID# 09515500 -- 1925, 1927, 1937, 1938 (annual peaks


only); 1946-1982; FCDMC -- Nov. 1987 to current year

Revised Records: WY1996: WY1994-95. WY1997: WY1996 Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	Peak Discharge (cfs)		Peak Discharge (cfs)
Jan. 14	525*	Jan. 27	158
Feb. 28	453	Sept. 26	3,549*

^{*} From high water marks in stilling well.



Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 46)										
	Magnitude and Probability of Instantaneous Peak Flow									
	Discharge, in cfs, for Indicated Recurrence Interval									
2-year	2-year 5-year		20-year	50-year	100-year					
4,020	12,200	21,200	32,900	53,000	72,200					

Continued on following page.

Computation Of Continuous Records Of Streamflow

Station Number: 5308 Name: Hassy @ Box Canyon (cont.)

Drainage Area: 416 mi²

Period of Record: USGS ID# 09515500 -- 1925, 1927, 1937, 1938 (annual peaks

only); 1946-1982; FCDMC -- Nov. 1987 to current year

Revised Records: WY1996: WY1994-95. WY1997: WY1996 Discharge, in cfs, Water Year October 1996 to September 1997

					Dai	ly Mean ∖	/alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	 5	2	2	3	5	63						
2	5	2	2	3	5	30						
3	5	4	3	3	5	21	5					
4	5	2	3	2	5	15	14					
5	6	2	2	2	5	11	23					
6	5	2	3	1	5	12	19					
7	5	2	2	2	5	11	13					
8	3	2	3	1	5	11	9					
9	3	2	2	1	5	12	9					
10	3	2	2	1	5	11	8					
11	3	2	2	1	5	10	8					7
12	3	2	1	1	5	10	8					7
13	3	2	1	45	5	9	7					
14	4	2	1	175	5	9	6					
15	2	3	1	123	5	8	6					
16	3	3	1	123	4	7	5					
17	3	2	1	74	4	6	5					
18	2	3	1	6	4	6	5					
19	2	5	1	6	4	6	4					
20	2	4	2	6	4	5						
21	2	3	3	6	4	5						
22	2	2	3	5	4	5						
23	2	2	4	5	4	5						
24	2	2	3	5	4	5						
25	2	2	5	5	4	5						1
26	3	2	4	6	4	5						1002
27	2	2	5	114	4	4						64
28	2	2	4	82	133	4						
29	2	2	3	18		4						
30	2	2	3	7		4						
31	2		3	6							1	
TOTAL	 89	68	74	838	257	321	156	0	0	0	1	1081
MEAN	3	2	2	27	9	10	5	0	0	0	0	36
MAX	6	5	6	525*	453	80	24	0	0	0	6	3549*
MIN	2	2	1	1	4	0	0	0	0	0	0	0
AC_FT	177	135	146	1662	510	636	310	0	0	0	1	2144
WTR YR	1997	TOTAL	2885	MEAN		8 MAX	3549*	MIN	0	AC_FI	. 5'	722

^{*} From high water marks in stilling well.

Computation Of Continuous Records Of Streamflow

Station Number: 5308 Name: Hassy @ Box Canyon

Drainage Area: 416 mi²

Period of Record: USGS ID# 09515500 -- 1925, 1927, 1937, 1938 (annual peaks

only); 1946-1982; FCDMC -- Nov. 1987 to current year

Revised Records: WY1996: WY1994-95. WY1997: WY1996

Discharge, in cfs, Water Year October 1995 to September 1996 -- REVISED

Peak flows of interest during Water Year 1996:

Day	Pe	eak Dis	reak scharge	(cfs)	interest (Da <u>Da</u>				scharg	e (cfs)	<u>)</u>
July 25 Sept. 5		7	,548 256				g. 19 pt. 7			192 164		
DAY	OCT	NOV	DEC	JAN	Daily Me	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31										230 23 6 6 6 6	6 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	28 8 4 68 43 9 8 7 7 7 7 7 6 6 6 6 6 5 5 5 5 5 5 5 5 5 5
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0	5 0 0 0	8 0 0 0 16	7 0 0 0 15	8 0 0 0	8 0 0 0 15	8 0 0 0 16	8 0 0 0 15	288 9 7548 0 571	192 6 192 5 380	398 13 256 3 789
WTR YR 1	996 !	TOTAL	928	MEAN	3	MAX	7548	MIN		0 AC_	 FT 184	1 1

Flood Control District Of Maricopa County ALERT System Computation Of Continuous Records Of Streamflow

WY 1996 revision based on reevaluation of elevation of instrument diaphragm.

Computation Of Continuous Records Of Streamflow

Station Number: 5353 Name: Hassy @ Wagoner Rd

Drainage Area: 78 mi²

Period of Record: 09/26/91 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

 Day
 Peak Discharge (cfs)
 Day
 Peak Discharge (cfs)

 Feb. 27
 70
 Aug. 30
 109

 Sept. 26
 214
 109
 109

1				JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 31 31 31 31 31 31 31 31 31 31 31				1 2 2 2 1 8 3 2 2 2 2 2 1 2 1 2 2 1 2 2 1 2 1 2 1 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	45 33 33 31 25 23 25 24 20 17 18 19 18 17 14 8 7 7 8 10 10 8 7 8 8 7 6 6	9 14 17 20 14 7 5 3 5 10 11 11 11 11 11 11 12 12 12 14 14 11 11 11 11	12 12 12 12 12 12 12 12 12 12 12 12 12 1	11 11 11 11 12 12 12 12 12 12 12 12 12 1	18 18 18 18 18 19 20 20 20 20 27 17 7	4 1 1 1 2 2 3 3 3 2 2 2 2 2 3 5 6 7 8 19 9	66 77 52 22 11 18 44 33 44 46 88 77 80 10 17 125 32 175 14
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0 0	0 0 0 0 0	50 2 20 0 100	133 5 70 0 265	503 16 49 1 999	331 11 20 1 657	368 12 20 11 730	431 14 18 11 856	288 9 20 0 571	86 3 109 0 170	334 11 214 0 663

Note: The pressure transducer at this location is often buried by sand and separated from the normal low base flow. Typically this base flow is on the order of 1-2 cfs. However, with the instrument under wet sand due to the high water table it frequently reads a high for low stages. Therefore, the mean daily flows shown here may be overreported for many days.

Flood Flow Frequency
(based on HECWRC implementation of Bulletin 17B, n = 12)

Magnitude and Probability of Instantaneous Peak Flow

Discharge, in cfs, for Indicated Recurrence Interval

Flood Control District Of Maricopa County ALERT System Computation Of Continuous Records Of Streamflow

2-year	5-year	10-year	20-year	50-year	100-year
595	1,590	2,580	3,780	5,730	7,490

Computation Of Continuous Records Of Streamflow

Station Number: 5403 Name: Agua Fria @ Buckeye

Drainage Area: 2241 mi², 1459 mi² controlled by New Waddell Dam, 191 mi² by Cave

Buttes Dam, 90 mi² by Adobe Dam, and 164 mi² by New River Dam, 247 mi² by

McMicken Dam

Period of Record: 10/12/88 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest occurred on following day during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 11 856

DAY	OCT	NOV	DEC	JAN	Daily M FEB	ean Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4												
5												
6												
7 8												
9												
10												
11												122
12												
13 14												
15												
16												
17												
18 19												
20												
21												
22												
23 24												
25												
26												
27												
28 29												
30												
31												
TOTAL MEAN	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	122 4
MAX	0	0	0	0	0	39	0	0	0	0	0	856
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	242
WTR YR	1997	TOTAL	122	MEAN	c) MAX	856	MIN	0	AC_FT	2	42

Computation Of Continuous Records Of Streamflow

Note: Severe drop due to rocks along the downstream side of the Buckeye Road bridge as well as two channels for lower flows introduce considerable error into the rating for flows less than about 3,500 cfs. The multiple channels also mean some lower flows are missed by the gage.

Computation Of Continuous Records Of Streamflow

Station Number: 5408 Name: Colter @ El Mirage

Drainage Area: 3.48 mi²

Period of Record: 06/29/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow occurred during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997	 TOTAL	0	MEAN		 0 MAX		 0 MIN		 0 AC F	'T	0

Flood Flow Frequency (HEC-1 for Colter Channel Design Analysis)
Magnitude and Probability of Instantaneous Peak Flow
Discharge, in cfs, for Indicated Recurrence Interval
100-year
1,040

Computation Of Continuous Records Of Streamflow

Station Number: 5413 Name: Dysart Drain @ LAFB

Drainage Area: 52 mi²

Period of Record: 08/22/96 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Jan. 13

10

Peak Discharge (cfs)

Peak Discharge (cfs)

26

					Daily Me	an Value	es					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14	001	NOV	DEC	1 1 5 4 2 1	1 2 1 1			1 1 1	2 2 1 2 1 1 1 1 1 1	1 1 1 1 1 2	AUG	
15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31				1	1 1 1 2 1 1		1 1	1 1 1 1 1 1 2 2	1			
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0	0 0 0 0	20 1 10 0 40	29 1 26 0 57	0 0 0 0 1	7 0 1 0 14	20 1 5 0 39	17 1 3 0 33	7 0 2 0 14	0 0 0 0	0 0 0 0
WTR YR	1997	TOTAL	99	MEAN	0	MAX	26	MIN	0	AC_F1	197	

Note: Many days of positive mean daily flows due to irrigation tailwater.

Flood Flow Frequency									
(HEC-1 for White Tanks ADMS modified for Dysart Channel Design Analysis)									
Magnitude and Probability of Instantaneous Peak Flow									
Discharge, in cfs, for Indicated Recurrence Interval									
100-year									
2,340									

Computation Of Continuous Records Of Streamflow

Station Number: 5418 Name: White Tanks #3 FRS

Drainage Area: 20.5 mi² (White Tanks ADMS) **Period of Record:** Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No outflow during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 :	TOTAL	0	MEAN	(XAM C	(NIM ((AC_F	T'	0

Computation Of Continuous Records Of Streamflow

Station Number: 5423 Name: Dysart Chnl@ El Mir

Drainage Area: 58.2 mi²

Period of Record: 06/23/94 to 12/26/95;03/07/97 to current year.* Discharge, in cfs, Water Year October 1996 to September 1997

No flow since date of installation during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL						0	0	0	0	0	0	0
MEAN						0	0	0	0	0	0	0
MAX						0	0	0	0	0	0	0
MIN						0	0	0	0	0	0	0
AC_FT						0	0	0	0	0	0	0
WTR YR	1997	TOTAL	0	MEAN	(XAM (() MIN	(AC_F	T	0

^{*} Gage reinstalled 03/07/19997 on new Dysart Channel. Previously on old Dysart Drain about 1,000 feet upstream of El Mirage Road.

Flood Flow Frequency (HEC-1 for White Tanks ADMS modified for Dysart Channel Design Analysis)								
Magnitude and Probability of Instantaneous Peak Flow								
Discharge, in cfs, for Indicated Recurrence Interval								
100-year								
4,020								

Computation Of Continuous Records Of Streamflow

Station Number: 5438 Name: McMicken Floodway

Drainage Area: approximately 305 mi² **Period of Record:** 09/03/92 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow except on following day during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 25 6

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	4
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	6
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	8
WTR YR	 1997 '	TOTAL	4	MEAN		 D MAX		 5 MIN		AC E	 7 T	8

Note: Flows during Water Year 1997 generated below McMicken Dam. No outflow occurred from McMicken Dam into the floodway during Water Year 1997. See also gage ID# 5448.

Flood Flow Frequency (FEMA 9/95, "at confluence with McMicken Dam")									
Magnitude and Probability of Instantaneous Peak Flow									
Discharge	, in cfs, for Indicated Recurrer	nce Interval							
10-year	10-year 50-year 100-year								
2,610	4,280	5,090							

Computation Of Continuous Records Of Streamflow

Station Number: 5448 Name: McMicken Dam

Drainage Area: 247 mi²

Period of Record: Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No outflow during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 :	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC FT	0	

Computation Of Continuous Records Of Streamflow

Station Number: 5503 Name: Agua Fria @ Grand

USGS Gage: Agua Fria at El Mirage, ID# 09513650

Drainage Area: 1,628 mi² of which 1,433 mi² is controlled by New Waddel Dam

See USGS Water-Data Report AZ-97-1 for data for this site.

Computation Of Continuous Records Of Streamflow

Station Number: 5508 Name: NewRiver @ Glendale

USGS Gage: New River near Glendale, AZ, ID# 09513910

Drainage Area: 600 mi² of which 191 mi² is controlled by Cave Buttes Dam, 164 mi² by New River Dam, and 90 mi² by Adobe Dam

See USGS Water-Data Report AZ-97-1 for data for this site.

Computation Of Continuous Records Of Streamflow

Station Number: 5523 Name: ACDC @ 67 Av

Drainage Area: 86 mi² at confluence with Skunk Creek

Period of Record: 06/07/90 to current year **Revised Records:** WY1996: WY1994-95.

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

 Day
 Peak Discharge (cfs)
 Day
 Peak Discharge (cfs)

 Jan. 13
 180
 Feb. 27
 390

 Sept. 11
 939

DAY	OCT	NOV	DEC	JAN	Daily M	lean Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6	3 1		2	2 13 5		108 55 8	3 11 14 1				24	
8 9	5						1		1 2		23	8
10 11 12 13 14 15 16 17 18 19 20	1 8 3	4 3 5	4	87 24 53 33 14 10 6					2			278 90 14 7
21 22 23 24 25 26 27 28 29 30 31		4 3 5 5	10 6 5	2 5	3 56 197					2	3 5	
TOTAL MEAN MAX MIN AC_FT WTR YR	29 1 8 0 58	30 1 21 0 60 	27 1 21 0 53	255 8 180 0 506	256 9 390 0 507	171 6 120 0 340	30 1 27 0 60 	0 0 0 0 0 0	5 0 11 0 10	2 0 9 0 4	55 2 88 0 110	397 13 939 0 787

Flood Flow Frequency												
	Magnitude and Probability of Instantaneous Peak Flow											
	Discharge, in cfs, for Indicated Recurrence Interval											
2-year	5-year	10-year	25-year	50-year	100-year							
1,900	4,500	7,700	13,500	20,600	29,000							

Computation Of Continuous Records Of Streamflow

Station Number: 5538 **Name:** Adobe Dam Outlet

Drainage Area: 89.6 mi² at Adobe Dam **Period of Record:** Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	1	Peak Dia	rear scharge	(cfs)		Da	Vater Yea <u>y</u>		eak Dis	charge	(cfs)	ı
Jan. 1	1		31			Se	ept. 12			33		
						ean Valu						
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR				AUG	SEP
1												
2												
3												
5												
6												
7 8												
9												
10												
11												1
12												10
13 14				13								
15				7								
16				1								
17 18												
19												
20												
21												
22 23												
24												
25												
26												
27 28												
29												
30												
31												
TOTAL	0	0	0	22	0	0	0	0	0	0	0	12
MEAN	0	0	0	1	0	0	0	0	0		0	0
MAX	0	0	0	31	0	0	0	0	0	0	0	33
MIN AC_FT	0	0 0	0 0	0 44	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 23
WTR YR	 1997		 34	MEAN	 0	MAX	33	MIN	 0	AC_F1	 r 6	 7

Computation Of Continuous Records Of Streamflow

Station Number: 5543 Name: Scatter Wash

Drainage Area: 18.1 mi²

Period of Record: 09/18/96 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow except on following day during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 11 87*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	87*
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 :	 TOTAL	30	MEAN		 D MAX	87	7 MIN) AC_F	 T	 59

* Maximum discharge from high water marks. Gage failed to operate during event due to instrument failure. Therefore, no daily mean flow or volume is given for September 1997.

Flood Flow Frequency (Channel Design Analysis)
Magnitude and Probability of Instantaneous Peak Flow
Discharge, in cfs, for Indicated Recurrence Interval
100-year
6,100

Computation Of Continuous Records Of Streamflow

Station Number: 5568 Name: Skunk Creek @ I-17

USGS Gage: Skunk Creek near Phoenix, AZ, ID# 09513860

Drainage Area: 64.9 mi²

See USGS Water-Data Report AZ-97-1 for data for this site.

Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 38, station skew used based on examination of observed data plots)									
	Magnitu	ide and Probability	of Instantaneous F	Peak Flow					
	Disch	arge, in cfs, for Ind	icated Recurrence	Interval					
2-year	5-year	10-year	20-year	50-year	100-year				
1,070	3,960	7,100	11,000	17,300	22,800				

Computation Of Continuous Records Of Streamflow

Station Number: 5583 Name: Skunk Cr. nr New R.

Drainage Area: approximately 4 mi²

Period of Record: 06/21/95 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	;	Peak Di	scharge	(cfs)	<u>)</u>	<u>Da</u>		<u>P</u> €	eak Disc	charge	(cfs	<u>)</u>
Jan. 13 Sept. 1			91 109			Ja	n. 26		į	56		
DAY	OCT	NOV	DEC	JAN	Daily Me	an Value MAR	es Apr	MAY	JUN	JUL 2	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25				3 1								4
26 27 28 29 30 31				2 1								
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0	0 0 0 0	7 0 91 0	0 0 0 0 0	109 0 7						
WTR YR	1997	TOTAL	10	MEAN	0	MAX	109	MIN	0	AC_FT	:	20

Flood Flow Frequency (FEMA 9/95)									
Magnitude	and Probability of Instantaneou	us Peak Flow							
Discharg	e, in cfs, for Indicated Recurrer	nce Interval							
10-year	50-year	100-year							
1,730	2,500	3,650							

Computation Of Continuous Records Of Streamflow

Station Number: 5598 **Name:** New River @ Bell **Drainage Area:** 185 mi² of which 164 mi² are controlled by New River Dam

Period of Record: 04/04/90 to current year* Revised Records: WY1996: WY1995

Discharge, in cfs, Water Year October 1996 to September 1997

No flow occurred during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	 0	0	0	 0	0	0	0	 0	0	0	
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997	TOTAL	0	MEAN		0 MAX		 0 MIN		0 AC_I	 7 T	0

^{*} USGS period of record: water years 1963, 1965-67 (annual maximums only), 1968-1984, June 1990-Sept. 1993. Also, FCDMC gage out from 10/01/93 to 05/12/94 during construction of new bridge.

	Flood Flow Frequency (based on R. W. Cruff analysis, 1995)										
	Magnitu	ide and Probability	of Instantaneous F	Peak Flow							
	Disch	arge, in cfs, for Ind	icated Recurrence	Interval							
2-year	5-year	10-year	25-year	50-year	100-year						
1,920	6,510	11,700	21,200	30,500	41,800						

Computation Of Continuous Records Of Streamflow

Station Number: 5613 Name: New River Outlet

Drainage Area: 164 mi² at New River Dam **Period of Record:** Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 :	TOTAL	0	MEAN	(XAM C	(NIM ((AC_F	T'	0

Computation Of Continuous Records Of Streamflow

Station Number: 5968 **Name:** StoneRidge Dam

Drainage Area: 0.86 mi²

Period of Record: 12/11/96 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

					Daily M	lean Valu	ies					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN		AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8 9												
10												
11												
12												
13				3								
14				3								
15				1								
16				1								
17												
18												
19												
20 21												
22												
23												
24												
25												
26					2							
27												
28												
29												
30												
31												
TOTAL			0	8	2	0	0	0	0	0	0	0
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	4	4	0	0	0	0	0	5	5
MIN			0	0	0	0	0	0	0	0	0	0
AC_FT			0	16	4	0	0	0	0	0	0	0
WTR YR	 1997 :	 IOTAL	 10	MEAN		 O MAX	<u>-</u>	 5 MIN) AC_FT	·	20

Note: Gage installed on 12/11/1996.

Computation Of Continuous Records Of Streamflow

Station Number: 5973 Name: SunRidge Canyon Dam

Drainage Area: 1.6 mi²

Period of Record: 02/04/97 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Aug. 3 18

					Daily M	ean Valu	ies					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3											12	
4											6	
5												
6												
7												
8												
9												
10												
11												
12												
13												
14 15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL					0	0	0	0	0	0	18	0
MEAN					0	0	0	0	0	0	1	0
MAX					0	0	0	0	0	0	18	0
MIN					0	0	0	0	0	0	0	0
AC_FT					0	0	0	0	0	0	36	0
WTR YR	1997 :	TOTAL	 18	MEAN	() MAX	18	B MIN	(O AC_1	FT :	36

Note: Gage installed on 02/04/1997.

Computation Of Continuous Records Of Streamflow

Station Number: 5978 **Name:** GoldenEaglePark Dam

Drainage Area: 7.13 mi² of which 2.02 mi², 2.13 mi², and 1.6 mi² are controlled by Aspen,

North Heights, and Sunridge Canyon Dams respectively

Period of Record: 12/12/96 to current year

Peak Discharge (cfs)

Day

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows above 1 foot gage height during Water Year 1997:

Day

Jan. 13 Sept. 1			29 41			Au	g. 26			33		
					Daily M	ean Valu	es					
DAY	OCT	NOV	DEC	JAN		MAR	APR		JUN	JUL	AUG	SEP
1												
2						_					_	
3 4						5					1	
5												
6												
7												
8											2	
9												
10												_
11 12												5 1
13				5								1
14				9								
15				5								
16												
17												
18 19												
20												
21												
22												
23												
24												
25				1							2	
26 27				1 4	6						3	
28				4	8							
29					O							
30												
31												
TOTAL			0	24	14	5	0	0	0	0	 6	6
MEAN			0	1	1	0	0	0	0		0	0
MAX			0	29	24	10	0	0	0	0	33	41
MIN			0	0	0	0	0	0	0	0	0	0
AC_FT			0	47	28	10	0	0	0	0	11	12
WTR YR	1997	TOTAL	 55	MEAN	0		41	MIN		AC_I	FT 10)9

Peak Discharge (cfs)

Computation Of Continuous Records Of Streamflow

Note: Gage installed on 12/12/1996.

Computation Of Continuous Records Of Streamflow

Station Number: 5983 North Heights Dam Name:

Drainage Area: 2.13 mi²

Day

Period of Record: 10/11/96 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997: Peak Discharge (cfs) Peak Discharge (cfs)

Day

	•				-			_				
Feb. 27	7		11			Sept.	11			14		
DAY	OCT	NOV	DEC	JAN	Daily Me FEB	an Values MAR AF	PR :	MAY	JUN	JUL 2	AUG	SEP
1												
2												
3 4 5 6 7											3 2 2	
8 9 10 11											3	1
12 13 14 15 16				3 2								2
17 18 19 20												
21 22 23												
24 25 26												
27 28 29 30					1						2	
31												
TOTAL MEAN	0	0 0	0 0	5 0	1 0	0	0	0 0	0	0 0	11 0	2
MAX MIN AC_FT	0 0 0	0 0 0	0 0 0	5 0 9	11 0 3	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	4 0 21	14 0 5
WTR YR		TOTAL	 19	MEAN	 0	MAX	14	MIN	 0			

Note: Gage installed on 10/11/1996.

Surface Water Streamflow Data Page 74

FCDMC Annual Surface Water Report Water Year 1997

Computation Of Continuous Records Of Streamflow

Station Number: 5988 **Name:** Aspen Dam

Drainage Area: 2.02 mi²

Period of Record: 01/02/97 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 11 13

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
1												
2												
3												
4							1					
5												
6 7												
8												
9												
10												
11												1
12												
13				4								
14				3								
15												
16 17												
18												
19												
20												
21												
22												
23												
24												
25 26												
26 27					2							
28					2							
29					_							
30												
31												
TOTAL				7	4	0	1	0	0	0	0	1
MEAN MAX				0 6	0 6	0	0 2	0 0	0	0	0 0	0 13
MAX MIN				0	0	0	0	0	0	0	0	13
AC_FT				14	7	0	2	0	0	0	0	3
WTR YR 1	L997 !	TOTAL	13	MEAN	C	MAX (13	MIN	(AC_F	'T 2	26

Note: Gage installed on 01/02/1997.

Computation Of Continuous Records Of Streamflow

Station Number: 5993 **Name:** Hesperus Dam

Drainage Area: 2.91 mi²

Period of Record: 12/18/96 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

DAY	OCT	NOV	DEC	JAN	Daily Me	ean Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
1												
2							_					
3							5 1					
4 5							Т					
6												
7												
8												
9												
10												
11												
12												
13												
14				2								
15				4								
16												
17												
18 19												
20												
21												
22												
23												
24												
25												
26												
27					4							
28					9							
29												
30												
31												
TOTAL			0	6	12	0	6	0	0	0	0	0
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	12	12	0	12	0	0	0	0	0
MIN			0	0	0	0	0	0	0	0	0	0
AC_FT			0	12	24	0	12	0	0	0	0	0
WTR YR	1997 '	TOTAL	24	MEAN	0	MAX	12	MIN	(AC_F	г -	48

Note: Gage installed on 12/18/1996.

Computation Of Continuous Records Of Streamflow

Station Number: 6503 Name: Guadalupe FRS

Drainage Area: 1.87 mi²

Period of Record: 06/29/89 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 :	TOTAL	0	MEAN	(XAM C	(NIM ((AC_F	T'	0

Computation Of Continuous Records Of Streamflow

Station Number: 6563 **Name:** South Mountain Fan

Drainage Area: 1.98 mi²

Period of Record: 06/09/93 to current year **Revised Records:** WY1996: WY1995

Discharge, in cfs, Water Year October 1996 to September 1997

No flow during Water Year 1997:

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL		0	 0	 0	0	 0	0	0	0	0		
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 :	 FOTAL	0	MEAN	() MAX	(O MIN		O AC F	 T	0

Flood Flow Frequency (based on HEC-1 analysis, 1997)												
Magnitude and Probability of Instantaneous Peak Flow												
	Dischar	ge, in cfs, for Indi	cated Recurrence	e Interval								
2-year	5-year	10-year	25-year	50-year	100-year							
300 650 990 1,500 2,000 2,400												

Computation Of Continuous Records Of Streamflow

Station Number: 6573 **Name:** EMF @ Broadway

Period of Record: 08/10/89 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0		 0	0		0	 0		 0		
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 :	 FOTAL	0	MEAN		 O MAX		O MIN) AC_1	 FT	0

Computation Of Continuous Records Of Streamflow

Station Number: 6583 Name: EMF @ Queen Creek

Period of Record: 01/18/89 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Only peak flows during Water Year 1997:

Day		Peak Discharge (cfs)	Day	Peak Discharge (cfs)
Ton	1 /	0	7.1.~ 0	
Jan.	14	Ö	Aug. 8	4

DAY	OCT	NOV	DEC	JAN	Daily M FEB	ean Valu MAR	APR		JUN	JUL	AUG	SEP
1												
2												
4												
5												
6												
7												
8 9												
10												
11												
12												
13				_								
14 15				6 4								
16				-								
17												
18												
19 20												
21												
22												
23												
24												
25 26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	10	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0		8	0	0	0	0	0	0	4	0
MIN AC_FT	0 0	0 0	0 0	0 20	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0
WTR YR 1	L997 :	COTAL	10	MEAN	C) MAX	8	MIN	(AC_F	I. 2	21

Computation Of Continuous Records Of Streamflow

Station Number: 6598 Name: EMF @ Arizona Ave.

Period of Record: 02/10/89 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flows during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 '	TOTAL	0	MEAN	(XAM O	() MIN	() ACI	?T	0

Computation Of Continuous Records Of Streamflow

Station Number: 6628 **Name:** Signal Butte FRS **Drainage Area:** 16.4 mi² not including area from Apache Junction FRS

Period of Record: 11/10/87 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No outflow during Water Year 1997.*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 '	TOTAL	0	MEAN		XAM O	(MIN C	() AC I	PТ	0

^{*} No outflow through the principle outlet. However, some impoundment was experienced druing Water Year 1997. See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 6673 Name: Apache Jct. FRS

Drainage Area: 5.8 mi²

Period of Record: Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Jan. 13 10

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6 7												
8												
9												
10												
11												
12												
13				3								
14				2								
15												
16 17												
18												
19												
20												
21												
22												
23												
24 25												
25 26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	4	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	10	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	9	0	0	0	0	0	0	0	0
WTR YR	 1997 :	rotal	4	MEAN	(MAX	10) MIN) AC_F	 Г	9

Computation Of Continuous Records Of Streamflow

Station Number: 6683 Name: Powerline FRS

Drainage Area: 49.9 mi²

Period of Record: 12/03/92 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997:

Day	Pe	eak Dis	charge	(cfs	of interest	Da.		<u>Pe</u>	7. eak Dis	charge	(cfs)	<u> </u>
Nov. 23 Feb. 28			2			Ja	n. 13			3		
reD. 26			3		5 " 14							
DAY	OCT	NOV	DEC	JAN	Daily Me FEB	an valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4												
5												
6 7												
8												
9												
10 11												
12												
13 14				1								
15												
16												
17 18												
19												
20												
21 22												
23												
24												
25 26												
27												
28					1							
29 30												
31												
TOTAL	0	0	0	1	1	0	0	0	0	0	0	0
MEAN MAX	0 0	0 2	0 0	0 3	0 3	0 0	0 0	0 0	0 0	0 0	0 0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	1	2	0	0	0	0	0	0	0
WTR YR 1	L997 :	 TOTAL	2	MEAN	0	MAX	 3	MIN	0	AC_FI	 !	4

Computation Of Continuous Records Of Streamflow

Note: Outflows from Vineyard FRS backup through the Powerline outlet pipe and record on gage. Therefore, some "outflows" may represent backwater from Vineyard FRS outflows. See data for Station 6688.

Computation Of Continuous Records Of Streamflow

Station Number: 6688 Name: Vineyard FRS

Drainage Area: 57.8 mi²

Period of Record: Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Jan. 13 5

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6 7												
8												
9												
10												
11												
12												
13				2								
14				3								
15 16				1								
17												
18												
19												
20												
21												
22												
23 24												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	6	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	5	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	12	0	0	0	0	0	0	0	0
WTR YR	1997 :	TOTAL	6	MEAN	() MAX	5	MIN	c	AC_FT	. 1	L2

Computation Of Continuous Records Of Streamflow

Station Number: 6703 Name: Rittenhouse FRS

Drainage Area: 51.3 mi²

Period of Record: 09/27/88 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Day Peak Discharge (cfs)

Aug. 9 31 Aug. 31 41

	Daily Mean Values											
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												2
2											3	1
3											3	
4												
5												
6												
7												
8 9											9 8	
9 10											8 1	
11												
12												
13												
14												
15											3	
16											1	
17												
18												
19 20												
20												
22												
23												
24												
25												
26												
27												
28												
29												
30											1.0	
31											16	
TOTAL	0	0	0	0	0	0	0	0	0	0	42	3
MEAN	0	0	0	0	0	0	0	0	0	0	1	0
MAX	0	0	0	0	0	0	0	0	0	0	41	2
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	83	6
WTR YR 1	.997	TOTAL	45	MEAN	0	MAX	41	MIN	0	AC_E	7T 8	39

Computation Of Continuous Records Of Streamflow

Station Number: 6707* Name: Queen Ck.@ Rittenhouse

Period of Record: 09/14/93 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow above gage during Water Year 1997. Minimum flow recorded by gage is about 105 cfs at 1.4 ft gage height.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 :	TOTAL	0	MEAN	(XAM 0	(NIM C	(O AC_F	T	0

^{*} Gage ID number changed during Water Year 1997 from 6713 to 6707 to mitigate radio interference problems.

Computation Of Continuous Records Of Streamflow

Station Number: Buckeye FRS #3 6813 Name:

Drainage Area: 9.3 mi²

Period of Record: 11/23/92 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflows of interest during Water Year 1997:
Peak Discharge (cfs) Day Peal

Day	<u> P</u>	eak Dig		(cfs)		<u>Da</u>				charge	(cfs)	<u> </u>
Aug. 8			5			Se	pt. 1			8		
DAY	OCT	NOV	DEC		Daily Me		APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31												1
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 5 0 1	1 0 8 0 1									
WTR YR	1997	TOTAL	1	MEAN	0	MAX	 8	MIN	0	AC_F	 r	2

Note: Because of local drawdown effects at the gage on the principle outlet, discharges for stages below about 1 foot gage height are approximate. See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 6823 Name: White Tanks #4 FRS

Drainage Area: 18.6 mi² (White Tanks ADMS) **Period of Record:** Nov. 1987 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No outflow during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 :	COTAL	0	MEAN	(XAM C	(MIM ((AC F	Т	0

See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Streamflow

Station Number: 6853 Name: Gila @ Estrella Pky

USGS Gage: Gila River at Estrella Parkway, ID# 09514100

Drainage Area: 45,585 mi²

See USGS Water-Data Report AZ-97-1 for data for this site.

Flood Flow Frequency (source: Table 2-4 from <i>Study for Modified Roosevelt Dam</i>)										
	Magnitude and Probability of Instantaneous Peak Flow									
	Discharge, in cfs	s, for Indicated Re	currence Interval							
5-year	5-year 10-year 20-year 50-year 100-year									
20,000 50,000 84,000 170,000 217,000										

Computation Of Continuous Records Of Streamflow

Station Number: 6893 **Name:** Estrella Fan

Drainage Area: 1.0 mi²

Period of Record: 04/30/93 to current year **Revised Records:** WY1997: WY 1996

Discharge, in cfs, Water Year October 1996 to September 1997

No flow during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	U	U	0	Ü
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 1	 1997 :	 FOTAL	0	MEAN	() MAX		O MIN		AC F	 'T	0

Flood Flow Frequency (HEC-1 analysis, 1997)										
	Magnitude and Probability of Instantaneous Peak Flow									
	Discharge, in cfs, for Indicated Recurrence Interval									
2-year	5-year	10-year	25-year	50-year	100-year					
310 860 1,280 1,800 2,250 2,710										

Station Number: 6893 **Name:** Estrella Fan

Drainage Area: 1.0 mi²

Period of Record: 04/30/93 to current year

Discharge, in cfs, Water Year October 1995 to September 1996 -- REVISED

Peak flows of interest during Water Year 1996:

Day Peak Discharge (cfs)

Sept. 13 10

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	10
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1996 :	COTAL	0	MEAN	(XAM C	10	MIN	(AC_F	'T	0

Note: Mean daily flow for 09/13/96 rounds to zero acre-feet.

Revised due to computer database error for this sensor during Water Year 1996 which was discovered during Water Year 1997. Previously no flow was reported for 1996.

Surface Water Streamflow Data Page 92 FCDMC Annual Surface Water Report Water Year 1997

Computation Of Continuous Records Of Streamflow

Station Number: 6923 Name: Sauceda Wash


Drainage Area: 126 mi²

Period of Record: 02/28/90 to current year*

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997.**

Day	Pe	eak Dis	scharge	(cfs)	<u>)</u>	Da	Y	Pe	ak Dis	charge	e (cfs	<u>)</u>
Jan. 13 Sept. 6			149 596			Au	ıg. 17		3	304		
DAY	OCT	NOV	DEC	JAN	Daily Me	an Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
6 7												31
13				6								
17 18											18 1	
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0	0 0 0 0	6 0 149 0 11	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	20 1 304 0 39	34 1 696 0 68
WTR YR 1	997	TOTAL	60	MEAN	0	MAX	696	MIN	(AC_I	FT 1:	18



- * USGS maintained a crest stage gage at this location from 11/27/63 to 09/30/79. In 1990 a joint USGS/FCDMC continuous station was installed. The USGS continuous station was discontinued 10/01/94. Since Water Year 1995, the continuous station has been operated by FCDMC and the crest stage gage by the USGS.
- ** See also USGS crest stage gage, 09519760, data for this site.

Flood Flow Frequency
(based on HECWRC implementation of Bulletin 17B, n = 25, station skew used based on examination of observed data plots)

Magnitude and Probability of Instantaneous Peak Flow Discharge, in cfs, for Indicated Recurrence Interval

Computation Of Continuous Records Of Streamflow

2-year	5-year	10-year	20-year	50-year	100-year
530	1,640	2,610	3,640	5,020	6,040

Station Number: 6983 Name: Vekol Wash

Drainage Area: 150 mi²

Period of Record: USGS ID# 09488650 -- 1990-1996; USGS continuous station discontinued

Sept. 1996; FCDMC -- continuous station 03/07/90 to current year*

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:*

Day	<u>P</u>	eak Di	scharge	(cfs)	_	Da	ıу	Pe	ak Dis	charge	e (cfs)	<u>'</u>
Oct. 14		1	47			Au	ıg. 17		1	.65		
DAY	OCT	NOV	DEC	JAN	Daily Me	an Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
6												1
14	18											
17											12	
TOTAL	18	0	0	0	0	0	0	0	0	0	14	1
MEAN	1	0	0	0	0	0	0	0	0	0	0	0
MAX	147	0	0	0	0	0	0	0	0	0	165	4
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	35	0	0	0	0	0	0	0	0	0	27	2
WTR YR	1997	TOTAL	33	MEAN	0	MAX	165	MIN	() AC_1	FT 6	55

^{*} See also USGS crest stage gage, 09488650, Oct. 1996 to current year.

Flood Flow Frequency (based on regional equations for Region 13 as shown in USGS WSP 2433)										
	Magnitude and Probability of Instantaneous Peak Flow									
	Discha	rge, in cfs, for Ind	icated Recurrence	e Interval						
2-year	2-year 5-year 10-year 25-year 50-year 100-year									
1,600 3,660 5,700 9,030 12,000 15,600										

Computation Of Continuous Records Of Streamflow

Station Number: 7013 Name: Martinez Creek

Drainage Area: 109 mi²

Period of Record: 11/23/94 to current year


Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

<u>Day</u> <u>Peak Discharge (cfs)</u> <u>Day</u> <u>Peak Discharge (cfs)</u>

Jan. 26 284 Sept. 26 10,272

					Daily Mo	ean Valu	es					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
25 26				17								8 718
TOTAL	0	0	0	17	0	0	0	0	0	0	0	726
MEAN	0	0	0	1	0	0	0	0	0	0	0	24
MAX	0	0	0	284	0	0	0	0	0	0	0	10272
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	34	0	0	0	0	0	0	0	1441
WTR YR	1997	TOTAL	744	MEAN	2	MAX	10272	MIN	0	AC_FI	14	475



Note: Flows below 3,000 cfs are considered approximate at best due to multiple channel configuration of Martinez Creek in this area. Even above 3,000 cfs the rating is stll considered poor due to the expanding downstream reach, mobile bed conditions, and the angle of attack of flow at the gage.

Flood Flow Frequency (based on R. W. Cruff analysis, 1995 combining FEMA, 1994 and Box Canyon relation shape)										
	Magnitude and Probability of Instantaneous Peak Flow Discharge, in cfs, for Indicated Recurrence Interval									
	Discha	rge, in cis, for ind	icated Recurrent	e interval						
2-year	2-year 5-year 10-year 25-year 50-year 100-year									
1,520 5,000 9,220 18,000 27,400 32,000										

Computation Of Continuous Records Of Streamflow

Station Number: 7043 **Name:** Sols Wsh nr Matthie

Drainage Area: 121 mi²

Period of Record: 08/04/95 to current year


Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day		Peak Discharge (cfs)	Day	Peak Discharge (cfs)
7~	20	F 2	Sont 26	7 070

Aug. 29 52 Sept. 26 7,978

DAY	OCT	NOV	DEC	JAN	Daily Me	ean Valu MAR	es APR	MAY	JUN	JUL	AUG	SEP
25 26 27												18 1108 1
29 30											19 3	
TOTAL	0	0	0	0	0	0	0	0	0	0	22	1127
MEAN	0	0	0	0	0	0	0	0	0	0	1	38
MAX	0	0	0	0	0	0	0	0	0	0	52	7978
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	44	2236
WTR YR 1	L997	TOTAL	1150	MEAN	3	MAX	7978	MIN	0	AC_FT	22	80



Flood Flow Frequency (FEMA 9/95)										
Magnitude and Probability of Instantaneous Peak Flow										
Discharge	Discharge, in cfs, for Indicated Recurrence Interval									
10-year	50-year	100-year								
4,800	9,800	12,250								

Computation Of Continuous Records Of Streamflow

Station Number: 7063 Name: Hartman Wash

Drainage Area: 5.4 mi²

Period of Record: 07/06/94 to current year **Revised Records:** WY1996: WY1995


Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 26 1,253

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
11												2
25 26												1 67
TOTAL	0	0	0	0	0	0	0	0	0	0	0	69
MEAN	0	0	0	0	0	0	0	0	0	0	0	2
MAX	0	0	0	0	0	0	0	0	0	0	0	1253
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	138
WTR YR	1997 :	TOTAL	69	MEAN	O	MAX	1253	MIN	(AC_F	г 1	38



See also USGS crest stage gage, 09515800, data at this location. Period of record for USGS crest gage: Water Years 1964-1979 and 1992 to current year.

Flood Flow Frequency
(based on HECWRC implementation of Bulletin 17B, n = 24, station skew used based on examination of observed data plots)

Magnitude and Probability of Instantaneous Peak Flow Discharge, in cfs, for Indicated Recurrence Interval

Computation Of Continuous Records Of Streamflow

2-year	5-year	10-year	20-year	50-year	100-year
200	1,020	1,890	2,840	4,110	4,990


Station Number: 7083 **Name:** Flying E Wash **Drainage Area:** 8.5 mi² (4 mi² partially controlled by 3 stock tanks)

Period of Record: 07/12/94 to present year **Revised Records:** WY1996: WY1994-95

Discharge, in cfs, Water Year October 1996 to September 1997

Peak flows of interest during Water Year 1997:

Day	<u> </u>	eak Di	scharge		<u> </u>	<u>Da</u>			eak Dis	charge	e (cfs	<u>)</u>
Aug. 30 Sept. 11			260 37				ept. 6		1,1	92 .45		
DAY	OCT	NOV	DEC	JAN	Daily Me FEB	an Valu MAR	es Apr	MAY	JUN	JUL	AUG	SEP
5 6												1 6
11												1
25 26												14 39
29 30											7	2
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	7 0 260 0 15	62 2 1145 0 124									
WTR YR 1	997	TOTAL	70	MEAN	0	MAX	1145	MIN	0	AC_1	FT 1	38



Flood Flow Frequency
(based on Wickenburg ADMS HEC-1 and R. W. Cruff, 1995 graphical extension)

Magnitude and Probability of Instantaneous Peak Flow

Computation Of Continuous Records Of Streamflow

Discharge, in cfs, for Indicated Recurrence Interval											
2-year	2-year 5-year 10-year 25-year 50-year 100-year										
890	2,200 3,490 4,770 5,860 6,940										

Station Number: 7093 Name: Casandro Wash

Drainage Area: 0.61 mi²

Period of Record: 07/12/94 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

No flow except on following days during Water Year 1997:

Day	Pe		scharge			Da Da	ay			scharge	(cfs	<u>)</u>
Sept. 6 19				Se	ept. 26							
DAY	OCT	NOV	DEC	JAN	Daily M	ean Valu MAR	IES APR	MAY	JUN	JUL	AUG	SEP
6												3
26												13
TOTAL MEAN MAX MIN	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	17 1 177*
AC_FT	0	0	0	0	0	0	0	0	0	0	0	33
WTR YR 1	.997 '	TOTAL	17	MEAN	0	MAX	177	* MII	N.	0 AC	FT	33

^{*} Estimated from high water marks at the gage.

(Flood Flow Frequency (based on FEMA, 9/95 and R. W. Cruff, 1995 graphical extension)											
Magnitude and Probability of Instantaneous Peak Flow												
	Dischar	ge, in cfs, for India	cated Recurrence	e Interval								
2-year	2-year 5-year 10-year 25-year 50-year 100-year											
5												

Computation Of Continuous Records Of Streamflow

Station Number: 7113 **Name:** Powder House Wash

Drainage Area: 1.8 mi²

Period of Record: 05/18/95 to current year

Discharge, in cfs, Water Year October 1996 to September 1997


No flow except on following day during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 26 387*

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
26												42
TOTAL	0	0	0	0	0	0	0	0	0	0	0	42
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	0	0	0	0	0	0	0	0	0	0	387
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	84
WTR YR	1997	TOTAL	42	MEAN		 MAX	387	MIN	(AC_F		84

^{*} Estimated from high water marks at gage.



Flood Flow Frequency (FEMA, 9/95)											
Magnitude and Probability of Instantaneous Peak Flow											
Discha	Discharge, in cfs, for Indicated Recurrence Interval										
10-year	50-year	100-year									
300	300 1,300 1,900										

Computation Of Continuous Records Of Streamflow

Station Number: 7133 Name: Casandro Dam

Drainage Area: 1.3 mi²

Period of Record: 08/15/96 to current year

Discharge, in cfs, Water Year October 1996 to September 1997

Peak outflow occurred on the following day during Water Year 1997:

Day Peak Discharge (cfs)

Sept. 26 19

DAY	OCT	NOV	DEC	JAN	Daily Me	an Valu MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4												
5												
6												
7 8												
9												
10												
11												
12												
13												
14 15												
16												
17												
18												
19												
20 21												
22												
23												
24												
25												1
26												14
27 28												3
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	18
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	0	0	0	0	0	0	0	0	0	0	19
MIN	0 0	0 0	0	0 0	0	0	0 0	0 0	0 0	0	0	0
AC_FT			0		0	0 				0		35
WTR YR	1997 :	TOTAL	18	MEAN	0	MAX	19	MIN	(AC_FI	. :	35

See also Pool Level and Storage Volume Data.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 4563 Name: Spookhill FRS

Drainage Area: 13.6 mi²

Period of Record: Nov. 1987 to current year

Depth, in feet, Water Year October 1996 to September 1997

No impoundment during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
MAX	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
WTR YR	1997	 MEAN	0.59	MAX	0.59	MIN	0.59					

Computation Of Continuous Records Of Reservoir Depths

Station Number: 4648 Name: E.Fork CC #1

Drainage Area: 1.18 mi²

Period of Record: 03/02/94 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Maximum Level (ft) Day

Sept. 11 0.75

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.8
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
 WTD VD												

0.75 MIN MEAN

Computation Of Continuous Records Of Reservoir Depths

Station Number: 4658 Name: E.Fork CC #4

Drainage Area: 0.68 mi²

Period of Record: 01/18/94 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Maximum Level (ft)

Dav

Maximum

Day	1	Maximum	Level	(ft)		<u> </u>	ay	М	aximum	Level	(ft)	
Jan. 13 Aug. 3	3		.38				eb. 27 Sept. 1			.45 .40		
					Daily N	Mean Va	lues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.0
4	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
13	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.6	0.0	0.0	1.4	1.5	0.0	0.7	0.0	0.0	0.0	1.0	2.4
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	1997	MEAN	0.01	MAX	2.40	MIN	0.00					

Computation Of Continuous Records Of Reservoir Depths

Station Number: 4683 **Name:** E.Fork CC #3 **Drainage Area:** 3.52 mi² (1.86 mi² controlled by EFCC #1 and EFCC #4)

Period of Record: 09/13/94 to current year

Depth, in feet, Water Year October 1996 to September 1997

Impoundment occurred on following day during Water Year 1997:*

Day Maximum Level (ft)

Sept. 11 0.45

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX	0.2		0.2	0.2		0.2	0.2				0.2	0.2
MIN WTR YR	0.2	0.2 MEAN	0.2 0.15	0.2 MAX	0.2 	0.2 MIN	0.2 	0.2	0.2	0.2	0.2	0.2

^{*} Flows up to about the 2-year are passed beneath the detention basin via storm drains. Also, the 9/11/97 event appears to have been caused by local flow from the area immediate to the gage.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 4803 **Name:** Dreamy Draw Dam

Period of Record: Nov. 1987 to current year **Revised Records:** WY1996: WY1995

Drainage Area: 1.3 mi²

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day		Maximum Level	(ft)	Day		Maximum	Level	(ft)
Feb.	28	0.39		Sept.	11	1.	. 66	

DAY	OCT	NOV	DEC	JAN	Daily M	lean Valu MAR	Jes Apr	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WTR YR 1997 MEAN 0.00 MAX 1.66 MIN 0.00

Computation Of Continuous Records Of Reservoir Depths

Station Number: 4818 Name: 10 St. Wash Basin #1

Period of Record: 11/26/96 to current year

Depth, in feet, Water Year October 1996 to September 1997

Impoundment occurred on following days during Water Year 1997:

Day	<u>1</u>	Maximum			or or row	-	ays during ay	•	Maximum		(ft)	
Jan. 13 Apr. 3			.50 .60				'eb. 27 Sept. 11	1	-	.73 .63		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN		0.3	0.3	0.3	0.3	0.3	0.3	0.3	3 0.3	0.3	0.3	0.3
MAX		0.3	0.3	0.5	0.7	0.3	0.6	0.3	0.3	0.3	0.3	1.6
MIN		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
wwn vn 1	1007	MEAN	0.30	MAY	1 63	MIN	0 30					

Note: Gage installed 11/26/96.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 4904 Name: Cave Buttes Dam

Period of Record: Nov. 1987 to current year

Drainage Area: 191 mi²

Day

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997: Maximum Level (ft)

Day

	_			(==,		_	2	=			(==)	
Jan. 14		9	.22			F	eb. 28		9	.41		
DAY	OCT	NOV	DEC	JAN	Daily N FEB	Mean Val	lues APR	MAY	JUN	JUL	AUG	SEP
1	2.0	2.0	2.0	2.0	2.0	4.2	2.0	2.0	1.9	1.9	1.9	1.9
2	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9
3	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9
4	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9
5	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9
6	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9
7	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9
8	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
9	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
10	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
11	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
12	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	2.3
13	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
14	2.0	2.0	2.0	6.4	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
15	2.0	2.0	2.0	2.6	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
16	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
17	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
18	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
19	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
20	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
21	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
22	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
23	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
24 25	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9 1.9	1.9 1.9	1.9 1.9	$\frac{1.9}{1.9}$	1.9 1.9
26	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
27	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
28	2.0	2.0	2.0	2.0	6.9	2.0	2.0	1.9	1.9	1.9	1.9	1.9
29	2.0	2.0	2.0	2.0		2.0	2.0	1.9	1.9	1.9	1.9	1.9
30	2.0			2.0		2.0	2.0		1.9		1.9	1.9
31	2.0		2.0	2.0		2.0		1.9		1.9	1.9	
MEAN	2.0	2.0	2.0	2.2	2.2	2.1	2.0	1.9	1.9	1.9	1.9	1.9
MAX	2.0	2.0	2.0	9.2	9.4	8.3	2.0	2.0	1.9	1.9	1.9	3.9
MIN	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9
WTR YR	1997	MEAN	1.99	MAX	9.41	MIN	1.90					

Note: Instrument lowered to 1.90 ft from 1.99 ft on 05/08/1997.

See also Storage Volume Data.

Maximum Level (ft)

Computation Of Continuous Records Of Reservoir Depths

Station Number: 4938 **Name:** Reata Pass Dam

Period of Record: 02/25/93 to current year

Depth, in feet, Water Year October 1996 to September 1997

No significant impoundment during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR VR	1997	MEAN	0.00	MAX	0.05	MTN	0.00					

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5113 Name: Saddleback FRS

Period of Record: 12/16/88 to current year

Drainage Area: 29.6 mi² excluding area brought in from Harquahala FRS

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day	1	Maximum		•			ay		Maximum	Level	(ft)	
Aug. 8		1	.48			S	Sept. 2!	5	1	.00		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX MIN	0.3 0.3 0.3	0.3	0.3 0.3 0.3	0.3 1.5 0.3	0.3 1.0 0.3							
WTR YR	1997	 MEAN	0.30	MAX	1.48	MTN	0.30					

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5128 Name: Harquahala FRS

Period of Record: 03/01/94 to current year

Drainage Area: 102.3 mi²

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day	Ma		Level		HEHIS OF		auring w		ar 1997. aximum	Level	(ft)	
Aug. 8		18	8.35			Se	ept. 2	5	6	.24		
					Daily M	lean Valu	ues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.5	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	2.6
2	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	2.5
3	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	2.4
4	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	2.2
5	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	2.2
6	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	2.1
7	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	2.0
8	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	1.8	1.9
9	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	14.6	1.9
10	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	13.3	1.8
11	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	12.2	1.6
12	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	11.3	1.7
13	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	10.3	1.5
14	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	9.2	1.5
15	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	8.2	1.4
16	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	7.3	1.3
17	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	6.5	1.2
18	0.4	0.4	0.4	0.4	0.4	0.4	0.4			0.4	5.8	1.0
19	0.4	0.4	0.4	0.4	0.4	0.4	0.4		0.4	0.4	5.3	0.6
20	0.4	0.4	0.4	0.4	0.4	0.4	0.4		0.4	0.4	4.8	0.4
21	0.4	0.4	0.4	0.4	0.4	0.4	0.4		0.4	0.4	4.6	0.4
22	0.4	0.4	0.4	0.4	0.4	0.4	0.4		0.4	0.4	4.3	0.4
23	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	4.0	0.4
24	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	3.7	0.4
25	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	3.5	1.9
26	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	3.3	5.0
27	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	3.2	3.8
28	0.4	0.4	0.4	0.4	0.4	0.4			0.4	0.4	3.0	3.1
29	0.4	0.4	0.4	0.4		0.4			0.4	0.4	2.8	2.7
30	0.4	0.4	0.4	0.4		0.4			0.4	0.4	2.7	2.3
31	0.4		0.4	0.4		0.4				0.4	2.7	
MEAN	0.4	0.4	0.4	0.4	0.4	0.4	0.4		0.4	0.4	4.9	1.8
MAX	0.4	0.4	0.4	0.4	0.4	0.4	0.4		0.4	0.4	18.3	6.2
MIN	0.4	0.4	0.4	0.4	0.4	0.4	0.4		0.4	0.4	0.4	0.4

Gage out of service 04/23/97 to 06/18/97 due to instrument failure. No impoundments missed.

0.88 MAX 18.35 MIN

See also Surface Water Streamflow and Storage Volume Data.

WTR YR 1997 MEAN

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5203 Name: Buckeye FRS #1

Period of Record: Nov. 1987 to current year

Drainage Area: 74 mi² without area from Buckeye FRS #2 and #3

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day]		n Level	•			Day		Maximum		(ft)	
Aug. 8 Sept. 2			1.31				Aug. 17 Sept. 1		-	.41 .79		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX MIN	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5 -2.5 -2.5	-2.5	1.3	-1.0
WTD VD	1997	MEAN	 -2 47	MAY	1 31	MTN	 -2 49					

Note: Instrument 2.48 ft below gage datum at invert elevation of principle outlet which is located in a depressed drop box type inlet structure. Gage datum of 0.0 feet is taken to be the point at the top of the drop box which is level with the ground around the inlet structure. See also Surface Water Streamflow and Storage Volume Data.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5208 Name: Buckeye FRS #2

Period of Record: 11/11/92 to current year

Drainage Area: 5.7 mi² without area from Buckeye FRS #3 Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day	1	Maximun	n Level	(ft)		Ē	ay		Maximum	Level	(ft)	
Aug. 8		C).26			P	ug. 30		0	.29		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MA	JUN	JUL	AUG	SEP
MEAN MAX MIN	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	1 -1.4 1 -1.4 1 -1.4	-1.4	0.3	-1.1
WTR YR	1997	MEAN	-1.39	MAX	0.29	MIN	-1.39					

Note: Instrument 1.39 ft below gage datum at invert elevation of principle outlet which is located in a depressed drop box type inlet structure. Gage datum of 0.0 feet is taken to be the point at the top of the drop box which is level with the ground around the inlet structure. See also Surface Water Streamflow and Storage Volume Data.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5233 Name: Sunset FRS

Period of Record: 02/12/89 to current year

Day

Drainage Area: 0.95 mi² (from Wickenburg ADMS)

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997: Maximum Level (ft)

Day

Maximum Level (ft)

Day	=	Maximum	. Hevel	(IC)		=	,ay		Hariman Dever (10)			
Feb. 28 Sept. 5			.67				ug. 9 Sept. 2	6		.67 .27		
DAY	OCT	NOV	DEC	JAN		Mean Val	lues APR	MAY	JUN	JUL	AUG	SEP
1	0.7	0.7	0.7	0.7	0.7	2.4	0.7	0.7	0.7	0.7	0.7	0.7
2	0.7	0.7	0.7	0.7		2.1	0.7	0.7	0.7	0.7	0.7	0.7
3	0.7	0.7	0.7	0.7	0.7	1.9	1.3	0.7	0.7	0.7	0.7	0.7
4	0.7	0.7	0.7	0.7	0.7	1.7	1.6	0.7	0.7	0.7	0.7	0.7
5	0.7	0.7	0.7	0.7	0.7	1.5	1.4	0.7	0.7	0.7	1.3	1.1
6	0.7	0.7	0.7	0.7	0.7	1.3	1.1	0.7	0.7	0.7	2.0	3.9
7	0.7	0.7	0.7	0.7	0.7	1.1	0.8	0.7	0.7	0.7	1.7	3.5
8	0.7	0.7	0.7	0.7	0.7	0.8	0.7	0.7	0.7	0.7	1.6	3.2
9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	2.5	2.9
10	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	2.1	2.6
11	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	1.8	2.6
12	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	1.6	2.4
13	0.7	0.7	0.7	1.9	0.7	0.7	0.7	0.7	0.7	0.7	1.5	2.2
14	0.7	0.7	0.7	2.0	0.7	0.7	0.7	0.7	0.7	0.7	1.3	1.9
15	0.7	0.7	0.7	1.7	0.7	0.7	0.7	0.7	0.7	0.7	1.1	1.6
16	0.7	0.7	0.7	1.5	0.7	0.7	0.7	0.7	0.7	0.7	0.8	0.7
17	0.7	0.7	0.7	1.3	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
18	0.7	0.7	0.7	0.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
19	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
20	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
21	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
22	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
23	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	1.4
24	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	1.3
25	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	2.1
26	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	10.2
27	0.7	0.7	0.7	0.7	1.4	0.7	0.7	0.7	0.7	0.7	0.7	9.3
28	0.7	0.7	0.7	0.7	2.6	0.7	0.7	0.7	0.7	0.7	0.7	8.4
29	0.7	0.7	0.7	0.7		0.7	0.7	0.7	0.7	0.7	0.7	7.8
30	0.7	0.7	0.7	0.7		0.7	0.7	0.7	0.7	0.7	0.7	7.0
31	0.7		0.7	0.7		0.7		0.7		0.7	0.7	
MEAN	0.7	0.7	0.7	0.9	0.8	0.9	0.8	0.7	0.7	0.7	1.1	2.8
MAX	0.7		0.7	2.1		2.4	1.6	0.7	0.7	0.7	2.7	12.3
MIN	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
WTR YR	1997	MEAN	0.95	MAX	12.27	MIN	0.70					

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5248 Name: Sunnycove FRS

Period of Record: Nov. 1987 to current year

Drainage Area: 0.98 mi² (from Wickenburg ADMS)

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day Maximum Level (ft)

Sept. 26 17.19*

DAY	OCT	NOV	DEC	JAN	Daily N	/lean Val	ues APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	17.2
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	1000		0 00		17 10		0 00					

WTR YR 1997 MEAN 0.06 MAX 17.19 MIN 0.00

^{*} Maximum from high water marks. Due to instrument failure during the 9/26/97 event, mean values for 9/25-27/97 and for the month of September are estimates.

Flood Control District Of Maricopa County ALERT System Computation Of Continuous Records Of Reservoir Depths

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5418 Name: White Tanks #3 FRS

Period of Record: Nov. 1987 to current year **Drainage Area:** 20.5 mi² (White Tanks ADMS)

Depth, in feet, Water Year October 1996 to September 1997

No impoundment above gage during Water Year 1997.*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	1997	MEAN	0.00	MAX	0.0	MIN	0.0					

^{*} Significant storage volume exists below the instrument level due to the borrow pits behind the dam. The storage volume behind the dam at the instrument level is 124 acre-feet (revised from 74 acre-feet prior to WY 1997).

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5448 Name: McMicken Dam

Period of Record: Nov. 1987 to current year

Drainage Area: 247 mi²

Depth, in feet, Water Year October 1996 to September 1997

No significant impoundment during Water Year 1997. *

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	1997	MEAN	0.00	MAX	0.0	MIN	0.0					

^{*} Significant storage volume exists below the instrument level due to the borrow pits behind the dam. The storage volume behind the dam at the instrument level is 96 acre-feet.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5539 Name: Adobe Dam

Drainage Area: 89.6 mi²

Period of Record: Nov. 1987 to present

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest on following days during Water Year 1997:

Day Maximum Level							ay		Maximum		(ft)	
Jan. 14		1	.37			S	Sept. 1	2	1	.37		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX	0.1		0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
MIN WTR YR	0.1 1997	0.1 MEAN	0.1 0.10	0.1 MAX	0.1 1.37	0.1 MIN	0.1 	0.1	0.1	0.1	0.1	0.1

	Flood Elevation Frequency												
Magnitude and Probability of Elevation of Impoundment													
	Elevation, in	gage height (ft), f	or Indicated Rec	urrence Interval									
2-year	· · · · · · · · · · · · · · · · · · ·												
12.8 18.5 23.3 28.3 31.3 34.5													

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5614 Name: New River Dam

Drainage Area: 164 mi²

Period of Record: Nov. 1987 to current year

Depth, in feet, Water Year October 1996 to September 1997

No impoundment during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX MIN	2.9	2.9 2.9 2.9 2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
WTR YR	 1997	MEAN	2.88	MAX	2.88	MIN	2.88					

	Flood Elevation Frequency												
Magnitude and Probability of Elevation of Impoundment													
	Elevation, in gage height (ft), for Indicated Recurrence Interval												
2-year													
7.4 12.4 31 40 46.9 53.9													

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5968 **Name:** StoneRidge Dam

Drainage Area: 0.86 mi²

Period of Record: 12/11/96 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day	1	Maximum		•	mento o		ay ay		Maximum	Level	(ft)	
Aug. 26		1	.09			S	ept. 11	L	1	.01		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN			0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8
MAX			0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.8	1.1	1.0
MIN			0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
WTR YR	 1997	MEAN	0.83	MAX	1.09	MIN	0.75					

Note: Gage installed on 12/11/1996.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5973 **Name:** SunRidge Canyon Dam

Drainage Area: 1.6 mi²

Period of Record: 02/04/97 to current year

Depth, in feet, Water Year October 1996 to September 1997

No impoundments during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN					1.4	1.4	1.4	1.3	1.3	1.3	1.3	1.3
MAX					1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
MIN					1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
WTD VD	1997 1	 ⁄ΕλΝ	1 25	мач	1 2Ω	MTN	1 30					

Note: Gage installed on 02/04/1997.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5978 **Name:** GoldenEaglePark Dam

Drainage Area: 7.13 mi² of which 2.02 mi², 2.13 mi², and 1.6 mi² are controlled by Aspen,

North Heights, and Sunridge Canyon Dams respectively

Period of Record: 12/12/96 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day	1	Maximum	Level	(ft)		<u>D</u>	ay	<u>M</u>	aximum	Level	(ft)	
Jan. 13 Sept. 11			.02			A	ug. 26		1	.22		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX MIN			0.2 0.2 0.2	0.2 1.0 0.2	0.2 0.8 0.2	0.2 0.2 0.1	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.1	0.2 0.2 0.1	0.2 1.2 0.1	0.2 1.6 0.1
WTR YR 1	 997	MEAN	0.19	MAX	1.60	MIN	0.10					

Note: Gage installed on 12/12/1996.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5983 **Name:** North Heights Dam

Drainage Area: 2.13 mi²

Period of Record: 10/11/96 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Maximum Level (ft) Maximum Level (ft) Day Day Feb. 27 0.89 Sept. 11 1.11 OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP MEAN 0.3 0.3 0.3 0.5 0.9 0.3 0.3 0.3 0.3 0.4 1.1 MAX WTR YR 1997 MEAN 0.31 MAX 1.11 MIN 0.27

Note: Gage installed on 10/11/1996.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5988 **Name:** Aspen Dam

Drainage Area: 2.02 mi²

Period of Record: 01/02/97 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day Maximum Level (ft)

Sept. 11 0.98

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN				0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MAX				0.6	0.6	0.3	0.3	0.2	0.2	0.2	0.2	1.0
MIN				0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
WTR YR	 1997	MEAN	0.22	MAX	0.98	MIN	0.14					

Note: Gage installed on 01/02/1997.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 5993 **Name:** Hesperus Dam

Drainage Area: 2.91 mi²

Period of Record: 12/18/96 to current year

Depth, in feet, Water Year October 1996 to September 1997

No significant impoundment during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN			1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
MAX			1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
MIN			1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.9	1.0	0.9
WTR YR	1997	MEAN	1.01	MAX	1.05	MTN	0.95					

Note: Gage installed on 12/18/1996.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6503 Name: Guadalupe FRS

Drainage Area: 1.87 mi²

Period of Record: 06/29/89 to current year

Depth, in feet, Water Year October 1996 to September 1997

No impoundment during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	1997	MEAN	0.00	MAX	0.0	MTN	0.0					

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6608 **Name:** Freestone Basin

Drainage Area: 4.26 mi² (area downstream of Eastern Canal only, does not include area from

Day

Maximum Level (ft)

overflows of Eastern Canal)

Day

Period of Record: 12/19/96 to current year

Maximum Level (ft)

Depth, in feet, Water Year October 1996 to September 1997

Rainfall produced impoundments of interest during Water Year 1997:

						-		-				
Jan. 13 Aug. 3 Aug. 31		6	.63 .20 .40				Feb. 28 Aug. 9			.82 .15		
DAY	OCT	NOV	DEC	JAN		Mean Va MAR		MAY	JUN	JUL	AUG	SEP
1	3.1	1.8	4.3	3.8	3.4	5.8	2.7	2.5	3.9	1.9	2.4	5.4
2	3.7		1.8	3.8	3.5	5.7		3.4		2.8	3.5	3.7
3	4.4	3.3	2.8	2.3	1.9	4.9		4.0	3.4		5.3	3.6
4	4.7		3.3	1.1	2.7	2.1	3.0	4.0	3.3	4.1	3.6	3.7
5	4.7	2.4	3.5	2.8	3.3	3.1	0.2	4.1	3.2	4.1	2.1	2.6
6	4.7	1.6	3.7	3.0	3.6	3.3		5.7			3.4	3.7
7	4.7		3.9	1.5	1.9	1.3		6.5			3.7	2.4
8	4.7		4.0	1.0	2.9	2.1	2.5	6.4			4.1	4.2
9	4.7		4.1	3.1	3.3	3.0	2.6	6.1		3.4	5.1	4.1
10	4.6		2.4	3.2	4.2	3.0		5.8	4.6		5.1	4.0
11	2.7		2.7	3.2	4.3	3.2		5.5			2.4	4.2
12	2.9		3.3	3.2 4.8	2.5	3.3	0.2	5.1 4.8			3.2 3.7	4.3
13 14	3.4 3.7		$\frac{1.6}{2.4}$	5.5	2.3	1.8 2.5		4.8				4.3 4.5
15	2.8		3.2	5.5	2.5	3.1	2.7	4.5				2.6
16	2.9		3.4	3.8	3.0	3.2		4.2		3.4	3.9	3.3
17	3.4		3.7	0.1	2.2	3.1	2.6	4.0			4.1	3.2
18	3.6		3.8	0.1	2.8	3.2	2.9	3.7				4.5
19	3.9		3.9	0.1	1.6	3.2		3.5				1.5
20	3.9		4.0	0.1	2.7	4.1	3.0	3.2				2.5
21	2.5	0.1	4.0	1.7	1.8	1.5	3.1	3.1		3.4	3.2	3.1
22	3.1	1.6	4.1	3.4	2.8	0.1	1.3	3.1	4.6	3.8	3.6	1.9
23	3.6	4.2	4.1	4.1	3.1	0.2	0.2	3.1	4.8		4.4	3.3
24	3.8	4.2	2.3	2.3	2.1	1.0	1.8	3.4	4.5	2.6	4.9	3.5
25	3.9		0.8	0.1	2.9	0.9		4.2		3.5	3.6	3.6
26	4.0		0.5	2.3	4.3	2.3		4.8			3.8	2.7
27	2.4		0.3	3.2	3.7	2.0	1.0	4.9		4.1	2.9	3.2
28	2.5				5.5	2.2			4.9			3.3
29		4.0	1.9	1.7		1.6	2.2	4.9	4.8 4.5	3.7	3.9	3.4
30		4.2				0.8	2.0	4.7	4.5			3.8
31	3.4		3.7	3.2		0.5		4.4		3.1	5.3	
MEAN	3.6	2.7	2.9	2.6	3.0	2.5	2.2	4.4				3.5
MAX	4.7	4.5			6.3	5.8	5.7	6.6				5.4
MIN	0.1	-0.3	-0.1	0.1	0.1	0.1	0.1	2.3	3.2	0.2	0.2	0.2
WTR YR 1	L997	MEAN	3.23	MAX	6.57	MIN	-0.28					

Note: Many days of impoundment due to irrigation tailwater. See also Storage Volume Data.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6623 **Name:** Crossroads Park

Drainage Area: 15.7 mi² (area downstream of US 60 only, does not include area from

Eastern Canal tailwater ditch under US 60)

Period of Record: 12/18/96 to current year

Depth, in feet, Water Year October 1996 to September 1997

No significant impoundment during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
XAM	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
WTR YR	1997	MEAN	1.33	MAX	1.3	MTN	1.3					

See also Storage Volume Data.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6628 Name: Signal Butte FRS **Drainage Area:** 16.4 mi² not including area from Apache Junction FRS

Period of Record: 11/10/87 to current year

Day

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997: Maximum Level (ft)

Day

			2 00			_				60		
Jan. 1	L4		3.00			F	Aug. 10)	5	.60		
					Daily N	Mean Va	lues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	-0.2	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.0
2	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.2
3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3
4	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3
5	-0.3	-0.3		-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3
6	-0.3	-0.3		-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3
7	-0.3	-0.3		-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3
8	-0.3	-0.3		-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.2	-0.3
9	-0.3	-0.3		-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.1	-0.3
10	-0.3			-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	4.0	-0.3
11	-0.3	-0.3		-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	4.3	-0.3
12	-0.3	-0.3		-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	3.5	-0.3
13	-0.3	-0.3		0.7	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	3.3	-0.3
14	-0.3	-0.3		2.2	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	2.8	-0.3
15	-0.3	-0.3		2.1	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	2.6	-0.3
16	-0.3	-0.3		1.7	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	2.3	-0.3
17	-0.3	-0.3		1.5	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	2.1	-0.3
18	-0.3			1.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	1.9	-0.3
19	-0.3	-0.3		1.1	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	1.8	-0.3
20 21	-0.3 -0.3	-0.3 -0.3		0.9	-0.3 -0.3	-0.3 -0.3	-0.3	-0.3	-0.3 -0.3	-0.3	1.6 1.5	-0.3
							-0.3	-0.3		-0.3		-0.3
22 23	-0.3	-0.3 -0.3		0.7 0.6	-0.3 -0.3	-0.3 -0.3	-0.3	-0.3	-0.3 -0.3	-0.3 -0.3	1.3 1.2	-0.3
23 24	-0.3 -0.3	-0.3		0.5	-0.3	-0.3	-0.3 -0.3	-0.3 -0.3	-0.3	-0.3	1.1	-0.3 -0.3
25	-0.3			0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	1.0	-0.3
26	-0.3	-0.3		0.4	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	0.9	-0.3
27	-0.3	-0.3		0.3	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	0.7	-0.3
28	-0.3	-0.3		0.2	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	0.7	-0.3
29	-0.3			0.0		-0.3	-0.3	-0.3	-0.3	-0.3	0.4	-0.3
30	-0.3			-0.1		-0.3	-0.3	-0.3	-0.3	-0.3	0.3	-0.3
31	-0.3			-0.2		-0.3		-0.3		-0.3	0.1	
				0.4	0.3	0.2		0.2	0.2		1 0	
MEAN	-0.2			0.4	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	1.2	-0.2
MAX	-0.3			3.0	-0.3	-0.3	-0.3	-0.3	-0.3	-0.3	5.6	-0.0
MIN 	-0.3	-0.3	-0.3 	-0.3	-0.3	-0.3	-0.3 	-0.3	-0.3 	-0.3 	-0.3 	-0.3
WTR YF	R 1997	MEAN	-0.07	MAX	5.60	MIN	-0.25					

See also Surface Water Streamflow and Storage Volume Data.

Maximum Level (ft)

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6673 Name: Apache Jct. FRS

Drainage Area: 5.8 mi²

Period of Record: Nov. 1987 to present

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day Maximum Level (ft)

Jan. 13 1.23

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX MIN	0.1	0.1 0.1 0.1	0.1	1.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WTR YR 1997 MEAN 0.13 MAX 1.23 MIN 0.13

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6683 Name: Powerline FRS

Drainage Area: 49.9 mi²

Period of Record: 12/03/92 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day	1	Maximum		•	ments of		ay ay		Maximum	Level	(ft)	
Nov. 23 Feb. 28			.40			J	an. 13		0	.50		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX	0.2	0.2 0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR VR 1	997	MEAN	0.20	MAY	0.50	MTN	0.20					

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6688 Name: Vineyard FRS

Drainage Area: 57.8 mi²

Period of Record: Nov. 1987 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day Maximum Level (ft)

Jan. 13 0.80

DAY	OCT	NOV	DEC	JAN	Daily N	/lean Val MAR	ues APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	1997	MEAN	0.00	MAX	0.80	MIN	0.00					

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6703 **Name:** Rittenhouse FRS

Drainage Area: 51.3 mi²

Period of Record: 09/27/88 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day	<u>M</u>	aximum			ments o		auring v ay		aximum	Level	(ft)	
Aug. 8		2	.67			A	ug. 31		3	.22		
DAY	OCT	NOV	DEC	JAN	Daily N	Mean Val	ues APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.5	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6 7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.0 0.9	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.9	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.5	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2		0.2	0.2		0.2		0.2		0.2	1.6	
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.3	0.2
MAX	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	3.2	0.4
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR YR	1997	MEAN	0.21	MAX	3.22	MIN	0.20					

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6813 Name: Buckeye FRS #3

Drainage Area: 9.3 mi²

Period of Record: 11/23/92 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day	<u>M</u>	Taximum	Level	(ft)		Ī	ay	<u>M</u>	Taximum	Level	(ft)	
Aug. 8		-	3.55			S	Sept. 1		-	3.23		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX MIN	-4.1	-4.1	-4.1	-4.1	-4.1 -4.1 -4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-3.6	-3.2
WTR VR	1997	MEAN	_4 08	мах	-3 23	MTN	-4 08					

Note: Instrument 4.08 ft below gage datum at invert elevation of principle outlet which is located in a depressed drop box type inlet structure. Gage datum of 0.0 feet is taken to be the point at the top of the drop box which is level with the ground around the inlet structure. See also Surface Water Streamflow and Storage Volume Data.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 6823 Name: White Tanks #4 FRS

Drainage Area: 18.6 mi² (White Tanks ADMS) **Period of Record:** Nov. 1987 to current year

Depth, in feet, Water Year October 1996 to September 1997

No impoundment above gage during Water Year 1997.*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	1007	 MEAN	0.00	MAX	0.0	MIN	0.0					

^{*} Significant storage volume exists below the instrument level due to the large borrow pits behind the dam. The storage volume behind the dam at the instrument level is 585 acre-feet. See also Surface Water Streamflow and Storage Volume Data.

Computation Of Continuous Records Of Reservoir Depths

Station Number: 7133 **Name:** Casandro Dam

Drainage Area: 1.3 mi²

Period of Record: 08/15/96 to current year

Depth, in feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day Maximum Level (ft)

Sept. 26 11.3

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX MIN	-0.1	-0.1	-0.1	-0.1 -0.1 -0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	11.3

WTR YR 1997 MEAN -0.05 MAX 11.30 MIN -0.08

Note: Instrument located 0.08 ft below outlet invert which is taken as 0.00 ft gage datum. See also Surface Water Streamflow and Storage Volume Data.

Computation Of Continuous Records Of Storage Volumes

Station Number: 4562 Name: Spookhill FRS Cap

Period of Record: Nov. 1987 to current year

Drainage Area: 13.6 mi²

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage during Water Year 1997.*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 I	 MEAN	0	MAX	 0	MIN	 0					

^{*} Storage rating curve begins at 11.5 feet gage height. At 12.0 feet the rating shows 149 ac-ft of storage. See also Surface Water Streamflow and Pool Level Data.

Computation Of Continuous Records Of Storage Volumes

Drainage Area: 1.18 mi²
Period of Posser E.Fork CC #1 Cap Name:

Period of Record: 03/02/94 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No storage during Water Year 1997 except on following day:

Maximum Storage Day (ac-ft) (% full)

Sept. 11 1 1.7

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 I	MEAN	0	MAX	1	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Station Number: 4657 Name: E.Fork CC #4 Cap

Drainage Area: 0.68 mi²

Period of Record: 01/18/94 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Maximum Storage

Maximum Storage

Day

(ac-ft) (% full)

Day

(ac-ft) (% full)

Jan. 13 1 1.4 Feb. 28 1 1.4 Sept. 11 2 2.7

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	1	1	0	0	0	0	0	0	2
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 I	MEAN	0	MAX	2	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Station Number: 4682 Name: E.Fork CC #3 Cap Drainage Area: 3.52 mi² (1.86 mi² controlled by EFCC #1 and EFCC #4)

Period of Record: 09/13/94 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage during Water Year 1997.*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 I	 MEAN	0	MAX	 0	MIN	 0					

^{*} Flows up to about the 2-year pass beneath the detention basin via storm drains.

Computation Of Continuous Records Of Storage Volumes

Station Number: 4802 Name: Dreamy Draw Dam Cap

Period of Record: Nov. 1987 to current year **Revised Records:** WY1996: WY1995

Drainage Area: 1.3 mi²

Volume, in acre-feet, Water Year October 1996 to September 1997

No significant storage during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 1	MEAN	0	MAX	 0	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Station Number: 4817 Name: 10 St.Wash #1 Cap

Period of Record: 11/26/96 to current year

Volume, in acre-feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Maximum Storage (ac-ft) (% full)

Sept. 11 0.89 4.1

Day

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN		0	0	0	0	0	0	0	0	0	0	0
MAX		0	0	0	0	0	0	0	0	0	0	1
MIN		0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997	MEAN	0	MAX	0.89	MIN	0					

Note: Gage installed 11/26/96.

Computation Of Continuous Records Of Storage Volumes

(ac-ft) (% full)

Station Number: 4902 Name: Cave Buttes Dam Cap

Period of Record: Nov. 1987 to current year

(ac-ft) (% full)

Drainage Area: 191 mi²

Day

29 30

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Maximum Storage Maximum Storage

Day

	<u> </u>		,	<u> </u>	_		<u> </u>		•			
Jan. 14		129	0.3		F	eb. 28		134	0.3			
DAY	OCT	NOV	DEC	JAN	Daily M FEB	lean Valu MAR	Jes Apr	MAY	JUN	JUL	AUG	SEP
1						30						
2												
3 4												
5 6												
7												
8												
9 10												
11												
12												3
13												3
14				69								
15				4								
16												
17												
18												
19												
20												
21												
22												

WTR YR 1	L997 МЕ	EAN	0	MAX	134	MIN	0					
MIN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	129	134	105	0	0	0	0	0	12
MEAN	0	0	0	2	3	1	0	0	0	0	0	0
31												

76

Computation Of Continuous Records Of Storage Volumes

Computation Of Continuous Records Of Storage Volumes

Station Number: 5112 Name: Saddleback FRS Cap

Period of Record: 12/16/88 to current year

Drainage Area: 29.6 mi² excluding area brought in from Harquahala FRS

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Maximum Storage

Day (ac-ft) (% full)

Day (ac-ft) (% full)

<u> </u>	<u>, (ω,</u>		(0 = 0	/	=	<u>,</u>	<u>,, ,, , , , , , , , , , , , , , , , , </u>	0 10,	(0 = 0.	/		
Aug. 8	8	36	1.3		S	Sept.25		65	1.0			
					Daily N	∕lean Valu	ıes					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5 6												
7												
8											8	
9											10	
10												
11												19
12												
13												
14												
15 16												
17											6	
18											4	
19												
20												
21												
22												
23												
24 25												1.0
25 26												10
27												5
28												5
29												
30											2	
31											15	
MEAN	0	0	0	0	0	0	0	0	0	0	1	1
MAX	0	0	0	0	0	0	0	0	0	0	86	65
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 1	MEAN	0	MAX	86	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Station Number: 5127 **Name:** Harquahala FRS Cap

Period of Record: 03/01/94 to current year

Drainage Area: 102.3 mi²

Volume, in acre feet, Water Year October 1996 to September 1997

	Ma	ximum impou	ndments of interest during	g Water Ye	ar 1997:
	Maximum	Storage		Maximum	Storage
Day	(ac-ft)	(% full)	<u>Day</u>	(ac-ft)	(% full)
· <u></u>					
Aug. 8	151*	1.7*	Sept. 25	1*	<0.1*

Aug. 8	:	151*	1.7	*	S	Sept. 25	5	1*	<0.	1*		
DAY	OCT	NOV	DEC	JAN	FEB		APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4												
5												
6												
7 8											8	
9											35	
10											19	
11											13	
12 13											9 6	
14											4	
15											3	
16											2	
17 18											1 1	
19											1	
20											1	
21												
22 23												
24												
25												
26												1
27 28												
29												
30												
31												
MEAN	0			0		0	0		0	0	3	0
MAX	0	0	0	0	0	0	0		0	0	151	1
MIN	0	0	0	0	0	0	0		0	0	0	0
WTR YR				MAX	151	MIN	0					

Computation Of Continuous Records Of Storage Volumes

* Storage shown assumes level pool behind length of dam. Multiple pools are disconnected below approximately 34 ft gage height = 6,800 ac-ft = 78 % full.

See also Surface Water Streamflow and Pool Level Data.

Station Number: 5202 Name: Buckeye FRS #1 Cap

Period of Record: Nov. 1987 to current year

Drainage Area: 74 mi² without area from Buckeye FRS #2 and #3 Volume, in acre feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during	Water Year 1997:
---	------------------

Daily Mean Values

Day	Maximu (ac-ft)	m Storage (% full)	Day	Maximum (ac-ft)	% full)
Aug. 8	48	0.6	Aug. 17	20	0.2
Sept. 2	6	<0.1	Sept. 11	3	<0.1

1 2 4 3 2 4 5 6 7 8 4 9 12 10 3 11 1 12 1 13 1 14 1 15 1 16 1 17 4 18 5 19 2 20 2 20 2 21 2 23 2 24 25 26 2 27 28	DAY	OCT	NOV	DEC	JAN	FEB	lean Vali MAR	APR	JUN	JUL	AUG	SEP
2 4 3 4 2 4 5 5 6 7 7 8 9 12 12 10 3 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1								 			
4 5 6 7 8 4 9 12 10 3 11 1 12 1 1 13 1 1 14 1 1 15 1 4 18 5 1 19 2 2 20 2 2 21 2 2 22 2 2 23 24 2 26 2 2 26 2 2 28 8 8	2											4
7 8 9 12 10 12 11 12 11 12 1 1 13 1 14 15 16 17 4 18 19 20 21 22 23 24 25 26 27 28	3											2
7 8 9 12 10 12 11 12 11 12 1 1 13 1 14 15 16 17 4 18 19 20 21 22 23 24 25 26 27 28	4											
7 8 9 12 10 12 11 12 11 12 1 1 13 1 14 15 16 17 4 18 19 20 21 22 23 24 25 26 27 28	5											
8 4 9 12 10 3 11 1 12 1 1 13 1 1 14 1 1 15 1 4 16 1 4 17 4 5 19 2 2 20 2 2 21 2 2 23 24 2 25 2 2 26 2 2 27 28 8	6											
9 12 10 3 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7											
10 3 11 1 12 1 13 1 14 1 15 4 16 4 17 4 18 5 19 2 20 2 21 2 22 2 23 24 25 26 27 28	8											
11 1												
12 1											3	
13 1 14 15 16 17 4 18 5 19 2 20 2 21 22 23 24 25 26 27 28												1
14 15 16 17 4 18 5 19 2 20 2 21 22 23 24 25 26 27 28												1
15 16 17 4 18 5 19 2 20 2 21 22 23 4 25 26 27 28											1	
16 17 4 18 5 19 2 20 2 21 22 23 4 25 26 27 28												
17 4 18 5 19 2 20 2 21 22 23 4 25 26 27 28												
18 5 19 2 20 21 22 23 24 25 26 27 28 8												
20 21 22 23 24 25 26 27											4	
20 21 22 23 24 25 26 27											5	
21 22 23 24 25 26 27											۷	
22 23 24 25 26 27 28												
23 24 25 26 27 28												
24 25 26 27 28												
25 26 27 28												
26 27 28												
27 28												
28												
	29											

30 31

MEAN

Computation Of Continuous Records Of Storage Volumes

Note: Storage volume and percent full statistics assume a connected level pool behind the dam. See also Surface Water Streamflow and Pool Level Data.

Computation Of Continuous Records Of Storage Volumes

Station Number: 5207 Name: Buckeye FRS #2 Cap

Period of Record: 11/11/92 to current year

Drainage Area: 5.7 mi² without area from Buckeye FRS #3

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage exept on following days in Water Year 1997: Maximum Storage Maximum Storage Day (ac-ft) (% full) Day (ac-ft) (% full) Aug.8 0.2 Aug. 30 2 0.2 JAN FEB OCT NOV DEC MAR APR MAY JUN JUL AUG SEP ______ 0 0 0 0 Ω 0 0 Ω Ω Ω 0 0 MEAN MAX 0 0 0 0 0 0 0 0 0 0 2 0 MIN 0 0 0 0 0 0 0 0 0 0 0 0 WTR YR 1997 MEAN 0 MAX 2 MIN 0

Note: Storage volume and percent full statistics assume a connected level pool behind the dam. See also Surface Water Streamflow and Pool Level Data.

Computation Of Continuous Records Of Storage Volumes

Station Number: 5232 Name: Sunset FRS Cap

Period of Record: 02/12/89 to current year

Drainage Area: 0.95 mi² (from Wickenburg ADMS)

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Day		aximum c-ft)	Stora (% fu	-	Da	<u>ay</u>	<u>.</u>	Maximum (ac-ft)		rage full	
Feb. 28 Aug. 9 Sept. 26	:	1 1 34	1. 1. 39.	2		ug. 5 ept. 5		1 3		1.2	
DAY	OCT	NOV	DEC	JAN	Daily M FEB	lean Valu	ues API	R MAY	Jī	JN	Jτ
1 2						1 1					

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1						1						
2						1						
3												
4												
5												
6												2
7												1
8												1
9											1	1
10											1	1
11												1
12												1
13												1
14												1
15												1
16												1
17												1
18												1
19												1
20												1
21												1
22												1
23												1
24												
25												1
26												24
27												18
28					1							14
29												12
30												10
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	3
MAX	0	0	0	0	1	1	0	0	0	0	1	34
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 I	MEAN	0	MAX	34	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Computation Of Continuous Records Of Storage Volumes

Station Number: 5247 Name: Sunnycove FRS Cap

Period of Record: Nov. 1987 to current year

Drainage Area: 0.98 mi² (from Wickenburg ADMS)

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum storage during Water Year 1997:

See also Surface Water Streamflow and Pool Level Data.

WTR YR 1997 MEAN 0 MAX 30* MIN 0

^{*} Maximum for Water Year 1997 from high water marks surveyed on 09/26/97. Due to instrument failure during this impoundment, no mean value is reported for September 1997.

Computation Of Continuous Records Of Storage Volumes

Station Number: 5417 Name: White Tanks #3 Cap

Period of Record: Nov. 1987 to current year **Drainage Area:** 20.5 mi² (White Tanks ADMS)

Volume, in acre feet, Water Year October 1996 to September 1997

No impoundment above gage during Water Year 1997.*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 I	 MEAN	0	MAX	 0	MIN	 0					

^{*} Significant storage volume exists below the instrument level due to the borrow pits behind the dam. The storage volume behind the dam at the instrument level is 124 acre-feet (revised from 74 acre-feet during years prior to WY 1997). See also Surface Water Streamflow and Pool Level Data.

Computation Of Continuous Records Of Storage Volumes

Station Number: 5447 Name: McMicken Dam Cap

Period of Record: Nov. 1987 to current year

Drainage Area: 247 mi²

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage during Water Year 1997. *

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 1	MEAN	0	MAX	0	MIN	0					

^{*} Significant storage volume exists below the instrument level due to the borrow pits behind the dam. The storage volume behind the dam at the instrument level is 96 acre-feet.

Computation Of Continuous Records Of Storage Volumes

Drainage Area: 89.6 mi² Name: Adobe Dam Cap

Period of Record: Nov. 1987 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

	м	No aximum			n follow	ing days o			ar 1997: Storag	ge		
Day	(a	c-ft)	(% fu	11)	D	ay	<u>(a</u>	c-ft)	(% fu	<u>ll)</u>		
Jan. 14		2	<0.	1	S	Sept. 12		2	<0.2	1		
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	2	0	0	0	0	0	0	0	2
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 1	.997	MEAN	0	MAX	2	MIN	0	_ _				

Computation Of Continuous Records Of Storage Volumes

Station Number: Name: New River Dam Cap 5612 Drainage Area: 164 mi²

Period of Record: Nov. 1987 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No impoundment above gage during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 1	MEAN	0	MAX	0	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Drainage Area: 0.86 mi²
Period of Possaria Name: StoneRidge Dam Cap

Period of Record: 12/11/96 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage since gage installation during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	0	0	0	0	0	0	0	0	0
MIN			0	0	0	0	0	0	0	0	0	0
WTR YR	 1997	MEAN	0	MAX	0	MIN	 0					

Note: Gage installed on 12/11/1996.

Computation Of Continuous Records Of Storage Volumes

Drainage Area: 1.6 mi² Name: SunRidge Canyon Cap

Period of Record: 02/04/97 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage since gage installation during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN					0	0	0	0	0	0	0	0
MAX					0	0	0	0	0	0	0	0
MIN					0	0	0	0	0	0	0	0
WTR YR	1997	MEAN	0	MAX	0	MIN	0					

Note: Gage installed on 02/04/1997.

Computation Of Continuous Records Of Storage Volumes

Station Number: 5977 Name: Golden Eagle Park Cap

Drainage Area: 7.13 mi² of which 2.02 mi², 2.13 mi², and 1.6 mi² are controlled by Aspen,

North Heights, and Sunridge Canyon Dams respectively

Period of Record: 12/12/96 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage since gage installation during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	0	0	0	0	0	0	0	0	0
MIN			0	0	0	0	0	0	0	0	0	0
WTR YR	 1997	MEAN	0	MAX	0	MIN	 0					

Note: Gage installed on 12/12/1996.

Computation Of Continuous Records Of Storage Volumes

Station Number: 5982 **Name:** North Hghts Dam Cap

Drainage Area: 2.13 mi²

Period of Record: 10/11/96 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage since gage installation during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 1997 MEAN			0	MAX	0	MIN	 0					

Note: Gage installed on 10/11/1996.

Computation Of Continuous Records Of Storage Volumes

Drainage Area: 2.02 mi² Name: **Aspen Dam Capacity**

Period of Record: 01/02/97 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage since gage installation during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN												
MEAN				0	0	0	0	0	0	0	0	U
MAX				0	0	0	0	0	0	0	0	0
MIN				0	0	0	0	0	0	0	0	0
WTR YR	 1997	MEAN	0	MAX	0	MIN	0					

Note: Gage installed on 01/02/1997.

Computation Of Continuous Records Of Storage Volumes

Drainage Area: 2.91 mi²
Period of Poss Name: Hesperus Dam Cap

Period of Record: 12/18/96 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage since gage installation during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	0	0	0	0	0	0	0	0	0
MIN			0	0	0	0	0	0	0	0	0	0
WTR YR	 1997	MEAN	0	MAX	0	MIN	0					

Note: Gage installed on 12/18/1996.

Computation Of Continuous Records Of Storage Volumes

Drainage Area: 1.87 mi²
Period of Posser Name: Guadalupe FRS Cap

Period of Record: 06/29/89 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 I	MEAN	0	MAX	0	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Station Number: 6608 **Name:** Freestone Basin

Drainage Area: 4.26 mi² (area downstream of Eastern Canal only, does not include area from

overflows of Eastern Canal)

Period of Record: 12/19/1995 to current year

Volume, in acre-feet, Water Year October 1996 to September 1997

Rainfall produced impoundments of interest during Water Year 1997:

Day	Maximum (ac-ft)		Day	0	Storage (% full)
Jan. 13 Aug. 3 Aug. 31	4.1 6.1 3.5	1.9 2.8 1.6	Feb. 28 Aug. 9	4.8 3.0	2.2 1.4

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1			2	1	1	 5			1	1		3
2	1			1	1	4	1	1	1		1	2
3	2	1		1		3	2	1	1		4	1
4	2	1	1				2	1	1	1	3	1
5	2	1	1		1			1	1	1		1
6	2		1		1	1		5	1	1	1	1
7	2		1					7	1		1	1
8	2		1					7	1		1	2
9	2		1		1			6	1	1	3	2
10	2		1	1	2			5	2	1	3	1
11	1			1	4			4	2	1	1	1
12			1	1		1		3	2	1		1
13	1			3	1			2	1	1	1	1
14	1	1		4	1			2	1	2	1	2
15	1			4				2	1	1	1	1
16			1	2				1	1	1	1	1
17	1	1	1					1	1		1	1
18	1	1	1					1	1		1	2
19	1	1	1			1		1	2	2	1	
20	1	1	1			1			3	2	1	
21	1		1						2	1	1	
22			1	1					2	1	1	
23	1	1	1	1					2	1	2	1
24	1	1	1	1				1	2	1	3	1
25	1	2						1	1	1	1	1
26	1	1			1			2	1	1	1	
27	1			1	1			2	1	1		
28		1		3	4			2	2	1		1
29		1						2	2	1	1	1
30		1						2	2		1	1
31	1		1	1				1			3	
MEAN	1	1	1	1	1	1	0	2	1	1	1	1
MAX	2	2	2	7	7	5	4	7	3	3	6	4
MIN	0	0	0	0	0	0	0	0	0	0	0	0

Storage Volume Data Page 28 FCDMC Annual Surface Water Report Water Year 1997

Computation Of Continuous Records Of Storage Volumes

WTR YR 1997 MEAN 1 MAX 7 MIN 0

Note: Many days of storage from irrigation tailwater. See also Pool Level Data.

Computation Of Continuous Records Of Storage Volumes

Station Number: 6623 Name: Crossroads Park

Drainage Area: 15.7 mi² (area downstream of US 60 only, does not include area from

Eastern Canal tailwater ditch under US 60)

Period of Record: 12/18/1995 to current year

Volume, in acre-feet, Water Year October 1996 to September 1997

No significant storage during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 1997 MEAN		0	MAX	0	MIN	0						

See also Pool Level Data.

Computation Of Continuous Records Of Storage Volumes

Station Number: 6627 **Name:** Signal Butte FRS Cap **Drainage Area:** 16.4 mi² not including area from Apache Junction FRS

Period of Record: 11/10/87 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Maximum Storage Maximum Storage

Day	(ac-ft) (% full)			D	ay			(% fu				
Jan. 14	ŀ	8	0.5		А	ug. 10		39	2.3			
DAY	OCT	NOV	DEC	JAN		/lean Valu MAR	IES APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31				1 3 3 1 1							26 21 13 11 7 5 4 3 2 2 1 1	
MEAN MAX MIN	0 0 0	0 0 0	0 0 0	0 8 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	3 39 0	0 0 0
WTR YR	1997		0	MAX	 39	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Computation Of Continuous Records Of Storage Volumes

Station Number: 6672 **Name:** Apache Jct. FRS Cap

Drainage Area: 5.8 mi²

Period of Record: Nov. 1987 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	Ü	0	0	0	0	0	0	0	0	Ü	0	Ü
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 I	MEAN	0	MAX	0	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Drainage Area: 49.9 mi² Name: Powerline FRS Cap

Period of Record: 12/03/92 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

	Ma	ximum	Storag	ge			Ma	aximum	Storag	je		
Day	(ac	:-ft)	(% fu	11)	D	ay	<u>(a</u>	c-ft)	(% ful	L1)		
Nov. 23 Feb. 28		5 5	0.1 0.1		J	an. 13		6	0.1			
DAY	OCT	NOV	DEC	JAN	Daily N	Mean Valu	Jes APR	MAY	JUN	JUL	AUG	SEP
13				2								
28					3							
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	5	0	6	5	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 1	.997 N	IEAN	0	MAX	6	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Station Number: Vineyard FRS Cap 6687 Name: **Drainage Area:** 57.8 mi²

Period of Record: Nov. 1987 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Daily Mean Values

Maximum Storage (ac-ft) (% full) Day

Jan. 13 36 1.0

	OCT				FEB	/lean Vall MAR	APR	MAY				
1												
2												
3												
4 5												
6												
7												
8												
9												
10												
11												
12												
13				18								
14				20								
15				8								
16				5								
17				1								
18												
19 20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	Ω	2	Ο	0	0	0	0	0	0	0
MAX	0	0	0	36 0	0	0	0	0			0	0
MIN	0						0 	0	0	0	0	0
WTR YR	1997	MEAN	0	MAX	36	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Station Number: 6702 **Name:** Rittenhouse FRS Cap

Drainage Area: 51.3 mi²

Period of Record: 09/27/88 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum impoundments of interest during Water Year 1997:

Maximum Storage Maximum Storage

 Day
 (ac-ft) (% full)
 Day
 (ac-ft) (% full)

 Aug. 8
 2
 <0.1</td>
 Aug. 31
 4
 0.1

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
8 9											1 1	
31											1	
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	4	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997 I	IEAN	0	MAX	4	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Station Number: 6812 Name: Buckeye FRS #3 Cap

Drainage Area: 9.3 mi²

Period of Record: 11/23/92 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No significant storage during Water Year 1997.

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 1	MEAN	0	MAX	0	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Station Number: 6822 Name: White Tanks #4 Cap

Drainage Area: 18.6 mi² (White Tanks ADMS) **Period of Record:** Nov. 1987 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

No impoundment above gage during Water Year 1997.*

	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 1997 I	 MEAN	0	MAX	 0	MIN	 0					

^{*} Significant storage volume exists below the instrument level due to the large borrow pits behind the dam. The storage volume behind the dam at the instrument level is 585 acre-feet. See also Surface Water Streamflow and Pool Level Data.

Computation Of Continuous Records Of Storage Volumes

Station Number: 7132 Name: Casandro Dam Cap

Drainage Area: 1.3 mi²

Period of Record: 08/15/1996 to current year

Volume, in acre feet, Water Year October 1996 to September 1997

Maximum storage impounded during Water Year 1997:

Maximum Storage
Day (ac-ft) (% full)

Sept. 26 65 45

DAY	OCT	NOV	DEC	JAN	Daily M FEB	lean Valu	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4												
5												
6												
7												
8												
9 10												
11												
12												
13												
14												
15												
16												
17 18												
19												
20												
21												
22												
23												
24 25												
26												36
27												7
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	0	0	0	0	0	0	0	0	0	0	65
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	1997	MEAN	0	MAX	65	MIN	0					

Computation Of Continuous Records Of Storage Volumes

Comment/Errata Sheet

Comments about this report or errors discovered may be forwarded to the Flood Warning and Data Collection Branch using this Comment/Errata sheet. Simply fold this sheet over in half so that the

address labels are on the outside, tape closed, add a stamp and place in the mail.
Comments:
Errors (please include page numbers, gage names or IDs, and dates whenever possible):
Entris (preuse metade page numbers, gage numes of 128, and dates whenever possible).

Comment/Errata Sheet

Flood Control District of Maricopa County Flood Warning and Data Collection Branch 2801 W. Durango Street Phoenix, Arizona 85009

Place Stamp Here

Flood Control District of Maricopa County Flood Warning and Data Collection Branch 2801 W. Durango Street Phoenix, Arizona 85009