

ACDC at 14th Street										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	0	0	1	1	1	1	2
0.1	2	2	2	3	3	3	4	4	4	4
0.2	5	5	6	6	6	7	7	7	8	8
0.3	9	9	9	10	10	11	11	12	12	12
0.4	13	13	14	14	15	15	16	16	17	17
0.5	18	18	19	19	20	20	21	21	22	22
0.6	23	23	24	25	25	26	26	27	27	28
0.7	29	29	30	30	31	31	32	33	33	34
0.8	34	35	36	36	37	38	38	39	39	40
0.9	41	41	42	43	43	44	45	45	46	47
1.0	47	48	49	49	50	51	52	53	54	55
1.1	56	57	58	59	60	61	62	63	64	65
1.2	66	67	68	69	70	71	72	73	75	76
1.3	77	78	79	80	82	83	84	85	86	87
1.4	89	90	91	92	94	95	96	97	99	100
1.5	101	102	104	105	106	107	109	110	111	113
1.6	114	115	116	118	119	120	122	123	124	126
1.7	127	129	130	131	133	134	135	137	138	140
1.8	141	143	144	145	147	148	150	151	153	154
1.9	156	157	159	160	162	163	165	166	168	169
2.0	171	173	174	176	177	179	180	182	184	185
2.1	187	188	190	192	193	195	197	198	200	202
2.2	203	205	206	208	210	211	213	215	216	218
2.3	220	221	223	225	226	228	230	231	233	235
2.4	237	238	240	242	243	245	247	249	250	252
2.5	254	256	258	259	261	263	265	267	268	270
2.6	272	274	276	278	279	281	283	285	287	289
2.7	291	292	294	296	298	300	302	304	306	308
2.8	309	311	313	315	317	319	321	323	325	327
2.9	329	331	333	335	337	339	341	343	345	346
3.0	348	350	353	355	357	359	361	363	365	367
3.1	369	371	373	375	377	379	381	383	385	387
3.2	389	392	394	396	398	400	402	404	406	408
3.3	410	413	415	417	419	421	423	425	427	429
3.4	432	434	436	438	440	442	445	447	449	451
3.5	453	455	458	460	462	464	466	469	471	473
3.6	475	477	480	482	484	486	489	491	493	495
3.7	498	500	502	504	507	509	511	513	515	518
3.8	520	522	524	527	529	531	533	536	538	540
3.9	542	545	547	549	551	554	556	558	561	563
4.0	565	567	570	572	574	577	579	581	584	586
4.1	588	591	593	595	598	600	602	605	607	610
4.2	612	615	617	620	622	624	627	629	632	634
4.3	637	639	642	644	647	649	652	654	657	659
4.4	662	664	667	669	672	674	677	680	682	685
4.5	687	690	692	695	697	700	702	705	707	710

ACDC at 14th Street										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	712	715	717	720	722	725	727	729	732	734
4.7	737	739	742	744	747	749	752	754	757	759
4.8	762	764	767	769	772	775	777	780	782	785
4.9	787	790	792	795	797	800	803	805	808	811
5.0	813	816	819	821	824	827	829	832	835	837
5.1	840	843	845	848	851	853	856	859	862	864
5.2	867	870	873	875	878	881	883	886	889	892
5.3	894	897	900	903	905	908	911	914	916	919
5.4	922	925	927	930	933	936	938	941	944	947
5.5	950	952	955	958	961	963	966	969	972	975
5.6	977	980	983	986	989	992	994	997	1000	1003
5.7	1006	1008	1011	1014	1017	1019	1022	1025	1028	1031
5.8	1033	1036	1039	1042	1045	1047	1050	1053	1056	1059
5.9	1061	1064	1067	1070	1073	1076	1078	1081	1084	1087
6.0	1090	1093	1095	1098	1101	1104	1107	1110	1113	1116
6.1	1118	1121	1124	1127	1130	1133	1136	1139	1142	1144
6.2	1147	1150	1153	1156	1159	1162	1165	1168	1171	1174
6.3	1176	1179	1182	1185	1188	1191	1194	1197	1200	1203
6.4	1206	1209	1212	1215	1218	1221	1224	1227	1230	1232
6.5	1235	1238	1241	1244	1247	1250	1253	1256	1259	1262
6.6	1265	1268	1271	1274	1277	1280	1283	1286	1289	1292
6.7	1295	1298	1301	1304	1307	1310	1313	1317	1320	1323
6.8	1326	1329	1332	1335	1338	1341	1344	1347	1350	1353
6.9	1356	1359	1362	1365	1368	1372	1375	1378	1381	1384
7.0	1387	1390	1393	1396	1399	1403	1406	1409	1412	1415
7.1	1418	1421	1424	1427	1431	1434	1437	1440	1443	1446
7.2	1449	1453	1456	1459	1462	1465	1468	1471	1475	1478
7.3	1481	1484	1487	1490	1494	1497	1500	1503	1506	1509
7.4	1513	1516	1519	1522	1525	1528	1531	1534	1538	1541
7.5	1544	1547	1550	1553	1557	1560	1563	1566	1569	1572
7.6	1576	1579	1582	1585	1588	1592	1595	1598	1601	1604
7.7	1607	1611	1614	1617	1620	1623	1627	1630	1633	1636
7.8	1640	1643	1646	1649	1652	1656	1659	1662	1665	1669
7.9	1672	1675	1678	1682	1685	1688	1691	1695	1698	1701
8.0	1704	1708	1711	1714	1717	1721	1724	1727	1731	1734
8.1	1737	1740	1744	1747	1750	1754	1757	1760	1764	1767
8.2	1770	1773	1777	1780	1783	1787	1790	1793	1797	1800
8.3	1803	1807	1810	1813	1816	1820	1823	1826	1830	1833
8.4	1836	1839	1843	1846	1849	1853	1856	1859	1863	1866
8.5	1869	1873	1876	1879	1882	1886	1889	1892	1896	1899
8.6	1902	1906	1909	1912	1916	1919	1922	1926	1929	1933
8.7	1936	1939	1943	1946	1949	1953	1956	1959	1963	1966
8.8	1970	1973	1976	1980	1983	1986	1990	1993	1997	2000
8.9	2003	2007	2010	2014	2017	2020	2024	2027	2031	2034
9.0	2037	2041	2044	2048	2051	2055	2058	2061	2065	2068
9.1	2072	2075	2079	2082	2085	2089	2092	2096	2099	2103

ACDC at 14th Street										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	2106	2110	2113	2116	2120	2123	2127	2130	2134	2137
9.3	2141	2144	2148	2151	2155	2158	2162	2165	2169	2172
9.4	2176	2179	2183	2186	2189	2193	2196	2200	2203	2207
9.5	2210	2214	2217	2221	2225	2228	2232	2235	2239	2242
9.6	2246	2249	2253	2256	2260	2263	2267	2270	2274	2277
9.7	2281	2284	2288	2291	2295	2299	2302	2306	2309	2313
9.8	2316	2320	2323	2327	2331	2334	2338	2341	2345	2348
9.9	2352	2356	2359	2363	2366	2370	2373	2377	2381	2384
10.0	2388	2391	2395	2399	2402	2406	2409	2413	2417	2420
10.1	2424	2427	2431	2435	2438	2442	2445	2449	2453	2456
10.2	2460	2464	2467	2471	2475	2478	2482	2485	2489	2493
10.3	2496	2500	2504	2507	2511	2514	2518	2521	2525	2528
10.4	2532	2536	2539	2543	2546	2550	2553	2557	2561	2564
10.5	2568	2571	2575	2578	2582	2586	2589	2593	2596	2600
10.6	2604	2607	2611	2614	2618	2622	2625	2629	2632	2636
10.7	2640	2643	2647	2650	2654	2658	2661	2665	2669	2672
10.8	2676	2679	2683	2687	2690	2694	2698	2701	2705	2709
10.9	2712	2716	2719	2723	2727	2730	2734	2738	2741	2745
11.0	2749	2752	2756	2760	2763	2767	2771	2774	2778	2782
11.1	2785	2789	2793	2796	2800	2804	2807	2811	2815	2818
11.2	2822	2826	2829	2833	2837	2840	2844	2848	2851	2855
11.3	2859	2862	2866	2870	2874	2877	2881	2885	2888	2892
11.4	2896	2899	2903	2907	2911	2914	2918	2922	2925	2929
11.5	2933	2937	2940	2944	2948	2951	2955	2959	2963	2966
11.6	2970	2974	2978	2981	2985	2989	2993	2996	3000	3004
11.7	3008	3011	3015	3019	3023	3026	3030	3034	3038	3041
11.8	3045	3049	3053	3056	3060	3064	3068	3072	3075	3079
11.9	3083	3087	3090	3094	3098	3102	3106	3109	3113	3117
12.0	3121	3125	3128	3132	3136	3140	3144	3147	3151	3155
12.1	3159	3163	3167	3170	3174	3178	3182	3186	3189	3193
12.2	3197	3201	3205	3209	3212	3216	3220	3224	3228	3232
12.3	3235	3239	3243	3247	3251	3255	3259	3262	3266	3270
12.4	3274	3278	3282	3286	3289	3293	3297	3301	3305	3309
12.5	3313	3316	3320	3324	3328	3332	3336	3340	3344	3347
12.6	3351	3355	3359	3363	3367	3371	3375	3379	3382	3386
12.7	3390	3394	3398	3402	3406	3410	3414	3418	3422	3425
12.8	3429	3433	3437	3441	3445	3449	3453	3457	3461	3465
12.9	3469	3472	3476	3480	3484	3488	3492	3496	3500	3504
13.0	3508	3511	3515	3519	3523	3527	3531	3535	3538	3542
13.1	3546	3550	3554	3558	3561	3565	3569	3573	3577	3581
13.2	3585	3588	3592	3596	3600	3604	3608	3612	3615	3619
13.3	3623	3627	3631	3635	3639	3642	3646	3650	3654	3658
13.4	3662	3666	3670	3674	3677	3681	3685	3689	3693	3697
13.5	3701	3705	3709	3712	3716	3720	3724	3728	3732	3736
13.6	3740	3744	3748	3751	3755	3759	3763	3767	3771	3775
13.7	3779	3783	3787	3791	3794	3798	3802	3806	3810	3814

ACDC at 14th Street										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	3818	3822	3826	3830	3834	3838	3842	3846	3850	3853
13.9	3857	3861	3865	3869	3873	3877	3881	3885	3889	3893
14.0	3897	3901	3905	3909	3913	3917	3921	3925	3929	3932
14.1	3936	3940	3944	3948	3952	3956	3960	3964	3968	3972
14.2	3976	3980	3984	3988	3992	3996	4000	4004	4008	4012
14.3	4016	4020	4024	4028	4032	4036	4040	4044	4048	4052
14.4	4056	4060	4064	4068	4072	4075	4079	4083	4087	4091
14.5	4095	4099	4103	4107	4111	4115	4119	4123	4127	4131
14.6	4135	4139	4143	4147	4151	4155	4159	4163	4167	4171
14.7	4175	4179	4183	4187	4192	4196	4200	4204	4208	4212
14.8	4216	4220	4224	4228	4232	4236	4240	4244	4248	4252
14.9	4256	4260	4264	4268	4272	4276	4280	4284	4288	4292
15.0	4296	4300	4304	4308	4313	4317	4321	4325	4329	4333
15.1	4337	4341	4345	4349	4353	4357	4361	4365	4369	4373
15.2	4377	4382	4386	4390	4394	4398	4402	4406	4410	4414
15.3	4418	4422	4426	4430	4435	4439	4443	4447	4451	4455
15.4	4459	4463	4467	4471	4475	4480	4484	4488	4492	4496
15.5	4500	4504	4508	4512	4516	4520	4524	4529	4533	4537
15.6	4541	4545	4549	4553	4557	4561	4565	4569	4573	4578
15.7	4582	4586	4590	4594	4598	4602	4606	4610	4614	4618
15.8	4623	4627	4631	4635	4639	4643	4647	4651	4655	4660
15.9	4664	4668	4672	4676	4680	4684	4688	4692	4697	4701
16.0	4705	4709	4713	4717	4721	4725	4730	4734	4738	4742
16.1	4746	4750	4754	4758	4763	4767	4771	4775	4779	4783
16.2	4787	4792	4796	4800	4804	4808	4812	4816	4821	4825
16.3	4829	4833	4837	4841	4846	4850	4854	4858	4862	4866
16.4	4870	4875	4879	4883	4887	4891	4895	4900	4904	4908
16.5	4912	4916	4920	4925	4929	4933	4937	4941	4946	4950
16.6	4954	4958	4962	4966	4971	4975	4979	4983	4987	4992
16.7	4996	5000	5004	5008	5012	5017	5021	5025	5029	5033
16.8	5037	5041	5045	5050	5054	5058	5062	5066	5070	5074
16.9	5079	5083	5087	5091	5095	5099	5104	5108	5112	5116
17.0	5120	5124	5128	5133	5137	5141	5145	5149	5153	5158
17.1	5162	5166	5170	5174	5178	5183	5187	5191	5195	5199
17.2	5203	5208	5212	5216	5220	5224	5229	5233	5237	5241
17.3	5245	5249	5254	5258	5262	5266	5270	5275	5279	5283
17.4	5287	5291	5296	5300	5304	5308	5312	5317	5321	5325
17.5	5329	5333	5338	5342	5346	5350	5354	5359	5363	5367
17.6	5371	5375	5380	5384	5388	5392	5396	5401	5405	5409
17.7	5413	5418	5422	5426	5430	5434	5439	5443	5447	5451
17.8	5456	5460	5464	5468	5473	5477	5481	5485	5489	5494
17.9	5498	5502	5506	5511	5515	5519	5523	5528	5532	5536
18.0	5540	5545	5549	5553	5557	5562	5566	5570	5574	5579
18.1	5583	5587	5591	5596	5600	5604	5608	5613	5617	5621
18.2	5626	5630	5634	5638	5643	5647	5651	5655	5660	5664
18.3	5668	5673	5677	5681	5685	5690	5694	5698	5702	5707

ACDC at 14th Street										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.4	5711	5715	5720	5724	5728	5732	5737	5741	5745	5750
18.5	5754	5758	5762	5767	5771	5775	5780	5784	5788	5793
18.6	5797	5801	5805	5810	5814	5818	5823	5827	5831	5836
18.7	5840	5844	5849	5853	5857	5861	5866	5870	5874	5879
18.8	5883	5887	5892	5896	5900	5905	5909	5913	5918	5922
18.9	5926	5931	5935	5939	5944	5948	5952	5957	5961	5965
19.0	5970	5974	5978	5983	5987	5991	5996	6000	6004	6009
19.1	6013	6017	6021	6026	6030	6034	6038	6043	6047	6051
19.2	6055	6060	6064	6068	6073	6077	6081	6085	6090	6094
19.3	6098	6102	6107	6111	6115	6120	6124	6128	6132	6137
19.4	6141	6145	6150	6154	6158	6162	6167	6171	6175	6180
19.5	6184	6188	6192	6197	6201	6205	6210	6214	6218	6223
19.6	6227	6231	6235	6240	6244	6248	6253	6257	6261	6266
19.7	6270	6274	6279	6283	6287	6291	6296	6300	6304	6309
19.8	6313	6317	6322	6326	6330	6335	6339	6343	6348	6352
19.9	6356	6361	6365	6369	6374	6378	6382	6386	6391	6395
20.0	6399	6404	6408	6412	6417	6421	6425	6430	6434	6439
20.1	6443	6447	6452	6456	6460	6465	6469	6473	6478	6482
20.2	6486	6491	6495	6499	6504	6508	6512	6517	6521	6525
20.3	6530	6534	6538	6543	6547	6552	6556	6560	6565	6569
20.4	6573	6578	6582	6586	6591	6595	6600	6604	6608	6613
20.5	6617	6621	6626	6630	6635	6639	6643	6648	6652	6656
20.6	6661	6665	6670	6674	6678	6683	6687	6691	6696	6700
20.7	6705	6709	6713	6718	6722	6726	6731	6735	6740	6744
20.8	6748	6753	6757	6762	6766	6770	6775	6779	6784	6788
20.9	6792	6797	6801	6806	6810	6814	6819	6823	6828	6832
21.0	6836	6841	6845	6850	6854	6858	6863	6867	6872	6876
21.1	6881	6885	6889	6894	6898	6903	6907	6911	6916	6920
21.2	6925	6929	6934	6938	6942	6947	6951	6956	6960	6965
21.3	6969	6973	6978	6982	6987	6991	6996	7000		
	Rating #2 - NS Table #942									
	Applied as of 10/01/2020									
	Updated: 12/17/2020									