

ACDC at 43rd Avenue										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	0	1	1	1	1	2	2
0.1	2	3	3	3	4	4	4	5	5	6
0.2	6	7	7	8	8	8	9	9	10	11
0.3	11	12	12	13	13	14	14	15	16	16
0.4	17	17	18	19	19	20	21	21	22	22
0.5	23	24	25	25	26	27	27	28	29	29
0.6	30	31	32	32	33	34	35	35	36	37
0.7	38	39	39	40	41	42	43	43	44	45
0.8	46	47	47	48	49	50	52	54	56	58
0.9	60	62	64	66	69	71	73	76	78	81
1.0	83	86	89	91	94	97	100	103	106	109
1.1	112	115	118	121	124	127	131	134	137	141
1.2	144	148	152	155	159	163	167	171	175	179
1.3	183	187	191	196	200	204	208	212	216	220
1.4	224	228	232	236	240	245	249	253	258	262
1.5	267	272	276	281	286	290	295	300	305	310
1.6	315	320	325	330	335	340	345	350	356	361
1.7	367	372	378	383	389	394	400	405	410	416
1.8	421	427	432	437	443	448	454	460	465	471
1.9	477	482	488	494	500	506	512	518	524	530
2.0	536	542	549	555	561	568	574	580	587	593
2.1	600	606	612	618	624	630	637	643	649	655
2.2	662	668	674	681	687	694	700	706	713	719
2.3	726	733	739	746	752	759	766	773	779	786
2.4	793	800	807	815	822	830	838	845	853	861
2.5	869	876	884	892	900	907	914	921	928	935
2.6	942	949	957	964	971	978	985	993	1000	1008
2.7	1015	1023	1031	1039	1046	1054	1062	1070	1078	1086
2.8	1094	1102	1110	1118	1126	1134	1142	1150	1159	1167
2.9	1175	1183	1192	1200	1208	1216	1224	1233	1241	1249
3.0	1257	1266	1274	1282	1291	1299	1308	1316	1325	1333
3.1	1342	1350	1359	1367	1376	1385	1393	1402	1411	1420
3.2	1429	1437	1446	1455	1464	1473	1482	1491	1500	1509
3.3	1518	1527	1536	1545	1554	1563	1572	1582	1591	1600
3.4	1609	1619	1628	1637	1647	1656	1665	1675	1684	1694
3.5	1703	1713	1722	1732	1742	1751	1761	1771	1780	1790
3.6	1800	1809	1819	1828	1837	1847	1856	1866	1875	1885
3.7	1894	1904	1913	1923	1932	1942	1951	1961	1971	1981
3.8	1990	2000	2010	2020	2029	2039	2049	2059	2069	2079
3.9	2089	2099	2109	2119	2129	2139	2149	2159	2169	2180
4.0	2190	2200	2210	2221	2231	2242	2252	2263	2273	2284
4.1	2294	2305	2316	2326	2337	2348	2358	2369	2380	2391
4.2	2402	2412	2423	2434	2445	2456	2467	2478	2489	2500
4.3	2511	2522	2533	2543	2554	2565	2576	2587	2598	2609
4.4	2620	2631	2642	2654	2665	2676	2687	2698	2709	2721
4.5	2732	2743	2755	2766	2777	2789	2800	2811	2822	2833

ACDC at 43rd Avenue										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	2844	2855	2866	2877	2888	2899	2910	2922	2933	2944
4.7	2955	2966	2977	2989	3000	3012	3023	3035	3046	3058
4.8	3069	3081	3093	3104	3116	3128	3139	3151	3163	3175
4.9	3186	3198	3210	3222	3234	3246	3258	3270	3281	3293
5.0	3305	3317	3329	3342	3354	3366	3378	3390	3402	3414
5.1	3426	3439	3451	3463	3475	3488	3500	3512	3524	3536
5.2	3549	3561	3573	3585	3598	3610	3622	3635	3647	3659
5.3	3672	3684	3696	3709	3721	3734	3746	3759	3771	3784
5.4	3796	3809	3822	3834	3847	3860	3872	3885	3898	3910
5.5	3923	3936	3949	3961	3974	3987	4000	4013	4026	4039
5.6	4051	4064	4077	4090	4103	4116	4129	4142	4155	4168
5.7	4181	4194	4207	4220	4234	4247	4260	4273	4286	4300
5.8	4313	4326	4339	4353	4366	4379	4393	4406	4419	4433
5.9	4446	4460	4473	4487	4500	4513	4526	4540	4553	4566
6.0	4580	4593	4606	4620	4633	4646	4660	4673	4687	4700
6.1	4713	4727	4740	4754	4767	4781	4795	4808	4822	4835
6.2	4849	4863	4876	4890	4904	4917	4931	4945	4959	4972
6.3	4986	5000	5014	5027	5041	5055	5068	5082	5096	5109
6.4	5123	5137	5151	5164	5178	5192	5206	5220	5234	5248
6.5	5261	5275	5289	5303	5317	5331	5345	5359	5373	5387
6.6	5401	5415	5429	5443	5458	5472	5486	5500	5514	5529
6.7	5543	5558	5572	5587	5601	5616	5631	5645	5660	5674
6.8	5689	5704	5718	5733	5748	5762	5777	5792	5807	5821
6.9	5836	5851	5866	5881	5896	5910	5925	5940	5955	5970
7.0	5985	6000	6015	6029	6044	6059	6074	6088	6103	6118
7.1	6133	6147	6162	6177	6192	6207	6222	6237	6251	6266
7.2	6281	6296	6311	6326	6341	6356	6371	6386	6401	6416
7.3	6431	6447	6462	6477	6492	6507	6522	6538	6553	6568
7.4	6583	6598	6614	6629	6644	6660	6675	6690	6706	6721
7.5	6736	6752	6767	6783	6798	6813	6829	6844	6860	6875
7.6	6891	6906	6922	6938	6953	6969	6984	7000	7016	7031
7.7	7047	7063	7079	7094	7110	7126	7142	7158	7173	7189
7.8	7205	7221	7237	7253	7269	7285	7301	7316	7332	7348
7.9	7364	7380	7397	7413	7429	7445	7461	7477	7493	7509
8.0	7525	7541	7558	7574	7590	7606	7623	7639	7655	7671
8.1	7688	7704	7720	7737	7753	7769	7786	7802	7819	7835
8.2	7851	7868	7884	7901	7917	7934	7950	7967	7983	8000
8.3	8016	8033	8049	8065	8081	8098	8114	8131	8147	8163
8.4	8180	8196	8213	8229	8246	8262	8278	8295	8311	8328
8.5	8345	8361	8378	8394	8411	8427	8444	8461	8477	8494
8.6	8511	8527	8544	8561	8578	8594	8611	8628	8645	8661
8.7	8678	8695	8712	8729	8746	8762	8779	8796	8813	8830
8.8	8847	8864	8881	8898	8915	8932	8949	8966	8983	9000
8.9	9017	9034	9051	9068	9085	9101	9118	9135	9152	9169
9.0	9186	9203	9220	9238	9255	9272	9289	9306	9323	9340
9.1	9357	9374	9392	9409	9426	9443	9460	9477	9495	9512

ACDC at 43rd Avenue										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	9529	9547	9564	9581	9598	9616	9633	9650	9668	9685
9.3	9703	9720	9737	9755	9772	9790	9807	9825	9842	9860
9.4	9877	9895	9912	9930	9947	9965	9982	10000	10017	10035
9.5	10052	10070	10087	10104	10122	10139	10157	10174	10192	10209
9.6	10227	10244	10262	10279	10297	10315	10332	10350	10367	10385
9.7	10403	10420	10438	10456	10473	10491	10509	10526	10544	10562
9.8	10580	10597	10615	10633	10651	10669	10686	10704	10722	10740
9.9	10758	10776	10794	10811	10829	10847	10865	10883	10901	10919
10.0	10937	10955	10973	10991	11009	11027	11045	11063	11081	11100
10.1	11118	11136	11154	11172	11190	11208	11226	11245	11263	11281
10.2	11299	11317	11336	11354	11372	11391	11409	11427	11445	11464
10.3	11482	11500	11519	11537	11556	11574	11592	11611	11629	11648
10.4	11666	11684	11703	11721	11740	11758	11777	11795	11814	11833
10.5	11851	11870	11888	11907	11925	11944	11963	11981	12000	12019
10.6	12037	12056	12074	12093	12111	12130	12148	12167	12186	12204
10.7	12223	12242	12260	12279	12298	12316	12335	12354	12372	12391
10.8	12410	12429	12447	12466	12485	12504	12523	12541	12560	12579
10.9	12598	12617	12636	12655	12674	12692	12711	12730	12749	12768
11.0	12787	12806	12825	12844	12863	12882	12901	12920	12939	12958
11.1	12978	12997	13016	13035	13054	13073	13092	13111	13131	13150
11.2	13169	13188	13207	13226	13246	13265	13284	13303	13323	13342
11.3	13361	13381	13400	13419	13439	13458	13477	13497	13516	13535
11.4	13555	13574	13594	13613	13633	13652	13671	13691	13710	13730
11.5	13749	13769	13789	13808	13828	13847	13867	13886	13906	13926
11.6	13945	13965	13984	14004	14024	14043	14063	14083	14102	14122
11.7	14142	14162	14181	14201	14221	14241	14260	14280	14300	14320
11.8	14340	14360	14379	14399	14419	14439	14459	14479	14499	14519
11.9	14539	14559	14578	14598	14618	14638	14658	14678	14698	14718
12.0	14739	14759	14779	14799	14819	14839	14859	14879	14899	14919
12.1	14939	14960	14980	15000	15020	15040	15060	15080	15100	15120
12.2	15140	15160	15180	15200	15220	15240	15260	15281	15301	15321
12.3	15341	15361	15381	15401	15422	15442	15462	15482	15502	15523
12.4	15543	15563	15583	15604	15624	15644	15664	15685	15705	15725
12.5	15746	15766	15786	15807	15827	15847	15868	15888	15909	15929
12.6	15950	15970	15990	16011	16031	16052	16072	16093	16113	16134
12.7	16154	16175	16196	16216	16237	16257	16278	16298	16319	16340
12.8	16360	16381	16402	16422	16443	16464	16484	16505	16526	16546
12.9	16567	16588	16609	16629	16650	16671	16692	16713	16733	16754
13.0	16775	16796	16817	16838	16858	16879	16900	16921	16942	16963
13.1	16984	17005	17026	17047	17068	17089	17110	17131	17152	17173
13.2	17194	17215	17236	17257	17278	17299	17320	17341	17362	17383
13.3	17405	17426	17447	17468	17489	17510	17532	17553	17574	17595
13.4	17616	17638	17659	17680	17701	17723	17744	17765	17786	17808
13.5	17829	17850	17872	17893	17914	17936	17957	17979	18000	18021
13.6	18042	18063	18084	18106	18127	18148	18169	18190	18211	18232
13.7	18254	18275	18296	18317	18338	18360	18381	18402	18423	18445

ACDC at 43rd Avenue										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	18466	18487	18509	18530	18551	18573	18594	18615	18637	18658
13.9	18679	18701	18722	18743	18765	18786	18808	18829	18851	18872
14.0	18894	18915	18936	18958	18979	19001	19022	19044	19066	19087
14.1	19109	19130	19152	19173	19195	19217	19238	19260	19281	19303
14.2	19325	19346	19368	19390	19411	19433	19455	19476	19498	19520
14.3	19542	19563	19585	19607	19629	19650	19672	19694	19716	19738
14.4	19759	19781	19803	19825	19847	19869	19890	19912	19934	19956
14.5	19978	20000	20022	20044	20066	20087	20109	20131	20153	20175
14.6	20197	20219	20241	20263	20285	20306	20328	20350	20372	20394
14.7	20416	20438	20460	20482	20504	20526	20548	20571	20593	20615
14.8	20637	20659	20681	20703	20725	20747	20769	20792	20814	20836
14.9	20858	20880	20902	20925	20947	20969	20991	21013	21036	21058
15.0	21080	21102	21125	21147	21169	21192	21214	21236	21259	21281
15.1	21303	21326	21348	21370	21393	21415	21437	21460	21482	21505
15.2	21527	21549	21572	21594	21617	21639	21662	21684	21707	21729
15.3	21752	21774	21797	21819	21842	21864	21887	21910	21932	21955
15.4	21977	22000	22023	22045	22068	22090	22113	22135	22158	22181
15.5	22203	22226	22248	22271	22294	22316	22339	22362	22384	22407
15.6	22430	22452	22475	22498	22521	22543	22566	22589	22611	22634
15.7	22657	22680	22703	22725	22748	22771	22794	22817	22840	22862
15.8	22885	22908	22931	22954	22977	23000	23023	23045	23068	23091
15.9	23114	23137	23160	23183	23206	23229	23252	23275	23298	23321
16.0	23344	23367	23390	23413	23436	23459	23482	23506	23529	23552
16.1	23575	23598	23621	23644	23667	23690	23714	23737	23760	23783
16.2	23806	23830	23853	23876	23899	23922	23946	23969	23992	24015
16.3	24039	24062	24085	24109	24132	24155	24179	24202	24225	24249
16.4	24272	24295	24319	24342	24365	24389	24412	24436	24459	24482
16.5	24506	24529	24553	24576	24600	24623	24647	24670	24694	24717
16.6	24741	24764	24788	24811	24835	24858	24882	24906	24929	24953
16.7	24976	25000	25023	25046	25069	25093	25116	25139	25162	25185
16.8	25209	25232	25255	25278	25302	25325	25348	25371	25395	25418
16.9	25441	25464	25488	25511	25534	25558	25581	25604	25628	25651
17.0	25674	25698	25721	25745	25768	25791	25815	25838	25862	25885
17.1	25908	25932	25955	25979	26002	26026	26049	26073	26096	26120
17.2	26143	26167	26190	26214	26237	26261	26284	26308	26332	26355
17.3	26379	26402	26426	26450	26473	26497	26520	26544	26568	26591
17.4	26615	26639	26662	26686	26710	26733	26757	26781	26805	26828
17.5	26852	26876	26900	26923	26947	26971	26995	27018	27042	27066
17.6	27090	27114	27137	27161	27185	27209	27233	27257	27281	27304
17.7	27328	27352	27376	27400	27424	27448	27472	27496	27520	27544
17.8	27568	27591	27615	27639	27663	27687	27711	27735	27759	27783
17.9	27807	27832	27856	27880	27904	27928	27952	27976	28000	28024
18.0	28048	28072	28096	28121	28145	28169	28193	28217	28241	28265
18.1	28290	28314	28338	28362	28386	28411	28435	28459	28483	28508
18.2	28532	28556	28580	28605	28629	28653	28677	28702	28726	28750
18.3	28775	28799	28823	28848	28872	28896	28921	28945	28970	28994

ACDC at 43rd Avenue										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.4	29018	29043	29067	29092	29116	29140	29165	29189	29214	29238
18.5	29263	29287	29312	29336	29361	29385	29410	29434	29459	29483
18.6	29508	29532	29557	29581	29606	29631	29655	29680	29704	29729
18.7	29753	29778	29803	29827	29852	29877	29901	29926	29951	29975
18.8	30000									
	Rating #4 - NS Table #943									
	Applied as of 10/01/2020									
	Updated: 12/17/2020									