

Cave Buttes Dam								
-----------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

[illegible]

Cave Buttes Dam								
------------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	89	89	89	89	90	90	90	90	90	90
4.7	90	91	91	91	91	91	91	91	92	92
4.8	92	92	92	92	93	93	93	93	93	93
4.9	93	94	94	94	94	94	94	94	95	95
5.0	95	95	95	95	95	96	96	96	96	96
5.1	96	96	97	97	97	97	97	97	97	98
5.2	98	98	98	98	98	98	99	99	99	99
5.3	99	99	99	100	100	100	100	100	100	100
5.4	101	101	101	101	101	101	101	102	102	102
5.5	102	102	102	102	103	103	103	103	103	103
5.6	103	104	104	104	104	104	104	104	105	105
5.7	105	105	105	105	105	106	106	106	106	106
5.8	106	106	106	107	107	107	107	107	107	107
5.9	108	108	108	108	108	108	108	109	109	109
6.0	109*	109	109	109	110	110	110	110	110	110
6.1	110	110	111	111	111	111	111	111	111	111
6.2	112	112	112	112	112	112	112	112	113	113
6.3	113	113	113	113	113	114	114	114	114	114
6.4	114	114	114	115	115	115	115	115	115	115
6.5	115	116	116	116	116	116	116	116	116	117
6.6	117	117	117	117	117	117	117	118	118	118
6.7	118	118	118	118	118	119	119	119	119	119
6.8	119	119	119	120	120	120	120	120	120	120
6.9	121	121	121	121	121	121	121	121	122	122
7.0	122	122	122	122	122	122	123	123	123	123
7.1	123	123	123	123	123	124	124	124	124	124
7.2	124	124	124	125	125	125	125	125	125	125
7.3	125	126	126	126	126	126	126	126	126	127
7.4	127	127	127	127	127	127	127	128	128	128
7.5	128	128	128	128	128	129	129	129	129	129
7.6	129	129	129	130	130	130	130	130	130	130
7.7	130	130	131	131	131	131	131	131	131	131
7.8	132	132	132	132	132	132	132	132	133	133
7.9	133	133	133	133	133	133	134	134	134	134
8.0	134*	134	134	134	135	135	135	135	135	135
8.1	135	135	136	136	136	136	136	136	136	137
8.2	137	137	137	137	137	137	137	138	138	138
8.3	138	138	138	138	139	139	139	139	139	139
8.4	139	139	140	140	140	140	140	140	140	140
8.5	141	141	141	141	141	141	141	142	142	142
8.6	142	142	142	142	142	143	143	143	143	143
8.7	143	143	143	144	144	144	144	144	144	144
8.8	145	145	145	145	145	145	145	145	146	146
8.9	146	146	146	146	146	146	147	147	147	147
9.0	147	147	147	148	148	148	148	148	148	148
9.1	148	149	149	149	149	149	149	149	149	150

Cave Buttes Dam								
-----------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	150	150	150	150	150	150	151	151	151	151
9.3	151	151	151	151	152	152	152	152	152	152
9.4	152	152	153	153	153	153	153	153	153	153
9.5	154	154	154	154	154	154	154	155	155	155
9.6	155	155	155	155	155	156	156	156	156	156
9.7	156	156	156	157	157	157	157	157	157	157
9.8	157	158	158	158	158	158	158	158	158	159
9.9	159	159	159	159	159	159	159	160	160	160
10.0	160*	160	160	160	160	160	160	160	161	161
10.1	161	161	161	161	161	161	161	161	161	161
10.2	161	161	161	162	162	162	162	162	162	162
10.3	162	162	162	162	162	162	162	163	163	163
10.4	163	163	163	163	163	163	163	163	163	163
10.5	163	163	164	164	164	164	164	164	164	164
10.6	164	164	164	164	164	164	164	165	165	165
10.7	165	165	165	165	165	165	165	165	165	165
10.8	165	165	165	166	166	166	166	166	166	166
10.9	166	166	166	166	166	166	166	166	167	167
11.0	167	167	167	167	167	167	167	167	167	167
11.1	167	167	167	168	168	168	168	168	168	168
11.2	168	168	168	168	168	168	168	168	168	169
11.3	169	169	169	169	169	169	169	169	169	169
11.4	169	169	169	169	169	170	170	170	170	170
11.5	170	170	170	170	170	170	170	170	170	170
11.6	171	171	171	171	171	171	171	171	171	171
11.7	171	171	171	171	171	171	172	172	172	172
11.8	172	172	172	172	172	172	172	172	172	172
11.9	172	172	173	173	173	173	173	173	173	173
12.0	173*	173	173	173	173	173	173	173	173	174
12.1	174	174	174	174	174	174	174	174	174	174
12.2	174	174	174	174	174	174	174	175	175	175
12.3	175	175	175	175	175	175	175	175	175	175
12.4	175	175	175	175	176	176	176	176	176	176
12.5	176	176	176	176	176	176	176	176	176	176
12.6	176	176	177	177	177	177	177	177	177	177
12.7	177	177	177	177	177	177	177	177	177	177
12.8	178	178	178	178	178	178	178	178	178	178
12.9	178	178	178	178	178	178	178	178	179	179
13.0	179	179	179	179	179	179	179	179	179	179
13.1	179	179	179	179	179	179	180	180	180	180
13.2	180	180	180	180	180	180	180	180	180	180
13.3	180	180	180	180	180	181	181	181	181	181
13.4	181	181	181	181	181	181	181	181	181	181
13.5	181	181	181	182	182	182	182	182	182	182
13.6	182	182	182	182	182	182	182	182	182	182
13.7	182	182	183	183	183	183	183	183	183	183

Cave Buttes Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	183	183	183	183	183	183	183	183	183	183
13.9	183	184	184	184	184	184	184	184	184	184
14.0	184*	184	184	184	184	184	184	184	184	184
14.1	185	185	185	185	185	185	185	185	185	185
14.2	185	185	185	185	185	185	185	185	185	186
14.3	186	186	186	186	186	186	186	186	186	186
14.4	186	186	186	186	186	186	186	186	186	187
14.5	187	187	187	187	187	187	187	187	187	187
14.6	187	187	187	187	187	187	187	187	187	188
14.7	188	188	188	188	188	188	188	188	188	188
14.8	188	188	188	188	188	188	188	188	188	189
14.9	189	189	189	189	189	189	189	189	189	189
15.0	189	189	189	189	189	189	189	189	189	190
15.1	190	190	190	190	190	190	190	190	190	190
15.2	190	190	190	190	190	190	190	190	190	191
15.3	191	191	191	191	191	191	191	191	191	191
15.4	191	191	191	191	191	191	191	191	191	192
15.5	192	192	192	192	192	192	192	192	192	192
15.6	192	192	192	192	192	192	192	192	192	193
15.7	193	193	193	193	193	193	193	193	193	193
15.8	193	193	193	193	193	193	193	193	193	193
15.9	194	194	194	194	194	194	194	194	194	194
16.0	194*	194	194	194	194	194	194	194	194	194
16.1	195	195	195	195	195	195	195	195	195	195
16.2	195	195	195	195	195	195	195	195	195	195
16.3	196	196	196	196	196	196	196	196	196	196
16.4	196	196	196	196	196	196	196	196	196	197
16.5	197	197	197	197	197	197	197	197	197	197
16.6	197	197	197	197	197	197	197	197	197	198
16.7	198	198	198	198	198	198	198	198	198	198
16.8	198	198	198	198	198	198	198	198	198	199
16.9	199	199	199	199	199	199	199	199	199	199
17.0	199	199	199	199	199	199	199	199	199	200
17.1	200	200	200	200	200	200	200	200	200	200
17.2	200	200	200	200	200	200	200	200	200	201
17.3	201	201	201	201	201	201	201	201	201	201
17.4	201	201	201	201	201	201	201	201	201	202
17.5	202	202	202	202	202	202	202	202	202	202
17.6	202	202	202	202	202	202	202	202	202	202
17.7	203	203	203	203	203	203	203	203	203	203
17.8	203	203	203	203	203	203	203	203	203	203
17.9	204	204	204	204	204	204	204	204	204	204
18.0	204*	204	204	204	204	204	204	204	204	204
18.1	204	204	204	205	205	205	205	205	205	205
18.2	205	205	205	205	205	205	205	205	205	205
18.3	205	205	205	205	205	205	205	206	206	206

Cave Buttes Dam								
-----------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
23.0	225	225	225	225	225	225	225	225	225	226
23.1	226	226	226	226	226	226	226	226	226	226
23.2	226	226	226	226	226	226	226	226	226	226
23.3	227	227	227	227	227	227	227	227	227	227
23.4	227	227	227	227	227	227	227	227	227	227
23.5	228	228	228	228	228	228	228	228	228	228
23.6	228	228	228	228	228	228	228	228	228	228
23.7	229	229	229	229	229	229	229	229	229	229
23.8	229	229	229	229	229	229	229	229	229	229
23.9	230	230	230	230	230	230	230	230	230	230
24.0	230*	230	230	230	230	230	230	230	230	230
24.1	231	231	231	231	231	231	231	231	231	231
24.2	231	231	231	231	231	231	231	231	231	231
24.3	232	232	232	232	232	232	232	232	232	232
24.4	232	232	232	232	232	232	232	232	232	232
24.5	233	233	233	233	233	233	233	233	233	233
24.6	233	233	233	233	233	233	233	233	233	233
24.7	234	234	234	234	234	234	234	234	234	234
24.8	234	234	234	234	234	234	234	234	234	234
24.9	235	235	235	235	235	235	235	235	235	235
25.0	235	235	235	235	235	235	235	235	235	235
25.1	236	236	236	236	236	236	236	236	236	236
25.2	236	236	236	236	236	236	236	236	236	236
25.3	237	237	237	237	237	237	237	237	237	237
25.4	237	237	237	237	237	237	237	237	237	237
25.5	238	238	238	238	238	238	238	238	238	238
25.6	238	238	238	238	238	238	238	238	238	238
25.7	239	239	239	239	239	239	239	239	239	239
25.8	239	239	239	239	239	239	239	239	239	239
25.9	240	240	240	240	240	240	240	240	240	240
26.0	240*	240	240	240	240	240	240	240	240	240
26.1	240	241	241	241	241	241	241	241	241	241
26.2	241	241	241	241	241	241	241	241	241	241
26.3	241	241	241	242	242	242	242	242	242	242
26.4	242	242	242	242	242	242	242	242	242	242
26.5	242	242	242	242	242	243	243	243	243	243
26.6	243	243	243	243	243	243	243	243	243	243
26.7	243	243	243	243	243	243	243	244	244	244
26.8	244	244	244	244	244	244	244	244	244	244
26.9	244	244	244	244	244	244	244	244	244	244
27.0	245	245	245	245	245	245	245	245	245	245
27.1	245	245	245	245	245	245	245	245	245	245
27.2	245	245	246	246	246	246	246	246	246	246
27.3	246	246	246	246	246	246	246	246	246	246
27.4	246	246	246	246	247	247	247	247	247	247
27.5	247	247	247	247	247	247	247	247	247	247

Cave Buttes Dam								
------------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
27.6	247	247	247	247	247	247	247	248	248	248
27.7	248	248	248	248	248	248	248	248	248	248
27.8	248	248	248	248	248	248	248	248	248	249
27.9	249	249	249	249	249	249	249	249	249	249
28.0	249*	249	249	249	249	249	249	249	249	249
28.1	249	250	250	250	250	250	250	250	250	250
28.2	250	250	250	250	250	250	250	250	250	250
28.3	250	250	250	251	251	251	251	251	251	251
28.4	251	251	251	251	251	251	251	251	251	251
28.5	251	251	251	251	251	252	252	252	252	252
28.6	252	252	252	252	252	252	252	252	252	252
28.7	252	252	252	252	252	252	252	253	253	253
28.8	253	253	253	253	253	253	253	253	253	253
28.9	253	253	253	253	253	253	253	253	253	253
29.0	254	254	254	254	254	254	254	254	254	254
29.1	254	254	254	254	254	254	254	254	254	254
29.2	254	254	255	255	255	255	255	255	255	255
29.3	255	255	255	255	255	255	255	255	255	255
29.4	255	255	255	255	256	256	256	256	256	256
29.5	256	256	256	256	256	256	256	256	256	256
29.6	256	256	256	256	256	256	256	257	257	257
29.7	257	257	257	257	257	257	257	257	257	257
29.8	257	257	257	257	257	257	257	257	257	258
29.9	258	258	258	258	258	258	258	258	258	258
30.0	258*	258	258	258	258	258	258	258	258	258
30.1	258	259	259	259	259	259	259	259	259	259
30.2	259	259	259	259	259	259	259	259	259	259
30.3	259	259	259	260	260	260	260	260	260	260
30.4	260	260	260	260	260	260	260	260	260	260
30.5	260	260	260	260	260	261	261	261	261	261
30.6	261	261	261	261	261	261	261	261	261	261
30.7	261	261	261	261	261	261	261	261	262	262
30.8	262	262	262	262	262	262	262	262	262	262
30.9	262	262	262	262	262	262	262	262	262	262
31.0	263	263	263	263	263	263	263	263	263	263
31.1	263	263	263	263	263	263	263	263	263	263
31.2	263	263	264	264	264	264	264	264	264	264
31.3	264	264	264	264	264	264	264	264	264	264
31.4	264	264	264	264	265	265	265	265	265	265
31.5	265	265	265	265	265	265	265	265	265	265
31.6	265	265	265	265	265	265	265	266	266	266
31.7	266	266	266	266	266	266	266	266	266	266
31.8	266	266	266	266	266	266	266	266	266	267
31.9	267	267	267	267	267	267	267	267	267	267
32.0	267*	267	267	267	267	267	267	267	267	267
32.1	267	268	268	268	268	268	268	268	268	268

Cave Buttes Dam								
------------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
32.2	268	268	268	268	268	268	268	268	268	268
32.3	268	268	268	269	269	269	269	269	269	269
32.4	269	269	269	269	269	269	269	269	269	269
32.5	269	269	269	269	269	269	270	270	270	270
32.6	270	270	270	270	270	270	270	270	270	270
32.7	270	270	270	270	270	270	270	270	271	271
32.8	271	271	271	271	271	271	271	271	271	271
32.9	271	271	271	271	271	271	271	271	271	271
33.0	272	272	272	272	272	272	272	272	272	272
33.1	272	272	272	272	272	272	272	272	272	272
33.2	272	272	273	273	273	273	273	273	273	273
33.3	273	273	273	273	273	273	273	273	273	273
33.4	273	273	273	273	274	274	274	274	274	274
33.5	274	274	274	274	274	274	274	274	274	274
33.6	274	274	274	274	274	274	274	275	275	275
33.7	275	275	275	275	275	275	275	275	275	275
33.8	275	275	275	275	275	275	275	275	275	276
33.9	276	276	276	276	276	276	276	276	276	276
34.0	276*	276	276	276	276	276	276	276	276	276
34.1	276	276	276	277	277	277	277	277	277	277
34.2	277	277	277	277	277	277	277	277	277	277
34.3	277	277	277	277	277	277	277	277	278	278
34.4	278	278	278	278	278	278	278	278	278	278
34.5	278	278	278	278	278	278	278	278	278	278
34.6	278	278	279	279	279	279	279	279	279	279
34.7	279	279	279	279	279	279	279	279	279	279
34.8	279	279	279	279	279	279	279	280	280	280
34.9	280	280	280	280	280	280	280	280	280	280
35.0	280	280	280	280	280	280	280	280	280	280
35.1	280	280	281	281	281	281	281	281	281	281
35.2	281	281	281	281	281	281	281	281	281	281
35.3	281	281	281	281	281	281	281	282	282	282
35.4	282	282	282	282	282	282	282	282	282	282
35.5	282	282	282	282	282	282	282	282	282	282
35.6	282	282	282	283	283	283	283	283	283	283
35.7	283	283	283	283	283	283	283	283	283	283
35.8	283	283	283	283	283	283	283	283	284	284
35.9	284	284	284	284	284	284	284	284	284	284
36.0	284*	284	284	284	284	284	284	284	284	284
36.1	284	284	284	284	284	285	285	285	285	285
36.2	285	285	285	285	285	285	285	285	285	285
36.3	285	285	285	285	285	285	285	285	285	285
36.4	285	285	285	286	286	286	286	286	286	286
36.5	286	286	286	286	286	286	286	286	286	286
36.6	286	286	286	286	286	286	286	286	286	286
36.7	286	287	287	287	287	287	287	287	287	287

Cave Buttes Dam								
------------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
36.8	287	287	287	287	287	287	287	287	287	287
36.9	287	287	287	287	287	287	287	287	287	287
37.0	288	288	288	288	288	288	288	288	288	288
37.1	288	288	288	288	288	288	288	288	288	288
37.2	288	288	288	288	288	288	288	288	289	289
37.3	289	289	289	289	289	289	289	289	289	289
37.4	289	289	289	289	289	289	289	289	289	289
37.5	289	289	289	289	289	289	289	290	290	290
37.6	290	290	290	290	290	290	290	290	290	290
37.7	290	290	290	290	290	290	290	290	290	290
37.8	290	290	290	290	290	290	291	291	291	291
37.9	291	291	291	291	291	291	291	291	291	291
38.0	291*	291	291	291	291	291	291	291	291	291
38.1	291	291	291	291	291	292	292	292	292	292
38.2	292	292	292	292	292	292	292	292	292	292
38.3	292	292	292	292	292	292	292	292	292	292
38.4	292	292	292	293	293	293	293	293	293	293
38.5	293	293	293	293	293	293	293	293	293	293
38.6	293	293	293	293	293	293	293	293	293	293
38.7	293	294	294	294	294	294	294	294	294	294
38.8	294	294	294	294	294	294	294	294	294	294
38.9	294	294	294	294	294	294	294	294	294	294
39.0	295	295	295	295	295	295	295	295	295	295
39.1	295	295	295	295	295	295	295	295	295	295
39.2	295	295	295	295	295	295	295	295	296	296
39.3	296	296	296	296	296	296	296	296	296	296
39.4	296	296	296	296	296	296	296	296	296	296
39.5	296	296	296	296	296	296	296	297	297	297
39.6	297	297	297	297	297	297	297	297	297	297
39.7	297	297	297	297	297	297	297	297	297	297
39.8	297	297	297	297	297	297	298	298	298	298
39.9	298	298	298	298	298	298	298	298	298	298
40.0	298*	298	298	298	298	298	298	298	298	298
40.1	298	298	298	299	299	299	299	299	299	299
40.2	299	299	299	299	299	299	299	299	299	299
40.3	299	299	299	299	299	299	299	299	300	300
40.4	300	300	300	300	300	300	300	300	300	300
40.5	300	300	300	300	300	300	300	300	300	300
40.6	300	300	300	301	301	301	301	301	301	301
40.7	301	301	301	301	301	301	301	301	301	301
40.8	301	301	301	301	301	301	301	302	302	302
40.9	302	302	302	302	302	302	302	302	302	302
41.0	302	302	302	302	302	302	302	302	302	302
41.1	302	302	303	303	303	303	303	303	303	303
41.2	303	303	303	303	303	303	303	303	303	303
41.3	303	303	303	303	303	303	303	303	304	304

Cave Buttes Dam								
-----------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
50.6	335	335	335	335	335	335	335	335	335	335
50.7	335	335	335	335	335	335	335	335	335	335
50.8	335	335	335	336	336	336	336	336	336	336
50.9	336	336	336	336	336	336	336	336	336	336
51.0	336	336	336	336	336	336	336	336	336	336
51.1	336	336	336	336	336	336	336	337	337	337
51.2	337	337	337	337	337	337	337	337	337	337
51.3	337	337	337	337	337	337	337	337	337	337
51.4	337	337	337	337	337	337	337	337	337	337
51.5	338	338	338	338	338	338	338	338	338	338
51.6	338	338	338	338	338	338	338	338	338	338
51.7	338	338	338	338	338	338	338	338	338	338
51.8	338	338	338	338	339	339	339	339	339	339
51.9	339	339	339	339	339	339	339	339	339	339
52.0	339*	339	339	339	339	339	339	339	339	339
52.1	339	339	339	340	340	340	340	340	340	340
52.2	340	340	340	340	340	340	340	340	340	340
52.3	340	340	340	340	340	340	340	340	341	341
52.4	341	341	341	341	341	341	341	341	341	341
52.5	341	341	341	341	341	341	341	341	341	341
52.6	341	341	341	342	342	342	342	342	342	342
52.7	342	342	342	342	342	342	342	342	342	342
52.8	342	342	342	342	342	342	342	342	343	343
52.9	343	343	343	343	343	343	343	343	343	343
53.0	343	343	343	343	343	343	343	343	343	343
53.1	343	343	343	344	344	344	344	344	344	344
53.2	344	344	344	344	344	344	344	344	344	344
53.3	344	344	344	344	344	344	344	344	345	345
53.4	345	345	345	345	345	345	345	345	345	345
53.5	345	345	345	345	345	345	345	345	345	345
53.6	345	345	345	346	346	346	346	346	346	346
53.7	346	346	346	346	346	346	346	346	346	346
53.8	346	346	346	346	346	346	346	346	347	347
53.9	347	347	347	347	347	347	347	347	347	347
54.0	347*	347	347	347	347	347	347	347	347	347
54.1	347	347	347	347	347	348	348	348	348	348
54.2	348	348	348	348	348	348	348	348	348	348
54.3	348	348	348	348	348	348	348	348	348	348
54.4	348	348	348	349	349	349	349	349	349	349
54.5	349	349	349	349	349	349	349	349	349	349
54.6	349	349	349	349	349	349	349	349	349	349
54.7	349	349	350	350	350	350	350	350	350	350
54.8	350	350	350	350	350	350	350	350	350	350
54.9	350	350	350	350	350	350	350	350	350	350
55.0	351	351	351	351	351	351	351	351	351	351
55.1	351	351	351	351	351	351	351	351	351	351

Cave Buttes Dam								
------------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS										

[illegible]

Cave Buttes Dam

Discharge Rating Table - table values in CFS

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
69.0	397	397	397	397	397	397	397	397	397	397
69.1	397	397	397	397	397	397	397	397	397	397
69.2	397	397	397	397	397	397	397	397	397	398
69.3	398	398	398	398	398	398	398	398	398	398
69.4	398	398	398	398	398	398	398	398	398	398
69.5	398	398	398	398	398	398	398	399	399	399
69.6	399	399	399	399	399	399	399	399	399	399
69.7	399	399	399	399	399	399	399	399	399	399
69.8	399	399	399	399	399	399	400	400	400	400
69.9	400	400	400	400	400	400	400	400	400	400
70.0	400*	400	400	400	400	400	400	400	400	400
70.1	400	400	400	400	400	400	400	401	401	401
70.2	401	401	401	401	401	401	401	401	401	401
70.3	401	401	401	401	401	401	401	401	401	401
70.4	401	401	401	401	401	401	401	401	401	401
70.5	402	402	402	402	402	402	402	402	402	402
70.6	402	402	402	402	402	402	402	402	402	402
70.7	402	402	402	402	402	402	402	402	402	402
70.8	402	402	402	402	403	403	403	403	403	403
70.9	403	403	403	403	403	403	403	403	403	403
71.0	403	403	403	403	403	403	403	403	403	403
71.1	403	403	403	403	403	403	403	404	404	404
71.2	404	404	404	404	404	404	404	404	404	404
71.3	404	404	404	404	404	404	404	404	404	404
71.4	404	404	404	404	404	404	404	404	404	404
71.5	405	405	405	405	405	405	405	405	405	405
71.6	405	405	405	405	405	405	405	405	405	405
71.7	405	405	405	405	405	405	405	405	405	405
71.8	405	405	405	405	406	406	406	406	406	406
71.9	406	406	406	406	406	406	406	406	406	406
72.0	406*	406	406	406	406	406	406	406	406	406
72.1	406	406	406	406	406	406	406	407	407	407
72.2	407	407	407	407	407	407	407	407	407	407
72.3	407	407	407	407	407	407	407	407	407	407
72.4	407	407	407	407	407	407	407	407	407	407
72.5	408	408	408	408	408	408	408	408	408	408
72.6	408	408	408	408	408	408	408	408	408	408
72.7	408	408	408	408	408	408	408	408	408	408
72.8	408	408	408	408	409	409	409	409	409	409
72.9	409	409	409	409	409	409	409	409	409	409
73.0	409	409	409	409	409	409	409	409	409	409
73.1	409	409	409	409	409	409	409	410	410	410
73.2	410	410	410	410	410	410	410	410	410	410
73.3	410	410	410	410	410	410	410	410	410	410
73.4	410	410	410	410	410	410	410	410	410	410
73.5	411	411	411	411	411	411	411	411	411	411

Cave Buttes Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
73.6	411	411	411	411	411	411	411	411	411	411
73.7	411	411	411	411	411	411	411	411	411	411
73.8	411	411	411	411	412	412	412	412	412	412
73.9	412	412	412	412	412	412	412	412	412	412
74.0	412*	412	412	412	412	412	412	412	412	412
74.1	412	412	412	412	412	412	412	413	413	413
74.2	413	413	413	413	413	413	413	413	413	413
74.3	413	413	413	413	413	413	413	413	413	413
74.4	413	413	413	413	413	413	413	413	413	413
74.5	414	414	414	414	414	414	414	414	414	414
74.6	414	414	414	414	414	414	414	414	414	414
74.7	414	414	414	414	414	414	414	414	414	414
74.8	414	414	414	414	415	415	415	415	415	415
74.9	415	415	415	415	415	415	415	415	415	415
75.0	415	415	415	415	415	415	415	415	415	415
75.1	415	415	415	415	415	415	415	416	416	416
75.2	416	416	416	416	416	416	416	416	416	416
75.3	416	416	416	416	416	416	416	416	416	416
75.4	416	416	416	416	416	416	416	416	416	416
75.5	417	417	417	417	417	417	417	417	417	417
75.6	417	417	417	417	417	417	417	417	417	417
75.7	417	417	417	417	417	417	417	417	417	417
75.8	417	417	417	417	418	418	418	418	418	418
75.9	418	418	418	418	418	418	418	418	418	418
76.0	418*	418	418	418	418	418	418	418	418	418
76.1	418	418	418	418	418	418	418	419	419	419
76.2	419	419	419	419	419	419	419	419	419	419
76.3	419	419	419	419	419	419	419	419	419	419
76.4	419	419	419	419	419	419	419	419	419	419
76.5	420	420	420	420	420	420	420	420	420	420
76.6	420	420	420	420	420	420	420	420	420	420
76.7	420	420	420	420	420	420	420	420	420	420
76.8	420	420	420	420	421	421	421	421	421	421
76.9	421	421	421	421	421	421	421	421	421	421
77.0	421	421	421	421	421	421	421	421	421	421
77.1	421	421	421	421	421	421	421	422	422	422
77.2	422	422	422	422	422	422	422	422	422	422
77.3	422	422	422	422	422	422	422	422	422	422
77.4	422	422	422	422	422	422	422	422	422	422
77.5	423	423	423	423	423	423	423	423	423	423
77.6	423	423	423	423	423	423	423	423	423	423
77.7	423	423	423	423	423	423	423	423	423	423
77.8	423	423	423	423	424	424	424	424	424	424
77.9	424	424	424	424	424	424	424	424	424	424
78.0	424*	424	424	424	424	424	424	424	424	424
78.1	424	424	424	424	424	424	424	425	425	425

Cave Buttes Dam								
-----------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
78.2	425	425	425	425	425	425	425	425	425	425
78.3	425	425	425	425	425	425	425	425	425	425
78.4	425	425	425	425	425	425	425	425	425	425
78.5	426	426	426	426	426	426	426	426	426	426
78.6	426	426	426	426	426	426	426	426	426	426
78.7	426	426	426	426	426	426	426	426	426	426
78.8	426	426	426	426	427	427	427	427	427	427
78.9	427	427	427	427	427	427	427	427	427	427
79.0	427	427	427	427	427	427	427	427	427	427
79.1	427	427	427	427	427	427	427	428	428	428
79.2	428	428	428	428	428	428	428	428	428	428
79.3	428	428	428	428	428	428	428	428	428	428
79.4	428	428	428	428	428	428	428	428	428	428
79.5	429	429	429	429	429	429	429	429	429	429
79.6	429	429	429	429	429	429	429	429	429	429
79.7	429	429	429	429	429	429	429	429	429	429
79.8	429	429	429	429	430	430	430	430	430	430
79.9	430	430	430	430	430	430	430	430	430	430
80.0	430*	430	430	430	430	430	430	430	430	430
80.1	430	430	430	430	430	430	430	431	431	431
80.2	431	431	431	431	431	431	431	431	431	431
80.3	431	431	431	431	431	431	431	431	431	431
80.4	431	431	431	431	431	431	431	431	431	431
80.5	432	432	432	432	432	432	432	432	432	432
80.6	432	432	432	432	432	432	432	432	432	432
80.7	432	432	432	432	432	432	432	432	432	432
80.8	432	432	432	432	433	433	433	433	433	433
80.9	433	433	433	433	433	433	433	433	433	433
81.0	433	433	433	433	433	433	433	433	433	433
81.1	433	433	433	433	433	433	433	434	434	434
81.2	434	434	434	434	434	434	434	434	434	434
81.3	434	434	434	434	434	434	434	434	434	434
81.4	434	434	434	434	434	434	434	434	434	434
81.5	435	435	435	435	435	435	435	435	435	435
81.6	435	435	435	435	435	435	435	435	435	435
81.7	435	435	435	435	435	435	435	435	435	435
81.8	435	435	435	435	436	436	436	436	436	436
81.9	436	436	436	436	436	436	436	436	436	436
82.0	436*	436	436	436	436	436	436	436	436	436
82.1	436	436	436	436	436	436	436	437	437	437
82.2	437	437	437	437	437	437	437	437	437	437
82.3	437	437	437	437	437	437	437	437	437	437
82.4	437	437	437	437	437	437	437	437	437	437
82.5	438	438	438	438	438	438	438	438	438	438
82.6	438	438	438	438	438	438	438	438	438	438
82.7	438	438	438	438	438	438	438	438	438	438

Cave Buttes Dam								
------------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
82.8	438	438	438	438	439	439	439	439	439	439
82.9	439	439	439	439	439	439	439	439	439	439
83.0	439	439	439	439	439	439	439	439	439	439
83.1	439	439	439	439	439	439	439	440	440	440
83.2	440	440	440	440	440	440	440	440	440	440
83.3	440	440	440	440	440	440	440	440	440	440
83.4	440	440	440	440	440	440	440	440	440	440
83.5	441	441	441	441	441	441	441	441	441	441
83.6	441	441	441	441	441	441	441	441	441	441
83.7	441	441	441	441	441	441	441	441	441	441
83.8	441	441	441	441	442	442	442	442	442	442
83.9	442	442	442	442	442	442	442	442	442	442
84.0	442*	442	442	442	442	442	442	442	442	442
84.1	442	442	442	442	442	442	442	443	443	443
84.2	443	443	443	443	443	443	443	443	443	443
84.3	443	443	443	443	443	443	443	443	443	443
84.4	443	443	443	443	443	443	443	443	443	443
84.5	444	444	444	444	444	444	444	444	444	444
84.6	444	444	444	444	444	444	444	444	444	444
84.7	444	444	444	444	444	444	444	444	444	444
84.8	444	444	444	444	445	445	445	445	445	445
84.9	445	445	445	445	445	445	445	445	445	445
85.0	445	445	445	445	445	445	445	445	445	445
85.1	445	445	445	445	445	445	445	446	446	446
85.2	446	446	446	446	446	446	446	446	446	446
85.3	446	446	446	446	446	446	446	446	446	446
85.4	446	446	446	446	446	446	446	446	446	446
85.5	447	447	447	447	447	447	447	447	447	447
85.6	447	447	447	447	447	447	447	447	447	447
85.7	447	447	447	447	447	447	447	447	447	447
85.8	447	447	447	447	448	448	448	448	448	448
85.9	448	448	448	448	448	448	448	448	448	448
86.0	448*	448	448	448	448	448	448	448	448	448
86.1	448	448	448	448	448	448	448	448	448	448
86.2	449	449	449	449	449	449	449	449	449	449
86.3	449	449	449	449	449	449	449	449	449	449
86.4	449	449	449	449	449	449	449	449	449	449
86.5	449	449	449	449	449	449	449	449	449	449
86.6	450	450	450	450	450	450	450	450	450	450
86.7	450	450	450	450	450	450	450	450	450	450
86.8	450	450	450	450	450	450	450	450	450	450
86.9	450	450	450	450	450	450	450	450	450	450
87.0	451	451	451	451	451	451	451	451	451	451
87.1	451	451	451	451	451	451	451	451	451	451
87.2	451	451	451	451	451	451	451	451	451	451
87.3	451	451	451	451	451	451	451	451	451	451

Cave Buttes Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
92.0	465*	465	465	465	465	465	465	465	465	465
92.1	465	465	465	465	465	465	465	466	466	466
92.2	466	466	466	466	466	466	466	466	466	466
92.3	466	466	466	466	466	466	466	466	466	466
92.4	466	466	466	466	466	466	466	466	466	466
92.5	467	467	467	467	467	467	467	467	467	467
92.6	467	467	467	467	467	467	467	467	467	467
92.7	467	467	467	467	467	467	467	467	467	467
92.8	467	467	467	467	468	468	468	468	468	468
92.9	468	468	468	468	468	468	468	468	468	468
93.0	468	468	468	468	468	468	468	468	468	468
93.1	468	468	468	468	468	468	468	469	469	469
93.2	469	469	469	469	469	469	469	469	469	469
93.3	469	469	469	469	469	469	469	469	469	469
93.4	469	469	469	469	469	469	469	469	469	469
93.5	470	470	470	470	470	470	470	470	470	470
93.6	470	470	470	470	470	470	470	470	470	470
93.7	470	470	470	470	470	470	470	470	470	470
93.8	470	470	470	470	471	471	471	471	471	471
93.9	471	471	471	471	471	471	471	471	471	471
94.0	471*	471	471	471	471	471	471	471	471	471
94.1	471	471	471	471	471	471	471	472	472	472
94.2	472	472	472	472	472	472	472	472	472	472
94.3	472	472	472	472	472	472	472	472	472	472
94.4	472	472	472	472	472	472	472	472	472	472
94.5	473	473	473	473	473	473	473	473	473	473
94.6	473	473	473	473	473	473	473	473	473	473
94.7	473	473	473	473	473	473	473	473	473	473
94.8	473	473	473	473	474	474	474	474	474	474
94.9	474	474	474	474	474	474	474	474	474	474
95.0	474	474	474	474	474	474	474	474	474	474
95.1	474	474	474	474	474	474	474	475	475	475
95.2	475	475	475	475	475	475	475	475	475	475
95.3	475	475	475	475	475	475	475	475	475	475
95.4	475	475	475	475	475	475	475	475	475	475
95.5	476	476	476	476	476	476	476	476	476	476
95.6	476	476	476	476	476	476	476	476	476	476
95.7	476	476	476	476	476	476	476	476	476	476
95.8	476	476	476	476	477	477	477	477	477	477
95.9	477	477	477	477	477	477	477	477	477	477
96.0	477*	477	477	477	477	477	477	477	477	477
96.1	477	477	477	477	477	477	477	477	477	478
96.2	478	478	478	478	478	478	478	478	478	478
96.3	478	478	478	478	478	478	478	478	478	478
96.4	478	478	478	478	478	478	478	478	478	478
96.5	478	478	478	478	478	479	479	479	479	479

Cave Buttes Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
96.6	479	479	479	479	479	479	479	479	479	479
96.7	479	479	479	479	479	479	479	479	479	479
96.8	479	479	479	479	479	479	479	479	479	479
96.9	479	479	480	480	480	480	480	480	480	480
97.0	480	480	480	480	480	480	480	480	480	480
97.1	480*	487	494	501	508	516	523	531	538	546
97.2	554	562	570	579	587	595	604	613	622	631
97.3	640	649	658	668	677	687	697	707	717	728
97.4	738	749	760	771	782	793	805	816	828	840
97.5	852	864	877	889	902	915	928	942	955	969
97.6	983	997	1012	1026	1041	1056	1071	1087	1102	1118
97.7	1134	1151	1167	1184	1201	1218	1236	1253	1271	1290
97.8	1308	1327	1346	1366	1385	1405	1425	1446	1466	1488
97.9	1509	1531	1553	1575	1597	1620	1644	1667	1691	1715
98.0	1740*	1753	1766	1779	1793	1806	1820	1833	1847	1861
98.1	1875	1889	1903	1917	1931	1946	1960	1975	1990	2004
98.2	2019	2034	2050	2065	2080	2096	2112	2127	2143	2159
98.3	2175	2191	2208	2224	2241	2258	2274	2291	2308	2326
98.4	2343	2360	2378	2396	2414	2432	2450	2468	2486	2505
98.5	2523	2542	2561	2580	2599	2619	2638	2658	2678	2698
98.6	2718	2738	2758	2779	2799	2820	2841	2862	2883	2905
98.7	2926	2948	2970	2992	3014	3037	3059	3082	3105	3128
98.8	3151	3174	3198	3222	3246	3270	3294	3318	3343	3368
98.9	3393	3418	3443	3469	3494	3520	3546	3573	3599	3626
99.0	3653	3680	3707	3734	3762	3790	3818	3846	3875	3903
99.1	3932	3961	3991	4020	4050	4080	4110	4140	4171	4202
99.2	4233	4264	4296	4327	4359	4392	4424	4457	4490	4523
99.3	4556	4590	4624	4658	4692	4727	4762	4797	4832	4868
99.4	4904	4940	4976	5013	5050	5087	5125	5163	5201	5239
99.5	5278	5316	5356	5395	5435	5475	5515	5556	5597	5638
99.6	5679	5721	5763	5806	5848	5891	5935	5978	6022	6067
99.7	6111	6156	6201	6247	6293	6339	6386	6433	6480	6528
99.8	6576	6624	6673	6722	6771	6821	6871	6921	6972	7023
99.9	7075	7127	7179	7231	7285	7338	7392	7446	7501	7556
100.0	7611*	7640	7669	7698	7727	7756	7785	7815	7844	7874
100.1	7904	7934	7964	7994	8024	8054	8085	8115	8146	8177
100.2	8208	8239	8270	8301	8332	8364	8395	8427	8459	8491
100.3	8523	8555	8587	8619	8652	8685	8717	8750	8783	8816
100.4	8849	8883	8916	8950	8984	9017	9051	9085	9120	9154
100.5	9188	9223	9258	9293	9328	9363	9398	9433	9469	9504
100.6	9540	9576	9612	9648	9684	9721	9757	9794	9831	9868
100.7	9905	9942	9979	10017	10055	10092	10130	10168	10206	10245
100.8	10283	10322	10361	10399	10438	10478	10517	10556	10596	10636
100.9	10676	10716	10756	10796	10837	10877	10918	10959	11000	11041
101.0	11083	11124	11166	11208	11250	11292	11334	11376	11419	11462
101.1	11505	11548	11591	11634	11678	11721	11765	11809	11853	11898

Cave Buttes Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
101.2	11942	11987	12032	12077	12122	12167	12213	12258	12304	12350
101.3	12396	12442	12489	12536	12582	12629	12676	12724	12771	12819
101.4	12867	12915	12963	13011	13060	13109	13157	13206	13256	13305
101.5	13355	13405	13454	13505	13555	13605	13656	13707	13758	13809
101.6	13861	13912	13964	14016	14068	14121	14173	14226	14279	14332
101.7	14385	14439	14493	14547	14601	14655	14709	14764	14819	14874
101.8	14929	14985	15041	15096	15152	15209	15265	15322	15379	15436
101.9	15493	15551	15609	15667	15725	15783	15842	15900	15959	16019
102.0	16078*	16119	16159	16200	16241	16282	16323	16364	16406	16447
102.1	16488	16530	16572	16614	16655	16697	16740	16782	16824	16867
102.2	16909	16952	16994	17037	17080	17123	17166	17210	17253	17296
102.3	17340	17384	17427	17471	17515	17559	17603	17648	17692	17737
102.4	17781	17826	17871	17916	17961	18006	18051	18097	18142	18188
102.5	18233	18279	18325	18371	18417	18464	18510	18557	18603	18650
102.6	18697	18744	18791	18838	18885	18933	18980	19028	19075	19123
102.7	19171	19219	19268	19316	19364	19413	19461	19510	19559	19608
102.8	19657	19707	19756	19805	19855	19905	19955	20005	20055	20105
102.9	20155	20206	20256	20307	20358	20409	20460	20511	20562	20614
103.0	20665	20717	20769	20821	20873	20925	20977	21030	21082	21135
103.1	21188	21241	21294	21347	21400	21454	21507	21561	21615	21669
103.2	21723	21777	21831	21886	21940	21995	22050	22105	22160	22215
103.3	22271	22326	22382	22438	22494	22550	22606	22662	22719	22775
103.4	22832	22889	22946	23003	23061	23118	23176	23233	23291	23349
103.5	23407	23465	23524	23582	23641	23700	23759	23818	23877	23937
103.6	23996	24056	24116	24175	24236	24296	24356	24417	24477	24538
103.7	24599	24660	24721	24783	24844	24906	24968	25030	25092	25154
103.8	25217	25279	25342	25405	25468	25531	25594	25658	25722	25785
103.9	25849	25913	25978	26042	26107	26171	26236	26301	26366	26432
104.0	26497*	26547	26597	26648	26698	26749	26800	26850	26901	26952
104.1	27003	27054	27105	27157	27208	27260	27311	27363	27415	27466
104.2	27518	27570	27622	27675	27727	27779	27832	27885	27937	27990
104.3	28043	28096	28149	28202	28255	28309	28362	28416	28469	28523
104.4	28577	28631	28685	28739	28793	28848	28902	28957	29011	29066
104.5	29121	29176	29231	29286	29341	29396	29452	29507	29563	29618
104.6	29674	29730	29786	29842	29898	29955	30011	30068	30124	30181
104.7	30238	30295	30352	30409	30466	30523	30581	30638	30696	30753
104.8	30811	30869	30927	30985	31044	31102	31160	31219	31278	31336
104.9	31395	31454	31513	31572	31632	31691	31751	31810	31870	31930
105.0	31990	32050	32110	32170	32230	32291	32351	32412	32473	32534
105.1	32595	32656	32717	32778	32840	32901	32963	33025	33087	33149
105.2	33211	33273	33335	33398	33460	33523	33586	33648	33711	33775
105.3	33838	33901	33964	34028	34092	34155	34219	34283	34347	34412
105.4	34476	34540	34605	34670	34734	34799	34864	34930	34995	35060
105.5	35126	35191	35257	35323	35389	35455	35521	35587	35654	35720
105.6	35787	35854	35921	35988	36055	36122	36189	36257	36324	36392
105.7	36460	36528	36596	36664	36733	36801	36870	36938	37007	37076

Cave Buttes Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
105.8	37145	37214	37284	37353	37422	37492	37562	37632	37702	37772
105.9	37842	37913	37983	38054	38125	38196	38267	38338	38409	38480
106.0	38552*	38610	38669	38728	38786	38845	38904	38963	39022	39081
106.1	39140	39199	39259	39318	39378	39437	39497	39557	39617	39676
106.2	39736	39797	39857	39917	39977	40038	40098	40159	40220	40281
106.3	40341	40402	40463	40525	40586	40647	40709	40770	40832	40893
106.4	40955	41017	41079	41141	41203	41265	41327	41390	41452	41515
106.5	41577	41640	41703	41766	41829	41892	41955	42018	42082	42145
106.6	42209	42272	42336	42400	42464	42528	42592	42656	42720	42784
106.7	42849	42913	42978	43043	43107	43172	43237	43302	43367	43433
106.8	43498	43563	43629	43695	43760	43826	43892	43958	44024	44090
106.9	44156	44223	44289	44356	44422	44489	44556	44623	44690	44757
107.0	44824	44892	44959	45026	45094	45162	45230	45297	45365	45433
107.1	45502	45570	45638	45707	45775	45844	45913	45981	46050	46119
107.2	46188	46258	46327	46396	46466	46535	46605	46675	46745	46815
107.3	46885	46955	47025	47096	47166	47237	47308	47378	47449	47520
107.4	47591	47663	47734	47805	47877	47948	48020	48092	48164	48236
107.5	48308	48380	48452	48525	48597	48670	48742	48815	48888	48961
107.6	49034	49108	49181	49254	49328	49401	49475	49549	49623	49697
107.7	49771	49845	49920	49994	50069	50143	50218	50293	50368	50443
107.8	50518	50593	50669	50744	50820	50896	50971	51047	51123	51200
107.9	51276	51352	51429	51505	51582	51659	51735	51812	51889	51967
108.0	52044*	52110	52176	52241	52307	52373	52440	52506	52572	52638
108.1	52705	52771	52838	52905	52971	53038	53105	53172	53239	53306
108.2	53373	53441	53508	53575	53643	53711	53778	53846	53914	53982
108.3	54050	54118	54186	54254	54323	54391	54459	54528	54597	54665
108.4	54734	54803	54872	54941	55010	55079	55149	55218	55287	55357
108.5	55427	55496	55566	55636	55706	55776	55846	55916	55986	56057
108.6	56127	56198	56268	56339	56410	56480	56551	56622	56693	56765
108.7	56836	56907	56978	57050	57122	57193	57265	57337	57409	57481
108.8	57553	57625	57697	57769	57842	57914	57987	58060	58132	58205
108.9	58278	58351	58424	58497	58571	58644	58717	58791	58864	58938
109.0	59012	59086	59160	59234	59308	59382	59456	59531	59605	59680
109.1	59754	59829	59904	59979	60054	60129	60204	60279	60354	60430
109.2	60505	60581	60657	60732	60808	60884	60960	61036	61112	61189
109.3	61265	61342	61418	61495	61571	61648	61725	61802	61879	61956
109.4	62034	62111	62188	62266	62344	62421	62499	62577	62655	62733
109.5	62811	62889	62968	63046	63125	63203	63282	63361	63440	63519
109.6	63598	63677	63756	63835	63915	63994	64074	64154	64233	64313
109.7	64393	64473	64554	64634	64714	64795	64875	64956	65037	65117
109.8	65198	65279	65360	65441	65523	65604	65686	65767	65849	65931
109.9	66012	66094	66176	66258	66341	66423	66505	66588	66671	66753
110.0	66836*	66908	66981	67053	67126	67198	67271	67344	67417	67490
110.1	67563	67636	67709	67782	67855	67929	68002	68076	68149	68223
110.2	68296	68370	68444	68518	68592	68666	68740	68815	68889	68963
110.3	69038	69112	69187	69261	69336	69411	69486	69561	69636	69711

Cave Buttes Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
110.4	69786	69861	69937	70012	70088	70163	70239	70314	70390	70466
110.5	70542	70618	70694	70770	70847	70923	70999	71076	71152	71229
110.6	71305	71382	71459	71536	71613	71690	71767	71844	71922	71999
110.7	72076	72154	72232	72309	72387	72465	72543	72621	72699	72777
110.8	72855	72933	73012	73090	73169	73247	73326	73405	73484	73562
110.9	73641	73720	73800	73879	73958	74037	74117	74196	74276	74356
111.0	74435	74515	74595	74675	74755	74835	74916	74996	75076	75157
111.1	75237	75318	75399	75480	75560	75641	75722	75803	75885	75966
111.2	76047	76129	76210	76292	76373	76455	76537	76619	76701	76783
111.3	76865	76947	77030	77112	77194	77277	77360	77442	77525	77608
111.4	77691	77774	77857	77940	78023	78107	78190	78274	78357	78441
111.5	78525	78609	78693	78777	78861	78945	79029	79113	79198	79282
111.6	79367	79452	79536	79621	79706	79791	79876	79961	80047	80132
111.7	80217	80303	80388	80474	80560	80646	80732	80818	80904	80990
111.8	81076	81162	81249	81335	81422	81509	81595	81682	81769	81856
111.9	81943	82031	82118	82205	82293	82380	82468	82555	82643	82731
112.0	82819*	82897	82976	83055	83133	83212	83291	83370	83448	83527
112.1	83607	83686	83765	83844	83923	84003	84082	84162	84241	84321
112.2	84401	84481	84560	84640	84720	84801	84881	84961	85041	85122
112.3	85202	85282	85363	85444	85524	85605	85686	85767	85848	85929
112.4	86010	86091	86172	86254	86335	86417	86498	86580	86661	86743
112.5	86825	86907	86989	87071	87153	87235	87317	87399	87482	87564
112.6	87647	87729	87812	87895	87978	88060	88143	88226	88309	88393
112.7	88476	88559	88642	88726	88809	88893	88977	89060	89144	89228
112.8	89312	89396	89480	89564	89648	89732	89817	89901	89986	90070
112.9	90155	90240	90324	90409	90494	90579	90664	90750	90835	90920
113.0	91005	91091	91176	91262	91348	91433	91519	91605	91691	91777
113.1	91863	91949	92035	92122	92208	92295	92381	92468	92554	92641
113.2	92728	92815	92902	92989	93076	93163	93251	93338	93425	93513
113.3	93600	93688	93776	93864	93951	94039	94127	94215	94304	94392
113.4	94480	94569	94657	94746	94834	94923	95012	95100	95189	95278
113.5	95367	95457	95546	95635	95724	95814	95903	95993	96083	96172
113.6	96262	96352	96442	96532	96622	96712	96803	96893	96984	97074
113.7	97165	97255	97346	97437	97528	97619	97710	97801	97892	97983
113.8	98075	98166	98258	98349	98441	98533	98624	98716	98808	98900
113.9	98992	99085	99177	99269	99362	99454	99547	99640	99732	99825
114.0	99918*	100002	100086	100171	100255	100339	100424	100508	100593	100677
114.1	100762	100847	100932	101016	101101	101186	101271	101357	101442	101527
114.2	101612	101698	101783	101869	101954	102040	102126	102211	102297	102383
114.3	102469	102555	102641	102727	102814	102900	102986	103073	103159	103246
114.4	103332	103419	103506	103592	103679	103766	103853	103940	104028	104115
114.5	104202	104289	104377	104464	104552	104639	104727	104815	104902	104990
114.6	105078	105166	105254	105342	105431	105519	105607	105696	105784	105873
114.7	105961	106050	106139	106227	106316	106405	106494	106583	106672	106761
114.8	106851	106940	107029	107119	107208	107298	107388	107477	107567	107657
114.9	107747	107837	107927	108017	108107	108197	108288	108378	108469	108559

Cave Buttes Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
115.0	108650	108740	108831	108922	109013	109104	109195	109286	109377	109468
115.1	109560	109651	109742	109834	109925	110017	110109	110200	110292	110384
115.2	110476	110568	110660	110752	110845	110937	111029	111122	111214	111307
115.3	111399	111492	111585	111678	111771	111864	111957	112050	112143	112236
115.4	112330	112423	112517	112610	112704	112797	112891	112985	113079	113173
115.5	113267	113361	113455	113549	113644	113738	113833	113927	114022	114116
115.6	114211	114306	114401	114496	114591	114686	114781	114876	114972	115067
115.7	115162	115258	115354	115449	115545	115641	115737	115833	115929	116025
115.8	116121	116217	116313	116410	116506	116603	116699	116796	116893	116989
115.9	117086	117183	117280	117377	117475	117572	117669	117766	117864	117961
116.0	118059*	118148	118238	118327	118417	118507	118596	118686	118776	118866
116.1	118956	119046	119136	119226	119316	119406	119496	119587	119677	119768
116.2	119858	119949	120040	120130	120221	120312	120403	120494	120585	120676
116.3	120767	120858	120949	121041	121132	121224	121315	121407	121498	121590
116.4	121682	121774	121866	121957	122049	122142	122234	122326	122418	122510
116.5	122603	122695	122788	122880	122973	123066	123158	123251	123344	123437
116.6	123530	123623	123716	123809	123902	123996	124089	124183	124276	124370
116.7	124463	124557	124651	124744	124838	124932	125026	125120	125214	125309
116.8	125403	125497	125591	125686	125780	125875	125970	126064	126159	126254
116.9	126349	126444	126539	126634	126729	126824	126919	127014	127110	127205
117.0	127301	127396	127492	127588	127683	127779	127875	127971	128067	128163
117.1	128259	128356	128452	128548	128644	128741	128837	128934	129031	129127
117.2	129224	129321	129418	129515	129612	129709	129806	129903	130001	130098
117.3	130196	130293	130391	130488	130586	130684	130781	130879	130977	131075
117.4	131173	131271	131370	131468	131566	131665	131763	131862	131960	132059
117.5	132158	132256	132355	132454	132553	132652	132751	132851	132950	133049
117.6	133148	133248	133347	133447	133547	133646	133746	133846	133946	134046
117.7	134146	134246	134346	134446	134547	134647	134748	134848	134949	135049
117.8	135150	135251	135352	135452	135553	135654	135756	135857	135958	136059
117.9	136161	136262	136364	136465	136567	136668	136770	136872	136974	137076
118.0	137178*	137274	137370	137466	137562	137658	137755	137851	137947	138044
118.1	138140	138237	138334	138430	138527	138624	138721	138818	138914	139012
118.2	139109	139206	139303	139400	139498	139595	139692	139790	139888	139985
118.3	140083	140181	140278	140376	140474	140572	140670	140768	140867	140965
118.4	141063	141161	141260	141358	141457	141555	141654	141753	141852	141950
118.5	142049	142148	142247	142346	142445	142545	142644	142743	142843	142942
118.6	143042	143141	143241	143340	143440	143540	143640	143740	143840	143940
118.7	144040	144140	144240	144341	144441	144541	144642	144742	144843	144944
118.8	145044	145145	145246	145347	145448	145549	145650	145751	145852	145954
118.9	146055	146157	146258	146360	146461	146563	146664	146766	146868	146970
119.0	147072	147174	147276	147378	147480	147583	147685	147787	147890	147992
119.1	148095*									
Rating #7 - NS Table #749										
Applied Since: 10/01/2015										
Updated: 12/19/2017										