

Weekes Wash at Baseline Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	1	1	1	1	2	2	3
0.1	3	4	4	5	5	6	6	7	7	8
0.2	9	9	10	11	12	12	13	14	15	15
0.3	16	17	18	19	19	20	21	22	23	24
0.4	25	26	27	28	29	30	30	31	33	34
0.5	35	36	37	38	39	40	41	42	43	44
0.6	45	47	48	49	50	51	53	54	55	57
0.7	58	59	61	62	63	65	66	68	69	70
0.8	72	73	75	76	78	79	81	82	84	85
0.9	87	89	90	92	93	95	97	98	100	102
1.0	103	105	106	108	110	111	113	114	116	118
1.1	119	121	123	124	126	128	130	131	133	135
1.2	136	138	140	142	143	145	147	149	151	152
1.3	154	156	158	160	162	163	165	167	169	171
1.4	173	175	177	179	180	182	184	186	188	190
1.5	192	194	196	198	200	202	204	206	208	210
1.6	212	214	216	218	220	222	224	226	228	230
1.7	232	235	237	239	241	243	245	247	249	251
1.8	254	256	258	260	262	264	267	269	271	273
1.9	275	278	280	282	284	286	289	291	293	295
2.0	298	300	302	305	307	309	312	314	316	319
2.1	321	323	326	328	331	333	335	338	340	343
2.2	345	348	350	352	355	357	360	362	365	367
2.3	370	372	375	377	380	382	385	387	390	392
2.4	395	397	400	403	405	408	410	413	415	418
2.5	420	423	426	428	431	433	436	439	441	444
2.6	446	449	452	454	457	460	462	465	468	470
2.7	473	476	478	481	484	486	489	492	495	497
2.8	500	503	506	509	512	515	518	521	524	527
2.9	530	533	536	539	542	545	548	551	554	557
3.0	560	563	566	569	572	575	578	581	584	588
3.1	591	594	597	600	603	606	609	613	616	619
3.2	622	625	628	632	635	638	641	644	648	651
3.3	654	657	661	664	667	670	674	677	680	683
3.4	687	690	693	697	700	703	707	710	713	716
3.5	720	723	726	729	733	736	739	743	746	749
3.6	753	756	759	763	766	769	773	776	780	783
3.7	786	790	793	797	800	803	807	810	814	818
3.8	821	825	828	832	835	839	842	846	849	853
3.9	857	860	864	867	871	875	878	882	885	889
4.0	893	896	900	904	908	911	915	919	923	927
4.1	930	934	938	942	946	949	953	957	961	965
4.2	969	973	977	980	984	988	992	996	1000	1004
4.3	1008	1012	1016	1020	1024	1028	1032	1036	1040	1044
4.4	1048	1052	1056	1060	1064	1068	1072	1076	1080	1084
4.5	1088	1092	1096	1100	1104	1108	1112	1117	1121	1125

Weekes Wash at Baseline Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	1129	1133	1137	1141	1146	1150	1154	1158	1162	1166
4.7	1171	1175	1179	1183	1187	1192	1196	1200	1204	1208
4.8	1213	1217	1221	1225	1230	1234	1238	1242	1247	1251
4.9	1255	1260	1264	1268	1272	1277	1281	1285	1290	1294
5.0	1298	1303	1307	1312	1316	1320	1325	1329	1333	1338
5.1	1342	1347	1351	1355	1360	1364	1369	1373	1378	1382
5.2	1387	1391	1396	1400	1404	1409	1413	1418	1422	1427
5.3	1432	1436	1441	1445	1450	1454	1459	1463	1468	1472
5.4	1477	1482	1486	1491	1495	1500	1505	1509	1514	1518
5.5	1523	1528	1532	1537	1542	1546	1551	1555	1560	1565
5.6	1569	1574	1579	1583	1588	1593	1598	1602	1607	1612
5.7	1616	1621	1626	1631	1635	1640	1645	1650	1654	1659
5.8	1664	1669	1674	1678	1683	1688	1693	1698	1702	1707
5.9	1712	1717	1722	1727	1731	1736	1741	1746	1751	1756
6.0	1761	1766	1770	1775	1780	1785	1790	1795	1800	1805
6.1	1810	1815	1820	1825	1830	1835	1840	1845	1850	1856
6.2	1861	1866	1871	1876	1881	1886	1891	1896	1901	1907
6.3	1912	1917	1922	1927	1932	1938	1943	1948	1953	1958
6.4	1963	1969	1974	1979	1984	1990	1995	2000	2005	2011
6.5	2016	2021	2027	2032	2037	2043	2048	2053	2059	2064
6.6	2069	2075	2080	2085	2091	2096	2102	2107	2113	2118
6.7	2123	2129	2134	2140	2145	2151	2156	2162	2167	2172
6.8	2178	2183	2189	2194	2200	2205	2211	2216	2222	2228
6.9	2233	2239	2244	2250	2255	2261	2266	2272	2278	2283
7.0	2289	2294	2300	2306	2311	2317	2323	2328	2334	2339
7.1	2345	2351	2356	2362	2368	2374	2379	2385	2391	2396
7.2	2402	2408	2413	2419	2425	2431	2436	2442	2448	2454
7.3	2459	2465	2471	2477	2483	2488	2494	2500	2506	2511
7.4	2517	2523	2529	2534	2540	2546	2552	2558	2563	2569
7.5	2575	2581	2587	2592	2598	2604	2610	2616	2622	2627
7.6	2633	2639	2645	2651	2657	2663	2668	2674	2680	2686
7.7	2692	2698	2704	2710	2716	2722	2728	2733	2739	2745
7.8	2751	2757	2763	2769	2775	2781	2787	2793	2799	2805
7.9	2811	2817	2823	2829	2835	2841	2847	2853	2859	2865
8.0	2872	2878	2884	2890	2896	2902	2908	2914	2920	2926
8.1	2932	2939	2945	2951	2957	2963	2969	2975	2982	2988
8.2	2994	3000	3006	3013	3019	3025	3031	3038	3044	3050
8.3	3057	3063	3069	3076	3082	3089	3095	3101	3108	3114
8.4	3120	3127	3133	3140	3146	3152	3159	3165	3172	3178
8.5	3185	3191	3197	3204	3210	3217	3223	3230	3236	3243
8.6	3249	3256	3262	3269	3275	3282	3288	3295	3301	3308
8.7	3314	3321	3328	3334	3341	3347	3354	3360	3367	3374
8.8	3380	3387	3393	3400	3407	3413	3420	3427	3433	3440
8.9	3447	3453	3460	3467	3473	3480	3487	3493	3500	3507
9.0	3513	3520	3527	3534	3540	3547	3554	3561	3567	3574
9.1	3581	3588	3594	3601	3608	3615	3622	3628	3635	3642

Weekes Wash at Baseline Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	3649	3656	3663	3669	3676	3683	3690			
	Rating #2 - NS Table #947									
	Applied as of 10/01/2020									
	Updated: 01/12/2021									