

[illegible]

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

[illegible]

Buckeye FRS #1										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	55	55	55	55	55	55	55	55	55	56
4.7	56	56	56	56	56	56	56	56	56	56
4.8	56	56	57	57	57	57	57	57	57	57
4.9	57	57	57	57	58	58	58	58	58	58
5.0	58	58	58	58	58	58	58	58	59	59
5.1	59	59	59	59	59	59	59	59	59	59
5.2	59	59	60	60	60	60	60	60	60	60
5.3	60	60	60	60	60	60	61	61	61	61
5.4	61	61	61	61	61	61	61	61	61	61
5.5	62	62	62	62	62	62	62	62	62	62
5.6	62	62	62	62	63	63	63	63	63	63
5.7	63	64	65	65	66	67	68	69	69	70
5.8	71	72	73	73	74	75	76	77	77	78
5.9	79	80	81	81	82	83	84	85	85	86
6.0	87	88	89	90	92	93	94	95	96	97
6.1	99	100	101	102	103	104	106	107	108	109
6.2	110	111	113	114	115	116	117	118	119	121
6.3	122	123	124	125	126	128	129	130	131	132
6.4	133	135	136	137	138	139	140	142	143	144
6.5	145	146	147	148	150	151	152	153	154	155
6.6	157	158	159	160	161	162	164	165	166	167
6.7	168	169	171	172	173	174	175	176	177	179
6.8	180	181	182	183	184	186	187	188	189	190
6.9	191	193	194	195	196	197	198	200	201	202
7.0	203	204	206	207	209	210	212	213	214	216
7.1	217	219	220	221	223	224	226	227	229	230
7.2	231	233	234	236	237	238	240	241	243	244
7.3	246	247	248	250	251	253	254	256	257	258
7.4	260	261	263	264	265	267	268	270	271	273
7.5	274	275	277	278	280	281	283	284	285	287
7.6	288	290	291	292	294	295	297	298	300	301
7.7	302	304	305	307	308	309	311	312	314	315
7.8	317	318	319	321	322	324	325	327	328	329
7.9	331	332	334	335	336	338	339	341	342	344
8.0	345	345	345	345	345	345	345	345	345	345
8.1	345	345	345	346	346	346	346	346	346	346
8.2	346	346	346	346	346	346	346	346	346	346
8.3	346	346	346	346	346	346	346	346	347	347
8.4	347	347	347	347	347	347	347	347	347	347
8.5	347	347	347	347	347	347	347	347	347	347
8.6	347	347	347	348	348	348	348	348	348	348
8.7	348	348	348	348	348	348	348	348	348	348
8.8	348	348	348	348	348	348	348	348	349	349
8.9	349	349	349	349	349	349	349	349	349	349
9.0	349	349	349	349	349	349	349	349	349	349
9.1	349	349	349	350	350	350	350	350	350	350

Buckeye FRS #1								
-----------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	370	370	370	370	370	370	370	370	370	370
13.9	370	371	371	371	371	371	371	371	371	371
14.0	371	371	371	371	371	371	371	371	371	371
14.1	371	371	371	372	372	372	372	372	372	372
14.2	372	372	372	372	372	372	372	372	372	372
14.3	372	372	372	372	372	372	372	372	373	373
14.4	373	373	373	373	373	373	373	373	373	373
14.5	373	373	373	373	373	373	373	373	373	373
14.6	373	373	373	374	374	374	374	374	374	374
14.7	374	374	374	374	374	374	374	374	374	374
14.8	374	374	374	374	374	374	374	374	375	375
14.9	375	375	375	375	375	375	375	375	375	375
15.0	375	375	375	375	375	375	375	375	375	375
15.1	375	375	375	376	376	376	376	376	376	376
15.2	376	376	376	376	376	376	376	376	376	376
15.3	376	376	376	376	376	376	376	376	377	377
15.4	377	377	377	377	377	377	377	377	377	377
15.5	377	377	377	377	377	377	377	377	377	377
15.6	377	377	377	378	378	378	378	378	378	378
15.7	378	378	378	378	378	378	378	378	378	378
15.8	378	378	378	378	378	378	378	378	379	379
15.9	379	379	379	379	379	379	379	379	379	379
16.0	379	379	379	379	379	379	379	379	379	379
16.1	379	379	379	380	380	380	380	380	380	380
16.2	380	380	380	380	380	380	380	380	380	380
16.3	380	380	380	380	380	380	380	380	381	381
16.4	381	381	381	381	381	381	381	381	381	381
16.5	381	381	381	381	381	381	381	381	381	381
16.6	381	381	381	382	382	382	382	382	382	382
16.7	382	382	382	382	382	382	382	382	382	382
16.8	382	382	382	382	382	382	382	382	383	383
16.9	383	383	383	383	383	383	383	383	383	383
17.0	383	383	383	383	383	383	383	383	383	383
17.1	383	383	383	384	384	384	384	384	384	384
17.2	384	384	384	384	384	384	384	384	384	384
17.3	384	384	384	384	384	384	384	384	385	385
17.4	385	385	385	385	385	385	385	385	385	385
17.5	385	385	385	385	385	385	385	385	385	385
17.6	385	385	385	386	386	386	386	386	386	386
17.7	386	386	386	386	386	386	386	386	386	386
17.8	386	386	386	386	386	386	386	386	387	387
17.9	387	387	387	387	387	387	387	387	387	387
18.0	387	387	387	387	387	387	387	387	387	387
18.1	387	387	387	388	388	388	388	388	388	388
18.2	388	388	388	388	388	388	388	388	388	388
18.3	388	388	388	388	388	388	388	388	389	389

Buckeye FRS #1										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.4	389	389	389	389	389	389	389	389	389	389
18.5	389	389	389	389	389	389	389	389	389	389
18.6	389	389	389	390	390	390	390	390	390	390
18.7	390	390	390	390	390	390	390	390	390	390
18.8	390	390	390	390	390	390	390	390	391	391
18.9	391	391	391	391	391	391	391	391	391	391
19.0	391	391	391	391	391	391	391	391	391	391
19.1	391	391	391	392	392	392	392	392	392	392
19.2	392	392	392	392	392	392	392	392	392	392
19.3	392	392	392	392	392	392	392	392	393	393
19.4	393	393	393	393	393	393	393	393	393	393
19.5	393	393	393	393	393	393	393	393	393	393
19.6	393	393	393	394	394	394	394	394	394	394
19.7	394	394	394	394	394	394	394	394	394	394
19.8	394	394	394	394	394	394	394	394	395	395
19.9	395	395	395	395	395	395	395	395	395	395
20.0	395	420	444	469	493	518	542	567	591	616
20.1	640	665	689	714	738	763	787	812	837	861
20.2	886	910	935	959	984	1008	1033	1057	1082	1106
20.3	1131	1155	1180	1204	1229	1254	1278	1303	1327	1352
20.4	1376	1401	1425	1450	1474	1499	1523	1548	1572	1597
20.5	1622	1646	1671	1695	1720	1744	1769	1793	1818	1842
20.6	1867	1891	1916	1940	1965	1989	2014	2039	2063	2088
20.7	2112	2137	2161	2186	2210	2235	2259	2284	2308	2333
20.8	2357	2382	2406	2431	2456	2480	2505	2529	2554	2578
20.9	2603	2627	2652	2676	2701	2725	2750	2774	2799	2823
21.0	2848	2893	2938	2982	3027	3072	3117	3162	3207	3251
21.1	3296	3341	3386	3431	3475	3520	3565	3610	3655	3700
21.2	3744	3789	3834	3879	3924	3969	4013	4058	4103	4148
21.3	4193	4237	4282	4327	4372	4417	4462	4506	4551	4596
21.4	4641	4686	4730	4775	4820	4865	4910	4955	4999	5044
21.5	5089	5134	5179	5223	5268	5313	5358	5403	5448	5492
21.6	5537	5582	5627	5672	5716	5761	5806	5851	5896	5941
21.7	5985	6030	6075	6120	6165	6210	6254	6299	6344	6389
21.8	6434	6478	6523	6568	6613	6658	6703	6747	6792	6837
21.9	6882	6927	6971	7016	7061	7106	7151	7196	7240	7285
22.0	7330	7388	7446	7504	7562	7620	7678	7736	7794	7852
22.1	7910	7968	8026	8084	8142	8200	8258	8316	8374	8432
22.2	8490	8548	8606	8664	8722	8781	8839	8897	8955	9013
22.3	9071	9129	9187	9245	9303	9361	9419	9477	9535	9593
22.4	9651	9709	9767	9825	9883	9941	9999	10057	10115	10173
22.5	10231	10289	10347	10405	10463	10521	10579	10637	10695	10753
22.6	10811	10869	10927	10985	11043	11101	11159	11217	11275	11333
22.7	11391	11449	11507	11565	11623	11682	11740	11798	11856	11914
22.8	11972	12030	12088	12146	12204	12262	12320	12378	12436	12494
22.9	12552	12610	12668	12726	12784	12842	12900	12958	13016	13074

Buckeye FRS #1										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
23.0	13132	13201	13269	13338	13407	13476	13544	13613	13682	13750
23.1	13819	13888	13957	14025	14094	14163	14231	14300	14369	14437
23.2	14506	14575	14644	14712	14781	14850	14918	14987	15056	15125
23.3	15193	15262	15331	15399	15468	15537	15606	15674	15743	15812
23.4	15880	15949	16018	16087	16155	16224	16293	16361	16430	16499
23.5	16568	16636	16705	16774	16842	16911	16980	17048	17117	17186
23.6	17255	17323	17392	17461	17529	17598	17667	17736	17804	17873
23.7	17942	18010	18079	18148	18217	18285	18354	18423	18491	18560
23.8	18629	18698	18766	18835	18904	18972	19041	19110	19178	19247
23.9	19316	19385	19453	19522	19591	19659	19728	19797	19866	19934
24.0	20003	20081	20159	20237	20315	20393	20471	20548	20626	20704
24.1	20782	20860	20938	21016	21094	21172	21250	21328	21406	21483
24.2	21561	21639	21717	21795	21873	21951	22029	22107	22185	22263
24.3	22341	22419	22496	22574	22652	22730	22808	22886	22964	23042
24.4	23120	23198	23276	23354	23431	23509	23587	23665	23743	23821
24.5	23899	23977	24055	24133	24211	24289	24367	24444	24522	24600
24.6	24678	24756	24834	24912	24990	25068	25146	25224	25302	25379
24.7	25457	25535	25613	25691	25769	25847	25925	26003	26081	26159
24.8	26237	26315	26392	26470	26548	26626	26704	26782	26860	26938
24.9	27016	27094	27172	27250	27327	27405	27483	27561	27639	27717
25.0	27795	27881	27967	28053	28140	28226	28312	28398	28484	28570
25.1	28657	28743	28829	28915	29001	29087	29174	29260	29346	29432
25.2	29518	29604	29691	29777	29863	29949	30035	30121	30207	30294
25.3	30380	30466	30552	30638	30724	30811	30897	30983	31069	31155
25.4	31241	31328	31414	31500	31586	31672	31758	31845	31931	32017
25.5	32103	32189	32275	32361	32448	32534	32620	32706	32792	32878
25.6	32965	33051	33137	33223	33309	33395	33482	33568	33654	33740
25.7	33826	33912	33999	34085	34171	34257	34343	34429	34515	34602
25.8	34688	34774	34860	34946	35032	35119	35205	35291	35377	35463
25.9	35549	35636	35722	35808	35894	35980	36066	36153	36239	36325
26.0	36411	36505	36598	36692	36786	36879	36973	37067	37160	37254
26.1	37348	37441	37535	37629	37722	37816	37910	38003	38097	38191
26.2	38284	38378	38472	38565	38659	38753	38846	38940	39034	39127
26.3	39221	39315	39408	39502	39596	39689	39783	39877	39970	40064
26.4	40158	40251	40345	40439	40532	40626	40720	40813	40907	41001
26.5	41095	41188	41282	41376	41469	41563	41657	41750	41844	41938
26.6	42031	42125	42219	42312	42406	42500	42593	42687	42781	42874
26.7	42968	43062	43155	43249	43343	43436	43530	43624	43717	43811
26.8	43905	43998	44092	44186	44279	44373	44467	44560	44654	44748
26.9	44841	44935	45029	45122	45216	45310	45403	45497	45591	45684
27.0	45778	45879	45979	46080	46180	46281	46382	46482	46583	46684
27.1	46784	46885	46985	47086	47187	47287	47388	47489	47589	47690
27.2	47790	47891	47992	48092	48193	48294	48394	48495	48595	48696
27.3	48797	48897	48998	49098	49199	49300	49400	49501	49602	49702
27.4	49803	49903	50004	50105	50205	50306	50407	50507	50608	50708
27.5	50809	50910	51010	51111	51211	51312	51413	51513	51614	51715

Buckeye FRS #1										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
27.6	51815	51916	52016	52117	52218	52318	52419	52520	52620	52721
27.7	52821	52922	53023	53123	53224	53325	53425	53526	53626	53727
27.8	53828	53928	54029	54129	54230	54331	54431	54532	54633	54733
27.9	54834	54934	55035	55136	55236	55337	55438	55538	55639	55739
28.0	55840	55947	56054	56161	56268	56376	56483	56590	56697	56804
28.1	56911	57018	57125	57233	57340	57447	57554	57661	57768	57875
28.2	57982	58089	58197	58304	58411	58518	58625	58732	58839	58946
28.3	59054	59161	59268	59375	59482	59589	59696	59803	59910	60018
28.4	60125	60232	60339	60446	60553	60660	60767	60874	60982	61089
28.5	61196	61303	61410	61517	61624	61731	61839	61946	62053	62160
	Rating #3, NS Table #1240									
	Effective Date: 08/06/2025									