

CAP Reach 11 Dike #2										
Discharge Rating - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	0	0	0	1	1	1	1
0.1	1	1	2	2	2	2	2	3	3	3
0.2	3	4	4	4	4	4	5	5	5	6
0.3	6	6	6	7	7	7	7	8	8	8
0.4	9	9	9	9	10	10	10	11	11	11
0.5	12	12	12	13	13	13	14	14	14	15
0.6	15	15	16	16	16	17	17	17	18	18
0.7	18	19	19	19	20	20	21	21	21	22
0.8	22	22	23	23	24	24	24	25	25	26
0.9	26	26	27	27	28	28	28	29	29	30
1.0	30	30	31	31	32	32	33	33	34	34
1.1	34	35	35	36	36	37	37	38	38	39
1.2	39	40	40	41	41	42	42	43	43	44
1.3	44	45	45	46	46	47	47	48	48	49
1.4	49	50	50	51	51	52	52	53	53	54
1.5	54	55	55	56	56	57	58	58	59	59
1.6	60	60	61	61	62	62	63	64	64	65
1.7	65	66	66	67	68	68	69	69	70	70
1.8	71	72	72	73	73	74	74	75	76	76
1.9	77	77	78	79	79	80	80	81	82	82
2.0	83	83	84	85	85	86	86	87	88	88
2.1	89	90	90	91	91	92	93	93	94	95
2.2	95	96	96	97	98	98	99	100	100	101
2.3	102	102	103	104	104	105	106	106	107	108
2.4	108	109	109	110	111	111	112	113	113	114
2.5	115	116	116	117	118	118	119	120	120	121
2.6	122	122	123	124	124	125	126	126	127	128
2.7	129	129	130	131	131	132	133	133	134	135
2.8	136	136	137	138	138	139	140	141	141	142
2.9	143	143	144	145	146	146	147	148	149	149
3.0	150	150	150	151	151	151	151	152	152	152
3.1	152	152	153	153	153	153	153	154	154	154
3.2	154	154	155	155	155	155	155	156	156	156
3.3	156	157	157	157	157	157	158	158	158	158
3.4	158	159	159	159	159	159	160	160	160	160
3.5	160	161	161	161	161	161	161	162	162	162
3.6	162	162	163	163	163	163	163	164	164	164
3.7	164	164	165	165	165	165	165	166	166	166
3.8	166	166	166	167	167	167	167	167	168	168
3.9	168	168	168	169	169	169	169	169	169	170
4.0	170	170	170	170	171	171	171	171	171	171
4.1	172	172	172	172	172	173	173	173	173	173
4.2	173	174	174	174	174	174	175	175	175	175
4.3	175	175	176	176	176	176	176	176	177	177
4.4	177	177	177	177	178	178	178	178	178	179

CAP Reach 11 Dike #2										
Discharge Rating - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.5	179	179	179	179	179	180	180	180	180	180
4.6	180	181	181	181	181	181	181	182	182	182
4.7	182	182	182	183	183	183	183	183	183	184
4.8	184	184	184	184	184	185	185	185	185	185
4.9	185	186	186	186	186	186	186	187	187	187
5.0	187	187	187	187	188	188	188	188	188	188
5.1	189	189	189	189	189	189	190	190	190	190
5.2	190	190	190	191	191	191	191	191	191	192
5.3	192	192	192	192	192	193	193	193	193	193
5.4	193	193	194	194	194	194	194	194	194	195
5.5	195	195	195	195	195	196	196	196	196	196
5.6	196	196	197	197	197	197	197	197	198	198
5.7	198	198	198	198	198	199	199	199	199	199
5.8	199	199	200	200	200	200	200	200	200	201
5.9	201	201	201	201	201	201	202	202	202	202
6.0	202	202	202	203	203	203	203	203	203	203
6.1	204	204	204	204	204	204	204	205	205	205
6.2	205	205	205	205	206	206	206	206	206	206
6.3	206	207	207	207	207	207	207	207	208	208
6.4	208	208	208	208	208	209	209	209	209	209
6.5	209	209	210	210	210	210	210	210	210	210
6.6	211	211	211	211	211	211	211	212	212	212
6.7	212	212	212	212	213	213	213	213	213	213
6.8	213	213	214	214	214	214	214	214	214	215
6.9	215	215	215	215	215	215	215	216	216	216
7.0	216	216	216	216	216	216	217	217	217	217
7.1	217	217	217	217	217	217	217	217	218	218
7.2	218	218	218	218	218	218	218	218	218	219
7.3	219	219	219	219	219	219	219	219	219	219
7.4	219	220	220	220	220	220	220	220	220	220
7.5	220	220	220	221	221	221	221	221	221	221
7.6	221	221	221	221	221	222	222	222	222	222
7.7	222	222	222	222	222	222	222	223	223	223
7.8	223	223	223	223	223	223	223	223	223	223
7.9	224	224	224	224	224	224	224	224	224	224
8.0	224	224	225	225	225	225	225	225	225	225
8.1	225	225	225	225	225	226	226	226	226	226
8.2	226	226	226	226	226	226	226	226	227	227
8.3	227	227	227	227	227	227	227	227	227	227
8.4	227	228	228	228	228	228	228	228	228	228
8.5	228	228	228	228	229	229	229	229	229	229
8.6	229	229	229	229	229	229	229	230	230	230
8.7	230	230	230	230	230	230	230	230	230	230
8.8	231	231	231	231	231	231	231	231	231	231
8.9	231	231	231	231	232	232	232	232	232	232

CAP Reach 11 Dike #2										
Discharge Rating - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.0	232	232	232	232	233	233	233	233	233	233
9.1	233	234	234	234	234	234	234	234	235	235
9.2	235	235	235	235	235	236	236	236	236	236
9.3	236	237	237	237	237	237	237	237	238	238
9.4	238	238	238	238	238	239	239	239	239	239
9.5	239	239	240	240	240	240	240	240	240	241
9.6	241	241	241	241	241	241	242	242	242	242
9.7	242	242	242	243	243	243	243	243	243	243
9.8	243	244	244	244	244	244	244	244	245	245
9.9	245	245	245	245	245	246	246	246	246	246
10.0	246	246	247	247	247	247	247	247	247	248
10.1	248	248	248	248	248	248	249	249	249	249
10.2	249	249	249	250	250	250	250	250	250	250
10.3	250	251	251	251	251	251	251	251	252	252
10.4	252	252	252	252	252	253	253	253	253	253
10.5	253	253	253	254	254	254	254	254	254	254
10.6	255	255	255	255	255	255	255	256	256	256
10.7	256	256	256	256	256	257	257	257	257	257
10.8	257	257	258	258	258	258	258	258	258	259
10.9	259	259	259	259	259	259	259	260	260	260
11.0	260	260	260	260	260	260	260	261	261	261
11.1	261	261	261	261	261	261	261	261	261	261
11.2	262	262	262	262	262	262	262	262	262	262
11.3	262	262	263	263	263	263	263	263	263	263
11.4	263	263	263	263	263	264	264	264	264	264
11.5	264	264	264	264	264	264	264	264	265	265
11.6	265	265	265	265	265	265	265	265	265	265
11.7	265	266	266	266	266	266	266	266	266	266
11.8	266	266	266	266	267	267	267	267	267	267
11.9	267	267	267	267	267	267	267	267	268	268
12.0	268	268	268	268	268	268	268	268	268	268
12.1	268	269	269	269	269	269	269	269	269	269
12.2	269	269	269	269	269	270	270	270	270	270
12.3	270	270	270	270	270	270	270	270	271	271
12.4	271	271	271	271	271	271	271	271	271	271
12.5	271	271	272	272	272	272	272	272	272	272
12.6	272	272	272	272	272	272	273	273	273	273
12.7	273	273	273	273	273	273	273	273	273	274
12.8	274	274	274	274	274	274	274	274	274	274
12.9	274	274	274	275	275	275	275	275	275	275
13.0	275	275	275	275	275	275	275	276	276	276
13.1	276	276	276	276	276	276	276	276	276	276
13.2	277	277	277	277	277	277	277	277	277	277
13.3	277	277	277	278	278	278	278	278	278	278
13.4	278	278	278	278	278	278	279	279	279	279

CAP Reach 11 Dike #2

Discharge Rating - table values in CFS

[illegible]

CAP Reach 11 Dike #2

Discharge Rating - table values in CFS[illegible]

CAP Reach 11 Dike #2										
Discharge Rating - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
22.5	354	354	355	355	355	355	355	355	355	355
22.6	355	355	355	356	356	356	356	356	356	356
22.7	356	356	356	356	357	357	357	357	357	357
22.8	357	357	357	357	358	358	358	358	358	358
22.9	358	358	358	358	358	359	359	359	359	359
23.0	359	359	359	359	359	359	359	359	359	360
23.1	360	360	360	360	360	360	360	360	360	360
23.2	360	360	360	360	360	360	360	361	361	361
23.3	361	361	361	361	361	361	361	361	361	361
23.4	361	361	361	361	361	362	362	362	362	362
23.5	362	362	362	362	362	362	362	362	362	362
23.6	362	362	362	363	363	363	363	363	363	363
23.7	363	363	363	363	363	363	363	363	363	363
23.8	363	364	364	364	364	364	364	364	364	364
23.9	364	364	364	364	364	364	364	364	364	365
24.0	365	365	365	365	365	365	365	365	365	365
24.1	365	365	365	365	365	365	365	366	366	366
24.2	366	366	366	366	366	366	366	366	366	366
24.3	366	366	366	366	366	366	367	367	367	367
24.4	367	367	367	367	367	367	367	367	367	367
24.5	367	367	367	367	368	368	368	368	368	368
24.6	368	368	368	368	368	368	368	368	368	368
24.7	368	368	368	369	369	369	369	369	369	369
24.8	369	369	369	369	369	369	369	369	369	369
24.9	369	370	370	370	370	370	370	370	370	370
25.0	370	370	370	370	370	370	370	370	371	371
25.1	371	371	371	371	371	371	371	371	371	371
25.2	371	371	372	372	372	372	372	372	372	372
25.3	372	372	372	372	372	372	373	373	373	373
25.4	373	373	373	373	373	373	373	373	373	373
25.5	374	374	374	374	374	374	374	374	374	374
25.6	374	374	374	374	375	375	375	375	375	375
25.7	375	375	375	375	375	375	375	375	376	376
25.8	376	376	376	376	376	376	376	376	376	376
25.9	376	376	377	377	377	377	377	377	377	377
26.0	377	377	377	377	377	377	377	378	378	378
26.1	378	378	378	378	378	378	378	378	378	378
26.2	378	379	379	379	379	379	379	379	379	379
26.3	379	379	379	379	379	380	380	380	380	380
26.4	380	380	380	380	380	380	380	380	380	380
26.5	381	381	381	381	381	381	381	381	381	381
26.6	381	381	381	381	382	382	382	382	382	382
26.7	382	382	382	382	382	382	382	382	382	383
26.8	383	383	383	383	383	383	383	383	383	383
26.9	383	383	383	384	384	384	384	384	384	384

CAP Reach 11 Dike #2

Discharge Rating - table values in CFS[illegible]

CAP Reach 11 Dike #2										
Discharge Rating - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
31.5	407	407	407	407	407	407	407	407	407	407
31.6	407	407	407	407	407	407	407	407	407	407
31.7	408	408	408	408	408	408	408	408	408	408
31.8	408	408	408	408	408	408	408	408	408	408
31.9	409	409	409	409	409	409	409	409	409	409
32.0	409	409	409	409	409	409	409	409	409	409
32.1	410	410	410	410	410	410	410	410	410	410
32.2	410	410	410	410	410	410	410	410	410	410
32.3	411	411	411	411	411	411	411	411	411	411
32.4	411	411	411	411	411	411	411	411	411	411
32.5	412	412	412	412	412	412	412	412	412	412
32.6	412	412	412	412	412	412	412	412	412	412
32.7	413	413	413	413	413	413	413	413	413	413
32.8	413	413	413	413	413	413	413	413	413	413
32.9	414	414	414	414	414	414	414	414	414	414
33.0	414									
Rating #1 - NS Table #769										
Effective: 07/19/2016										
Update: 08/30/2017										