

Berneil Wash										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	1	1	2	3	3	4	5	7
0.1	8	9	11	12	14	15	17	19	21	22
0.2	24	26	29	31	33	35	38	40	42	45
0.3	47	50	52	54	56	58	60	62	64	66
0.4	68	70	72	74	76	78	81	83	85	87
0.5	89	91	93	96	98	100	102	105	107	110
0.6	112	115	118	120	123	125	128	130	133	136
0.7	138	141	144	146	149	152	155	157	160	163
0.8	166	168	171	174	177	180	183	185	188	191
0.9	194	197	200	203	206	210	213	216	220	223
1.0	226	230	233	236	240	243	247	250	254	257
1.1	261	264	268	271	275	278	282	285	289	293
1.2	296	300	304	307	311	315	319	322	326	330
1.3	334	337	341	345	349	353	357	360	364	368
1.4	372	376	380	384	388	392	396	400	404	409
1.5	413	418	422	426	431	435	440	444	449	454
1.6	458	463	467	472	477	481	486	491	495	500
1.7	505	509	514	519	523	528	533	537	542	547
1.8	552	556	561	566	571	576	580	585	590	595
1.9	600	605	610	615	621	626	631	636	641	647
2.0	652	657	662	668	673	678	684	689	695	700
2.1	705	711	716	722	727	733	738	744	749	755
2.2	761	766	772	777	783	789	794	800	806	812
2.3	817	823	829	835	841	846	852	858	864	870
2.4	876	882	888	894	900	906	912	918	925	931
2.5	937	943	949	956	962	968	975	981	987	994
2.6	1000	1006	1013	1019	1026	1032	1039	1045	1052	1058
2.7	1065	1072	1078	1085	1092	1098	1105	1112	1118	1125
2.8	1132	1138	1145	1152	1159	1166	1172	1179	1186	1193
2.9	1200	1207	1214	1221	1228	1235	1242	1249	1256	1263
3.0	1270	1277	1284	1291	1298	1306	1313	1320	1327	1334
3.1	1342	1349	1356	1363	1371	1378	1385	1393	1400	1407
3.2	1415	1423	1430	1438	1445	1453	1460	1468	1476	1483
3.3	1491	1499	1506	1514	1522	1530	1537	1545	1553	1561
3.4	1569	1576	1584	1592	1600	1608	1616	1624	1633	1641
3.5	1649	1657	1666	1674	1682	1690	1699	1707	1715	1724
3.6	1732	1741	1749	1758	1766	1774	1783	1791	1800	1809
3.7	1817	1826	1834	1843	1851	1860	1869	1877	1886	1895
3.8	1903	1912	1921	1929	1938	1947	1956	1965	1973	1982
3.9	1991	2000	2009	2018	2027	2035	2044	2053	2062	2071
4.0	2080	2089	2098	2107	2116	2125	2134	2143	2152	2161
4.1	2171	2180	2189	2198	2207	2216	2226	2235	2244	2253
4.2	2263	2272	2281	2291	2300	2309	2319	2328	2338	2347
4.3	2356	2366	2375	2385	2394	2404	2413	2423	2433	2442
4.4	2452	2461	2471	2481	2490	2500	2510	2520	2529	2539
4.5	2549	2559	2569	2579	2589	2599	2609	2619	2629	2639

Berneil Wash										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	2649	2659	2669	2679	2689	2699	2710	2720	2730	2740
4.7	2750	2760	2771	2781	2791	2802	2812	2822	2832	2843
4.8	2853	2864	2874	2884	2895	2905	2916	2926	2937	2947
4.9	2958	2968	2979	2989	3000	3011	3022	3033	3044	3055
5.0	3066	3077	3088	3099	3111	3122	3133	3144	3155	3167
5.1	3178	3189	3200	3212	3223	3234	3246	3257	3268	3280
5.2	3291	3303	3314	3326	3337	3349	3360	3372	3383	3395
5.3	3407	3418	3430	3441	3453	3465	3477	3488	3500	3512
5.4	3523	3535	3546	3558	3570	3581	3593	3605	3616	3628
5.5	3640	3652	3663	3675	3687	3699	3711	3723	3734	3746
5.6	3758	3770	3782	3794	3806	3818	3830	3842	3854	3866
5.7	3878	3890	3903	3915	3927	3939	3951	3963	3976	3988
5.8	4000	4015	4029	4044	4059	4074	4089	4104	4119	4134
5.9	4149	4164	4179	4194	4209	4224	4239	4254	4269	4285
6.0	4300									
	Rating #2 - NS Table #875									
	Applied as of 10/01/2018									
	Updated: 03/26/20109									