

CAP Reach 11 Dike #4										
Discharge Rating - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	0	0	0	0	0	0	0
0.1	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0
0.3	0	0	0	0	0	0	0	0	0	0
0.4	0	0	0	0	0	0	0	0	0	0
0.5	0	0	0	0	0	0	0	0	0	0
0.6	0	0	0	0	0	0	0	0	0	0
0.7	0	0	0	0	0	0	0	0	0	0
0.8	0	0	0	0	0	0	0	0	0	0
0.9	0	0	0	0	0	0	0	0	0	0
1.0	0	0	0	0	0	0	0	0	0	0
1.1	0	0	0	0	0	0	0	0	0	0
1.2	0	0	0	0	0	0	0	0	0	0
1.3	0	0	0	0	0	0	0	0	0	0
1.4	0	0	0	0	0	0	0	0	0	0
1.5	0	0	0	0	0	0	0	0	0	0
1.6	0	0	0	0	0	0	0	0	0	0
1.7	0	0	0	0	0	0	0	0	0	0
1.8	0	0	0	0	0	0	0	0	0	0
1.9	0	0	0	0	0	0	0	0	0	0
2.0	0	0	0	0	0	0	0	0	0	0
2.1	0	0	0	0	0	0	0	0	0	0
2.2	0	0	0	0	0	0	0	0	0	0
2.3	0	0	0	0	0	0	0	0	0	0
2.4	0	0	0	0	0	0	0	0	0	0
2.5	0	0	0	0	0	0	0	0	0	0
2.6	0	0	0	0	0	0	0	0	0	0
2.7	0	0	0	0	0	0	0	0	0	0
2.8	0	0	0	0	0	0	0	0	0	0
2.9	0	0	0	0	0	0	0	0	0	0
3.0	0	0	0	0	0	0	0	0	0	0
3.1	1	1	1	1	1	1	1	1	1	1
3.2	1	1	1	1	1	1	1	1	2	2
3.3	2	2	2	2	2	2	2	3	3	3
3.4	3	3	4	4	4	4	4	5	5	5
3.5	6	6	6	7	7	7	8	8	9	9
3.6	10	10	11	11	12	13	13	14	15	16
3.7	16	17	18	19	20	21	22	24	25	26
3.8	28	29	31	32	34	36	37	39	41	44
3.9	46	48	51	53	56	59	62	65	68	71
4.0	75	75	76	76	77	77	77	78	78	79
4.1	79	79	80	80	81	81	81	82	82	83
4.2	83	83	84	84	85	85	86	86	86	87
4.3	87	88	88	89	89	89	90	90	91	91
4.4	92	92	92	93	93	94	94	95	95	95

CAP Reach 11 Dike #4

Discharge Rating - table values in CFS

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.5	96	96	97	97	98	98	99	99	100	100
4.6	100	101	101	102	102	103	103	104	104	105
4.7	105	106	106	106	107	107	108	108	109	109
4.8	110	110	111	111	112	112	113	113	114	114
4.9	115	115	116	116	117	117	118	118	119	119
5.0	120	120	121	121	122	122	123	123	124	124
5.1	125	125	126	126	127	127	128	128	129	129
5.2	130	130	131	131	132	132	133	133	134	135
5.3	135	136	136	137	137	138	138	139	139	140
5.4	140	141	142	142	143	143	144	144	145	145
5.5	146	146	147	148	148	149	149	150	150	151
5.6	152	152	153	153	154	154	155	155	156	157
5.7	157	158	158	159	160	160	161	161	162	162
5.8	163	164	164	165	165	166	167	167	168	168
5.9	169	170	170	171	171	172	173	173	174	174
6.0	175	175	175	175	176	176	176	176	176	176
6.1	176	176	177	177	177	177	177	177	177	178
6.2	178	178	178	178	178	178	178	179	179	179
6.3	179	179	179	179	180	180	180	180	180	180
6.4	180	180	181	181	181	181	181	181	181	181
6.5	182	182	182	182	182	182	182	183	183	183
6.6	183	183	183	183	183	184	184	184	184	184
6.7	184	184	184	185	185	185	185	185	185	185
6.8	185	186	186	186	186	186	186	186	186	187
6.9	187	187	187	187	187	187	187	188	188	188
7.0	188	188	188	188	188	189	189	189	189	189
7.1	189	189	189	190	190	190	190	190	190	190
7.2	190	191	191	191	191	191	191	191	191	192
7.3	192	192	192	192	192	192	192	193	193	193
7.4	193	193	193	193	193	193	194	194	194	194
7.5	194	194	194	194	195	195	195	195	195	195
7.6	195	195	196	196	196	196	196	196	196	196
7.7	196	197	197	197	197	197	197	197	197	198
7.8	198	198	198	198	198	198	198	198	199	199
7.9	199	199	199	199	199	199	200	200	200	200
8.0	200	200	200	200	201	201	201	201	201	201
8.1	201	201	202	202	202	202	202	202	202	202
8.2	203	203	203	203	203	203	203	204	204	204
8.3	204	204	204	204	204	205	205	205	205	205
8.4	205	205	205	206	206	206	206	206	206	206
8.5	207	207	207	207	207	207	207	207	208	208
8.6	208	208	208	208	208	208	209	209	209	209
8.7	209	209	209	209	210	210	210	210	210	210
8.8	210	210	211	211	211	211	211	211	211	211
8.9	212	212	212	212	212	212	212	212	213	213

CAP Reach 11 Dike #4										
Discharge Rating - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.5	262	262	262	262	262	262	262	262	263	263
13.6	263	263	263	263	263	263	263	263	264	264
13.7	264	264	264	264	264	264	264	265	265	265
13.8	265	265	265	265	265	265	266	266	266	266
13.9	266	266	266	266	266	266	267	267	267	267
14.0	267	267	267	267	267	267	268	268	268	268
14.1	268	268	268	268	268	268	268	269	269	269
14.2	269	269	269	269	269	269	269	270	270	270
14.3	270	270	270	270	270	270	270	270	271	271
14.4	271	271	271	271	271	271	271	271	271	272
14.5	272	272	272	272	272	272	272	272	272	272
14.6	273	273	273	273	273	273	273	273	273	273
14.7	273	274	274	274	274	274	274	274	274	274
14.8	274	274	275	275	275	275	275	275	275	275
14.9	275	275	275	276	276	276	276	276	276	276
15.0	276	276	276	276	277	277	277	277	277	277
15.1	277	277	277	277	277	277	278	278	278	278
15.2	278	278	278	278	278	278	278	279	279	279
15.3	279	279	279	279	279	279	279	279	280	280
15.4	280	280	280	280	280	280	280	280	280	281
15.5	281	281	281	281	281	281	281	281	281	281
15.6	281	282	282	282	282	282	282	282	282	282
15.7	282	282	283	283	283	283	283	283	283	283
15.8	283	283	283	284	284	284	284	284	284	284
15.9	284	284	284	284	284	285	285	285	285	285
16.0	285	285	285	285	285	285	285	286	286	286
16.1	286	286	286	286	286	286	286	286	286	286
16.2	287	287	287	287	287	287	287	287	287	287
16.3	287	287	287	288	288	288	288	288	288	288
16.4	288	288	288	288	288	288	289	289	289	289
16.5	289	289	289	289	289	289	289	289	289	290
16.6	290	290	290	290	290	290	290	290	290	290
16.7	290	290	291	291	291	291	291	291	291	291
16.8	291	291	291	291	291	291	292	292	292	292
16.9	292	292	292	292	292	292	292	292	292	293
17.0	293	293	293	293	293	293	293	293	293	293
17.1	293	293	294	294	294	294	294	294	294	294
17.2	294	294	294	294	294	294	295	295	295	295
17.3	295	295	295	295	295	295	295	295	295	296
17.4	296	296	296	296	296	296	296	296	296	296
17.5	296	296	296	297	297	297	297	297	297	297
17.6	297	297	297	297	297	297	298	298	298	298
17.7	298	298	298	298	298	298	298	298	298	298
17.8	299	299	299	299	299	299	299	299	299	299
17.9	299	299	299	299	300	300	300	300	300	300

CAP Reach 11 Dike #4

Discharge Rating - table values in CFS

[illegible]

CAP Reach 11 Dike #4

Discharge Rating - table values in CFS

[illegible]

CAP Reach 11 Dike #4										
Discharge Rating - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
27.0	371	371	371	371	371	371	371	371	371	371
27.1	371	371	371	372	372	372	372	372	372	372
27.2	372	372	372	372	372	372	373	373	373	373
27.3	373	373	373	373	373	373	373	373	373	373
27.4	374	374	374	374	374	374	374	374	374	374
27.5	374	374	374	375	375	375	375	375	375	375
27.6	375	375	375	375	375	375	375	376	376	376
27.7	376	376	376	376	376	376	376	376	376	376
27.8	377	377	377	377	377	377	377	377	377	377
27.9	377	377	377	377	378	378	378	378	378	378
28.0	378	378	378	378	378	378	378	378	378	379
28.1	379	379	379	379	379	379	379	379	379	379
28.2	379	379	379	379	379	380	380	380	380	380
28.3	380	380	380	380	380	380	380	380	380	380
28.4	380	380	381	381	381	381	381	381	381	381
28.5	381	381	381	381	381	381	381	381	382	382
28.6	382	382	382	382	382	382	382	382	382	382
28.7	382	382	382	382	382	383	383	383	383	383
28.8	383	383	383	383	383	383	383	383	383	383
28.9	383	384	384	384	384	384	384	384	384	384
29.0	384	384	384	384	384	384	384	384	385	385
29.1	385	385	385	385	385	385	385	385	385	385
29.2	385	385	385	385	385	386	386	386	386	386
29.3	386	386	386	386	386	386	386	386	386	386
29.4	386	387	387	387	387	387	387	387	387	387
29.5	387	387	387	387	387	387	387	387	388	388
29.6	388	388	388	388	388	388	388	388	388	388
29.7	388	388	388	388	388	389	389	389	389	389
29.8	389	389	389	389	389	389	389	389	389	389
29.9	389	389	390	390	390	390	390	390	390	390
30.0	390	390	390	390	390	390	390	391	391	391
30.1	391	391	391	391	391	391	391	391	391	392
30.2	392	392	392	392	392	392	392	392	392	392
30.3	392	393	393	393	393	393	393	393	393	393
30.4	393	393	393	393	394	394	394	394	394	394
30.5	394	394	394	394	394	394	395	395	395	395
30.6	395	395	395	395	395	395	395	395	395	396
30.7	396	396	396	396	396	396	396	396	396	396
30.8	396	397	397	397	397	397	397	397	397	397
30.9	397	397	397	397	398	398	398	398	398	398
31.0	398	398	398	398	398	398	399	399	399	399
31.1	399	399	399	399	399	399	399	399	399	400
31.2	400	400	400	400	400	400	400	400	400	400
31.3	400	401	401	401	401	401	401	401	401	401
31.4	401	401	401	401	402	402	402	402	402	402

CAP Reach 11 Dike #4										
Discharge Rating - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
31.5	402	402	402	402	402	402	403	403	403	403
31.6	403	403	403	403	403	403	403	403	403	404
31.7	404	404	404	404	404	404	404	404	404	404
31.8	404	404	405	405	405	405	405	405	405	405
31.9	405	405	405	405	406	406	406	406	406	406
32.0	406	406	406	406	406	406	406	406	406	406
32.1	407	407	407	407	407	407	407	407	407	407
32.2	407	407	407	407	407	407	407	407	407	407
32.3	408	408	408	408	408	408	408	408	408	408
32.4	408	408	408	408	408	408	408	408	408	408
32.5	409	409	409	409	409	409	409	409	409	409
32.6	409	409	409	409	409	409	409	409	409	409
32.7	410	410	410	410	410	410	410	410	410	410
32.8	410	410	410	410	410	410	410	410	410	410
32.9	411	411	411	411	411	411	411	411	411	411
33.0	411	411	411	411	411	411	411	411	411	411
33.1	412	412	412	412	412	412	412	412	412	412
33.2	412	412	412	412	412	412	412	412	412	412
33.3	413	413	413	413	413	413	413	413	413	413
33.4	413	413	413	413	413	413	413	413	413	413
33.5	414	414	414	414	414	414	414	414	414	414
33.6	414	414	414	414	414	414	414	414	414	414
33.7	415	415	415	415	415	415	415	415	415	415
33.8	415	415	415	415	415	415	415	415	415	415
33.9	416	416	416	416	416	416	416	416	416	416
34.0	416									
Rating #1 - NS Table #772										
Effective: 07/19/2016										
Update: 08/30/2017										