

Adobe Dam Outlet Channel										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	0	0	0	0	0	0	0
0.1	0	0	1	1	1	1	1	1	1	1
0.2	1	1	1	1	1	2	2	2	2	2
0.3	2	2	3	3	3	3	3	3	4	4
0.4	4	4	4	5	5	5	5	5	6	6
0.5	6	6	7	7	7	7	8	8	8	9
0.6	9	9	9	10	10	10	11	11	11	12
0.7	12	12	13	13	13	14	14	14	15	15
0.8	16	16	16	17	17	18	18	18	19	19
0.9	20	20	21	21	21	22	22	23	23	24
1.0	24	25	25	26	26	27	27	28	28	29
1.1	29	30	30	31	31	32	33	33	34	34
1.2	35	35	36	37	37	38	38	39	40	40
1.3	41	41	42	43	43	44	45	45	46	47
1.4	47	48	49	49	50	51	51	52	53	53
1.5	54	54	55	56	56	57	58	58	59	60
1.6	61	61	62	63	63	64	65	65	66	67
1.7	68	68	69	70	70	71	72	73	73	74
1.8	75	76	76	77	78	79	80	80	81	82
1.9	83	83	84	85	86	87	87	88	89	90
2.0	91	92	92	93	94	95	96	97	97	98
2.1	99	100	101	102	102	103	104	105	106	107
2.2	107	108	109	110	111	112	113	113	114	115
2.3	116	117	118	119	120	120	121	122	123	124
2.4	125	126	127	128	129	129	130	131	132	133
2.5	134	135	136	137	138	139	140	141	142	143
2.6	144	144	145	146	147	148	149	150	151	152
2.7	153	154	155	156	157	158	159	160	161	162
2.8	163	164	165	166	167	168	169	170	171	172
2.9	173	174	175	176	178	179	180	181	182	183
3.0	184	185	186	187	188	189	190	191	192	193
3.1	195	196	197	198	199	200	201	202	203	205
3.2	206	207	208	209	210	211	213	214	215	216
3.3	217	218	220	221	222	223	224	225	227	228
3.4	229	230	231	233	234	235	236	237	239	240
3.5	241	242	243	245	246	247	248	250	251	252
3.6	253	255	256	257	258	260	261	262	263	265
3.7	266	267	269	270	271	272	274	275	276	278
3.8	279	280	281	283	284	285	287	288	289	291
3.9	292	293	295	296	297	299	300	301	303	304
4.0	306	307	308	310	311	312	314	315	317	318
4.1	320	321	322	324	325	327	328	330	331	332
4.2	334	335	337	338	340	341	343	344	345	347
4.3	348	350	351	353	354	356	357	359	360	362
4.4	363	365	366	368	369	371	372	374	375	377
4.5	378	380	381	383	384	386	388	389	391	392

Adobe Dam Outlet Channel										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	394	395	397	398	400	402	403	405	407	408
4.7	410	412	413	415	416	418	420	421	423	425
4.8	427	428	430	432	433	435	437	438	440	442
4.9	444	445	447	449	450	452	454	456	457	459
5.0	461	463	464	466	468	470	471	473	475	477
5.1	478	480	482	484	486	487	489	491	493	495
5.2	496	498	500	502	504	506	507	509	511	513
5.3	515	517	519	520	522	524	526	528	530	532
5.4	534	536	537	539	541	543	545	547	549	551
5.5	553	555	557	559	561	562	564	566	568	570
5.6	572	574	576	578	580	582	584	586	588	590
5.7	592	594	596	598	600	602	604	606	608	610
5.8	612	614	616	618	620	622	624	626	628	630
5.9	632	634	636	638	640	642	644	646	648	650
6.0	652	654	656	658	660	662	664	667	669	671
6.1	673	675	677	679	681	683	685	687	689	692
6.2	694	696	698	700	702	704	706	708	711	713
6.3	715	717	719	721	723	725	728	730	732	734
6.4	736	738	741	743	745	747	749	751	754	756
6.5	758	760	762	765	767	769	771	773	776	778
6.6	780	782	784	787	789	791	793	796	798	800
6.7	802	805	807	809	812	814	816	819	821	823
6.8	826	828	830	833	835	837	840	842	845	847
6.9	849	852	854	856	859	861	864	866	868	871
7.0	873	876	878	881	883	885	888	890	893	895
7.1	898	900	902	905	907	910	912	915	917	920
7.2	922	925	927	929	932	934	937	939	942	944
7.3	947	949	952	954	957	959	962	964	967	969
7.4	972	975	977	980	982	985	987	990	992	995
7.5	997	1000	1003	1005	1008	1011	1013	1016	1019	1021
7.6	1024	1027	1029	1032	1035	1037	1040	1043	1046	1048
7.7	1051	1054	1056	1059	1062	1065	1067	1070	1073	1076
7.8	1078	1081	1084	1087	1089	1092	1095	1098	1101	1103
7.9	1106	1109	1112	1114	1117	1120	1123	1126	1128	1131
8.0	1134	1137	1140	1143	1145	1148	1151	1154	1157	1160
8.1	1163	1165	1168	1171	1174	1177	1180	1183	1186	1188
8.2	1191	1194	1197	1200	1203	1206	1209	1212	1215	1218
8.3	1221	1224	1227	1230	1233	1236	1239	1242	1245	1248
8.4	1251	1254	1257	1260	1263	1266	1269	1272	1275	1278
8.5	1281	1284	1287	1290	1293	1297	1300	1303	1306	1309
8.6	1312	1315	1318	1321	1324	1327	1331	1334	1337	1340
8.7	1343	1346	1349	1352	1356	1359	1362	1365	1368	1371
8.8	1375	1378	1381	1384	1387	1390	1394	1397	1400	1403
8.9	1407	1410	1413	1416	1420	1423	1426	1430	1433	1436
9.0	1440	1443	1446	1450	1453	1456	1460	1463	1466	1470
9.1	1473	1476	1480	1483	1486	1490	1493	1497	1500	1503

Adobe Dam Outlet Channel										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	1507	1510	1514	1517	1520	1524	1527	1531	1534	1538
9.3	1541	1544	1548	1551	1555	1558	1562	1565	1569	1572
9.4	1576	1579	1583	1586	1590	1593	1596	1600	1604	1607
9.5	1611	1614	1618	1622	1625	1629	1632	1636	1640	1643
9.6	1647	1651	1654	1658	1662	1665	1669	1673	1676	1680
9.7	1684	1687	1691	1695	1698	1702	1706	1710	1713	1717
9.8	1721	1724	1728	1732	1736	1739	1743	1747	1751	1754
9.9	1758	1762	1766	1770	1773	1777	1781	1785	1789	1792
10.0	1796	1800	1804	1808	1812	1816	1819	1823	1827	1831
10.1	1835	1839	1843	1847	1851	1855	1859	1863	1867	1871
10.2	1875	1879	1883	1887	1891	1895	1899	1903	1907	1911
10.3	1915	1919	1923	1927	1931	1935	1939	1943	1947	1951
10.4	1955	1959	1963	1967	1971	1975	1979	1984	1988	1992
10.5	1996	2000	2004	2008	2012	2016	2020	2023	2027	2031
10.6	2035	2039	2043	2047	2051	2055	2059	2063	2067	2071
10.7	2075	2079	2083	2087	2091	2095	2099	2103	2107	2111
10.8	2115	2119	2123	2127	2131	2135	2139	2143	2147	2151
10.9	2155	2159	2163	2167	2171	2175	2180	2184	2188	2192
11.0	2196	2200	2204	2208	2212	2216	2220	2224	2227	2231
11.1	2235	2239	2243	2247	2251	2255	2259	2263	2267	2271
11.2	2275	2279	2283	2287	2291	2295	2299	2303	2307	2311
11.3	2315	2319	2323	2327	2331	2335	2339	2343	2347	2351
11.4	2355	2359	2363	2367	2371	2376	2380	2384	2388	2392
11.5	2396	2400	2404	2408	2412	2417	2421	2425	2429	2433
11.6	2437	2441	2446	2450	2454	2458	2462	2466	2471	2475
11.7	2479	2483	2487	2492	2496	2500	2504	2509	2513	2517
11.8	2522	2526	2530	2535	2539	2543	2548	2552	2556	2561
11.9	2565	2569	2574	2578	2582	2587	2591	2596	2600	2605
12.0	2610	2615	2620	2625	2630	2635	2640	2645	2650	2656
12.1	2661	2666	2671	2676	2681	2686	2691	2696	2702	2707
12.2	2712	2717	2722	2727	2732	2738	2743	2748	2753	2758
12.3	2763	2769	2774	2779	2784	2790	2795	2800	2805	2811
12.4	2816	2822	2827	2833	2838	2844	2849	2855	2860	2866
12.5	2871	2877	2882	2888	2893	2899	2905	2910	2916	2921
12.6	2927	2932	2938	2944	2949	2955	2960	2966	2972	2977
12.7	2983	2989	2994	3000	3006	3011	3017	3022	3028	3034
12.8	3039	3045	3051	3056	3062	3068	3073	3079	3085	3091
12.9	3096	3102	3108	3113	3119	3125	3131	3136	3142	3148
13.0	3154	3159	3165	3171	3177	3183	3188	3194	3200	3206
13.1	3211	3217	3223	3228	3234	3240	3245	3251	3257	3262
13.2	3268	3274	3279	3285	3291	3296	3302	3308	3314	3319
13.3	3325	3331	3337	3342	3348	3354	3360	3365	3371	3377
13.4	3383	3389	3394	3400	3406	3412	3418	3424	3429	3435
13.5	3441	3447	3453	3459	3465	3470	3476	3482	3488	3494
13.6	3500	3506	3512	3518	3524	3530	3536	3542	3548	3554
13.7	3560	3566	3572	3578	3584	3590	3596	3602	3608	3614

Adobe Dam Outlet Channel										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	3620	3627	3633	3639	3645	3651	3657	3663	3669	3675
13.9	3682	3688	3694	3700	3706	3712	3718	3724	3730	3736
14.0	3742	3748	3754	3760	3766	3772	3778	3784	3790	3797
14.1	3803	3809	3815	3821	3827	3833	3839	3845	3851	3858
14.2	3864	3870	3876	3882	3888	3894	3901	3907	3913	3919
14.3	3925	3932	3938	3944	3950	3956	3963	3969	3975	3981
14.4	3988	3994	4000	4006	4013	4019	4025	4032	4038	4044
14.5	4051	4057	4063	4070	4076	4082	4089	4095	4102	4108
14.6	4114	4121	4127	4134	4140	4146	4153	4159	4166	4172
14.7	4179	4185	4192	4198	4205	4211	4217	4224	4230	4237
14.8	4243	4250	4257	4263	4270	4277	4283	4290	4297	4303
14.9	4310	4317	4323	4330	4337	4344	4350	4357	4364	4371
15.0	4377	4384	4391	4398	4404	4411	4418	4425	4432	4438
15.1	4445	4452	4459	4466	4473	4479	4486	4493	4500	4507
15.2	4514	4521	4527	4534	4541	4548	4555	4562	4569	4576
15.3	4582	4589	4596	4603	4610	4617	4624	4631	4638	4645
15.4	4652	4659	4666	4673	4680	4687	4694	4701	4708	4715
15.5	4722	4729	4736	4743	4750	4757	4764	4771	4777	4784
15.6	4791	4798	4805	4812	4819	4826	4833	4839	4846	4853
15.7	4860	4867	4874	4881	4888	4895	4902	4909	4916	4923
15.8	4930	4937	4944	4951	4958	4965	4972	4979	4986	4993
15.9	5000									
Rating #3 - NS Table #836										
Applied as of 10/01/2017										
Updated: 12/12/2017										