

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	0	0	0	0	0	0	0
0.1	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0
0.3	0	0	0	0	0	0	0	0	0	0
0.4	0	0	0	0	0	0	0	0	0	0
0.5	0	0	0	0	0	0	0	0	0	0
0.6	0	0	0	0	0	0	0	0	0	0
0.7	0	0	0	0	0	0	0	0	0	0
0.8	0	0	0	0	0	0	0	0	0	0
0.9	0	0	0	0	0	0	0	0	0	0
1.0	0	0	0	0	0	0	0	0	0	0
1.1	0	0	0	0	0	0	0	0	0	0
1.2	0	0	0	0	0	0	0	0	0	0
1.3	0	0	0	0	0	0	0	0	0	0
1.4	0	0	0	0	0	0	0	0	0	0
1.5	0	0	0	0	0	0	0	0	0	0
1.6	0	0	0	0	0	0	0	0	0	0
1.7	0	0	0	0	0	0	0	0	0	0
1.8	0	0	0	0	0	0	0	0	0	0
1.9	0	0	0	0	0	0	0	0	0	0
2.0	0	0	0	0	0	0	0	0	0	0
2.1	0	0	0	0	0	0	0	0	0	0
2.2	0	0	0	0	0	0	0	0	0	0
2.3	0	0	0	0	0	0	0	0	0	0
2.4	0	0	0	0	0	0	0	0	0	0
2.5	0	0	0	0	0	0	0	0	0	0
2.6	0	0	0	0	0	0	0	0	0	0
2.7	0	0	0	0	0	0	0	0	0	0
2.8	0	0	0	0	0	0*	80*	80	81	81
2.9	82	82	83	83	83	84	84	85	85	86
3.0	86	87	87	87	88	88	89	89	90	90
3.1	91	91	91	92	92	93	93	94	94	95
3.2	95	96	96	96	97	97	98	98	99	99
3.3	100	100	101	101	102	102	103	103	103	104
3.4	104	105	105	106	106	107	107	108	108	109
3.5	109	110	110	111	111	112	112	113	113	114
3.6	114	114	115	115	116	116	117	117	118	118
3.7	119	119	120	120	121	121	122	122	123	123
3.8	124	124	125	125	126	126	127	127	128	128
3.9	129	129	130	130	131	132	132	133	133	134
4.0	134	135	135	136	136	137	137	138	138	139
4.1	139	140	140	141	141	142	142	143	143	144*
4.2	145	145	146	146	147	147	148	148	149	149
4.3	150	150	151	151	152	153	153	154	154	155
4.4	155	156	156	157	157	158	159	159	160	160
4.5	161	161	162	162	163	164	164	165	165	166

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	166	167	167	168	169	169	170	170	171	171
4.7	172	172	173	174	174	175	175	176	176	177
4.8	178	178	179	179	180	180	181	182	182	183
4.9	183	184	185	185	186	186	187	187	188	189
5.0	189	190	190	191	192	192	193	193	194	194
5.1	195	196	196	197	197	198	199	199	200	200
5.2	201	202	202	203	203	204	205	205	206	206
5.3	207	208	208	209	209	210	211	211	212	212
5.4	213	214	214	215	215	216	217	217	218	219
5.5	219	220	220	221	222	222	223	223	224	225
5.6	225	226	227	227	228	228	229	230	230	231
5.7	232	232	233	233	234	235	235	236	237	237
5.8	238	238	239	240	240	241	242	242	243	244
5.9	244	245	246	246	247	247	248	249	249	250
6.0	251	251	252	253	253	254	255	255	256	256
6.1	257	258	258	259	260	260	261	262	262	263*
6.2	264	264	265	265	266	267	267	268	268	269
6.3	270	270	271	271	272	273	273	274	274	275
6.4	276	276	277	277	278	279	279	280	281	281
6.5	282	282	283	284	284	285	285	286	287	287
6.6	288	288	289	290	290	291	292	292	293	293
6.7	294	295	295	296	296	297	298	298	299	300
6.8	300	301	301	302	303	303	304	305	305	306
6.9	306	307	308	308	309	310	310	311	311	312
7.0	313	313	314	315	315	316	316	317	318	318
7.1	319	320	320	321	322	322	323	323	324	325
7.2	325	326	327	327	328	329	329	330	330	331
7.3	332	332	333	334	334	335	336	336	337	337
7.4	338	339	339	340	341	341	342	343	343	344
7.5	345	345	346	347	347	348	348	349	350	350
7.6	351	352	352	353	354	354	355	356	356	357
7.7	358	358	359	360	360	361	361	362	363	363
7.8	364	365	365	366	367	367	368	369	369	370
7.9	371	371	372	373	373	374	375	375	376	377
8.0	377	378	379	379	380	381	381	382	383	383
8.1	384	385	385	386	387	387	388	389	389	390*
8.2	391	391	392	393	394	394	395	396	396	397
8.3	398	399	399	400	401	402	402	403	404	404
8.4	405	406	407	407	408	409	410	410	411	412
8.5	412	413	414	415	415	416	417	418	418	419
8.6	420	421	421	422	423	423	424	425	426	426
8.7	427	428	429	429	430	431	432	432	433	434
8.8	435	435	436	437	438	438	439	440	441	441
8.9	442	443	444	444	445	446	447	447	448	449
9.0	450	450	451	452	453	453	454	455	456	456
9.1	457	458	459	459	460	461	462	462	463	464

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	465	465	466	467	468	468	469	470	471	472
9.3	472	473	474	475	475	476	477	478	478	479
9.4	480	481	482	482	483	484	485	485	486	487
9.5	488	488	489	490	491	492	492	493	494	495
9.6	495	496	497	498	499	499	500	501	502	502
9.7	503	504	505	506	506	507	508	509	509	510
9.8	511	512	513	513	514	515	516	517	517	518
9.9	519	520	521	521	522	523	524	524	525	526
10.0	527	528	528	529	530	531	532	532	533	534
10.1	535	536	536	537	538	539	540	540	541	542*
10.2	543	544	544	545	546	547	548	548	549	550
10.3	551	552	552	553	554	555	556	556	557	558
10.4	559	560	560	561	562	563	564	564	565	566
10.5	567	568	568	569	570	571	572	572	573	574
10.6	575	576	576	577	578	579	580	580	581	582
10.7	583	584	585	585	586	587	588	589	589	590
10.8	591	592	593	594	594	595	596	597	598	598
10.9	599	600	601	602	603	603	604	605	606	607
11.0	607	608	609	610	611	612	612	613	614	615
11.1	616	617	617	618	619	620	621	622	622	623
11.2	624	625	626	627	627	628	629	630	631	631
11.3	632	633	634	635	636	637	637	638	639	640
11.4	641	642	642	643	644	645	646	647	647	648
11.5	649	650	651	652	652	653	654	655	656	657
11.6	658	658	659	660	661	662	663	663	664	665
11.7	666	667	668	669	669	670	671	672	673	674
11.8	674	675	676	677	678	679	680	680	681	682
11.9	683	684	685	686	686	687	688	689	690	691
12.0	692	692	693	694	695	696	697	698	698	699
12.1	700	701	702	703	704	705	705	706	707	708*
12.2	709	710	710	711	712	713	713	714	715	716
12.3	716	717	718	719	720	720	721	722	723	723
12.4	724	725	726	726	727	728	729	730	730	731
12.5	732	733	733	734	735	736	736	737	738	739
12.6	740	740	741	742	743	743	744	745	746	747
12.7	747	748	749	750	750	751	752	753	754	754
12.8	755	756	757	757	758	759	760	761	761	762
12.9	763	764	764	765	766	767	768	768	769	770
13.0	771	771	772	773	774	775	775	776	777	778
13.1	778	779	780	781	782	782	783	784	785	786
13.2	786	787	788	789	789	790	791	792	793	793
13.3	794	795	796	797	797	798	799	800	801	801
13.4	802	803	804	804	805	806	807	808	808	809
13.5	810	811	812	812	813	814	815	816	816	817
13.6	818	819	819	820	821	822	823	823	824	825
13.7	826	827	827	828	829	830	831	831	832	833

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	834	835	835	836	837	838	839	839	840	841
13.9	842	843	843	844	845	846	847	847	848	849
14.0	850	851	851	852	853	854	855	855	856	857
14.1	858	859	859	860	861	862	863	863	864	865*
14.2	866	866	867	867	868	868	869	869	870	870
14.3	871	872	872	873	873	874	874	875	875	876
14.4	876	877	877	878	879	879	880	880	881	881
14.5	882	882	883	883	884	885	885	886	886	887
14.6	887	888	888	889	889	890	891	891	892	892
14.7	893	893	894	894	895	895	896	896	897	898
14.8	898	899	899	900	900	901	901	902	902	903
14.9	904	904	905	905	906	906	907	907	908	908
15.0	909	909	910	911	911	912	912	913	913	914
15.1	914	915	915	916	916	917	918	918	919	919
15.2	920	920	921	921	922	922	923	924	924	925
15.3	925	926	926	927	927	928	928	929	929	930
15.4	931	931	932	932	933	933	934	934	935	935
15.5	936	936	937	938	938	939	939	940	940	941
15.6	941	942	942	943	943	944	945	945	946	946
15.7	947	947	948	948	949	949	950	950	951	952
15.8	952	953	953	954	954	955	955	956	956	957
15.9	957	958	959	959	960	960	961	961	962	962
16.0	963	963	964	964	965	965	966	967	967	968
16.1	968	969	969	970	970	971	971	972	972	973*
16.2	974	974	975	975	976	976	977	977	978	978
16.3	979	979	980	980	981	981	982	982	983	983
16.4	984	984	985	985	986	986	987	987	988	988
16.5	989	989	990	990	991	991	992	992	993	993
16.6	994	994	995	995	996	996	997	997	998	998
16.7	999	999	1000	1000	1001	1001	1002	1002	1003	1003
16.8	1004	1005	1005	1006	1006	1007	1007	1008	1008	1009
16.9	1009	1010	1010	1011	1011	1012	1012	1013	1013	1014
17.0	1014	1015	1015	1016	1016	1017	1017	1018	1018	1019
17.1	1019	1020	1020	1021	1021	1022	1022	1023	1023	1024
17.2	1024	1025	1025	1026	1026	1027	1027	1028	1028	1029
17.3	1029	1030	1030	1031	1031	1032	1032	1033	1033	1034
17.4	1034	1035	1035	1036	1036	1037	1037	1038	1038	1039
17.5	1039	1040	1040	1041	1041	1042	1042	1043	1043	1044
17.6	1044	1045	1045	1046	1046	1047	1047	1048	1048	1049
17.7	1049	1050	1050	1051	1051	1052	1052	1053	1053	1054
17.8	1054	1055	1055	1056	1056	1057	1057	1058	1058	1059
17.9	1059	1060	1060	1061	1061	1062	1062	1063	1063	1064
18.0	1064	1065	1065	1066	1066	1067	1067	1068	1068	1069
18.1	1069	1070	1070	1071	1071	1072	1072	1073	1073	1074*
18.2	1074	1075	1075	1076	1076	1077	1077	1078	1078	1079
18.3	1079	1080	1080	1081	1081	1081	1082	1082	1083	1083

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.4	1084	1084	1085	1085	1086	1086	1087	1087	1087	1088
18.5	1088	1089	1089	1090	1090	1091	1091	1092	1092	1093
18.6	1093	1093	1094	1094	1095	1095	1096	1096	1097	1097
18.7	1098	1098	1099	1099	1100	1100	1100	1101	1101	1102
18.8	1102	1103	1103	1104	1104	1105	1105	1106	1106	1106
18.9	1107	1107	1108	1108	1109	1109	1110	1110	1111	1111
19.0	1112	1112	1112	1113	1113	1114	1114	1115	1115	1116
19.1	1116	1117	1117	1117	1118	1118	1119	1119	1120	1120
19.2	1121	1121	1122	1122	1123	1123	1123	1124	1124	1125
19.3	1125	1126	1126	1127	1127	1128	1128	1129	1129	1129
19.4	1130	1130	1131	1131	1132	1132	1133	1133	1134	1134
19.5	1134	1135	1135	1136	1136	1137	1137	1138	1138	1139
19.6	1139	1140	1140	1140	1141	1141	1142	1142	1143	1143
19.7	1144	1144	1145	1145	1145	1146	1146	1147	1147	1148
19.8	1148	1149	1149	1150	1150	1151	1151	1151	1152	1152
19.9	1153	1153	1154	1154	1155	1155	1156	1156	1156	1157
20.0	1157	1158	1158	1159	1159	1160	1160	1161	1161	1161
20.1	1162	1162	1163	1163	1164	1164	1165	1165	1166	1166*
20.2	1166	1167	1167	1168	1168	1169	1169	1169	1170	1170
20.3	1171	1171	1172	1172	1173	1173	1173	1174	1174	1175
20.4	1175	1176	1176	1176	1177	1177	1178	1178	1179	1179
20.5	1179	1180	1180	1181	1181	1182	1182	1182	1183	1183
20.6	1184	1184	1185	1185	1186	1186	1186	1187	1187	1188
20.7	1188	1189	1189	1189	1190	1190	1191	1191	1192	1192
20.8	1192	1193	1193	1194	1194	1195	1195	1195	1196	1196
20.9	1197	1197	1198	1198	1198	1199	1199	1200	1200	1201
21.0	1201	1202	1202	1202	1203	1203	1204	1204	1205	1205
21.1	1205	1206	1206	1207	1207	1208	1208	1208	1209	1209
21.2	1210	1210	1211	1211	1211	1212	1212	1213	1213	1214
21.3	1214	1214	1215	1215	1216	1216	1217	1217	1217	1218
21.4	1218	1219	1219	1220	1220	1220	1221	1221	1222	1222
21.5	1223	1223	1223	1224	1224	1225	1225	1226	1226	1226
21.6	1227	1227	1228	1228	1229	1229	1229	1230	1230	1231
21.7	1231	1232	1232	1232	1233	1233	1234	1234	1235	1235
21.8	1235	1236	1236	1237	1237	1238	1238	1238	1239	1239
21.9	1240	1240	1241	1241	1241	1242	1242	1243	1243	1243
22.0	1244	1244	1245	1245	1246	1246	1246	1247	1247	1248
22.1	1248	1249	1249	1249	1250	1250	1251	1251	1252	1252*
22.2	1252	1253	1253	1254	1254	1254	1255	1255	1256	1256
22.3	1256	1257	1257	1258	1258	1258	1259	1259	1260	1260
22.4	1260	1261	1261	1262	1262	1262	1263	1263	1264	1264
22.5	1264	1265	1265	1266	1266	1266	1267	1267	1268	1268
22.6	1268	1269	1269	1270	1270	1270	1271	1271	1272	1272
22.7	1272	1273	1273	1274	1274	1274	1275	1275	1276	1276
22.8	1276	1277	1277	1277	1278	1278	1279	1279	1279	1280
22.9	1280	1281	1281	1281	1282	1282	1283	1283	1283	1284

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
23.0	1284	1285	1285	1285	1286	1286	1287	1287	1287	1288
23.1	1288	1289	1289	1289	1290	1290	1291	1291	1291	1292
23.2	1292	1293	1293	1293	1294	1294	1295	1295	1295	1296
23.3	1296	1296	1297	1297	1298	1298	1298	1299	1299	1300
23.4	1300	1300	1301	1301	1302	1302	1302	1303	1303	1304
23.5	1304	1304	1305	1305	1306	1306	1306	1307	1307	1308
23.6	1308	1308	1309	1309	1309	1310	1310	1311	1311	1311
23.7	1312	1312	1313	1313	1313	1314	1314	1315	1315	1315
23.8	1316	1316	1317	1317	1317	1318	1318	1318	1319	1319
23.9	1320	1320	1320	1321	1321	1322	1322	1322	1323	1323
24.0	1324	1324	1324	1325	1325	1326	1326	1326	1327	1327
24.1	1327	1328	1328	1329	1329	1329	1330	1330	1331	1331*
24.2	1331	1332	1332	1333	1333	1333	1334	1334	1334	1335
24.3	1335	1336	1336	1336	1337	1337	1338	1338	1338	1339
24.4	1339	1339	1340	1340	1341	1341	1341	1342	1342	1343
24.5	1343	1343	1344	1344	1344	1345	1345	1346	1346	1346
24.6	1347	1347	1347	1348	1348	1349	1349	1349	1350	1350
24.7	1351	1351	1351	1352	1352	1352	1353	1353	1354	1354
24.8	1354	1355	1355	1356	1356	1356	1357	1357	1357	1358
24.9	1358	1359	1359	1359	1360	1360	1360	1361	1361	1362
25.0	1362	1362	1363	1363	1364	1364	1364	1365	1365	1365
25.1	1366	1366	1367	1367	1367	1368	1368	1368	1369	1369
25.2	1370	1370	1370	1371	1371	1372	1372	1372	1373	1373
25.3	1373	1374	1374	1375	1375	1375	1376	1376	1376	1377
25.4	1377	1378	1378	1378	1379	1379	1379	1380	1380	1381
25.5	1381	1381	1382	1382	1382	1383	1383	1384	1384	1384
25.6	1385	1385	1386	1386	1386	1387	1387	1387	1388	1388
25.7	1389	1389	1389	1390	1390	1390	1391	1391	1392	1392
25.8	1392	1393	1393	1393	1394	1394	1395	1395	1395	1396
25.9	1396	1396	1397	1397	1398	1398	1398	1399	1399	1399
26.0	1400	1400	1401	1401	1401	1402	1402	1402	1403	1403
26.1	1404	1404	1404	1405	1405	1405	1406	1406	1407	1407*
26.2	1407	1408	1408	1408	1409	1409	1410	1410	1410	1411
26.3	1411	1411	1412	1412	1412	1413	1413	1414	1414	1414
26.4	1415	1415	1415	1416	1416	1416	1417	1417	1418	1418
26.5	1418	1419	1419	1419	1420	1420	1420	1421	1421	1422
26.6	1422	1422	1423	1423	1423	1424	1424	1424	1425	1425
26.7	1426	1426	1426	1427	1427	1427	1428	1428	1428	1429
26.8	1429	1430	1430	1430	1431	1431	1431	1432	1432	1432
26.9	1433	1433	1433	1434	1434	1435	1435	1435	1436	1436
27.0	1436	1437	1437	1437	1438	1438	1439	1439	1439	1440
27.1	1440	1440	1441	1441	1441	1442	1442	1442	1443	1443
27.2	1444	1444	1444	1445	1445	1445	1446	1446	1446	1447
27.3	1447	1448	1448	1448	1449	1449	1449	1450	1450	1450
27.4	1451	1451	1451	1452	1452	1453	1453	1453	1454	1454
27.5	1454	1455	1455	1455	1456	1456	1457	1457	1457	1458

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
27.6	1458	1458	1459	1459	1459	1460	1460	1460	1461	1461
27.7	1462	1462	1462	1463	1463	1463	1464	1464	1464	1465
27.8	1465	1465	1466	1466	1467	1467	1467	1468	1468	1468
27.9	1469	1469	1469	1470	1470	1470	1471	1471	1472	1472
28.0	1472	1473	1473	1473	1474	1474	1474	1475	1475	1475
28.1	1476	1476	1477	1477	1477	1478	1478	1478	1479	1479*
28.2	1479	1480	1480	1480	1481	1481	1481	1482	1482	1483
28.3	1483	1483	1484	1484	1484	1485	1485	1485	1486	1486
28.4	1486	1487	1487	1487	1488	1488	1489	1489	1489	1490
28.5	1490	1490	1491	1491	1491	1492	1492	1492	1493	1493
28.6	1493	1494	1494	1495	1495	1495	1496	1496	1496	1497
28.7	1497	1497	1498	1498	1498	1499	1499	1499	1500	1500
28.8	1501	1501	1501	1502	1502	1502	1503	1503	1503	1504
28.9	1504	1504	1505	1505	1505	1506	1506	1506	1507	1507
29.0	1508	1508	1508	1509	1509	1509	1510	1510	1510	1511
29.1	1511	1511	1512	1512	1512	1513	1513	1513	1514	1514
29.2	1515	1515	1515	1516	1516	1516	1517	1517	1517	1518
29.3	1518	1518	1519	1519	1519	1520	1520	1520	1521	1521
29.4	1522	1522	1522	1523	1523	1523	1524	1524	1524	1525
29.5	1525	1525	1526	1526	1526	1527	1527	1527	1528	1528
29.6	1529	1529	1529	1530	1530	1530	1531	1531	1531	1532
29.7	1532	1532	1533	1533	1533	1534	1534	1534	1535	1535
29.8	1535	1536	1536	1537	1537	1537	1538	1538	1538	1539
29.9	1539	1539	1540	1540	1540	1541	1541	1541	1542	1542
30.0	1542	1543	1543	1543	1544	1544	1544	1545	1545	1546
30.1	1546	1546	1547	1547	1547	1548	1548	1548	1549	1549*
30.2	1549	1550	1550	1550	1551	1551	1551	1552	1552	1552
30.3	1553	1553	1553	1554	1554	1554	1555	1555	1556	1556
30.4	1556	1557	1557	1557	1558	1558	1558	1559	1559	1559
30.5	1560	1560	1560	1561	1561	1561	1562	1562	1562	1563
30.6	1563	1563	1564	1564	1564	1565	1565	1565	1566	1566
30.7	1566	1567	1567	1568	1568	1568	1569	1569	1569	1570
30.8	1570	1570	1571	1571	1571	1572	1572	1572	1573	1573
30.9	1573	1574	1574	1574	1575	1575	1575	1576	1576	1576
31.0	1577	1577	1577	1578	1578	1578	1579	1579	1579	1580
31.1	1580	1580	1581	1581	1581	1582	1582	1582	1583	1583
31.2	1584	1584	1584	1585	1585	1585	1586	1586	1586	1587
31.3	1587	1587	1588	1588	1588	1589	1589	1589	1590	1590
31.4	1590	1591	1591	1591	1592	1592	1592	1593	1593	1593
31.5	1594	1594	1594	1595	1595	1595	1596	1596	1596	1597
31.6	1597	1597	1598	1598	1598	1599	1599	1599	1600	1600
31.7	1600	1601	1601	1601	1602	1602	1603	1603	1603	1604
31.8	1604	1604	1605	1605	1605	1606	1606	1606	1607	1607
31.9	1607	1608	1608	1608	1609	1609	1609	1610	1610	1610
32.0	1611	1611	1611	1612	1612	1612	1613	1613	1613	1614
32.1	1614	1614	1615	1615	1615	1616	1616	1616	1617	1617*

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
32.2	1617	1618	1618	1618	1619	1619	1619	1620	1620	1620
32.3	1621	1621	1621	1622	1622	1622	1623	1623	1623	1624
32.4	1624	1624	1625	1625	1625	1626	1626	1626	1627	1627
32.5	1627	1627	1628	1628	1628	1629	1629	1629	1630	1630
32.6	1630	1631	1631	1631	1632	1632	1632	1633	1633	1633
32.7	1634	1634	1634	1635	1635	1635	1636	1636	1636	1637
32.8	1637	1637	1638	1638	1638	1639	1639	1639	1640	1640
32.9	1640	1641	1641	1641	1642	1642	1642	1643	1643	1643
33.0	1643	1644	1644	1644	1645	1645	1645	1646	1646	1646
33.1	1647	1647	1647	1648	1648	1648	1649	1649	1649	1650
33.2	1650	1650	1651	1651	1651	1652	1652	1652	1653	1653
33.3	1653	1654	1654	1654	1655	1655	1655	1656	1656	1656
33.4	1656	1657	1657	1657	1658	1658	1658	1659	1659	1659
33.5	1660	1660	1660	1661	1661	1661	1662	1662	1662	1663
33.6	1663	1663	1664	1664	1664	1665	1665	1665	1666	1666
33.7	1666	1667	1667	1667	1667	1668	1668	1668	1669	1669
33.8	1669	1670	1670	1670	1671	1671	1671	1672	1672	1672
33.9	1673	1673	1673	1674	1674	1674	1675	1675	1675	1676
34.0	1676	1676	1677	1677	1677	1677	1678	1678	1678	1679
34.1	1679	1679	1680	1680	1680	1681	1681	1681	1682	1682*
34.2	1682	1683	1683	1683	1684	1684	1684	1684	1685	1685
34.3	1685	1686	1686	1686	1687	1687	1687	1687	1688	1688
34.4	1688	1689	1689	1689	1690	1690	1690	1690	1691	1691
34.5	1691	1692	1692	1692	1693	1693	1693	1694	1694	1694
34.6	1694	1695	1695	1695	1696	1696	1696	1697	1697	1697
34.7	1697	1698	1698	1698	1699	1699	1699	1700	1700	1700
34.8	1700	1701	1701	1701	1702	1702	1702	1703	1703	1703
34.9	1703	1704	1704	1704	1705	1705	1705	1706	1706	1706
35.0	1706	1707	1707	1707	1708	1708	1708	1709	1709	1709
35.1	1709	1710	1710	1710	1711	1711	1711	1712	1712	1712
35.2	1712	1713	1713	1713	1714	1714	1714	1715	1715	1715
35.3	1715	1716	1716	1716	1717	1717	1717	1718	1718	1718
35.4	1718	1719	1719	1719	1720	1720	1720	1721	1721	1721
35.5	1721	1722	1722	1722	1723	1723	1723	1724	1724	1724
35.6	1724	1725	1725	1725	1726	1726	1726	1727	1727	1727
35.7	1727	1728	1728	1728	1729	1729	1729	1730	1730	1730
35.8	1730	1731	1731	1731	1732	1732	1732	1732	1733	1733
35.9	1733	1734	1734	1734	1735	1735	1735	1735	1736	1736
36.0	1736	1737	1737	1737	1738	1738	1738	1738	1739	1739
36.1	1739	1740	1740	1740	1741	1741	1741	1741	1742	1742*
36.2	1742	1743	1743	1743	1744	1744	1744	1744	1745	1745
36.3	1745	1746	1746	1746	1747	1747	1747	1748	1748	1748
36.4	1748	1749	1749	1749	1750	1750	1750	1751	1751	1751
36.5	1752	1752	1752	1752	1753	1753	1753	1754	1754	1754
36.6	1755	1755	1755	1756	1756	1756	1756	1757	1757	1757
36.7	1758	1758	1758	1759	1759	1759	1760	1760	1760	1760

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
36.8	1761	1761	1761	1762	1762	1762	1763	1763	1763	1763
36.9	1764	1764	1764	1765	1765	1765	1766	1766	1766	1767
37.0	1767	1767	1767	1768	1768	1768	1769	1769	1769	1770
37.1	1770	1770	1771	1771	1771	1771	1772	1772	1772	1773
37.2	1773	1773	1774	1774	1774	1774	1775	1775	1775	1776
37.3	1776	1776	1777	1777	1777	1778	1778	1778	1778	1779
37.4	1779	1779	1780	1780	1780	1781	1781	1781	1781	1782
37.5	1782	1782	1783	1783	1783	1784	1784	1784	1785	1785
37.6	1785	1785	1786	1786	1786	1787	1787	1787	1788	1788
37.7	1788	1788	1789	1789	1789	1790	1790	1790	1791	1791
37.8	1791	1792	1792	1792	1792	1793	1793	1793	1794	1794
37.9	1794	1795	1795	1795	1795	1796	1796	1796	1797	1797
38.0	1797	1798	1798	1798	1798	1799	1799	1799	1800	1800
38.1	1800	1801	1801	1801	1801	1802	1802	1802	1803	1803*
38.2	1803	1804	1804	1804	1804	1805	1805	1805	1806	1806
38.3	1806	1806	1807	1807	1807	1808	1808	1808	1808	1809
38.4	1809	1809	1810	1810	1810	1810	1811	1811	1811	1812
38.5	1812	1812	1812	1813	1813	1813	1814	1814	1814	1814
38.6	1815	1815	1815	1816	1816	1816	1816	1817	1817	1817
38.7	1818	1818	1818	1818	1819	1819	1819	1820	1820	1820
38.8	1820	1821	1821	1821	1822	1822	1822	1822	1823	1823
38.9	1823	1824	1824	1824	1824	1825	1825	1825	1826	1826
39.0	1826	1826	1827	1827	1827	1828	1828	1828	1828	1829
39.1	1829	1829	1830	1830	1830	1830	1831	1831	1831	1832
39.2	1832	1832	1832	1833	1833	1833	1834	1834	1834	1834
39.3	1835	1835	1835	1836	1836	1836	1836	1837	1837	1837
39.4	1838	1838	1838	1838	1839	1839	1839	1840	1840	1840
39.5	1840	1841	1841	1841	1841	1842	1842	1842	1843	1843
39.6	1843	1843	1844	1844	1844	1845	1845	1845	1845	1846
39.7	1846	1846	1847	1847	1847	1847	1848	1848*	1849	1850
39.8	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860
39.9	1861	1862	1863	1864	1865	1866	1866	1867	1868	1869
40.0	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879
40.1	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889*
40.2	1891	1893	1894	1896	1898	1900	1901	1903	1905	1907
40.3	1909	1910	1912	1914	1916	1917	1919	1921	1923	1925
40.4	1926	1928	1930	1932	1934	1935	1937	1939	1941	1943
40.5	1944	1946	1948	1950	1952	1954	1955	1957	1959	1961
40.6	1963	1964	1966	1968	1970	1972	1974	1975	1977	1979
40.7	1981	1983	1985	1986	1988	1990	1992	1994	1996	1997
40.8	1999	2001	2003	2005	2007	2008	2010	2012	2014	2016
40.9	2018	2020	2021	2023	2025	2027	2029	2031	2033	2035
41.0	2036	2038	2040	2042	2044	2046	2048	2050	2051	2053
41.1	2055	2057	2059	2061	2063	2065	2066	2068	2070	2072
41.2	2074	2076	2078	2080	2082	2084	2085	2087	2089	2091
41.3	2093	2095	2097	2099	2101	2103	2105	2106	2108	2110

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
41.4	2112	2114	2116	2118	2120	2122	2124	2126	2128	2130
41.5	2131	2133	2135	2137	2139	2141	2143	2145	2147	2149
41.6	2151	2153	2155	2157	2159	2161	2163	2165	2166	2168
41.7	2170	2172	2174	2176	2178	2180	2182	2184	2186	2188
41.8	2190	2192	2194	2196	2198	2200	2202	2204	2206	2208
41.9	2210	2212	2214	2216	2218	2220	2222	2224	2226	2228
42.0	2230	2232	2234	2236	2238	2240	2242	2244	2246	2248
42.1	2250	2252	2254	2256	2258	2260	2262	2264	2266	2268*
42.2	2271	2274	2276	2279	2282	2285	2288	2291	2293	2296
42.3	2299	2302	2305	2308	2310	2313	2316	2319	2322	2325
42.4	2328	2330	2333	2336	2339	2342	2345	2348	2351	2354
42.5	2356	2359	2362	2365	2368	2371	2374	2377	2380	2383
42.6	2386	2388	2391	2394	2397	2400	2403	2406	2409	2412
42.7	2415	2418	2421	2424	2427	2430	2433	2436	2439	2442
42.8	2445	2448	2451	2454	2457	2460	2463	2466	2469	2472
42.9	2475	2478	2481	2484	2487	2490	2493	2496	2499	2502
43.0	2505	2508	2511	2514	2517	2520	2523	2526	2529	2532
43.1	2536	2539	2542	2545	2548	2551	2554	2557	2560	2563
43.2	2566	2570	2573	2576	2579	2582	2585	2588	2591	2594
43.3	2598	2601	2604	2607	2610	2613	2616	2620	2623	2626
43.4	2629	2632	2635	2639	2642	2645	2648	2651	2655	2658
43.5	2661	2664	2667	2671	2674	2677	2680	2683	2687	2690
43.6	2693	2696	2700	2703	2706	2709	2712	2716	2719	2722
43.7	2725	2729	2732	2735	2739	2742	2745	2748	2752	2755
43.8	2758	2762	2765	2768	2771	2775	2778	2781	2785	2788
43.9	2791	2795	2798	2801	2805	2808	2811	2815	2818	2821
44.0	2825	2828	2831	2835	2838	2841	2845	2848	2852	2855
44.1	2858	2862	2865	2869	2872	2875	2879	2882	2886	2889*
44.2	2893	2896	2900	2904	2907	2911	2915	2918	2922	2926
44.3	2929	2933	2937	2940	2944	2948	2951	2955	2959	2963
44.4	2966	2970	2974	2978	2981	2985	2989	2992	2996	3000
44.5	3004	3008	3011	3015	3019	3023	3026	3030	3034	3038
44.6	3042	3045	3049	3053	3057	3061	3064	3068	3072	3076
44.7	3080	3084	3087	3091	3095	3099	3103	3107	3111	3114
44.8	3118	3122	3126	3130	3134	3138	3142	3146	3149	3153
44.9	3157	3161	3165	3169	3173	3177	3181	3185	3189	3193
45.0	3197	3201	3205	3209	3213	3216	3220	3224	3228	3232
45.1	3236	3240	3244	3248	3252	3256	3261	3265	3269	3273
45.2	3277	3281	3285	3289	3293	3297	3301	3305	3309	3313
45.3	3317	3321	3325	3329	3334	3338	3342	3346	3350	3354
45.4	3358	3362	3366	3371	3375	3379	3383	3387	3391	3395
45.5	3400	3404	3408	3412	3416	3421	3425	3429	3433	3437
45.6	3441	3446	3450	3454	3458	3463	3467	3471	3475	3479
45.7	3484	3488	3492	3496	3501	3505	3509	3514	3518	3522
45.8	3526	3531	3535	3539	3544	3548	3552	3557	3561	3565
45.9	3570	3574	3578	3583	3587	3591	3596	3600	3604	3609

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
46.0	3613	3617	3622	3626	3631	3635	3639	3644	3648	3653
46.1	3657	3661	3666	3670	3675	3679	3684	3688	3693	3697*
46.2	3701	3706	3710	3714	3719	3723	3728	3732	3736	3741
46.3	3745	3749	3754	3758	3763	3767	3771	3776	3780	3785
46.4	3789	3794	3798	3802	3807	3811	3816	3820	3825	3829
46.5	3834	3838	3843	3847	3852	3856	3861	3865	3870	3874
46.6	3879	3883	3888	3892	3897	3901	3906	3910	3915	3919
46.7	3924	3929	3933	3938	3942	3947	3951	3956	3961	3965
46.8	3970	3974	3979	3984	3988	3993	3997	4002	4007	4011
46.9	4016	4021	4025	4030	4035	4039	4044	4049	4053	4058
47.0	4063	4067	4072	4077	4081	4086	4091	4096	4100	4105
47.1	4110	4115	4119	4124	4129	4134	4138	4143	4148	4153
47.2	4157	4162	4167	4172	4177	4181	4186	4191	4196	4201
47.3	4205	4210	4215	4220	4225	4230	4234	4239	4244	4249
47.4	4254	4259	4264	4268	4273	4278	4283	4288	4293	4298
47.5	4303	4308	4313	4318	4322	4327	4332	4337	4342	4347
47.6	4352	4357	4362	4367	4372	4377	4382	4387	4392	4397
47.7	4402	4407	4412	4417	4422	4427	4432	4437	4442	4447
47.8	4452	4457	4462	4467	4473	4478	4483	4488	4493	4498
47.9	4503	4508	4513	4518	4524	4529	4534	4539	4544	4549
48.0	4554	4559	4565	4570	4575	4580	4585	4590	4596	4601
48.1	4606	4611	4616	4622	4627	4632	4637	4643	4648	4653*
48.2	4658	4663	4668	4673	4678	4683	4688	4693	4698	4703
48.3	4709	4714	4719	4724	4729	4734	4739	4744	4749	4754
48.4	4759	4765	4770	4775	4780	4785	4790	4795	4800	4806
48.5	4811	4816	4821	4826	4831	4837	4842	4847	4852	4857
48.6	4863	4868	4873	4878	4883	4889	4894	4899	4904	4910
48.7	4915	4920	4925	4931	4936	4941	4946	4952	4957	4962
48.8	4968	4973	4978	4984	4989	4994	4999	5005	5010	5015
48.9	5021	5026	5031	5037	5042	5048	5053	5058	5064	5069
49.0	5074	5080	5085	5091	5096	5101	5107	5112	5118	5123
49.1	5129	5134	5139	5145	5150	5156	5161	5167	5172	5178
49.2	5183	5189	5194	5200	5205	5211	5216	5222	5227	5233
49.3	5238	5244	5249	5255	5260	5266	5271	5277	5282	5288
49.4	5294	5299	5305	5310	5316	5322	5327	5333	5338	5344
49.5	5350	5355	5361	5366	5372	5378	5383	5389	5395	5400
49.6	5406	5412	5417	5423	5429	5434	5440	5446	5452	5457
49.7	5463	5469	5474	5480	5486	5492	5497	5503	5509	5515
49.8	5520	5526	5532	5538	5544	5549	5555	5561	5567	5572
49.9	5578	5584	5590	5596	5602	5607	5613	5619	5625	5631
50.0	5637	5643	5648	5654	5660	5666	5672	5678	5684	5690
50.1	5696	5701	5707	5713	5719	5725	5731	5737	5743	5749*
50.2	5755	5760	5766	5772	5778	5783	5789	5795	5801	5806
50.3	5812	5818	5824	5829	5835	5841	5847	5852	5858	5864
50.4	5870	5876	5881	5887	5893	5899	5905	5911	5916	5922
50.5	5928	5934	5940	5946	5951	5957	5963	5969	5975	5981

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
50.6	5987	5993	5999	6004	6010	6016	6022	6028	6034	6040
50.7	6046	6052	6058	6064	6070	6076	6082	6088	6094	6100
50.8	6105	6111	6117	6123	6129	6135	6141	6147	6154	6160
50.9	6166	6172	6178	6184	6190	6196	6202	6208	6214	6220
51.0	6226	6232	6238	6244	6250	6257	6263	6269	6275	6281
51.1	6287	6293	6299	6306	6312	6318	6324	6330	6336	6343
51.2	6349	6355	6361	6367	6373	6380	6386	6392	6398	6404
51.3	6411	6417	6423	6429	6436	6442	6448	6454	6461	6467
51.4	6473	6479	6486	6492	6498	6505	6511	6517	6523	6530
51.5	6536	6542	6549	6555	6561	6568	6574	6580	6587	6593
51.6	6600	6606	6612	6619	6625	6631	6638	6644	6651	6657
51.7	6663	6670	6676	6683	6689	6696	6702	6709	6715	6721
51.8	6728	6734	6741	6747	6754	6760	6767	6773	6780	6786
51.9	6793	6799	6806	6812	6819	6826	6832	6839	6845	6852
52.0	6858	6865	6871	6878	6885	6891	6898	6904	6911	6918
52.1	6924	6931	6937	6944	6951	6957	6964	6971	6977	6984*
52.2	6990	6997	7003	7010	7016	7023	7029	7036	7042	7049
52.3	7055	7062	7068	7075	7081	7088	7095	7101	7108	7114
52.4	7121	7127	7134	7140	7147	7154	7160	7167	7173	7180
52.5	7187	7193	7200	7207	7213	7220	7226	7233	7240	7246
52.6	7253	7260	7266	7273	7280	7286	7293	7300	7306	7313
52.7	7320	7327	7333	7340	7347	7353	7360	7367	7374	7380
52.8	7387	7394	7401	7407	7414	7421	7428	7435	7441	7448
52.9	7455	7462	7469	7475	7482	7489	7496	7503	7510	7516
53.0	7523	7530	7537	7544	7551	7558	7565	7571	7578	7585
53.1	7592	7599	7606	7613	7620	7627	7634	7641	7648	7654
53.2	7661	7668	7675	7682	7689	7696	7703	7710	7717	7724
53.3	7731	7738	7745	7752	7759	7766	7773	7780	7787	7794
53.4	7802	7809	7816	7823	7830	7837	7844	7851	7858	7865
53.5	7872	7879	7887	7894	7901	7908	7915	7922	7929	7937
53.6	7944	7951	7958	7965	7972	7980	7987	7994	8001	8008
53.7	8016	8023	8030	8037	8044	8052	8059	8066	8073	8081
53.8	8088	8095	8102	8110	8117	8124	8132	8139	8146	8153
53.9	8161	8168	8175	8183	8190	8197	8205	8212	8219	8227
54.0	8234	8241	8249	8256	8264	8271	8278	8286	8293	8301
54.1	8308	8315	8323	8330	8338	8345	8353	8360	8368	8375*
54.2	8382	8389	8396	8404	8411	8418	8425	8432	8439	8446
54.3	8454	8461	8468	8475	8482	8490	8497	8504	8511	8518
54.4	8526	8533	8540	8547	8555	8562	8569	8576	8584	8591
54.5	8598	8605	8613	8620	8627	8635	8642	8649	8657	8664
54.6	8671	8678	8686	8693	8700	8708	8715	8723	8730	8737
54.7	8745	8752	8759	8767	8774	8782	8789	8796	8804	8811
54.8	8819	8826	8833	8841	8848	8856	8863	8871	8878	8886
54.9	8893	8900	8908	8915	8923	8930	8938	8945	8953	8960
55.0	8968	8975	8983	8990	8998	9006	9013	9021	9028	9036
55.1	9043	9051	9058	9066	9074	9081	9089	9096	9104	9112

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
55.2	9119	9127	9134	9142	9150	9157	9165	9173	9180	9188
55.3	9196	9203	9211	9219	9226	9234	9242	9249	9257	9265
55.4	9273	9280	9288	9296	9303	9311	9319	9327	9334	9342
55.5	9350	9358	9365	9373	9381	9389	9397	9404	9412	9420
55.6	9428	9436	9444	9451	9459	9467	9475	9483	9491	9498
55.7	9506	9514	9522	9530	9538	9546	9554	9561	9569	9577
55.8	9585	9593	9601	9609	9617	9625	9633	9641	9649	9657
55.9	9665	9673	9681	9689	9697	9705	9713	9721	9729	9737
56.0	9745	9753	9761	9769	9777	9785	9793	9801	9809	9817
56.1	9825	9833	9841	9849	9857	9866	9874	9882	9890	9898*
56.2	9906	9914	9921	9929	9937	9945	9953	9960	9968	9976
56.3	9984	9992	10000	10008	10015	10023	10031	10039	10047	10055
56.4	10063	10071	10078	10086	10094	10102	10110	10118	10126	10134
56.5	10142	10150	10158	10166	10174	10182	10190	10198	10205	10213
56.6	10221	10229	10237	10245	10253	10261	10269	10277	10286	10294
56.7	10302	10310	10318	10326	10334	10342	10350	10358	10366	10374
56.8	10382	10390	10398	10406	10415	10423	10431	10439	10447	10455
56.9	10463	10471	10480	10488	10496	10504	10512	10520	10529	10537
57.0	10545	10553	10561	10569	10578	10586	10594	10602	10610	10619
57.1	10627	10635	10643	10652	10660	10668	10676	10685	10693	10701
57.2	10710	10718	10726	10734	10743	10751	10759	10768	10776	10784
57.3	10793	10801	10809	10818	10826	10834	10843	10851	10859	10868
57.4	10876	10885	10893	10901	10910	10918	10927	10935	10943	10952
57.5	10960	10969	10977	10986	10994	11002	11011	11019	11028	11036
57.6	11045	11053	11062	11070	11079	11087	11096	11104	11113	11121
57.7	11130	11138	11147	11155	11164	11173	11181	11190	11198	11207
57.8	11215	11224	11233	11241	11250	11258	11267	11276	11284	11293
57.9	11301	11310	11319	11327	11336	11345	11353	11362	11371	11379
58.0	11388	11397	11405	11414	11423	11432	11440	11449	11458	11466
58.1	11475	11484	11493	11501	11510	11519	11528	11536	11545	11554*
58.2	11562	11571	11579	11588	11596	11605	11614	11622	11631	11639
58.3	11648	11656	11665	11673	11682	11690	11699	11708	11716	11725
58.4	11733	11742	11750	11759	11768	11776	11785	11793	11802	11811
58.5	11819	11828	11837	11845	11854	11863	11871	11880	11889	11897
58.6	11906	11915	11923	11932	11941	11949	11958	11967	11976	11984
58.7	11993	12002	12010	12019	12028	12037	12045	12054	12063	12072
58.8	12081	12089	12098	12107	12116	12125	12133	12142	12151	12160
58.9	12169	12177	12186	12195	12204	12213	12222	12231	12239	12248
59.0	12257	12266	12275	12284	12293	12302	12310	12319	12328	12337
59.1	12346	12355	12364	12373	12382	12391	12400	12409	12418	12427
59.2	12436	12445	12454	12463	12472	12481	12490	12499	12508	12517
59.3	12526	12535	12544	12553	12562	12571	12580	12589	12598	12607
59.4	12616	12625	12634	12643	12653	12662	12671	12680	12689	12698
59.5	12707	12716	12725	12735	12744	12753	12762	12771	12780	12790
59.6	12799	12808	12817	12826	12835	12845	12854	12863	12872	12882
59.7	12891	12900	12909	12918	12928	12937	12946	12955	12965	12974

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
59.8	12983	12993	13002	13011	13020	13030	13039	13048	13058	13067
59.9	13076	13086	13095	13104	13114	13123	13132	13142	13151	13160
60.0	13170	13179	13189	13198	13207	13217	13226	13236	13245	13254
60.1	13264	13273	13283	13292	13302	13311	13321	13330	13340	13349*
60.2	13358	13368	13377	13386	13395	13405	13414	13423	13432	13442
60.3	13451	13460	13470	13479	13488	13498	13507	13516	13526	13535
60.4	13544	13554	13563	13572	13582	13591	13600	13610	13619	13629
60.5	13638	13647	13657	13666	13676	13685	13694	13704	13713	13723
60.6	13732	13742	13751	13761	13770	13780	13789	13798	13808	13817
60.7	13827	13836	13846	13855	13865	13874	13884	13894	13903	13913
60.8	13922	13932	13941	13951	13960	13970	13980	13989	13999	14008
60.9	14018	14027	14037	14047	14056	14066	14076	14085	14095	14104
61.0	14114	14124	14133	14143	14153	14162	14172	14182	14191	14201
61.1	14211	14220	14230	14240	14250	14259	14269	14279	14289	14298
61.2	14308	14318	14328	14337	14347	14357	14367	14376	14386	14396
61.3	14406	14416	14425	14435	14445	14455	14465	14474	14484	14494
61.4	14504	14514	14524	14534	14543	14553	14563	14573	14583	14593
61.5	14603	14613	14623	14632	14642	14652	14662	14672	14682	14692
61.6	14702	14712	14722	14732	14742	14752	14762	14772	14782	14792
61.7	14802	14812	14822	14832	14842	14852	14862	14872	14882	14892
61.8	14902	14912	14922	14932	14942	14952	14962	14972	14983	14993
61.9	15003	15013	15023	15033	15043	15053	15064	15074	15084	15094
62.0	15104	15114	15124	15135	15145	15155	15165	15175	15186	15196
62.1	15206	15216	15226	15237	15247	15257	15267	15277	15288	15298*
62.2	15308	15318	15328	15338	15348	15358	15368	15378	15388	15397
62.3	15407	15417	15427	15437	15447	15457	15467	15477	15487	15497
62.4	15507	15518	15528	15538	15548	15558	15568	15578	15588	15598
62.5	15608	15618	15628	15638	15648	15658	15669	15679	15689	15699
62.6	15709	15719	15729	15739	15750	15760	15770	15780	15790	15800
62.7	15811	15821	15831	15841	15851	15861	15872	15882	15892	15902
62.8	15912	15923	15933	15943	15953	15964	15974	15984	15994	16005
62.9	16015	16025	16036	16046	16056	16066	16077	16087	16097	16108
63.0	16118	16128	16139	16149	16159	16170	16180	16190	16201	16211
63.1	16221	16232	16242	16253	16263	16273	16284	16294	16305	16315
63.2	16325	16336	16346	16357	16367	16378	16388	16398	16409	16419
63.3	16430	16440	16451	16461	16472	16482	16493	16503	16514	16524
63.4	16535	16545	16556	16566	16577	16588	16598	16609	16619	16630
63.5	16640	16651	16661	16672	16683	16693	16704	16714	16725	16736
63.6	16746	16757	16768	16778	16789	16800	16810	16821	16831	16842
63.7	16853	16863	16874	16885	16896	16906	16917	16928	16938	16949
63.8	16960	16971	16981	16992	17003	17014	17024	17035	17046	17057
63.9	17067	17078	17089	17100	17110	17121	17132	17143	17154	17165
64.0	17175	17186	17197	17208	17219	17230	17240	17251	17262	17273
64.1	17284	17295	17306	17317	17327	17338	17349	17360	17371	17382*
64.2	17392	17403	17413	17424	17434	17445	17455	17465	17476	17486
64.3	17497	17507	17518	17528	17539	17549	17560	17570	17581	17591

Adobe Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
64.4	17602	17612	17623	17633	17644	17654	17665	17675	17686	17696
64.5	17707	17717	17728	17739	17749	17760	17770	17781	17791	17802
64.6	17813	17823	17834	17844	17855	17866	17876	17887	17898	17908
64.7	17919	17930	17940	17951	17962	17972	17983	17994	18004	18015
64.8	18026	18036	18047	18058	18068	18079	18090	18101	18111	18122
64.9	18133	18143	18154	18165	18176	18186	18197	18208	18219	18230
65.0	18240	18251	18262	18273	18284	18294	18305	18316		
	Rating #5 - NS Table #869									
	Applied as of 10/01/2018									
	Updated: 03/19/2019									