

Sunridge Canyon Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	0	0	0	0	0	0	0
0.1	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0
0.3	0	0	0	0	0	0	0	0	0	0
0.4	0	0	0	0	0	0	0	0	0	0
0.5	0	0	0	0	0	0	0	0	0	0
0.6	0	0	0	0	0	0	0	0	0	0
0.7	0	0	0	0	0	0	0	0	0	0
0.8	0	0	0	0	0	0	0	0	0	0
0.9	0	0	0	0	0	0	0	0	0	0
1.0	0	0	0	0	0	0	0	0	0	0
1.1	0	0	0	0	0	0	0	0	0	0
1.2	0	0	0	0	0	0	0	0	0	0
1.3	0	0	0	0	0	0	0*	18*	21	23
1.4	24	25	26	27	28	29	29	30	30	31
1.5	31	32	32	33	33	34	34	34	35	35
1.6	35	36	36	36	36	37	37	37	37	38
1.7	38	38	38	39	39	39	39	39	40	40
1.8	40	40	40	41	41	41	41	41	41	42
1.9	42	42	42	42	42	43	43	43	43	43
2.0	43	43	44	44	44	44	44	44	44	45
2.1	45	45	45	45	45	45	45	46	46	46
2.2	46	46	46	46	46	46	47	47	47	47
2.3	47	47	47	47	47	48	48	48	48	48
2.4	48	48	48	48	48	48	49	49	49	49
2.5	49	49	49	49	49	49	49	50	50	50
2.6	50	50	50	50	50	50	50	50	50	51
2.7	51	51	51	51	51	51	51	51	51	51
2.8	51	51	52	52	52	52	52	52	52	52
2.9	52	52	52	52	52	53	53	53	53	53
3.0	53	53	53	53	53	53	53	53	53	53
3.1	54	54	54	54	54	54	54	54	54	54
3.2	54	54	54	54	54	54	55	55	55	55
3.3	55	55	55	55	55*	55	55	56	56	56
3.4	56	57	57	57	57	58	58	58	58	59
3.5	59	59	59	59	60	60	60	60	61	61
3.6	61	61	62	62	62	62	63	63	63	63
3.7	63	64	64	64	64	65	65	65	65	66
3.8	66	66	66	66	67	67	67	67	68	68
3.9	68	68	69	69	69	69	69	70	70	70
4.0	70	71	71	71	71	72	72	72	72	72
4.1	73	73	73	73	74	74	74	74	74	75
4.2	75	75	75	76	76	76	76	76	77	77
4.3	77	77	78	78	78	78	79	79	79	79
4.4	79	80	80	80	80	81	81	81	81	81
4.5	82	82	82	82	83	83	83	83	83	84

Sunridge Canyon Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	84	84	84	85	85	85	85	85	86	86
4.7	86	86	87	87	87	87	87	88	88	88
4.8	88	88	89	89	89	89	90	90	90	90
4.9	90	91	91	91	91	92	92	92	92	92
5.0	93	93	93	93	94	94	94	94	94	95
5.1	95	95	95	95	96	96	96	96	97	97
5.2	97	97	97	98	98	98	98	98	99	99
5.3	99	99	100	100	100*	100	100	101	101	101
5.4	101	101	101	102	102	102	102	102	103	103
5.5	103	103	103	103	104	104	104	104	104	105
5.6	105	105	105	105	106	106	106	106	106	106
5.7	107	107	107	107	107	107	108	108	108	108
5.8	108	109	109	109	109	109	109	110	110	110
5.9	110	110	111	111	111	111	111	111	112	112
6.0	112	112	112	113	113	113	113	113	113	114
6.1	114	114	114	114	114	115	115	115	115	115
6.2	116	116	116	116	116	116	117	117	117	117
6.3	117	117	118	118	118	118	118	118	119	119
6.4	119	119	119	120	120	120	120	120	120	121
6.5	121	121	121	121	121	122	122	122	122	122
6.6	122	123	123	123	123	123	124	124	124	124
6.7	124	124	125	125	125	125	125	125	126	126
6.8	126	126	126	126	127	127	127	127	127	127
6.9	128	128	128	128	128	128	129	129	129	129
7.0	129	129	130	130	130	130	130	130	131	131
7.1	131	131	131	131	132	132	132	132	132	132
7.2	133	133	133	133	133	133	134	134	134	134
7.3	134	135	135	135	135*	135	135	135	136	136
7.4	136	136	136	136	136	137	137	137	137	137
7.5	137	137	138	138	138	138	138	138	139	139
7.6	139	139	139	139	139	140	140	140	140	140
7.7	140	140	141	141	141	141	141	141	141	142
7.8	142	142	142	142	142	142	143	143	143	143
7.9	143	143	143	144	144	144	144	144	144	144
8.0	145	145	145	145	145	145	145	146	146	146
8.1	146	146	146	146	147	147	147	147	147	147
8.2	147	148	148	148	148	148	148	148	149	149
8.3	149	149	149	149	149	149	150	150	150	150
8.4	150	150	150	151	151	151	151	151	151	151
8.5	152	152	152	152	152	152	152	153	153	153
8.6	153	153	153	153	154	154	154	154	154	154
8.7	154	154	155	155	155	155	155	155	155	156
8.8	156	156	156	156	156	156	157	157	157	157
8.9	157	157	157	157	158	158	158	158	158	158
9.0	158	159	159	159	159	159	159	159	160	160
9.1	160	160	160	160	160	160	161	161	161	161

Sunridge Canyon Dam

Discharge Rating Table - table values in CFS

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	161	161	161	162	162	162	162	162	162	162
9.3	162	163	163	163	163*	163	163	163	163	164
9.4	164	164	164	164	164	164	164	164	165	165
9.5	165	165	165	165	165	165	166	166	166	166
9.6	166	166	166	166	166	167	167	167	167	167
9.7	167	167	167	167	168	168	168	168	168	168
9.8	168	168	168	169	169	169	169	169	169	169
9.9	169	169	170	170	170	170	170	170	170	170
10.0	170	171	171	171	171	171	171	171	171	172
10.1	172	172	172	172	172	172	172	172	173	173
10.2	173	173	173	173	173	173	173	173	174	174
10.3	174	174	174	174	174	174	174	175	175	175
10.4	175	175	175	175	175	175	176	176	176	176
10.5	176	176	176	176	176	177	177	177	177	177
10.6	177	177	177	177	178	178	178	178	178	178
10.7	178	178	178	179	179	179	179	179	179	179
10.8	179	179	179	180	180	180	180	180	180	180
10.9	180	180	181	181	181	181	181	181	181	181
11.0	181	182	182	182	182	182	182	182	182	182
11.1	182	183	183	183	183	183	183	183	183	183
11.2	184	184	184	184	184	184	184	184	184	184
11.3	185	185	185	185	185*	185	185	185	185	186
11.4	186	186	186	186	186	186	186	186	186	187
11.5	187	187	187	187	187	187	187	187	187	188
11.6	188	188	188	188	188	188	188	188	189	189
11.7	189	189	189	189	189	189	189	189	190	190
11.8	190	190	190	190	190	190	190	190	191	191
11.9	191	191	191	191	191	191	191	191	192	192
12.0	192	192	192	192	192	192	192	192	193	193
12.1	193	193	193	193	193	193	193	193	194	194
12.2	194	194	194	194	194	194	194	194	195	195
12.3	195	195	195	195	195	195	195	195	196	196
12.4	196	196	196	196	196	196	196	196	197	197
12.5	197	197	197	197	197	197	197	197	198	198
12.6	198	198	198	198	198	198	198	198	199	199
12.7	199	199	199	199	199	199	199	199	200	200
12.8	200	200	200	200	200	200	200	200	201	201
12.9	201	201	201	201	201	201	201	201	202	202
13.0	202	202	202	202	202	202	202	202	202	203
13.1	203	203	203	203	203	203	203	203	203	204
13.2	204	204	204	204	204	204	204	204	204	205
13.3	205	205	205	205	205*	205	205	205	205	205
13.4	206	206	206	206	206	206	206	206	206	206
13.5	206	207	207	207	207	207	207	207	207	207
13.6	207	208	208	208	208	208	208	208	208	208
13.7	208	208	209	209	209	209	209	209	209	209

Sunridge Canyon Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	209	209	209	210	210	210	210	210	210	210
13.9	210	210	210	210	211	211	211	211	211	211
14.0	211	211	211	211	211	212	212	212	212	212
14.1	212	212	212	212	212	212	213	213	213	213
14.2	213	213	213	213	213	213	213	214	214	214
14.3	214	214	214	214	214	214	214	214	215	215
14.4	215	215	215	215	215	215	215	215	215	216
14.5	216	216	216	216	216	216	216	216	216	216
14.6	216	217	217	217	217	217	217	217	217	217
14.7	217	217	218	218	218	218	218	218	218	218
14.8	218	218	218	219	219	219	219	219	219	219
14.9	219	219	219	219	219	220	220	220	220	220
15.0	220	220	220	220	220	220	221	221	221	221
15.1	221	221	221	221	221	221	221	222	222	222
15.2	222	222	222	222	222	222	222	222	222	223
15.3	223	223	223	223	223*	223	223	223	223	223
15.4	224	224	224	224	224	224	224	224	224	224
15.5	224	225	225	225	225	225	225	225	225	225
15.6	225	225	226	226	226	226	226	226	226	226
15.7	226	226	226	227	227	227	227	227	227	227
15.8	227	227	227	228	228	228	228	228	228	228
15.9	228	228	228	228	229	229	229	229	229	229
16.0	229	229	229	229	229	230	230	230	230	230
16.1	230	230	230	230	230	230	231	231	231	231
16.2	231	231	231	231	231	231	231	231	232	232
16.3	232	232	232	232	232	232	232	232	232	233
16.4	233	233	233	233	233	233	233	233	233	233
16.5	234	234	234	234	234	234	234	234	234	234
16.6	234	235	235	235	235	235	235	235	235	235
16.7	235	235	236	236	236	236	236	236	236	236
16.8	236	236	236	237	237	237	237	237	237	237
16.9	237	237	237	237	237	238	238	238	238	238
17.0	238	238	238	238	238	238	239	239	239	239
17.1	239	239	239	239	239	239	239	240	240	240
17.2	240	240	240	240	240	240	240	240	240	241
17.3	241	241	241	241	241*	241	241	241	241	241
17.4	241	242	242	242	242	242	242	242	242	242
17.5	242	242	242	243	243	243	243	243	243	243
17.6	243	243	243	243	243	244	244	244	244	244
17.7	244	244	244	244	244	244	244	245	245	245
17.8	245	245	245	245	245	245	245	245	245	245
17.9	246	246	246	246</						

Sunridge Canyon Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.4	250	250	250	250	250	250	250	250	250	250
18.5	250	250	251	251	251	251	251	251	251	251
18.6	251	251	251	251	251	252	252	252	252	252
18.7	252	252	252	252	252	252	252	253	253	253
18.8	253	253	253	253	253	253	253	253	253	253
18.9	254	254	254	254	254	254	254	254	254	254
19.0	254	254	254	255	255	255	255	255	255	255
19.1	255	255	255	255	255	256	256	256	256	256
19.2	256	256	256	256	256	256	256	256	257	257
19.3	257	257	257	257	257*	257	257	257	257	257
19.4	257	258	258	258	258	258	258	258	258	258
19.5	258	258	258	258	259	259	259	259	259	259
19.6	259	259	259	259	259	259	259	260	260	260
19.7	260	260	260	260	260	260	260	260	260	260
19.8	261	261	261	261	261	261	261	261	261	261
19.9	261	261	261	262	262	262	262	262	262	262
20.0	262	262	262	262	262	262	262	263	263	263
20.1	263	263	263	263	263	263	263	263	263	263
20.2	264	264	264	264	264	264	264	264	264	264
20.3	264	264	264	265	265	265	265	265	265	265
20.4	265	265	265	265	265	265	265	266	266	266
20.5	266	266	266	266	266	266	266	266	266	266
20.6	267	267	267	267	267	267	267	267	267	267
20.7	267	267	267	268	268	268	268	268	268	268
20.8	268	268	268	268	268	268	268	269	269	269
20.9	269	269	269	269	269	269	269	269	269	269
21.0	270	270	270	270	270	270	270	270	270	270
21.1	270	270	270	270	271	271	271	271	271	271
21.2	271	271	271	271	271	271	271	271	272	272
21.3	272	272	272	272	272*	272	272	272	272	272
21.4	272	272	273	273	273	273	273	273	273	273
21.5	273	273	273	273	273	273	273	274	274	274
21.6	274	274	274	274	274	274	274	274	274	274
21.7	274	274	275	275	275	275	275	275	275	275
21.8	275	275	275	275	275	275	275	276	276	276
21.9	276	276	276	276	276	276	276	276	276	276
22.0	276	276	276	277	277	277	277	277	277	277
22.1	277	277	277	277	277	277	277	277	278	278
22.2	278	278	278	278	278	278	278	278	278	278
22.3	278	278	278	279	279	279	279	279	279	279
22.4	279	279	279	279	279	279	279	279	279	280
22.5	280	280	280	280	280	280	280	280	280	280
22.6	280	280	280	280	281	281	281	281	281	281
22.7	281	281	281	281	281	281	281	281	281	281
22.8	282	282	282	282	282	282	282	282	282	282
22.9	282	282	282	282	282	283	283	283	283	283

Sunridge Canyon Dam								
----------------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
23.0	283	283	283	283	283	283	283	283	283	283
23.1	283	284	284	284	284	284	284	284	284	284
23.2	284	284	284	284	284	284	284	285	285	285
23.3	285	285	285	285	285*	285	285	285	285	285
23.4	285	285	285	286	286	286	286	286	286	286
23.5	286	286	286	286	286	286	286	286	286	286
23.6	286	287	287	287	287	287	287	287	287	287
23.7	287	287	287	287	287	287	287	287	287	288
23.8	288	288	288	288	288	288	288	288	288	288
23.9	288	288	288	288	288	288	288	289	289	289
24.0	289	289	289	289	289	289	289	289	289	289
24.1	289	289	289	289	289	290	290	290	290	290
24.2	290	290	290	290	290	290	290	290	290	290
24.3	290	290	290	291	291	291	291	291	291	291
24.4	291	291	291	291	291	291	291	291	291	291
24.5	291	292	292	292	292	292	292	292	292	292
24.6	292	292	292	292	292	292	292	292	292	292
24.7	293	293	293	293	293	293	293	293	293	293
24.8	293	293	293	293	293	293	293	293	294	294
24.9	294	294	294	294	294	294	294	294	294	294
25.0	294	294	294	294	294	294	294	295	295	295
25.1	295	295	295	295	295	295	295	295	295	295
25.2	295	295	295	295	295	296	296	296	296	296
25.3	296	296	296	296	296*	296	296	296	296	296
25.4	296	296	296	297	297	297	297	297	297	297
25.5	297	297	297	297	297	297	297	297	297	297
25.6	297	298	298	298	298	298	298	298	298	298
25.7	298	298	298	298	298	298	298	298	298	299
25.8	299	299	299	299	299	299	299	299	299	299
25.9	299	299	299	299	299	299	299	300	300	300
26.0	300	300	300	300	300	300	300	300	300	300
26.1	300	300	300	300	300	301	301	301	301	301
26.2	301	301	301	301	301	301	301	301	301	301
26.3	301	301	301	302	302	302	302	302	302	302
26.4	302	302	302	302	302	302	302	302	302	302
26.5	302	302	303	303	303	303	303	303	303	303
26.6	303	303	303	303	303	303	303	303	303	303
26.7	304	304	304	304	304	304	304	304	304	304
26.8	304	304	304	304	304	304	304	304	305	305
26.9	305	305	305	305	305	305	305	305	305	305
27.0	305	305	305	305	305	305	305	306	306	306
27.1	306	306	306	306	306	306	306	306	306	306
27.2	306	306	306	306	306	307	307	307	307	307
27.3	307	307	307	307	307*	307	307	307	307	307
27.4	307	307	307	308	308	308	308	308	308	308
27.5	308	308	308	308	308	308	308	308	308	308

Discharge Rating Table - table values in CFS

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
27.6	308	309	309	309	309	309	309	309	309	309
27.7	309	309	309	309	309	309	309	309	309	310
27.8	310	310	310	310	310	310	310	310	310	310
27.9	310	310	310	310	310	310	310	311	311	311
28.0	311	311	311	311	311	311	311	311	311	311
28.1	311	311	311	311	311	312	312	312	312	312
28.2	312	312	312	312	312	312	312	312	312	312
28.3	312	312	312	312	313	313	313	313	313	313
28.4	313	313	313	313	313	313	313	313	313	313
28.5	313	313	314	314	314	314	314	314	314	314
28.6	314	314	314	314	314	314	314	314	314	314
28.7	315	315	315	315	315	315	315	315	315	315
28.8	315	315	315	315	315	315	315	315	316	316
28.9	316	316	316	316	316	316	316	316	316	316
29.0	316	316	316	316	316	316	316	317	317	317
29.1	317	317	317	317	317	317	317	317	317	317
29.2	317	317	317	317	317	318	318	318	318	318
29.3	318	318	318	318	318*	318	318	318	318	318
29.4	318	318	318	318	318	318	318	319	319	319
29.5	319	319	319	319	319	319	319	319	319	319
29.6	319	319	319	319	319	319	319	319	319	319
29.7	319	320	320	320	320	320	320	320	320	320
29.8	320	320	320	320	320	320	320	320	320	320
29.9	320	320	320	320	320	320	321	321	321	321
30.0	321	321	321	321	321	321	321	321	321	321
30.1	321	321	321	321	321	321	321	321	321	321
30.2	321	322	322	322	322	322	322	322	322	322
30.3	322	322	322	322	322	322	322	322	322	322
30.4	322	322	322	322	322	322	323	323	323	323
30.5	323	323	323	323	323	323	323	323	323	323
30.6	323	323	323	323	323	323	323	323	323	323
30.7	323	324	324	324	324	324	324	324	324	324
30.8	324	324	324	324	324	324	324	324	324	324
30.9	324	324	324	324	324	324	325	325	325	325
31.0	325	325	325	325	325	325	325	325	325	325
31.1	325	325	325	325	325	325	325	325	325	325
31.2	325	325	326	326	326	326	326	326	326	326
31.3	326	326	326	326	326*	326	326	326	326	326
31.4	326	326	326	326	326	326	326	326	327	327
31.5	327	327	327	327	327	327	327	327	327	327
31.6	327	327	327	327	327	327	327	327	327	327
31.7	327	327	327	327	327	327	327	328	328	328
31.8	328	328	328	328	328	328	328	328	328	328
31.9	328	328	328	328	328	328	328	328	328	328
32.0	328	328	328	328	328	329	329	329	329	329
32.1	329	329	329	329	329	329	329	329	329	329

Sunridge Canyon Dam								
----------------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
32.2	329	329	329	329	329	329	329	329	329	329
32.3	329	329	329	330	330	330	330	330	330	330
32.4	330	330	330	330	330	330	330	330	330	330
32.5	330	330	330	330	330	330	330	330	330	330
32.6	330	330	331	331	331	331	331	331	331	331
32.7	331	331	331	331	331	331	331	331	331	331
32.8	331	331	331	331	331	331	331	331	331	331
32.9	331	332	332	332	332	332	332	332	332	332
33.0	332	332	332	332	332	332	332	332	332	332
33.1	332	332	332	332	332	332	332	332	332	332
33.2	333	333	333	333	333	333	333	333	333	333
33.3	333	333	333	333	333*	333	333	333	333	333
33.4	333	333	333	333	333	333	333	334	334	334
33.5	334	334	334	334	334	334	334	334	334	334
33.6	334	334	334	334	334	334	334	334	334	334
33.7	334	335	335	335	335	335	335	335	335	335
33.8	335	335	335	335	335	335	335	335	335	335
33.9	335	335	335	335	335	335	336	336	336	336
34.0	336	336	336	336	336	336	336	336	336	336
34.1	336	336	336	336	336	336	336	336	336	336
34.2	336	337	337	337	337	337	337	337	337	337
34.3	337	337	337	337	337	337	337	337	337	337
34.4	337	337	337	337	337	337	338	338	338	338
34.5	338	338	338	338	338	338	338	338	338	338
34.6	338	338	338	338	338	338	338	338	338	338
34.7	338	339	339	339	339	339	339	339	339	339
34.8	339	339	339	339	339	339	339	339	339	339
34.9	339	339	339	339	339	339	340	340	340	340
35.0	340	340	340	340	340	340	340	340	340	340
35.1	340	340	340	340	340	340	340	340	340	340
35.2	340	340	341	341	341	341	341	341	341	341
35.3	341	341	341	341	341*	341	341	341	341	341
35.4	341	341	341	341	341	341	341	341	341	342
35.5	342	342	342	342	342	342	342	342	342	342
35.6	342	342	342	342	342	342	342	342	342	342
35.7	342	342	342	342	342	342	342	343	343	343
35.8	343	343	343	343	343	343	343	343	343	343
35.9	343	343	343	343	343	343	343	343	343	343
36.0	343	343	343	343	343	344	344	344	344	344
36.1	344	344	344	344	344	344	344	344	344	344
36.2	344	344	344	344	344	344	344	344	344	344
36.3	344	344	344	344	345	345	345	345	345	345
36.4	345	345	345	345	345	345	345	345	345	345
36.5	345	345	345	345	345	345	345	345	345	345
36.6	345	345	346	346	346	346	346	346	346	346
36.7	346	346	346	346	346	346	346	346	346	346

Sunridge Canyon Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
36.8	346	346	346	346	346	346	346	346	346	346
36.9	346	347	347	347	347	347	347	347	347	347
37.0	347	347	347	347	347	347	347	347	347	347
37.1	347	347	347	347	347	347	347	347	347	347
37.2	348	348	348	348	348	348	348	348	348	348
37.3	348	348	348	348	348*	348	348	348	348	348
37.4	348	348	348	348	348	348	348	348	348	349
37.5	349	349	349	349	349	349	349	349	349	349
37.6	349	349	349	349	349	349	349	349	349	349
37.7	349	349	349	349	349	349	349	350	350	350
37.8	350	350	350	350	350	350	350	350	350	350
37.9	350	350	350	350	350	350	350	350	350	350
38.0	350	350	350	350	350	351	351	351	351	351
38.1	351	351	351	351	351	351	351	351	351	351
38.2	351	351	351	351	351	351	351	351	351	351
38.3	351	351	351	351	352	352	352	352	352	352
38.4	352	352	352	352	352	352	352	352	352	352
38.5	352	352	352	352	352	352	352	352	352	352
38.6	352	352	353	353	353	353	353	353	353	353
38.7	353	353	353	353	353	353	353	353	353	353
38.8	353	353	353	353	353	353	353	353	353	353
38.9	353	354	354	354	354	354	354	354	354	354
39.0	354	354	354	354	354	354	354	354	354	354
39.1	354	354	354	354	354	354	354	354	354	354
39.2	355	355	355	355	355	355	355	355	355	355
39.3	355	355	355	355	355*	355	355	355	355	355
39.4	355	355	355	355	355	355	355	355	356	356
39.5	356	356	356	356	356	356	356	356	356	356
39.6	356	356	356	356	356	356	356	356	356	356
39.7	356	356	356	356	357	357	357	357	357	357
39.8	357	357	357	357	357	357	357	357	357	357
39.9	357	357	357	357	357	357	357	357	357	357
40.0	357	358	358	358	358	358	358	358	358	358
40.1	358	358	358	358	358*	358	358	358	358	358
40.2	358	358	358	359	359	359	359	359	359	359
40.3	359	359	359	359	359	359	359	359	359	359
40.4	360	360	360	360	360	360	360	360	360	360
40.5	360	360	360	360	360	360	360	361	361	361
40.6	361	361	361	361	361	361	361	361	361	361
40.7	361	361	361	361	362	362	362	362	362	362
40.8	362	362	362	362	362	362	362	362	362	362
40.9	362	363	363	363	363	363	363	363	363	363
41.0	363	363	363	363	363	363	363	363	363	364
41.1	364	364	364	364	364	364	364	364	364	364
41.2	364	364	364	364	364	364	365	365	365	365
41.3	365	365	365	365	365*	366	367	368	369	370

Sunridge Canyon Dam								
----------------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
41.4	371	372	373	374	375	376	377	378	379	380
41.5	381	382	383	384	385*	387	389	391	393	395
41.6	397	399	401	403	405	408	410	412	414	416
41.7	418	420	423	425	427*	430	433	436	439	443
41.8	446	449	452	456	459	462	465	469	472	476
41.9	479	483	486	489	493*	497	502	506	511	515
42.0	520	524	529	533	538	543	547	552	557	562
42.1	567	572	577	582	587*	592	598	603	609	614
42.2	620	626	631	637	643	649	655	661	667	673
42.3	679	685	691	698	704*	710	717	723	730	736
42.4	743	750	757	764	770	777	784	792	799	806
42.5	813	821	828	835	843*	851	858	866	874	881
42.6	889	897	905	913	921	930	938	946	955	963
42.7	972	981	989	998	1007*	1016	1024	1033	1042	1050
42.8	1059	1068	1077	1087	1096	1105	1114	1124	1133	1143
42.9	1153	1162	1172	1182	1192*	1201	1211	1220	1230	1240
43.0	1249	1259	1269	1279	1289	1299	1310	1320	1330	1341
43.1	1351	1362	1372	1383	1394*	1404	1415	1425	1436	1446
43.2	1457	1468	1479	1490	1501	1512	1523	1534	1545	1557
43.3	1568	1580	1591	1603	1615*	1626	1637	1649	1660	1671
43.4	1683	1694	1706	1718	1730	1741	1753	1765	1778	1790
43.5	1802	1814	1827	1839	1852*	1864	1876	1888	1900	1913
43.6	1925	1937	1950	1962	1975	1988	2001	2014	2026	2040
43.7	2053	2066	2079	2093	2106*	2119	2131	2144	2157	2170
43.8	2183	2196	2210	2223	2236	2250	2263	2277	2290	2304
43.9	2318	2332	2346	2360	2374*	2387	2401	2415	2428	2442
44.0	2456	2470	2484	2498	2512	2526	2541	2555	2570	2584
44.1	2599	2613	2628	2643	2658*	2672	2686	2701	2715	2730
44.2	2744	2759	2774	2788	2803	2818	2833	2848	2863	2879
44.3	2894	2909	2925	2940	2956*	2971	2986	3001	3016	3031
44.4	3047	3062	3078	3093	3109	3124	3140	3156	3172	3188
44.5	3204	3220	3236	3253	3269*	3285	3300	3316	3332	3348
44.6	3364	3380	3396	3412	3429	3445	3462	3478	3495	3511
44.7	3528	3545	3562	3579	3596*	3612	3629	3645	3662	3679
44.8	3695	3712	3729	3746	3763	3780	3797	3814	3832	3849
44.9	3866	3884	3902	3919	3937*	3954	3971	3988	4006	4023
45.0	4040	4058	4076	4093	4111	4129	4147	4164	4182	4201
45.1	4219	4237	4255	4274	4292*	4310	4328	4346	4364	4382
45.2	4400	4418	4436	4454	4473	4491	4510	4529	4547	4566
45.3	4585	4604	4623	4642	4661*					
Rating #1, NS Table #174										
Effective Date: 01/01/1997										
Update: 01/23/2018										