

Golden Eagle Park Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0*	0	0	0	0	0	0	0	0	0
0.1	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0
0.3	0	0	0	0	0	0	0	0	0	0
0.4	0	0	0	0	0	0	0	0	0	0
0.5	0	0	0	0	0	0	0	0	0	0
0.6	0	0	0	0	0	0	0	0	0	0
0.7	0	0	0	0	0	0	0	0	0	0
0.8	0	0	0	0	0	0	0	0	0	0
0.9	0	0	0	0	0	0	0	0	0	0
1.0	0	0	0	0	0	0	0	0	0	0
1.1	0	0	0	0	0	0	0	0	0	0
1.2	0	0	0	0	0	0	0	0	0	0
1.3	0	0	0	0	0	0	0	0	0	0
1.4	0	0	0	0	0	0	0	0	0	0
1.5	0	0	0	0	0	0	0	0	0	0
1.6	0	0	0	0	0	0	0	0	0	0
1.7	0	0	0	0	0	0	0	0	0	0
1.8	0	0	0	0	0	0	0	0	0	0
1.9	0	0	0	0	0	0	0	0	0	0
2.0	0	0	0	0	0	0	0	0	0	0
2.1	0	0	0	0	0	0	0	0	0	0
2.2	0	0	0	0	0	0	0	0	0	0
2.3	0	0	0*	0	0	0	0	0	0	0
2.4	0	0	0	0	0	0	0	0	0	0
2.5	0	0	0	0	0	0	0	0	0	0
2.6	0	0	0	0	0	0	0	0	0	0
2.7	0*	182*	182	183	183	184	184	185	185	186
2.8	186	187	187	188	188	188	189	189	190	190
2.9	191	191	192	192	193	193	193	194	194	195
3.0	195	196	196	197	197	198	198	198	199	199
3.1	200	200	201	201	202	202	202	203	203	204
3.2	204	205	205	206	206	206	207	207	208	208
3.3	209	209	210	210	210	211	211	212	212	213
3.4	213*	214	215	216	217	217	218	219	220	221
3.5	222	223	224	225	226	227	227	228	229	230
3.6	231	232	233	234	235	236	237	238	239	239
3.7	240	241	242	243	244	245	246	247	248	249
3.8	250	251	252	253	254	254	255	256	257	258
3.9	259	260	261	262	263	264	265	266	267	268
4.0	269	270	271	272	273	274	275	276	277	277
4.1	278	279	280	281	282	283	284	285	286	287
4.2	288	289	290	291	292	293	294	295	296	297
4.3	298	299	300	301	302	303	304	305	306	307
4.4	308	309	310	311	312	313	314	315	316	317
4.5	318	319	320	321	322	323	324	325	326	327

Golden Eagle Park Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	328	329	330	331	332	333	334	335	337	338
4.7	339	340	341	342	343	344	345	346	347	348
4.8	349	350	351	352	353	354	355	356	357	358
4.9	359	360	361	363	364	365	366	367	368	369
5.0	370	371	372	373	374	375	376	377	378	379
5.1	381	382	383	384	385	386	387	388	389	390
5.2	391	392	393	395	396	397	398	399	400	401
5.3	402	403	404	405	406	408	409	410	411	412
5.4	413*	414	415	416	417	418	419	420	421	422
5.5	423	424	425	426	427	428	429	430	431	432
5.6	433	433	434	435	436	437	438	439	440	441
5.7	442	443	444	445	446	447	448	449	450	451
5.8	452	453	454	455	456	457	458	459	460	461
5.9	462	463	464	465	466	467	468	469	470	471
6.0	472	473	474	475	476	477	478	479	480	481
6.1	482	483	484	485	486	487	488	489	490	491
6.2	492	493	494	495	496	497	498	499	500	501
6.3	502	503	504	505	506	507	508	509	510	511
6.4	512	513	514	515	516	517	518	519	521	522
6.5	523	524	525	526	527	528	529	530	531	532
6.6	533	534	535	536	537	538	539	540	541	542
6.7	543	544	545	546	547	548	549	550	551	552
6.8	553	554	555	556	557	558	560	561	562	563
6.9	564	565	566	567	568	569	570	571	572	573
7.0	574	575	576	577	578	579	580	581	582	583
7.1	584	586	587	588	589	590	591	592	593	594
7.2	595	596	597	598	599	600	601	602	603	604
7.3	605	607	608	609	610	611	612	613	614	615
7.4	616*	617	617	618	619	620	620	621	622	622
7.5	623	624	625	625	626	627	628	628	629	630
7.6	630	631	632	633	633	634	635	635	636	637
7.7	638	638	639	640	640	641	642	643	643	644
7.8	645	645	646	647	648	648	649	650	651	651
7.9	652	653	653	654	655	656	656	657	658	658
8.0	659	660	661	661	662	663	663	664	665	666
8.1	666	667	668	668	669	670	670	671	672	673
8.2	673	674	675	675	676	677	678	678	679	680
8.3	680	681	682	683	683	684	685	685	686	687
8.4	688	688	689	690	690	691	692	693	693	694
8.5	695	695	696	697	697	698	699	700	700	701
8.6	702	702	703	704	705	705	706	707	707	708
8.7	709	710	710	711	712	712	713	714	714	715
8.8	716	717	717	718	719	719	720	721	722	722
8.9	723	724	724	725	726	726	727	728	729	729
9.0	730	731	731	732	733	733	734	735	736	736
9.1	737	738	738	739	740	740	741	742	743	743

Golden Eagle Park Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	744	745	745	746	747	748	748	749	750	750
9.3	751	752	752	753	754	755	755	756	757	757
9.4	758*	759	759	760	761	761	762	763	764	764
9.5	765	766	766	767	768	768	769	770	770	771
9.6	772	772	773	774	775	775	776	777	777	778
9.7	779	779	780	781	781	782	783	783	784	785
9.8	786	786	787	788	788	789	790	790	791	792
9.9	792	793	794	794	795	796	796	797	798	799
10.0	799	800	801	801	802	803	803	804	805	805
10.1	806	807	807	808	809	809	810	811	811	812
10.2	813	814	814	815	816	816	817	818	818	819
10.3	820	820	821	822	822	823	824	824	825	826
10.4	826	827	828	829	829	830	831	831	832	833
10.5	833	834	835	835	836	837	837	838	839	839
10.6	840	841	841	842	843	843	844	845	845	846
10.7	847	848	848	849	850	850	851	852	852	853
10.8	854	854	855	856	856	857	858	858	859	860
10.9	860	861	862	862	863	864	864	865	866	866
11.0	867	868	868	869	870	870	871	872	872	873
11.1	874	875	875	876	877	877	878	879	879	880
11.2	881	881	882	883	883	884	885	885	886	887
11.3	887	888	889	889	890	891	891	892	893	893
11.4	894*	894	895	895	896	896	897	897	898	898
11.5	899	899	900	900	901	901	902	902	903	903
11.6	904	904	905	905	906	906	907	907	908	908
11.7	908	909	909	910	910	911	911	912	912	913
11.8	913	914	914	915	915	916	916	917	917	918
11.9	918	919	919	919	920	920	921	921	922	922
12.0	923	923	924	924	925	925	926	926	927	927
12.1	928	928	929	929	929	930	930	931	931	932
12.2	932	933	933	934	934	935	935	936	936	937
12.3	937	937	938	938	939	939	940	940	941	941
12.4	942	942	943	943	944	944	945	945	945	946
12.5	946	947	947	948	948	949	949	950	950	951
12.6	951	952	952	952	953	953	954	954	955	955
12.7	956	956	957	957	958	958	959	959	959	960
12.8	960	961	961	962	962	963	963	964	964	965
12.9	965	965	966	966	967	967	968	968	969	969
13.0	970	970	971	971	971	972	972	973	973	974
13.1	974	975	975	976	976	977	977	977	978	978
13.2	979	979	980	980	981	981	982	982	983	983
13.3	983	984	984	985	985	986	986	987	987	988
13.4	988*	988	989	989	990	990	991	991	992	992
13.5	993	993	994	994	995	995	996	996	996	997
13.6	997	998	998	999	999	1000	1000	1001	1001	1002
13.7	1002	1003	1003	1004	1004	1004	1005	1005	1006	1006

Golden Eagle Park Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	1007	1007	1008	1008	1009	1009	1010	1010	1011	1011
13.9	1011	1012	1012	1013	1013	1014	1014	1015	1015	1016
14.0	1016	1017	1017	1017	1018	1018	1019	1019	1020	1020
14.1	1021	1021	1022	1022	1023	1023	1024	1024	1024	1025
14.2	1025	1026	1026	1027	1027	1028	1028	1029	1029	1030
14.3	1030	1030	1031	1031	1032	1032	1033	1033	1034	1034
14.4	1035	1035	1035	1036	1036	1037	1037	1038	1038	1039
14.5	1039	1040	1040	1041	1041	1041	1042	1042	1043	1043
14.6	1044	1044	1045	1045	1046	1046	1046	1047	1047	1048
14.7	1048	1049	1049	1050	1050	1051	1051	1052	1052	1052
14.8	1053	1053	1054	1054	1055	1055	1056	1056	1057	1057
14.9	1057	1058	1058	1059	1059	1060	1060	1061	1061	1062
15.0	1062	1062	1063	1063	1064	1064	1065	1065	1066	1066
15.1	1066	1067	1067	1068	1068	1069	1069	1070	1070	1071
15.2	1071	1071	1072	1072	1073	1073	1074	1074	1075	1075
15.3	1076	1076	1076	1077	1077	1078	1078	1079	1079	1080
15.4	1080*	1080	1081	1081	1082	1082	1083	1083	1084	1084
15.5	1085	1085	1086	1086	1087	1087	1087	1088	1088	1089
15.6	1089	1090	1090	1091	1091	1092	1092	1093	1093	1094
15.7	1094	1095	1095	1095	1096	1096	1097	1097	1098	1098
15.8	1099	1099	1100	1100	1101	1101	1101	1102	1102	1103
15.9	1103	1104	1104	1105	1105	1106	1106	1107	1107	1108
16.0	1108	1108	1109	1109	1110	1110	1111	1111	1112	1112
16.1	1113	1113	1114	1114	1114	1115	1115	1116	1116	1117
16.2	1117	1118	1118	1119	1119	1120	1120	1120	1121	1121
16.3	1122	1122	1123	1123	1124	1124	1125	1125	1126	1126
16.4	1126	1127	1127	1128	1128	1129	1129	1130	1130	1131
16.5	1131	1132	1132	1132	1133	1133	1134	1134	1135	1135
16.6	1136	1136	1137	1137	1137	1138	1138	1139	1139	1140
16.7	1140	1141	1141	1142	1142	1143	1143	1143	1144	1144
16.8	1145	1145	1146	1146	1147	1147	1148	1148	1148	1149
16.9	1149	1150	1150	1151	1151	1152	1152	1153	1153	1153
17.0	1154	1154	1155	1155	1156	1156	1157	1157	1158	1158
17.1	1158	1159	1159	1160	1160	1161	1161	1162	1162	1163
17.2	1163	1163	1164	1164	1165	1165	1166	1166	1167	1167
17.3	1167	1168	1168	1169	1169	1170	1170	1171	1171	1172
17.4	1172*	1172	1173	1173	1174	1174	1174	1175	1175	1176
17.5	1176	1176	1177	1177	1178	1178	1178	1179	1179	1180
17.6	1180	1180	1181	1181	1182	1182	1182	1183	1183	1184
17.7	1184	1184	1185	1185	1186	1186	1186	1187	1187	1188
17.8	1188	1188	1189	1189	1190	1190	1190	1191	1191	1192
17.9	1192	1192	1193	1193	1194	1194	1194	1195	1195	1196
18.0	1196	1196	1197	1197	1198	1198	1198	1199	1199	1200
18.1	1200	1200	1201	1201	1202	1202	1202	1203	1203	1204
18.2	1204	1204	1205	1205	1206	1206	1206	1207	1207	1208
18.3	1208	1208	1209	1209	1210	1210	1210	1211	1211	1212

Golden Eagle Park Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.4	1212	1212	1213	1213	1214	1214	1214	1215	1215	1215
18.5	1216	1216	1217	1217	1217	1218	1218	1219	1219	1219
18.6	1220	1220	1221	1221	1221	1222	1222	1223	1223	1223
18.7	1224	1224	1225	1225	1225	1226	1226	1226	1227	1227
18.8	1228	1228	1228	1229	1229	1230	1230	1230	1231	1231
18.9	1232	1232	1232	1233	1233	1234	1234	1234	1235	1235
19.0	1235	1236	1236	1237	1237	1237	1238	1238	1239	1239
19.1	1239	1240	1240	1241	1241	1241	1242	1242	1242	1243
19.2	1243	1244	1244	1244	1245	1245	1246	1246	1246	1247
19.3	1247	1248	1248	1248	1249	1249	1249	1250	1250	1251
19.4	1251*	1251	1252	1252	1253	1253	1254	1254	1255	1255
19.5	1256	1256	1257	1257	1258	1258	1258	1259	1259	1260
19.6	1260	1261	1261	1262	1262	1263	1263	1264	1264	1265
19.7	1265	1265	1266	1266	1267	1267	1268	1268	1269	1269
19.8	1270	1270	1271	1271	1272	1272	1272	1273	1273	1274
19.9	1274	1275	1275	1276	1276	1277	1277	1278	1278	1279
20.0	1279*	1280	1281	1282	1283	1284	1285	1286	1287	1288
20.1	1289	1290	1291	1291	1292	1293	1294	1295	1296	1297
20.2	1298	1299	1300	1301	1302	1303	1304*	1315	1326	1337
20.3	1349	1360	1372	1383	1395	1407	1419	1430	1443	1455
20.4	1467	1479	1492	1504	1517	1530	1542	1555	1568	1582
20.5	1595	1608	1622	1635	1649	1663	1677	1691	1705	1719
20.6	1733	1748	1762	1777	1792	1807	1822	1837	1852	1867
20.7	1883	1899	1914	1930	1946	1962	1978	1995	2011	2028
20.8	2045	2061	2079	2096	2113	2130	2148	2166	2183	2201
20.9	2219	2238	2256	2274	2293	2312	2331	2350	2369	2389
21.0	2408	2428	2448	2468	2488	2508	2528	2549	2570	2591
21.1	2612	2633	2655	2676	2698	2720	2742	2764	2786	2809
21.2	2832	2855	2878	2901	2925	2948	2972	2996	3020	3045
21.3	3069	3094	3119	3144	3169	3195	3220	3246	3272	3299
21.4	3325*	3339	3353	3368	3382	3397	3411	3426	3440	3455
21.5	3469	3484	3499	3514	3529	3544	3559	3574	3589	3604
21.6	3619	3635	3650	3665	3681	3696	3712	3728	3743	3759
21.7	3775	3791	3807	3823	3839	3855	3871	3888	3904	3920
21.8	3937	3953	3970	3986	4003	4020	4037	4054	4070	4087
21.9	4105	4122	4139	4156	4173	4191	4208	4226	4243	4261
22.0	4279	4296	4314	4332	4350	4368	4386	4404	4423	4441
22.1	4459	4478	4496	4515	4533	4552	4571	4590	4609	4628
22.2	4647	4666	4685	4704	4724	4743	4763	4782	4802	4821
22.3	4841	4861	4881	4901	4921	4941	4961	4981	5002	5022
22.4	5043	5063	5084	5105	5125	5146	5167	5188	5209	5231
22.5	5252	5273	5295	5316	5338	5359	5381	5403	5425	5447
22.6	5469	5491	5513	5535	5557	5580	5602	5625	5648	5670
22.7	5693	5716	5739	5762	5785	5809	5832	5855	5879	5902
22.8	5926	5950	5974	5998	6022	6046	6070	6094	6118	6143
22.9	6167	6192	6217	6241	6266	6291	6316	6341	6367	6392

Golden Eagle Park Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
23.0	6417	6443	6468	6494	6520	6546	6572	6598	6624	6650
23.1	6676	6703	6729	6756	6782	6809	6836	6863	6890	6917
23.2	6945	6972	6999	7027	7055	7082	7110	7138	7166	7194
23.3	7222	7251	7279	7308	7336	7365	7394	7423	7452	7481
23.4	7510*	7532	7555	7577	7600	7622	7645	7668	7691	7713
23.5	7736	7759	7782	7805	7828	7852	7875	7898	7922	7945
23.6	7968	7992	8016	8039	8063	8087	8111	8134	8158	8182
23.7	8207	8231	8255	8279	8303	8328	8352	8377	8401	8426
23.8	8451	8475	8500	8525	8550	8575	8600	8625	8650	8676
23.9	8701	8726	8752	8777	8803	8829	8854	8880	8906	8932
24.0	8958	8984	9010	9036	9062	9088	9115	9141	9168	9194
24.1	9221	9247	9274	9301	9328	9355	9382	9409	9436	9463
24.2	9490	9518	9545	9573	9600	9628	9655	9683	9711	9739
24.3	9767	9795	9823	9851	9879	9908	9936	9964	9993	10022
24.4	10050	10079	10108	10137	10165	10194	10223	10253	10282	10311
24.5	10340	10370	10399	10429	10459	10488	10518	10548	10578	10608
24.6	10638	10668	10698	10729	10759	10789	10820	10850	10881	10912
24.7	10943	10974	11004	11036	11067	11098	11129	11160	11192	11223
24.8	11255	11286	11318	11350	11382	11414	11446	11478	11510	11542
24.9	11575	11607	11640	11672	11705	11737	11770	11803	11836	11869
25.0	11902	11935	11969	12002	12035	12069	12102	12136	12170	12204
25.1	12238	12272	12306	12340	12374	12408	12443	12477	12512	12546
25.2	12581	12616	12651	12686	12721	12756	12791	12826	12862	12897
25.3	12933	12969	13004	13040	13076	13112	13148	13184	13220	13257
25.4	13293*	13320	13346	13373	13400	13426	13453	13480	13507	13534
25.5	13561	13588	13615	13642	13669	13697	13724	13751	13779	13806
25.6	13833	13861	13888	13916	13944	13971	13999	14027	14054	14082
25.7	14110	14138	14166	14194	14222	14250	14278	14306	14335	14363
25.8	14391	14420	14448	14476	14505	14534	14562	14591	14619	14648
25.9	14677	14706	14735	14763	14792	14821	14850	14880	14909	14938
26.0	14967	14996	15026	15055	15084	15114	15143	15173	15203	15232
26.1	15262	15292	15321	15351	15381	15411	15441	15471	15501	15531
26.2	15561	15591	15622	15652	15682	15713	15743	15774	15804	15835
26.3	15865	15896	15927	15958	15988	16019	16050	16081	16112	16143
26.4	16174	16205	16237	16268	16299	16330	16362	16393	16425	16456
26.5	16488	16520	16551	16583	16615	16647	16678	16710	16742	16774
26.6	16806	16839	16871	16903	16935	16968	17000	17032	17065	17097
26.7	17130	17163	17195	17228	17261	17294	17326	17359	17392	17425
26.8	17458	17492	17525	17558	17591	17625	17658	17691	17725	17758
26.9	17792	17826	17859	17893	17927	17961	17994	18028	18062	18096
27.0	18130	18165	18199	18233	18267	18302	18336	18371	18405	18440
27.1	18474	18509	18544	18578	18613	18648	18683	18718	18753	18788
27.2	18823	18858	18894	18929	18964	19000	19035	19071	19106	19142
27.3	19177	19213	19249	19285	19321	19357	19393	19429	19465	19501
27.4	19537*	19572	19608	19643	19678	19714	19749	19785	19820	19856
27.5	19892	19927	19963	19999	20035	20071	20107	20143	20179	20215

Golden Eagle Park Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
27.6	20252	20288	20324	20360	20397	20433	20470	20506	20543	20580
27.7	20617	20653	20690	20727	20764	20801	20838	20875	20912	20950
27.8	20987	21024	21061	21099	21136	21174	21211	21249	21287	21324
27.9	21362	21400	21438	21476	21514	21552	21590	21628	21667	21705
28.0	21743	21782	21820	21858	21897	21936	21974	22013	22052	22091
28.1	22129	22168	22207	22246	22285	22325	22364	22403	22442	22482
28.2	22521	22561	22600	22640	22679	22719	22759	22799	22838	22878
28.3	22918	22958	22998	23039	23079	23119	23159	23200	23240	23281
28.4	23321	23362	23402	23443	23484	23525	23565	23606	23647	23688
28.5	23729	23771	23812	23853	23894	23936	23977	24019	24060	24102
28.6	24144	24185	24227	24269	24311	24353	24395	24437	24479	24521
28.7	24563	24606	24648	24690	24733	24775	24818	24861	24903	24946
28.8	24989	25032	25075	25118	25161	25204	25247	25290	25334	25377
28.9	25421	25464	25508	25551	25595	25638	25682	25726	25770	25814
29.0	25858	25902	25946	25990	26035	26079	26123	26168	26212	26257
29.1	26301	26346	26391	26436	26480	26525	26570	26615	26660	26706
29.2	26751	26796	26841	26887	26932	26978	27023	27069	27115	27160
29.3	27206	27252	27298	27344	27390	27436	27483	27529	27575	27622
29.4	27668*	27705	27741	27778	27814	27851	27888	27925	27962	27998
29.5	28035	28072	28109	28146	28183	28220	28257	28295	28332	28369
29.6	28406	28443	28481	28518	28556	28593	28630	28668	28706	28743
29.7	28781	28818	28856	28894	28932	28969	29007	29045	29083	29121
29.8	29159	29197	29235	29273	29311	29349	29388	29426	29464	29502
29.9	29541	29579	29618	29656	29695	29733	29772	29810	29849	29888
30.0	29926	29965	30004	30043	30082	30121	30159	30198	30237	30277
30.1	30316	30355	30394	30433	30472	30512	30551	30590	30630	30669
30.2	30709	30748	30788	30827	30867	30907	30946	30986	31026	31066
30.3	31105	31145	31185	31225	31265	31305	31345	31385	31426	31466
30.4	31506	31546	31587	31627	31667	31708	31748	31789	31829	31870
30.5	31910	31951	31992	32033	32073	32114	32155	32196	32237	32278
30.6	32319	32360	32401	32442	32483	32524	32566	32607	32648	32689
30.7	32731	32772	32814	32855	32897	32938	32980	33022	33063	33105
30.8	33147	33189	33231	33272	33314	33356	33398	33440	33483	33525
30.9	33567	33609	33651	33694	33736	33778	33821	33863	33906	33948
31.0	33991	34033	34076	34119	34161	34204	34247	34290	34333	34376
31.1	34419	34462	34505	34548	34591	34634	34677	34720	34764	34807
31.2	34850	34894	34937	34981	35024	35068	35111	35155	35199	35242
31.3	35286	35330	35374	35418	35462	35506	35550	35594	35638	35682
31.4	35726*	35783	35839	35896	35952	36009	36066	36123	36180	36237
31.5	36294	36351	36409	36466	36524	36581	36639	36696	36754	36812
31.6	36870	36928	36986	37044	37102	37160	37219	37277	37335	37394
31.7	37452	37511	37570	37629	37688	37747	37806	37865	37924	37983
31.8	38043	38102	38161	38221	38281	38340	38400	38460	38520	38580
31.9	38640*	38686	38732	38777	38823	38869	38915	38961	39007	39053
32.0	39100	39146	39192	39238	39284	39331	39377	39424	39470	39517
32.1	39563	39610	39656	39703	39750	39796	39843	39890	39937	39984

Golden Eagle Park Dam										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
32.2	40031	40078	40125	40172	40219	40266	40313	40360	40408	40455
32.3	40502	40550	40597	40645	40692	40740	40787	40835	40883	40930
32.4	40978	41026	41074	41122	41169	41217	41265	41313	41362	41410
32.5	41458	41506	41554	41603	41651	41699	41748	41796	41845	41893
32.6	41942	41990	42039	42088	42136	42185	42234	42283	42332	42381
32.7	42430	42479	42528	42577	42626	42675	42725	42774	42823	42873
32.8	42922	42971	43021	43070	43120	43170	43219	43269	43319	43369
32.9	43418	43468	43518	43568	43618	43668	43718	43768	43819	43869
33.0	43919	43969	44020	44070	44120	44171	44221	44272	44323	44373
33.1	44424	44475	44525	44576	44627	44678	44729	44780	44831	44882
33.2	44933	44984	45035	45087	45138	45189	45240	45292	45343	45395
33.3	45446	45498	45550	45601	45653	45705	45756	45808	45860	45912
33.4	45964*									
Rating #2, NS Table #352										
Effective Date: 02/11/2003										
Update: 02/06/2018										