

Discharge Rating Table - table values in CFS

[illegible]

Spookhill FRS at McDowell Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	47	47	47	47	47	47	47	47	47	47
4.7	47	47	47	48	48	48	48	48	48	48
4.8	48	48	48	48	48	48	48	48	48	48
4.9	48	48	48	48	48	48	48	48	48	48
5.0	49	49	49	49	49	49	49	49	49	49
5.1	49	49	49	49	49	49	49	49	49	49
5.2	49	49	49	49	49	49	49	50	50	50
5.3	50	50	50	50	50	50	50	50	50	50
5.4	50	50	50	50	50	50	50	50	50	50
5.5	50	50	50	50	50	51	51	51	51	51
5.6	51	51	51	51	51	51	51	51	51	51
5.7	51	51	51	51	51	51	51	51	51	51
5.8	51	51	51	51	52	52	52	52	52	52
5.9	52	52	52	52	52	52	52	52	52	52
6.0	52	52	52	52	52	52	52	52	52	52
6.1	52	52	52	52	53	53	53	53	53	53
6.2	53	53	53	53	53	53	53	53	53	53
6.3	53	53	53	53	53	53	53	53	53	53
6.4	53	53	53	53	53	54	54	54	54	54
6.5	54	54	54	54	54	54	54	54	54	54
6.6	54	54	54	54	54	54	54	54	54	54
6.7	54	54	54	55	55	55	55	55	55	55
6.8	55	55	55	55	55	55	55	55	55	55
6.9	55	55	55	55	55	55	55	56	56	56
7.0	56	56	56	56	56	56	56	56	56	56
7.1	56	56	56	56	56	56	56	56	56	56
7.2	56	56	57	57	57	57	57	57	57	57
7.3	57	57	57	57	57	57	57	57	57	57
7.4	57	57	57	57	57	57	57	57	58	58
7.5	58	58	58	58	58	58	58	58	58	58
7.6	58	58	58	58	58	58	58	58	58	58
7.7	58	58	58	58	58	58	58	58	58	58
7.8	59	59	59	59	59	59	59	59	59	59
7.9	59	59	59	59	59	59	59	59	59	59
8.0	59	60	61	62	62	63	64	65	66	67
8.1	68	69	70	71	72	73	74	75	76	77
8.2	78	79	80	82	83	84	85	86	87	89
8.3	90	91	92	94	95	96	98	99	100	102
8.4	103	104	106	107	109	110	112	113	115	116
8.5	118	120	121	123	124	126	128	129	131	133
8.6	135	136	138	140	142	144	145	147	149	151
8.7	153	155	157	159	161	163	165	168	170	172
8.8	174	176	179	181	183	186	188	190	193	195
8.9	198	200	203	205	208	210	213	216	218	221
9.0	224	226	228	231	233	235	238	240	242	245
9.1	247	249	252	254	257	259	262	264	267	269

Spookhill FRS at McDowell Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	272	275	277	280	283	285	288	291	294	296
9.3	299	302	305	308	311	314	317	320	323	326
9.4	329	332	335	338	341	345	348	351	354	358
9.5	361	364	367	369	372	375	378	381	384	386
9.6	389	392	395	398	401	404	407	410	413	417
9.7	420	423	426	429	432	436	439	442	445	449
9.8	452	455	459	462	465	469	472	476	479	483
9.9	486	490	494	497	501	504	508	512	515	519
10.0	523	526	529	533	536	539	543	546	549	552
10.1	556	559	563	566	569	573	576	580	583	587
10.2	590	594	598	601	605	608	612	616	619	623
10.3	627	630	634	638	642	646	649	653	657	661
10.4	665	669	673	677	681	685	689	693	697	701
10.5	705	709	712	716	720	723	727	731	735	738
10.6	742	746	750	754	757	761	765	769	773	777
10.7	781	785	789	793	797	801	805	809	813	817
10.8	821	825	829	834	838	842	846	850	855	859
10.9	863	868	872	876	881	885	889	894	898	903
11.0	907	911	915	919	923	927	931	935	940	944
11.1	948	952	956	960	965	969	973	977	982	986
11.2	990	994	999	1003	1007	1012	1016	1021	1025	1029
11.3	1034	1038	1043	1047	1052	1056	1061	1065	1070	1075
11.4	1079	1084	1088	1093	1098	1102	1107	1112	1117	1121
11.5	1126	1130	1135	1139	1144	1148	1152	1157	1161	1166
11.6	1170	1175	1179	1184	1188	1193	1197	1202	1207	1211
11.7	1216	1221	1225	1230	1234	1239	1244	1249	1253	1258
11.8	1263	1268	1272	1277	1282	1287	1292	1297	1301	1306
11.9	1311	1316	1321	1326	1331	1336	1341	1346	1351	1356
12.0	1361	1364	1366	1369	1372	1374	1377	1380	1382	1385
12.1	1388	1390	1393	1396	1398	1401	1404	1406	1409	1412
12.2	1415	1417	1420	1423	1425	1428	1431	1434	1436	1439
12.3	1442	1444	1447	1450	1453	1455	1458	1461	1464	1466
12.4	1469	1472	1475	1478	1480	1483	1486	1489	1491	1494
12.5	1497	1498	1498	1499	1500	1501	1501	1502	1503	1504
12.6	1504	1505	1506	1506	1507	1508	1509	1509	1510	1511
12.7	1512	1512	1513	1514	1514	1515	1516	1517	1517	1518
12.8	1519	1520	1520	1521	1522	1522	1523	1524	1525	1525
12.9	1526	1527	1527	1528	1529	1530	1530	1531	1532	1533
13.0	1533	1534	1535	1535	1536	1537	1538	1538	1539	1540
13.1	1541	1541	1542	1543	1543	1544	1545	1546	1546	1547
13.2	1548	1549	1549	1550	1551	1551	1552	1553	1554	1554
13.3	1555	1556	1556	1557	1558	1559	1559	1560	1561	1561
13.4	1562	1563	1563	1564	1565	1566	1566	1567	1568	1568
13.5	1569	1570	1571	1571	1572	1573	1574	1575	1575	1576
13.6	1577	1578	1579	1579	1580	1581	1582	1583	1584	1584
13.7	1585	1586	1587	1588	1588	1589	1590	1591	1592	1592

Spookhill FRS at McDowell Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	1593	1594	1595	1596	1596	1597	1598	1599	1600	1600
13.9	1601	1602	1603	1604	1604	1605	1606	1607	1608	1608
14.0	1609	1610	1611	1612	1612	1613	1614	1615	1616	1616
14.1	1617	1618	1619	1620	1620	1621	1622	1623	1624	1624
14.2	1625	1626	1627	1628	1628	1629	1630	1631	1631	1632
14.3	1633	1634	1635	1635	1636	1637	1638	1639	1639	1640
14.4	1641	1649	1657	1664	1672	1680	1688	1696	1704	1712
14.5	1720	1728	1736	1744	1752	1760	1769	1777	1785	1793
14.6	1802	1810	1819	1827	1836	1844	1853	1861	1870	1878
14.7	1887	1896	1905	1913	1922	1931	1940	1949	1958	1967
14.8	1976	1985	1994	2003	2012	2022	2031	2040	2049	2059
14.9	2068	2078	2087	2096	2106	2116	2125	2135	2145	2154
15.0	2164	2173	2183	2192	2202	2211	2221	2230	2240	2250
15.1	2259	2269	2279	2289	2299	2309	2318	2328	2338	2348
15.2	2359	2369	2379	2389	2399	2409	2420	2430	2440	2451
15.3	2461	2472	2482	2493	2503	2514	2525	2535	2546	2557
15.4	2568	2579	2589	2600	2611	2622	2633	2644	2656	2667
15.5	2678	2688	2698	2708	2718	2729	2739	2749	2759	2770
15.6	2780	2790	2801	2811	2822	2832	2843	2853	2864	2875
15.7	2885	2896	2907	2917	2928	2939	2950	2961	2972	2983
15.8	2994	3005	3016	3027	3038	3049	3060	3072	3083	3094
15.9	3106	3117	3128	3140	3151	3163	3174	3186	3198	3209
16.0	3221	3233	3244	3256	3268	3280	3292	3304	3316	3328
16.1	3340	3352	3364	3376	3388	3400	3413	3425	3437	3450
16.2	3462	3475	3487	3500	3512	3525	3537	3550	3563	3575
16.3	3588	3601	3614	3627	3640	3653	3666	3679	3692	3705
16.4	3718	3731	3745	3758	3771	3785	3798	3811	3825	3838
16.5	3852	3865	3879	3893	3907	3920	3934	3948	3962	3976
16.6	3990	4004	4018	4032	4046	4060	4074	4088	4103	4117
16.7	4131	4146	4160	4175	4189	4204	4218	4233	4248	4263
16.8	4277	4292	4307	4322	4337	4352	4367	4382	4397	4412
16.9	4427	4443	4458	4473	4489	4504	4520	4535	4551	4566
17.0	4582	4599	4616	4634	4651	4668	4686	4703	4721	4739
17.1	4756	4774	4792	4810	4827	4845	4863	4881	4900	4918
17.2	4936	4954	4973	4991	5009	5028	5046	5065	5084	5103
17.3	5121	5140	5159	5178	5197	5216	5235	5255	5274	5293
17.4	5313	5332	5352	5371	5391	5410	5430	5450	5470	5490
17.5	5510	5530	5550	5570	5590	5611	5631	5652	5672	5693
17.6	5713	5734	5755	5775	5796	5817	5838	5859	5880	5902
17.7	5923	5944	5966	5987	6009	6030	6052	6074	6095	6117
17.8	6139	6161	6183	6205	6227	6250	6272	6294	6317	6339
17.9	6362	6384	6407	6430	6453	6476	6499	6522	6545	6568
18.0	6591	6615	6638	6661	6685	6709	6732	6756	6780	6804
18.1	6828	6852	6876	6900	6924	6949	6973	6997	7022	7047
18.2	7071	7096	7121	7146	7171	7196	7221	7246	7271	7297
18.3	7322	7348	7373	7399	7425	7450	7476	7502	7528	7554

Spookhill FRS at McDowell Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.4	7580	7607	7633	7659	7686	7712	7739	7766	7793	7819
18.5	7846	7873	7900	7928	7955	7982	8010	8037	8065	8092
18.6	8120	8148	8176	8204	8232	8260	8288	8316	8345	8373
18.7	8402	8430	8459	8488	8517	8546	8575	8604	8633	8662
18.8	8692	8721	8751	8780	8810	8840	8870	8900	8930	8960
18.9	8990	9020	9051	9081	9112	9142	9173	9204	9235	9266
19.0	9297	9322	9348	9374	9399	9425	9451	9476	9502	9528
19.1	9554	9580	9606	9632	9659	9685	9711	9737	9764	9790
19.2	9817	9843	9870	9897	9924	9950	9977	10004	10031	10058
19.3	10085	10113	10140	10167	10195	10222	10249	10277	10305	10332
19.4	10360	10388	10416	10443	10471	10499	10528	10556	10584	10612
19.5	10640	10669	10697	10726	10754	10783	10812	10840	10869	10898
19.6	10927	10956	10985	11014	11043	11073	11102	11131	11161	11190
19.7	11220	11249	11279	11309	11339	11369	11399	11429	11459	11489
19.8	11519	11549	11580	11610	11640	11671	11702	11732	11763	11794
19.9	11824	11855	11886	11917	11949	11980	12011	12042	12074	12105
20.0	12137	12168	12200	12231	12263	12295	12327	12359	12391	12423
20.1	12455	12487	12520	12552	12584	12617	12650	12682	12715	12748
20.2	12781	12813	12846	12879	12913	12946	12979	13012	13046	13079
20.3	13113	13146	13180	13214	13248	13281	13315	13349	13383	13418
20.4	13452	13486	13520	13555	13589	13624	13659	13693	13728	13763
20.5	13798	13822	13846	13870	13894	13919	13943	13967	13991	14016
20.6	14040	14064	14089	14113	14138	14162	14187	14211	14236	14260
20.7	14285	14310	14334	14359	14384	14409	14433	14458	14483	14508
20.8	14533	14558	14583	14608	14633	14658	14683	14708	14734	14759
20.9	14784	14809	14835	14860	14885	14911	14936	14962	14987	15013
21.0	15038	15064	15090	15115	15141	15167	15192	15218	15244	15270
21.1	15296	15322	15348	15374	15400	15426	15452	15478	15504	15530
21.2	15556	15582	15609	15635	15661	15688	15714	15740	15767	15793
21.3	15820	15846	15873	15900	15926	15953	15980	16006	16033	16060
21.4	16087	16114	16141	16168	16194	16221	16248	16276	16303	16330
21.5	16357	16384	16411	16439	16466	16493	16521	16548	16575	16603
21.6	16630	16658	16685	16713	16741	16768	16796	16824	16851	16879
21.7	16907	16935	16963	16991	17019	17047	17075	17103	17131	17159
21.8	17187	17215	17243	17272	17300	17328	17357	17385	17413	17442
21.9	17470	17499	17527	17556	17584	17613	17642	17671	17699	17728
22.0	17757	17786	17815	17844	17872	17901	17930	17960	17989	18018
22.1	18047	18076	18105	18135	18164	18193	18222	18252	18281	18311
22.2	18340	18370	18399	18429	18459	18488	18518	18548	18577	18607
22.3	18637	18667	18697	18727	18757	18787	18817	18847	18877	18907
22.4	18937	18968	18998	19028	19058	19089	19119	19150	19180	19211
22.5	19241	19272	19302	19333	19364	19394	19425	19456	19487	19517
22.6	19548	19579	19610	19641	19672	19703	19734	19765	19797	19828
22.7	19859	19890	19922	19953	19984	20016	20047	20079	20110	20142
22.8	20173	20205	20237	20268	20300	20332	20364	20395	20427	20459
22.9	20491	20523	20555	20587	20619	20651	20684	20716	20748	20780

Spookhill FRS at McDowell Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
23.0	20813	20845	20877	20910	20942	20975	21007	21040	21072	21105
23.1	21138	21170	21203	21236	21269	21301	21334	21367	21400	21433
23.2	21466	21499	21532	21566	21599	21632	21665	21698	21732	21765
23.3	21799	21832	21865	21899	21933	21966	22000	22033	22067	22101
23.4	22135	22168	22202	22236	22270	22304	22338	22372	22406	22440
23.5	22474	22509	22543	22577	22611	22646	22680	22714	22749	22783
23.6	22818	22852	22887	22922	22956	22991	23026	23061	23095	23130
23.7	23165	23200	23235	23270	23305	23340	23375	23410	23446	23481
23.8	23516	23551	23587	23622	23658	23693	23729	23764	23800	23835
23.9	23871									
Rating #1, NS Table #470										
Effective Date: 06/01/2008										
Update: 08/31/2017										