

[illegible]

Discharge Rating Table - table values in CFS						
---	--	--	--	--	--	--

[illegible]

Discharge Rating Table - table values in CFS

[illegible]

Apache Junction FRS								
---------------------	--	--	--	--	--	--	--	--

Discharge Rating Table - table values in CFS						
--	--	--	--	--	--	--

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	42	42	42	42	42	42	42	42	42	42
9.3	42	42	42	42	42	42	42	42	42	42
9.4	42	43	43	43	43	43	43	43	43	43
9.5	43	43	43	43	43	43	43	43	43	43
9.6	43	43	43	43	43	43	43	43	43	43
9.7	43	45	46	48	49	51	53	55	57	59
9.8	61	63	65	67	69	72	74	77	79	82
9.9	85	88	91	94	97	101	104	108	111	115
10.0	119	119	119	119	119	119	119	119	119	119
10.1	119	119	119	119	120	120	120	120	120	120
10.2	120	120	120	120	120	120	120	120	120	120
10.3	120	120	120	120	120	120	120	120	120	120
10.4	120	121	121	121	121	121	121	121	121	121
10.5	121	121	121	121	121	121	121	121	121	121
10.6	121	121	121	121	121	121	121	121	121	122
10.7	122	122	122	122	122	122	122	122	122	122
10.8	122	122	122	122	122	122	122	122	122	122
10.9	122	122	122	122	122	122	122	123	123	123
11.0	123	123	123	123	123	123	123	123	123	123
11.1	123	123	123	123	123	123	123	123	123	123
11.2	123	123	123	123	123	123	124	124	124	124
11.3	124	124	124	124	124	124	124	124	124	124
11.4	124	124	124	124	124	124	124	124	124	124
11.5	124	124	124	124	124	124	125	125	125	125
11.6	125	125	125	125	125	125	125	125	125	125
11.7	125	125	125	125	125	125	125	125	125	125
11.8	125	125	125	125	125	126	126	126	126	126
11.9	126	126	126	126	126	126	126	126	126	126
12.0	126	126	126	126	126	126	126	126	126	126
12.1	127	127	127	127	127	127	127	127	127	127
12.2	127	127	127	127	127	127	127	127	127	127
12.3	128	128	128	128	128	128	128	128	128	128
12.4	128	128	128	128	128	128	128	128	128	129
12.5	129	129	129	129	129	129	129	129	129	129
12.6	129	129	129	129	129	129	129	129	129	130
12.7	130	130	130	130	130	130	130	130	130	130
12.8	130	130	130	130	130	130	130	130	130	131
12.9	131	131	131	131	131	131	131	131	131	131
13.0	131	131	131	131	131	131	131	131	131	132
13.1	132	132	132	132	132	132	132	132	132	132
13.2	132	132	132	132	132	132	132	132	132	133
13.3	133	133	133	133	133	133	133	133	133	133
13.4	133	133	133	133	133	133	133	133	133	134
13.5	134	134	134	134	134	134	134	134	134	134
13.6	134	134	134	134	134	134	134	134	134	134
13.7	135	135	135	135	135	135	135	135	135	135

Apache Junction FRS										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	135	135	135	135	135	135	135	135	135	135
13.9	136	136	136	136	136	136	136	136	136	136
14.0	136	136	136	136	136	136	136	136	136	136
14.1	136	136	136	136	137	137	137	137	137	137
14.2	137	137	137	137	137	137	137	137	137	137
14.3	137	137	137	137	137	137	137	137	137	137
14.4	137	137	138	138	138	138	138	138	138	138
14.5	138	138	138	138	138	138	138	138	138	138
14.6	138	138	138	138	138	138	138	138	138	138
14.7	139	139	139	139	139	139	139	139	139	139
14.8	139	139	139	139	139	139	139	139	139	139
14.9	139	139	139	139	139	139	139	139	140	140
15.0	140	140	140	140	140	140	140	140	140	140
15.1	140	140	140	140	140	140	140	140	140	140
15.2	140	140	140	140	140	140	140	141	141	141
15.3	141	141	141	141	141	141	141	141	141	141
15.4	141	141	141	141	141	141	141	141	141	141
15.5	141	141	141	141	141	141	142	142	142	142
15.6	142	142	142	142	142	142	142	142	142	142
15.7	142	142	142	142	142	142	142	142	142	142
15.8	142	142	142	142	142	142	143	143	143	143
15.9	143	143	143	143	143	143	143	143	143	143
16.0	143	145	146	148	150	152	153	155	157	159
16.1	161	162	164	166	168	170	172	174	176	178
16.2	180	182	184	187	189	191	193	195	198	200
16.3	202	204	207	209	212	214	216	219	221	224
16.4	226	229	232	234	237	240	242	245	248	251
16.5	254	256	259	262	265	268	271	274	277	281
16.6	284	287	290	293	297	300	303	307	310	314
16.7	317	321	324	328	332	335	339	343	347	351
16.8	355	359	363	367	371	375	379	383	387	392
16.9	396	400	405	409	414	418	423	428	432	437
17.0	442	446	449	453	457	460	464	468	472	476
17.1	480	483	487	491	495	499	503	508	512	516
17.2	520	524	528	533	537	541	546	550	555	559
17.3	564	568	573	577	582	587	591	596	601	606
17.4	611	616	620	625	630	635	641	646	651	656
17.5	661	666	672	677	683	688	693	699	704	710
17.6	716	721	727	733	739	744	750	756	762	768
17.7	774	780	787	793	799	805	812	818	824	831
17.8	837	844	851	857	864	871	877	884	891	898
17.9	905	912	919	926	934	941	948	956	963	970
18.0	978	983	989	994	1000	1005	1011	1017	1022	1028
18.1	1033	1039	1045	1051	1056	1062	1068	1074	1080	1086
18.2	1092	1098	1104	1110	1116	1122	1128	1134	1141	1147
18.3	1153	1159	1166	1172	1178	1185	1191	1198	1204	1211

Apache Junction FRS										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.4	1217	1224	1231	1237	1244	1251	1258	1264	1271	1278
18.5	1285	1292	1299	1306	1313	1320	1327	1334	1341	1349
18.6	1356	1363	1370	1378	1385	1393	1400	1408	1415	1423
18.7	1430	1438	1446	1453	1461	1469	1477	1484	1492	1500
18.8	1508	1516	1524	1532	1541	1549	1557	1565	1573	1582
18.9	1590	1599	1607	1615	1624	1633	1641	1650	1659	1667
19.0	1676	1682	1689	1695	1702	1708	1715	1721	1728	1735
19.1	1741	1748	1754	1761	1768	1775	1781	1788	1795	1802
19.2	1809	1815	1822	1829	1836	1843	1850	1857	1864	1871
19.3	1878	1885	1892	1899	1907	1914	1921	1928	1935	1943
19.4	1950	1957	1965	1972	1979	1987	1994	2002	2009	2017
19.5	2024	2032	2039	2047	2055	2062	2070	2078	2085	2093
19.6	2101	2109	2116	2124	2132	2140	2148	2156	2164	2172
19.7	2180	2188	2196	2204	2212	2220	2229	2237	2245	2253
19.8	2262	2270	2278	2287	2295	2303	2312	2320	2329	2337
19.9	2346	2355	2363	2372	2380	2389	2398	2407	2415	2424
20.0	2433	2441	2450	2458	2467	2476	2484	2493	2501	2510
20.1	2519	2528	2536	2545	2554	2563	2572	2581	2589	2598
20.2	2607	2616	2625	2634	2643	2653	2662	2671	2680	2689
20.3	2698	2708	2717	2726	2736	2745	2754	2764	2773	2783
20.4	2792	2802	2811	2821	2831	2840	2850	2860	2869	2879
20.5	2889	2899	2909	2918	2928	2938	2948	2958	2968	2978
20.6	2988	2998	3009	3019	3029	3039	3049	3060	3070	3080
20.7	3091	3101	3112	3122	3132	3143	3154	3164	3175	3185
20.8	3196	3207	3217	3228	3239	3250	3261	3272	3283	3293
20.9	3304	3315	3327	3338	3349	3360	3371	3382	3393	3405
21.0	3416	3425	3434	3442	3451	3460	3469	3478	3487	3496
21.1	3505	3514	3523	3532	3541	3550	3559	3568	3577	3586
21.2	3595	3604	3613	3623	3632	3641	3650	3660	3669	3678
21.3	3688	3697	3706	3716	3725	3734	3744	3753	3763	3772
21.4	3782	3791	3801	3811	3820	3830	3839	3849	3859	3868
21.5	3878	3888	3898	3907	3917	3927	3937	3947	3957	3967
21.6	3976	3986	3996	4006	4016	4026	4036	4046	4056	4067
21.7	4077	4087	4097	4107	4117	4128	4138	4148	4158	4169
21.8	4179	4189	4200	4210	4221	4231	4241	4252	4262	4273
21.9	4283	4294	4305	4315	4326	4336	4347	4358	4369	4379
22.0	4390	4401	4411	4422	4433	4443	4454	4465	4476	4486
22.1	4497	4508	4519	4530	4541	4552	4563	4574	4585	4596
22.2	4607	4618	4629	4640	4651	4662	4673	4685	4696	4707
22.3	4718	4729	4741	4752	4763	4775	4786	4798	4809	4820
22.4	4832	4843	4855	4866	4878	4890	4901	4913	4925	4936
22.5	4948	4960	4971	4983	4995	5007	5019	5030	5042	5054
22.6	5066	5078	5090	5102	5114	5126	5138	5150	5162	5174
22.7	5187	5199	5211	5223	5235	5248	5260	5272	5285	5297
22.8	5309	5322	5334	5347	5359	5372	5384	5397	5409	5422
22.9	5434	5447	5460	5472	5485	5498	5511	5523	5536	5549

Apache Junction FRS										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
23.0	5562	5573	5583	5594	5605	5616	5626	5637	5648	5659
23.1	5670	5680	5691	5702	5713	5724	5735	5746	5757	5768
23.2	5779	5790	5801	5812	5823	5834	5845	5856	5867	5878
23.3	5890	5901	5912	5923	5934	5946	5957	5968	5979	5991
23.4	6002	6013	6025	6036	6047	6059	6070	6082	6093	6105
23.5	6116	6128	6139	6151	6162	6174	6185	6197	6209	6220
23.6	6232	6244	6255	6267	6279	6290	6302	6314	6326	6338
23.7	6349	6361	6373	6385	6397	6409	6421	6433	6445	6457
23.8	6468	6481	6493	6505	6517	6529	6541	6553	6565	6577
23.9	6589	6602	6614	6626	6638	6650	6663	6675	6687	6700
24.0	6712	6723	6735	6746	6758	6769	6781	6792	6804	6816
24.1	6827	6839	6850	6862	6874	6885	6897	6909	6920	6932
24.2	6944	6956	6967	6979	6991	7003	7014	7026	7038	7050
24.3	7062	7074	7086	7098	7110	7122	7134	7146	7158	7170
24.4	7182	7194	7206	7218	7230	7242	7254	7266	7278	7291
24.5	7303	7315	7327	7339	7352	7364	7376	7389	7401	7413
24.6	7425	7438	7450	7463	7475	7487	7500	7512	7525	7537
24.7	7550	7562	7575	7587	7600	7612	7625	7638	7650	7663
24.8	7676	7688	7701	7714	7726	7739	7752	7765	7777	7790
24.9	7803	7816	7829	7842	7854	7867	7880	7893	7906	7919
25.0	7932	7948	7963	7979	7995	8010	8026	8042	8058	8073
25.1	8089	8105	8121	8137	8153	8169	8185	8201	8217	8233
25.2	8249	8265	8281	8297	8313	8329	8346	8362	8378	8395
25.3	8411	8427	8444	8460	8476	8493	8509	8526	8542	8559
25.4	8575	8592	8609	8625	8642	8659	8675	8692	8709	8726
25.5	8743	8760	8776	8793	8810	8827	8844	8861	8878	8895
25.6	8912	8930	8947	8964	8981	8998	9016	9033	9050	9067
25.7	9085	9102	9120	9137	9155	9172	9190	9207	9225	9242
25.8	9260	9278	9295	9313	9331	9348	9366	9384	9402	9420
25.9	9438	9456	9473	9491	9509	9527	9546	9564	9582	9600
26.0	9618	9628	9638	9648	9658	9668	9678	9688	9698	9708
26.1	9718	9728	9738	9748	9759	9769	9779	9789	9799	9809
26.2	9819	9829	9839	9850	9860	9870	9880	9890	9900	9910
26.3	9921	9931	9941	9951	9961	9972	9982	9992	10002	10013
26.4	10023	10033	10043	10054	10064	10074	10084	10095	10105	10115
26.5	10126	10136	10146	10157	10167	10177	10188	10198	10208	10219
26.6	10229	10240	10250	10260	10271	10281	10292	10302	10313	10323
26.7	10333	10344	10354	10365	10375	10386	10396	10407	10417	10428
26.8	10438	10449	10459	10470	10480	10491	10502	10512	10523	10533
26.9	10544	10554	10565	10576	10586	10597	10607	10618	10629	10639
27.0	10650									
Rating #3 - NS Table #1										
Applied Since: 02/25/1998										
Updated: 08/29/2017										