

CAP Reach 11 Dike #1										
Discharge Rating, table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	0	0	0	0	0	0	0
0.1	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0
0.3	0	0	0	0	0	0	0	0	0	0
0.4	0	0	0	0	0	0	0	0	0	0
0.5	0	0	0	0	0	0	0	0	0	0
0.6	0	0	0	0	0	0	0	0	0	0
0.7	0	0	0	0	0	0	0	0	0	0
0.8	0	0	0	0	0	0	0	0	0	0
0.9	0	0	0	0	0	0	0	0	0	0
1.0	0	0	0	0	0	0	0	0	0	0
1.1	0	0	0	0	0	0	0	0	0	0
1.2	0	0	0	0	0	0	0	0	0	0
1.3	0	0	0	0	0	0	0	0	0	0
1.4	0	0	0	0	0	0	0	0	0	0
1.5	0	0	0	0	0	0	0	0	0	0
1.6	0	0	0	0	0	0	0	0	0	0
1.7	0	0	0	0	0	0	0	0	0	0
1.8	0	0	0	0	0	0	0	0	0	0
1.9	0	0	0	0	0	0	0	0	0	0
2.0	0	0	0	0	0	0	0	0	0	0
2.1	0	0	0	0	0	0	0	0	0	0
2.2	0	0	0	0	0	0	0	0	0	0
2.3	0	0	0	0	0	0	0	0	0	0
2.4	0	0	0	0	0	0	0	0	0	0
2.5	0	0	0	0	0	0	0	0	0	0
2.6	0	0	0	0	0	0	0	0	0	0
2.7	0	0	0	0	0	0	0	0	0	0
2.8	0	0	0	0	0	0	0	0	0	0
2.9	0	0	0	0	0	0	0	0	0	0
3.0	0	0	0	0	0	0	0	0	0	0
3.1	1	1	1	1	1	1	1	1	1	1
3.2	1	1	1	1	1	1	1	1	2	2
3.3	2	2	2	2	2	2	2	3	3	3
3.4	3	3	4	4	4	4	4	5	5	5
3.5	6	6	6	7	7	7	8	8	9	9
3.6	10	10	11	11	12	13	13	14	15	16
3.7	16	17	18	19	20	21	22	24	25	26
3.8	28	29	31	32	34	36	37	39	41	44
3.9	46	48	51	53	56	59	62	65	68	71
4.0	75	75	76	76	77	77	77	78	78	79
4.1	79	79	80	80	81	81	81	82	82	83
4.2	83	83	84	84	85	85	86	86	86	87
4.3	87	88	88	89	89	89	90	90	91	91
4.4	92	92	92	93	93	94	94	95	95	95

CAP Reach 11 Dike #1

Discharge Rating, table values in CFS

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.5	96	96	97	97	98	98	99	99	100	100
4.6	100	101	101	102	102	103	103	104	104	105
4.7	105	106	106	106	107	107	108	108	109	109
4.8	110	110	111	111	112	112	113	113	114	114
4.9	115	115	116	116	117	117	118	118	119	119
5.0	120	120	121	121	122	122	123	123	124	124
5.1	125	125	126	126	127	127	128	128	129	129
5.2	130	130	131	131	132	132	133	133	134	135
5.3	135	136	136	137	137	138	138	139	139	140
5.4	140	141	142	142	143	143	144	144	145	145
5.5	146	146	147	148	148	149	149	150	150	151
5.6	152	152	153	153	154	154	155	155	156	157
5.7	157	158	158	159	160	160	161	161	162	162
5.8	163	164	164	165	165	166	167	167	168	168
5.9	169	170	170	171	171	172	173	173	174	174
6.0	175	175	175	175	176	176	176	176	176	176
6.1	176	176	177	177	177	177	177	177	177	178
6.2	178	178	178	178	178	178	178	179	179	179
6.3	179	179	179	179	180	180	180	180	180	180
6.4	180	180	181	181	181	181	181	181	181	181
6.5	182	182	182	182	182	182	182	183	183	183
6.6	183	183	183	183	183	184	184	184	184	184
6.7	184	184	184	185	185	185	185	185	185	185
6.8	185	186	186	186	186	186	186	186	186	187
6.9	187	187	187	187	187	187	187	188	188	188
7.0	188	188	188	188	188	189	189	189	189	189
7.1	189	189	189	190	190	190	190	190	190	190
7.2	190	191	191	191	191	191	191	191	191	192
7.3	192	192	192	192	192	192	192	193	193	193
7.4	193	193	193	193	193	193	194	194	194	194
7.5	194	194	194	194	195	195	195	195	195	195
7.6	195	195	196	196	196	196	196	196	196	196
7.7	196	197	197	197	197	197	197	197	197	198
7.8	198	198	198	198	198	198	198	198	199	199
7.9	199	199	199	199	199	199	200	200	200	200
8.0	200	200	200	200	201	201	201	201	201	201
8.1	201	201	202	202	202	202	202	202	202	202
8.2	203	203	203	203	203	203	203	204	204	204
8.3	204	204	204	204	204	205	205	205	205	205
8.4	205	205	205	206	206	206	206	206	206	206
8.5	207	207	207	207	207	207	207	207	208	208
8.6	208	208	208	208	208	208	209	209	209	209
8.7	209	209	209	209	210	210	210	210	210	210

CAP Reach 11 Dike #1										
Discharge Rating, table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.0	213	213	213	213	213	213	214	214	214	214
9.1	214	214	214	214	215	215	215	215	215	215
9.2	215	215	216	216	216	216	216	216	216	216
9.3	217	217	217	217	217	217	217	217	218	218
9.4	218	218	218	218	218	218	219	219	219	219
9.5	219	219	219	219	219	220	220	220	220	220
9.6	220	220	220	221	221	221	221	221	221	221
9.7	221	222	222	222	222	222	222	222	222	222
9.8	223	223	223	223	223	223	223	223	224	224
9.9	224	224	224	224	224	224	225	225	225	225
10.0	225	225	225	225	225	225	226	226	226	226
10.1	226	226	226	226	226	226	227	227	227	227
10.2	227	227	227	227	227	227	228	228	228	228
10.3	228	228	228	228	228	228	229	229	229	229
10.4	229	229	229	229	229	229	230	230	230	230
10.5	230	230	230	230	230	230	231	231	231	231
10.6	231	231	231	231	231	231	231	232	232	232
10.7	232	232	232	232	232	232	232	233	233	233
10.8	233	233	233	233	233	233	233	234	234	234
10.9	234	234	234	234	234	234	234	234	235	235
11.0	235	235	235	235	235	235	235	235	235	236
11.1	236	236	236	236	236	236	236	236	236	237
11.2	237	237	237	237	237	237	237	237	237	237
11.3	238	238	238	238	238	238	238	238	238	238
11.4	238	239	239	239	239	239	239	239	239	239
11.5	239	240	240	240	240	240	240	240	240	240
11.6	240	240	241	241	241	241	241	241	241	241
11.7	241	241	241	242	242	242	242	242	242	242
11.8	242	242	242	242	243	243	243	243	243	243
11.9	243	243	243	243	243	244	244	244	244	244
12.0	244	244	244	244	244	245	245	245	245	245
12.1	245	245	245	245	246	246	246	246	246	246
12.2	246	246	246	246	247	247	247	247	247	247
12.3	247	247	247	248	248	248	248	248	248	248
12.4	248	248	249	249	249	249	249	249	249	249
12.5	249	250	250	250	250	250	250	250	250	250
12.6	250	251	251	251	251	251	251	251	251	251
12.7	252	252	252	252	252	252	252	252	252	252
12.8	253	253	253	253	253	253	253	253	253	254
12.9	254	254	254	254	254	254	254	254	254	255
13.0	255	255	255	255	255	255	255	255	256	256
13.1	256	256	256	256	256	256	256	256	257	257
13.2	257	257	257	257	257	257	257	258	258	258
13.3	258	258	258	258	258	258	258	259	259	259
13.4	259	259	259	259	259	259	259	260	260	260

CAP Reach 11 Dike #1										
Discharge Rating, table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.5	260	260	260	260	260	260	261	261	261	261
13.6	261	261	261	261	261	261	262	262	262	262
13.7	262	262	262	262	262	262	263	263	263	263
13.8	263	263	263	263	263	263	264	264	264	264
13.9	264	264	264	264	264	264	265	265	265	265
14.0	265	265	265	265	265	266	266	266	266	266
14.1	266	266	266	266	267	267	267	267	267	267
14.2	267	267	267	267	268	268	268	268	268	268
14.3	268	268	268	269	269	269	269	269	269	269
14.4	269	269	270	270	270	270	270	270	270	270
14.5	270	270	271	271	271	271	271	271	271	271
14.6	271	272	272	272	272	272	272	272	272	272
14.7	272	273	273	273	273	273	273	273	273	273
14.8	274	274	274	274	274	274	274	274	274	274
14.9	275	275	275	275	275	275	275	275	275	276
15.0	276	276	276	276	276	276	276	276	276	277
15.1	277	277	277	277	277	277	277	277	278	278
15.2	278	278	278	278	278	278	278	278	279	279
15.3	279	279	279	279	279	279	279	280	280	280
15.4	280	280	280	280	280	280	280	281	281	281
15.5	281	281	281	281	281	281	281	282	282	282
15.6	282	282	282	282	282	282	283	283	283	283
15.7	283	283	283	283	283	283	284	284	284	284
15.8	284	284	284	284	284	284	285	285	285	285
15.9	285	285	285	285	285	285	286	286	286	286
16.0	286	286	286	286	286	287	287	287	287	287
16.1	287	287	287	287	288	288	288	288	288	288
16.2	288	288	288	288	289	289	289	289	289	289
16.3	289	289	289	290	290	290	290	290	290	290
16.4	290	290	290	291	291	291	291	291	291	291
16.5	291	291	292	292	292	292	292	292	292	292
16.6	292	293	293	293	293	293	293	293	293	293
16.7	293	294	294	294	294	294	294	294	294	294
16.8	295	295	295	295	295	295	295	295	295	295
16.9	296	296	296	296	296	296	296	296	296	297
17.0	297	297	297	297	297	297	297	297	297	298
17.1	298	298	298	298	298	298	298	298	299	299
17.2	299	299	299	299	299	299	299	299	300	300
17.3	300	300	300	300	300	300	300	300	301	301
17.4	301	301	301	301	301	301	301	302	302	302
17.5	302	302	302	302	302	302	302	303	303	303
17.6	303	303	303	303	303	303	303	304	304	304
17.7	304	304	304	304	304	304	305	305	305	305
17.8	305	305	305	305	305	305	306	306	306	306
17.9	306	306	306	306	306	306	307	307	307	307

CAP Reach 11 Dike #1										
Discharge Rating, table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.0	307	307	307	307	307	307	307	307	307	308
18.1	308	308	308	308	308	308	308	308	308	308
18.2	308	308	308	308	308	308	308	309	309	309
18.3	309	309	309	309	309	309	309	309	309	309
18.4	309	309	309	309	309	310	310	310	310	310
18.5	310	310	310	310	310	310	310	310	310	310
18.6	310	310	310	311	311	311	311	311	311	311
18.7	311	311	311	311	311	311	311	311	311	311
18.8	311	312	312	312	312	312	312	312	312	312
18.9	312	312	312	312	312	312	312	312	312	313
19.0	313	313	313	313	313	313	313	313	313	313
19.1	313	313	313	313	313	313	313	314	314	314
19.2	314	314	314	314	314	314	314	314	314	314
19.3	314	314	314	314	314	315	315	315	315	315
19.4	315	315	315	315	315	315	315	315	315	315
19.5	315	315	315	315	316	316	316	316	316	316
19.6	316	316	316	316	316	316	316	316	316	316
19.7	316	316	317	317	317	317	317	317	317	317
19.8	317	317	317	317	317	317	317	317	317	317
19.9	317	318	318	318	318	318	318	318	318	318
20.0	318	318	318	318	318	318	318	319	319	319
20.1	319	319	319	319	319	319	319	319	319	320
20.2	320	320	320	320	320	320	320	320	320	320
20.3	320	321	321	321	321	321	321	321	321	321
20.4	321	321	321	322	322	322	322	322	322	322
20.5	322	322	322	322	322	322	323	323	323	323
20.6	323	323	323	323	323	323	323	323	324	324
20.7	324	324	324	324	324	324	324	324	324	324
20.8	324	325	325	325	325	325	325	325	325	325
20.9	325	325	325	326	326	326	326	326	326	326
21.0	326	326	326	326	326	326	327	327	327	327
21.1	327	327	327	327	327	327	327	327	328	328
21.2	328	328	328	328	328	328	328	328	328	328
21.3	328	329	329	329	329	329	329	329	329	329
21.4	329	329	329	330	330	330	330	330	330	330
21.5	330	330	330	330	330	330	331	331	331	331
21.6	331	331	331	331	331	331	331	331	331	332
21.7	332	332	332	332	332	332	332	332	332	332
21.8	332	333	333	333	333	333	333	333	333	333
21.9	333	333	333	333	334	334	334	334	334	334
22.0	334	334	334	334	334	334	334	334	334	335
22.1	335	335	335	335	335	335	335	335	335	335
22.2	335	335	335	335	335	335	335	336	336	336
22.3	336	336	336	336	336	336	336	336	336	336
22.4	336	336	336	336	336	337	337	337	337	337

CAP Reach 11 Dike #1

Discharge Rating, table values in CFS

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
22.5	337	337	337	337	337	337	337	337	337	337
22.6	337	337	337	338	338	338	338	338	338	338
22.7	338	338	338	338	338	338	338	338	338	338
22.8	338	339	339	339	339	339	339	339	339	339
22.9	339	339	339	339	339	339	339	339	339	340
23.0	340	340	340	340	340	340	340	340	340	340
23.1	340	340	340	340	340	340	340	341	341	341
23.2	341	341	341	341	341	341	341	341	341	341
23.3	341	341	341	341	341	341	342	342	342	342
23.4	342	342	342	342	342	342	342	342	342	342
23.5	342	342	342	342	343	343	343	343	343	343
23.6	343	343	343	343	343	343	343	343	343	343
23.7	343	343	343	344	344	344	344	344	344	344
23.8	344	344	344	344	344	344	344	344	344	344
23.9	344	345	345	345	345	345	345	345	345	345
24.0	345	345	345	345	345	345	346	346	346	346
24.1	346	346	346	346	346	346	346	347	347	347
24.2	347	347	347	347	347	347	347	347	348	348
24.3	348	348	348	348	348	348	348	348	348	349
24.4	349	349	349	349	349	349	349	349	349	349
24.5	350	350	350	350	350	350	350	350	350	350
24.6	350	351	351	351	351	351	351	351	351	351
24.7	351	351	352	352	352	352	352	352	352	352
24.8	352	352	352	353	353	353	353	353	353	353
24.9	353	353	353	353	354	354	354	354	354	354
25.0	354	354	354	354	354	355	355	355	355	355
25.1	355	355	355	355	355	355	356	356	356	356
25.2	356	356	356	356	356	356	356	356	357	357
25.3	357	357	357	357	357	357	357	357	357	358
25.4	358	358	358	358	358	358	358	358	358	358
25.5	359	359	359	359	359	359	359	359	359	359
25.6	359	360	360	360	360	360	360	360	360	360
25.7	360	360	361	361	361	361	361	361	361	361
25.8	361	361	361	361	362	362	362	362	362	362
25.9	362	362	362	362	362	363	363	363	363	363
26.0	363	363	363	363	363	363	363	364	364	364
26.1	364	364	364	364	364	364	364	364	364	364
26.2	365	365	365	365	365	365	365	365	365	365
26.3	365	365	365	366	366	366	366	366	366	366
26.4	366	366	366	366	366	366	366	367	367	367
26.5	367	367	367	367	367	367	367	367	367	367
26.6	368	368	368	368	368	368	368	368	368	368
26.7	368	368	368	369	369	369	369	369	369	369
26.8	369	369	369	369	369	369	370	370	370	370
26.9	370	370	370	370	370	370	370	370	370	370

CAP Reach 11 Dike #1										
Discharge Rating, table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
27.0	371	371	371	371	371	371	371	371	371	371
27.1	371	371	371	372	372	372	372	372	372	372
27.2	372	372	372	372	372	372	373	373	373	373
27.3	373	373	373	373	373	373	373	373	373	373
27.4	374	374	374	374	374	374	374	374	374	374
27.5	374	374	374	375	375	375	375	375	375	375
27.6	375	375	375	375	375	375	375	376	376	376
27.7	376	376	376	376	376	376	376	376	376	376
27.8	377	377	377	377	377	377	377	377	377	377
27.9	377	377	377	377	378	378	378	378	378	378
28.0	378									
Rating #1 - NS Table #765										
Effective: 07/19/2016										
Update: 08/30/2017										