

Dysart Drain at El Mirage Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0	0	0	0	1	1	1	1	2	2
0.1	2	3	3	4	4	4	5	5	6	6
0.2	7	7	8	8	9	9	10	10	11	12
0.3	12	13	13	14	15	15	16	17	17	18
0.4	19	19	20	21	21	22	23	24	24	25
0.5	26	27	28	29	30	31	32	33	34	35
0.6	36	37	38	39	40	41	42	43	44	45
0.7	46	48	49	50	51	53	54	55	56	58
0.8	59	60	62	63	64	66	67	69	70	72
0.9	73	75	76	78	79	81	82	84	85	87
1.0	88	90	92	93	95	97	98	100	102	103
1.1	105	107	108	110	112	113	115	117	119	120
1.2	122	124	126	128	129	131	133	135	137	139
1.3	141	142	144	146	148	150	152	154	156	158
1.4	160	162	164	166	168	170	172	174	176	179
1.5	181	183	185	187	189	191	193	196	198	200
1.6	202	205	207	209	212	214	216	219	221	223
1.7	226	228	231	233	235	238	240	243	245	248
1.8	250	253	255	258	260	263	266	268	271	273
1.9	276	279	281	284	287	289	292	295	297	300
2.0	303	305	308	311	314	316	319	322	325	327
2.1	330	333	336	338	341	344	347	350	353	356
2.2	358	361	364	367	370	373	376	379	382	385
2.3	388	391	394	397	400	403	406	409	412	415
2.4	418	421	424	427	430	433	436	439	443	446
2.5	449	452	455	458	461	465	468	471	474	477
2.6	481	484	487	490	493	497	500	503	507	510
2.7	514	517	521	524	528	531	535	538	542	545
2.8	549	553	556	560	563	567	571	574	578	582
2.9	585	589	593	596	600	604	607	611	615	619
3.0	622	626	630	634	638	641	645	649	653	657
3.1	661	665	668	672	676	680	684	688	692	696
3.2	700	704	708	712	716	720	723	727	731	735
3.3	739	743	747	751	755	759	763	767	771	775
3.4	780	784	788	792	796	800	804	809	813	818
3.5	822	827	831	836	840	845	849	854	858	863
3.6	868	872	877	881	886	891	895	900	904	909
3.7	913	918	922	927	931	936	940	945	949	954
3.8	959	963	968	972	977	981	986	991	995	1000
3.9	1005	1010	1014	1019	1024	1029	1034	1039	1044	1048
4.0	1053	1058	1063	1068	1073	1078	1083	1088	1093	1098
4.1	1103	1108	1113	1118	1123	1128	1133	1138	1143	1148
4.2	1154	1159	1164	1169	1174	1179	1184	1190	1195	1200
4.3	1205	1210	1216	1221	1226	1231	1236	1242	1247	1252
4.4	1258	1263	1268	1273	1279	1284	1289	1295	1300	1306
4.5	1311	1316	1322	1327	1333	1338	1343	1349	1354	1360

Dysart Drain at El Mirage Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	1365	1371	1376	1382	1387	1393	1398	1404	1410	1415
4.7	1421	1426	1432	1438	1443	1449	1454	1460	1466	1471
4.8	1477	1483	1489	1494	1500	1506	1512	1518	1524	1529
4.9	1535	1541	1547	1553	1559	1565	1571	1577	1583	1589
5.0	1595	1601	1607	1613	1619	1625	1632	1638	1644	1650
5.1	1656	1662	1668	1674	1681	1687	1693	1699	1705	1712
5.2	1718	1724	1730	1737	1743	1749	1756	1762	1768	1775
5.3	1781	1787	1794	1800	1807	1813	1820	1826	1833	1839
5.4	1846	1852	1859	1866	1872	1879	1885	1892	1899	1905
5.5	1912	1919	1925	1932	1939	1946	1952	1959	1966	1973
5.6	1980	1986	1993	2000	2007	2014	2020	2027	2034	2041
5.7	2047	2054	2061	2068	2075	2082	2089	2095	2102	2109
5.8	2116	2123	2130	2137	2144	2151	2158	2165	2172	2179
5.9	2186	2193	2200	2207	2215	2222	2229	2236	2244	2251
6.0	2259	2266	2273	2281	2288	2295	2303	2310	2318	2325
6.1	2333	2340	2348	2355	2363	2370	2378	2385	2393	2400
6.2	2408	2416	2423	2431	2439	2446	2454	2461	2469	2477
6.3	2485	2492	2500	2508	2515	2523	2531	2539	2546	2554
6.4	2562	2570	2577	2585	2593	2601	2609	2616	2624	2632
6.5	2640	2648	2656	2664	2672	2680	2688	2696	2703	2711
6.6	2719	2727	2735	2743	2752	2760	2768	2776	2784	2792
6.7	2800	2808	2816	2825	2833	2841	2849	2858	2866	2874
6.8	2883	2891	2899	2907	2916	2924	2933	2941	2949	2958
6.9	2966	2975	2983	2992	3000	3008	3017	3025	3034	3042
7.0	3051	3059	3068	3076	3085	3094	3102	3111	3119	3128
7.1	3137	3145	3154	3162	3171	3180	3189	3197	3206	3215
7.2	3223	3232	3241	3250	3258	3267	3276	3285	3294	3303
7.3	3311	3320	3329	3338	3347	3356	3365	3374	3383	3392
7.4	3401	3410	3419	3428	3437	3446	3455	3464	3473	3482
7.5	3491	3500	3509	3519	3528	3537	3547	3556	3565	3575
7.6	3584	3594	3603	3612	3622	3631	3641	3650	3660	3669
7.7	3679	3688	3698	3707	3717	3727	3736	3746	3755	3765
7.8	3775	3784	3794	3804	3813	3823	3833	3843	3852	3862
7.9	3872	3882	3891	3901	3911	3921	3931	3941	3950	3960
8.0	3970	3980	3990	4000	4010	4019	4029	4039	4049	4058
8.1	4068	4078	4088	4098	4108	4117	4127	4137	4147	4157
8.2	4167	4177	4187	4197	4207	4216	4226	4236	4246	4256
8.3	4266	4276	4287	4297	4307	4317	4327	4337	4347	4357
8.4	4367	4377	4388	4398	4408	4418	4428	4438	4449	4459
8.5	4469	4479	4490	4500	4511	4521	4532	4542	4553	4564
8.6	4574	4585	4596	4606	4617	4628	4639	4649	4660	4671
8.7	4682	4693	4703	4714	4725	4736	4747	4758	4768	4779
8.8	4790	4801	4812	4823	4834	4845	4856	4867	4878	4889
8.9	4900	4911	4922	4933	4944	4955	4967	4978	4989	5000
9.0	5011	5022	5034	5045	5056	5068	5079	5090	5102	5113
9.1	5124	5136	5147	5158	5170	5181	5193	5204	5216	5227

Dysart Drain at El Mirage Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	5239	5250	5262	5273	5285	5296	5308	5319	5331	5342
9.3	5354	5366	5377	5389	5401	5412	5424	5436	5447	5459
9.4	5471	5483	5494	5506	5518	5530	5542	5553	5565	5577
9.5	5589	5601	5613	5625	5637	5648	5660	5672	5684	5696
9.6	5708	5720	5732	5744	5756	5768	5781	5793	5805	5817
9.7	5829	5841	5853	5865	5878	5890	5902	5914	5926	5939
9.8	5951	5963	5975	5988	6000	6013	6025	6038	6051	6063
9.9	6076	6089	6102	6114	6127	6140	6153	6165	6178	6191
10.0	6204	6217	6230	6243	6255	6268	6281	6294	6307	6320
10.1	6333	6346	6359	6372	6385	6398	6411	6424	6438	6451
10.2	6464	6477	6490	6503	6516	6530	6543	6556	6569	6582
10.3	6596	6609	6622	6636	6649	6662	6676	6689	6702	6716
10.4	6729	6743	6756	6769	6783	6796	6810	6823	6837	6850
10.5	6864	6877	6891	6905	6918	6932	6945	6959	6973	6986
10.6	7000	7014	7028	7041	7055	7069	7083	7097	7111	7125
10.7	7139	7153	7166	7180	7194	7208	7222	7236	7251	7265
10.8	7279	7293	7307	7321	7335	7349	7363	7377	7392	7406
10.9	7420	7434	7449	7463	7477	7491	7506	7520	7534	7549
11.0	7563	7577	7592	7606	7620	7635	7649	7664	7678	7693
11.1	7707	7722	7736	7751	7765	7780	7794	7809	7824	7838
11.2	7853	7868	7882	7897	7912	7926	7941	7956	7970	7985
11.3	8000	8015	8030	8045	8060	8076	8091	8106	8121	8136
11.4	8152	8167	8182	8197	8213	8228	8243	8259	8274	8289
11.5	8305	8320	8335	8351	8366	8382	8397	8413	8428	8444
11.6	8459	8475	8490	8506	8521	8537	8553	8568	8584	8600
11.7	8615	8631	8647	8662	8678	8694	8710	8725	8741	8757
11.8	8773	8789	8805	8820	8836	8852	8868	8884	8900	8916
11.9	8932	8949	8965	8981	8998	9014	9030	9047	9063	9080
12.0	9096	9112	9129	9145	9162	9178	9195	9211	9228	9244
12.1	9261	9278	9294	9311	9327	9344	9361	9377	9394	9411
12.2	9428	9444	9461	9478	9495	9512	9528	9545	9562	9579
12.3	9596	9613	9630	9647	9664	9681	9698	9715	9732	9749
12.4	9766	9783	9800	9817	9834	9851	9868	9886	9903	9920
12.5	9937	9954	9972	9989	10006	10024	10041	10058	10076	10093
12.6	10110	10128	10145	10163	10180	10197	10215	10232	10250	10267
12.7	10285	10303	10320	10338	10355	10373	10391	10408	10426	10444
12.8	10461	10479	10497	10514	10532	10550	10568	10586	10603	10621
12.9	10639	10657	10675	10693	10711	10729	10747	10765	10783	10801
13.0	10819	10837	10855	10873	10891	10909	10927	10945	10963	10982
13.1	11000	11018	11036	11054	11073	11091	11109	11128	11146	11164
13.2	11183	11201	11219	11238	11256	11275	11293	11311	11330	11348
13.3	11367	11385	11404	11423	11441	11460	11478	11497	11516	11534
13.4	11553	11572	11590	11609	11628	11647	11665	11684	11703	11722
13.5	11741	11759	11778	11797	11816	11835	11854	11873	11892	11911
13.6	11930	11949	11968	11987	12006	12025	12044	12063	12082	12102
13.7	12121	12140	12159	12178	12198	12217	12236	12255	12275	12294

Dysart Drain at El Mirage Road										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	12313	12333	12352	12371	12391	12410	12430	12449	12468	12488
13.9	12507	12527	12546	12566	12586	12605	12625	12644	12664	12684
14.0	12703	12723	12743	12762	12782	12802	12821	12841	12861	12881
14.1	12901	12921	12940	12960	12980	13000				
	Rating #3 - NS Table #938									
	Applied as of 10/01/2019									
	Updated: 08/18/2020									