

[illegible]

Discharge Rating Table - table values in CFS

White Tank FRS #3										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
4.6	0	0	0	0	0	0	0	0	0	0
4.7	0	0	0	0	0	0	0	0	0	0
4.8	0	0	0	0	0	0	0	0	0	0
4.9	0	0	0	0	0	0	0	0	0	0
5.0	0	0	0	0	0	0	0	0	0	0
5.1	0	0	0	0	0	0	0	0	0	0
5.2	0	0	0	0	0	0	0	0	0	0
5.3	0	0	0	0	0	0	0	0	0	0
5.4	0	0	0	0	0	0	0	0	0	0
5.5	0	0	0	0	0	0	0	0	0	0
5.6	0	0	0	0	0	0	0	0	0	0
5.7	0	0	0	0	0	0	0	0	0	0
5.8	0	0	0	0	0	0	0	0	0	0
5.9	0	0	0	0	0	0	0	0	0	0
6.0	0	0	0	0	0	0	0	0	0	0
6.1	0	0	0	0	0	0	0	0	0	0
6.2	0	0	0	0	0	0	0	0	0	0
6.3	0	0	0	0	0	0	0	0	0	0
6.4	0	0	0	0	0	0	0	0	0	0
6.5	0	0	0	0	0	0	0	0	0	0
6.6	0	0	0	0	0	0	0	0	0	0
6.7	0	0	0	0	0	0	0	0	0	0
6.8	0	0	0	0	0	0	0	0	0	0
6.9	0	0	0	0	0	0	0	0	0	0
7.0	5	5	5	5	5	5	6	6	6	6
7.1	6	6	6	6	6	6	7	7	7	7
7.2	7	7	7	7	7	8	8	8	8	8
7.3	8	8	8	9	9	9	9	9	9	9
7.4	10	10	10	10	10	10	11	11	11	11
7.5	11	11	12	12	12	12	12	13	13	13
7.6	13	13	14	14	14	14	14	15	15	15
7.7	15	16	16	16	16	17	17	17	17	18
7.8	18	18	18	19	19	19	20	20	20	20
7.9	21	21	21	22	22	22	23	23	23	24
8.0	24	24	24	25	25	25	25	25	26	26
8.1	26	26	26	27	27	27	27	27	28	28
8.2	28	28	28	29	29	29	29	30	30	30
8.3	30	30	31	31	31	31	32	32	32	32
8.4	33	33	33	33	34	34	34	34	35	35
8.5	35	35	36	36	36	36	37	37	37	37
8.6	38	38	38	38	39	39	39	40	40	40
8.7	40	41	41	41	42	42	42	43	43	43
8.8	43	44	44	44	45	45	45	46	46	46
8.9	47	47	47	48	48	48	49	49	49	50
9.0	50	51	51	52	53	53	54	55	55	56
9.1	57	57	58	59	59	60	61	62	62	63

White Tank FRS #3										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
9.2	64	65	66	66	67	68	69	70	71	71
9.3	72	73	74	75	76	77	78	79	80	80
9.4	81	82	83	84	85	86	87	88	90	91
9.5	92	93	94	95	96	97	98	100	101	102
9.6	103	104	106	107	108	109	111	112	113	114
9.7	116	117	119	120	121	123	124	126	127	128
9.8	130	131	133	134	136	138	139	141	142	144
9.9	146	147	149	151	152	154	156	158	159	161
10.0	163	164	164	165	165	166	166	167	167	168
10.1	169	169	170	170	171	171	172	173	173	174
10.2	174	175	175	176	177	177	178	178	179	180
10.3	180	181	181	182	183	183	184	184	185	186
10.4	186	187	187	188	189	189	190	190	191	192
10.5	192	193	193	194	195	195	196	197	197	198
10.6	199	199	200	200	201	202	202	203	204	204
10.7	205	206	206	207	208	208	209	209	210	211
10.8	211	212	213	213	214	215	215	216	217	217
10.9	218	219	220	220	221	222	222	223	224	224
11.0	225	226	226	227	228	229	229	230	231	231
11.1	232	233	234	234	235	236	237	237	238	239
11.2	239	240	241	242	242	243	244	245	245	246
11.3	247	248	248	249	250	251	252	252	253	254
11.4	255	255	256	257	258	258	259	260	261	262
11.5	262	263	264	265	266	266	267	268	269	270
11.6	270	271	272	273	274	274	275	276	277	278
11.7	279	279	280	281	282	283	283	284	285	286
11.8	287	288	289	289	290	291	292	293	294	294
11.9	295	296	297	298	299	300	301	301	302	303
12.0	304	304	304	305	305	305	305	306	306	306
12.1	306	307	307	307	307	307	308	308	308	308
12.2	309	309	309	309	310	310	310	310	310	311
12.3	311	311	311	312	312	312	312	313	313	313
12.4	313	313	314	314	314	314	315	315	315	315
12.5	316	316	316	316	316	317	317	317	317	318
12.6	318	318	318	319	319	319	319	319	320	320
12.7	320	320	321	321	321	321	321	322	322	322
12.8	322	323	323	323	323	324	324	324	324	324
12.9	325	325	325	325	326	326	326	326	327	327
13.0	327	327	327	328	328	328	328	329	329	329
13.1	329	330	330	330	330	331	331	331	331	332
13.2	332	332	332	333	333	333	333	333	334	334
13.3	334	334	335	335	335	335	336	336	336	336
13.4	337	337	337	337	338	338	338	338	339	339
13.5	339	339	339	340	340	340	340	341	341	341
13.6	341	342	342	342	342	343	343	343	343	344
13.7	344	344	344	345	345	345	345	345	346	346

White Tank FRS #3										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
13.8	346	346	347	347	347	347	348	348	348	348
13.9	349	349	349	349	350	350	350	350	351	351
14.0	351	351	351	352	352	352	352	352	353	353
14.1	353	353	353	354	354	354	354	354	355	355
14.2	355	355	355	356	356	356	356	356	357	357
14.3	357	357	357	358	358	358	358	358	359	359
14.4	359	359	359	360	360	360	360	360	361	361
14.5	361	361	361	362	362	362	362	362	363	363
14.6	363	363	363	364	364	364	364	364	365	365
14.7	365	365	365	366	366	366	366	366	367	367
14.8	367	367	367	368	368	368	368	368	369	369
14.9	369	369	369	370	370	370	370	370	371	371
15.0	371	371	371	372	372	372	372	372	373	373
15.1	373	373	373	374	374	374	374	374	375	375
15.2	375	375	375	376	376	376	376	376	377	377
15.3	377	377	377	378	378	378	378	378	379	379
15.4	379	379	379	380	380	380	380	380	381	381
15.5	381	381	381	382	382	382	382	382	383	383
15.6	383	383	383	384	384	384	384	384	385	385
15.7	385	385	385	386	386	386	386	386	387	387
15.8	387	387	387	388	388	388	388	388	389	389
15.9	389	389	389	390	390	390	390	390	391	391
16.0	391	391	391	392	392	392	392	392	392	393
16.1	393	393	393	393	394	394	394	394	394	394
16.2	395	395	395	395	395	396	396	396	396	396
16.3	396	397	397	397	397	397	398	398	398	398
16.4	398	398	399	399	399	399	399	399	400	400
16.5	400	400	400	401	401	401	401	401	401	402
16.6	402	402	402	402	403	403	403	403	403	403
16.7	404	404	404	404	404	405	405	405	405	405
16.8	405	406	406	406	406	406	406	407	407	407
16.9	407	407	408	408	408	408	408	408	409	409
17.0	409	409	409	410	410	410	410	410	411	411
17.1	411	411	411	411	412	412	412	412	412	413
17.2	413	413	413	413	414	414	414	414	414	415
17.3	415	415	415	415	415	416	416	416	416	416
17.4	417	417	417	417	417	418	418	418	418	418
17.5	419	419	419	419	419	419	420	420	420	420
17.6	420	421	421	421	421	421	422	422	422	422
17.7	422	423	423	423	423	423	423	424	424	424
17.8	424	424	425	425	425	425	425	426	426	426
17.9	426	426	426	427	427	427	427	427	428	428
18.0	428	428	428	428	429	429	429	429	429	429
18.1	430	430	430	430	430	430	431	431	431	431
18.2	431	431	432	432	432	432	432	432	433	433
18.3	433	433	433	433	433	434	434	434	434	434

White Tank FRS #3										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
18.4	434	435	435	435	435	435	435	436	436	436
18.5	436	436	436	437	437	437	437	437	437	437
18.6	438	438	438	438	438	438	439	439	439	439
18.7	439	439	440	440	440	440	440	440	441	441
18.8	441	441	441	441	441	442	442	442	442	442
18.9	442	443	443	443	443	443	443	444	444	444
19.0	444	444	444	445	445	445	445	445	445	446
19.1	446	446	446	446	446	447	447	447	447	447
19.2	447	448	448	448	448	448	448	449	449	449
19.3	449	449	449	450	450	450	450	450	450	451
19.4	451	451	451	451	452	452	452	452	452	452
19.5	453	453	453	453	453	453	454	454	454	454
19.6	454	454	455	455	455	455	455	455	456	456
19.7	456	456	456	456	457	457	457	457	457	457
19.8	458	458	458	458	458	458	459	459	459	459
19.9	459	459	460	460	460	460	460	460	461	461
20.0	461	461	461	462	462	462	462	462	462	463
20.1	463	463	463	463	463	464	464	464	464	464
20.2	464	465	465	465	465	465	465	466	466	466
20.3	466	466	466	467	467	467	467	467	467	468
20.4	468	468	468	468	469	469	469	469	469	469
20.5	470	470	470	470	470	470	471	471	471	471
20.6	471	471	472	472	472	472	472	472	473	473
20.7	473	473	473	473	474	474	474	474	474	474
20.8	475	475	475	475	475	475	476	476	476	476
20.9	476	476	477	477	477	477	477	477	478	478
21.0	478	487	496	505	514	523	533	542	552	562
21.1	572	583	593	604	615	626	638	649	661	673
21.2	685	697	710	723	736	749	762	776	790	804
21.3	819	834	849	864	879	895	911	927	944	961
21.4	978	996	1013	1031	1050	1069	1088	1107	1127	1147
21.5	1167	1188	1209	1231	1253	1275	1298	1321	1344	1368
21.6	1392	1417	1442	1467	1493	1520	1547	1574	1602	1630
21.7	1659	1688	1718	1748	1779	1810	1842	1874	1907	1941
21.8	1975	2010	2045	2081	2117	2154	2192	2230	2270	2309
21.9	2350	2391	2432	2475	2518	2562	2607	2652	2698	2745
22.0	2793	2825	2857	2890	2923	2956	2990	3024	3059	3094
22.1	3129	3165	3201	3237	3274	3311	3349	3387	3426	3465
22.2	3504	3544	3584	3624	3666	3707	3749	3791	3834	3878
22.3	3922	3966	4011	4056	4102	4148	4195	4242	4290	4338
22.4	4387	4436	4486	4536	4587	4639	4691	4743	4797	4850
22.5	4905	4960	5015	5071	5128	5185	5243	5302	5361	5421
22.6	5481	5542	5604	5666	5729	5793	5858	5923	5988	6055
22.7	6122	6190	6259	6328	6398	6469	6541	6613	6686	6760
22.8	6835	6911	6987	7064	7142	7221	7300	7381	7462	7544
22.9	7627	7711	7796	7881	7968	8056	8144	8233	8324	8415

White Tank FRS #3										
Discharge Rating Table - table values in CFS										
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
23.0	8507	8565	8623	8682	8741	8800	8860	8920	8980	9041
23.1	9103	9164	9226	9289	9352	9415	9478	9542	9607	9672
23.2	9737	9803	9869	9935	10002	10069	10137	10205	10274	10343
23.3	10413	10482	10553	10624	10695	10767	10839	10911	10984	11058
23.4	11132	11206	11281	11357	11432	11509	11585	11663	11740	11819
23.5	11897	11977	12056	12137	12217	12298	12380	12462	12545	12628
23.6	12712	12796	12881	12966	13052	13139	13226	13313	13401	13490
23.7	13579	13668	13759	13849	13941	14032	14125	14218	14311	14406
23.8	14500	14596	14692	14788	14885	14983	15081	15180	15280	15380
23.9	15480	15582	15684	15786	15889	15993	16098	16203	16309	16415
24.0	16522	16596	16669	16744	16818	16893	16968	17043	17119	17195
24.1	17271	17348	17425	17502	17580	17657	17735	17814	17893	17972
24.2	18051	18131	18211	18291	18372	18453	18534	18616	18698	18780
24.3	18863	18946	19029	19113	19197	19281	19366	19451	19536	19622
24.4	19708	19794	19881	19968	20055	20143	20231	20319	20408	20497
24.5	20586	20676	20766	20857	20948	21039	21131	21223	21315	21408
24.6	21501	21594	21688	21782	21876	21971	22067	22162	22258	22355
24.7	22451	22549	22646	22744	22842	22941	23040	23139	23239	23340
24.8	23440	23541	23643	23744	23847	23949	24052	24156	24259	24364
24.9	24468	24573	24679	24785	24891	24997	25105	25212	25320	25428
25.0	25537	25616	25695	25774	25854	25933	26013	26093	26174	26254
25.1	26335	26416	26497	26578	26660	26742	26824	26906	26989	27071
25.2	27154	27238	27321	27405	27488	27572	27657	27741	27826	27911
25.3	27996	28081	28167	28253	28339	28425	28512	28599	28686	28773
25.4	28860	28948	29036	29124	29212	29301	29390	29479	29568	29658
25.5	29748	29838	29928	30018	30109	30200	30291	30383	30475	30566
25.6	30659	30751	30844	30937	31030	31123	31217	31311	31405	31499
25.7	31594	31689	31784	31879	31975	32071	32167	32263	32360	32457
25.8	32554	32651	32749	32847	32945	33043	33142	33241	33340	33439
25.9	33539	33639	33739	33840	33940	34041	34142	34244	34346	34448
26.0	34550	34648	34745	34843	34942	35040	35139	35238	35337	35436
26.1	35536	35636	35736	35837	35937	36038	36139	36241	36343	36444
26.2	36547	36649	36752	36854	36958	37061	37165	37268	37373	37477
26.3	37582	37687	37792	37897	38003	38109	38215	38321	38428	38535
26.4	38642	38749	38857	38965	39073	39182	39290	39399	39509	39618
26.5	39728	39838	39948	40059	40170	40281	40392	40504	40616	40728
26.6	40840	40953	41066	41179	41293	41407	41521	41635	41749	41864
26.7	41979	42095	42211	42326	42443	42559	42676	42793	42910	43028
26.8	43146	43264	43383	43501	43620	43740	43859	43979	44099	44220
26.9	44340	44461	44582	44704	44826	44948	45070	45193	45316	45439
27.0	45534									
Rating #4, NS Table #1203										
Effective Date: 03/10/2021										
Update: 12/19/2023										