

Harquahala FRS, #5128



ANNUAL HYDROLOGIC DATA REPORT

VOLUME II SURFACE WATER DATA

WATER YEAR 2001

PREFACE

This publication presents the surface water data collected by the Flood Control District of Maricopa County's automated water-level gage network. This telemetered network is located primarily throughout Maricopa County, Arizona with additional gages in Yavapai, Pinal, and La Paz Counties.

The surface water data contained in this report were collected, compiled and edited by the Flood Warning Branch of the Engineering Division. Data include mean daily, total, maximum, and minimum discharges at the flow sites; mean daily, maximum, and minimum pool levels at the storage locations; and mean daily, maximum, and minimum volumes stored at the storage locations. Also included are maximum discharges, pool levels, and storage volumes for flood events of interest at each site. In addition, a few hydrographs from significant floods are also presented. Furthermore, flood flow frequency tables are included at sites where information is available either from statistical analysis of gage records or from rainfall/runoff models. These estimates of flood flow frequency do not necessarily correspond to regulatory discharges for the channel reaches near the gage sites. Always refer to official regulatory documents for such discharge information.

The information contained herein is as accurate and complete as possible within the limitations of real-time data collection technology currently available. Wherever possible, footnotes have been included to identify questionable data. Reliance upon the accuracy, reliability, and authority of this information is solely the responsibility of the user.

Revisions to any of these data for any reason will be published in the following years' reports immediately following the data for the current year for the site where the revisions have been made.

Additional copies of this report may be purchased from:

Flood Control District of Maricopa County 2801 W. Durango Street Phoenix, Arizona 85009 (602) 506-1501

or downloaded from the World Wide Web at http://www.fcd.maricopa.gov/alert/alert.htm.

TABLE OF CONTENTS

Prefaceii
Contents iii
Introduction iv
Definition of Termsviii
Surface Water Gage Location Mapxii
List of New Gage Locations in Water Year 2001xiii
List of Stations Sorted By Sensor ID#xv
List of Stations Sorted By Namexviii
Summary of Significant Streamflow Eventsxxi
Surface Water Streamflow and Storage Facility Discharge Data
Pool Levels at Storage Facilities (Reservoir Depths)Tab 2
Storage Volumes at Storage Facilities
Comment/Errata Sheet Appendix

INTRODUCTION

The Flood Control District of Maricopa County in cooperation with federal, state, and local agencies collects a large amount of data pertaining to surface water runoff in and around Maricopa County. These data provide a valuable resource for information not otherwise furnished by the traditional sources of this type of material. To make these data readily available to interested parties outside the Flood Control District, the data are published annually in this report entitled "Annual Hydrologic Data Report, Volume II -- Surface Water Data."

This report includes records on discharge at stream gages and at flood control storage structures, on depths at flood control storage structures, and on contents at flood control storage structures. Specifically it contains: (1) Streamflow records at 74 stream gages and 34 flood control storage structures; (2) Pool levels of stored water at 36 flood control storage structures; and (3) Storage volumes at 35 flood control storage structures where stage-storage relationships are available. Records included are only a small fraction of those obtained for each site during this water year.

Several streamflow gages are operated cooperatively between the FCDMC and the United States Geological Survey (USGS). Although real-time data for these sites are collected by the FCDMC ALERT System for the purposes of flood event monitoring, quality control for the data at these gages lies with the USGS. The official records for these sites are published in the USGS Surface Water Data Reports each water year or for current data go to <u>http://az.water.usgs.gov/</u>. The cooperative gages collected jointly for Water Year 2001 were:

<u>USGS Gage Name</u>	FCDMC ID	<u>USGS ID</u>
Gila River near Maricopa, AZ*	0788	09479350
Salt River at Priest Drive	4523	09512165
Cave Cr. below Cottonwood Cr.	4923	09512280
Skunk Creek near Phoenix, AZ	5568	09513860
Gila River @ Estrella Parkway	6853	09514100
Hassayampa River nr Morristown	5223	09516500
Centennial Wash at SPRR	5103	09517490
*Gage is a cooperative between ADOT and	USGS.	

There are three additional continuous cooperative gages which the USGS operates, but are not ALERT equipped.

Gage Site Name	USGS ID Number
Indian Bend Wash at Curry Drive, Tempe	09512162
New River near Rock Springs	09513780
Hassayampa River near Arlington	09517000

In addition to the continuous cooperative stations, the FCDMC also cooperates with the USGS in the collection of peak discharges at a number of crest stage gage sites. The data for these crest stage gage sites are also published by the USGS in their Surface Water Data Reports each water year.

The cooperative crest stage gage sites for Water Year 2001 were:

Gage Site Name	<u>USGS ID</u>
Vekol Wash near Stanfield, AZ	09488650
Tortilla Creek at Tortilla Flat	09501300
Camp Creek near Sunflower	09510170
Rock Creek near Sunflower	09510180
Indian Bend Wash at Shea Blvd	09512090
Salt River Trib in South Mountain Park	09512200
Agua Fria R. Trib. No. 2	09512700
Deadman Wash near New River	09513820
Waterman Wash near Buckeye	09514200
Hartman Wash near Buckeye	09514200
Hartman Wash near Wickenburg	09515800
Ox Wash near Morristown	09516800
Jackrabbit Wash near Tonopah	09516800
Centennial Wash Trib. nr Wenden	09517200
Tiger Wash near Aguila	09517280
Winters Wash near Tonopah	09517280
Rainbow Wash Trib. near Buckeye	09517400
Bender Wash near Gila Bend	09519760
Sauceda Wash near Gila Bend	09519760
Military Wash near Sentinel	09520100
Crater Range Wash near Ajo	09520230
Star Wash	09516790

There are two sensors located on Corps of Engineer structures. Tat Momolikot and Whitlow Ranch Dams are monitored by the Corps of Engineers. Again, these data are collected in real-time by the FCDMC for the purpose of flood monitoring. The District will publish data for Tat Momolikot since data are no longer collected by the Corps. Please refer to the Los Angeles District office for official data for Whitlow Ranch Dam at http://www.spl.usace.army.mil/resreg/.

This is the eighth annual surface water report published by the District. Prior to water year 1994, surface water data collected by the FCDMC ALERT System were not quality controlled, and therefore, not published. However, there are data resident in archives prior to water year 1994 that may have value to specific individuals. Data are available back to November 1987 for some streamflow sites.

The data are collected as a depth of flow in feet (or stage). The discharge and/or contents is then obtained by applying the stage to a rating curve of stage versus discharge in cubic feet per second (cfs), or stage versus contents in acre-feet (ac-ft). The discharge rating curves have been developed at stream gages by using field surveyed cross sections in a HEC-2 or HECRAS step backwater computer model to obtain a range of stage versus discharge points to be plotted on a curve. These step backwater ratings are refined whenever possible using direct and/or indirect measurements made at or near the gage site. For flood control storage structures, discharge ratings were obtained in one of two ways. First, the design ratings may be used. In most cases however, the discharge rating curves were developed by application of the Federal Highway Administration's HY-8 computer model for culvert flow and U.S. Geological Survey methods for weir flow over the uncontrolled emergency spillways. The storage rating curves were obtained from published as-built or construction plans or developed from digital elevation data.

Daily mean discharges are computed by applying the daily mean stages (gage heights) to the stage-discharge curves or tables. The same is similarly true for storage facility contents. The minimum and maximum values are based on instantaneous readings and the volumes for discharge stations are based on accumulations of daily means. Those gages in section 2, Pool Levels at Storage Facilities, which show a continuous gage height during obvious periods of no storage, do so because the orifice to the pressure transducer is set at that gage height above or below 0.0 feet gage datum.

All data in this report have been reviewed and edited in an attempt to provide the most accurate data possible. A blank or blanks within the data set is an indication that data was lost either due to hardware, software, or radio problems, or that the gage had not yet been installed. Where possible, these data are flagged with footnotes describing the time the gage was down. In the event that published records require revision, revisions are printed in later reports. Listed in the heading for each gage where records have been revised are all the reports in which revisions have been published for the station and the water years to which the revisions apply (e.g. WY1999: WY1994-95 means that the data for Water Years 1994-1995 were revised in the report for Water Year 1999).

Comments about this report or errors discovered may be forwarded to the Flood Warning Branch using the comment/errata sheet found at the back of this document. Alternately, comments or errors may be sent via Internet e-mail from the FCDMC ALERT System Home Page or directly to deg@mail.maricopa.gov.

An index of gage names, numbers, locations, and other descriptors is included following the Definition of Terms in this report.

Additional or more detailed surface water data in hard copy or computer disk format is available for the gages listed in this report. Furthermore, data is

available on the FCD ALERT internet site at <u>www.fcd.maricopa.gov/alert/alert.htm</u>. For information, contact the Flood Control District, Engineering Division, Flood Warning and Data Collection Branch at (602) 506-1501.

DEFINITION OF TERMS

Terms related to streamflow and other hydrologic data, as used in this report are defined below.

<u>Acre-foot</u> (ac-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

<u>Contents</u> is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool.

<u>Control</u> designates a feature downstream from the gage that determines the stage-discharge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

<u>Control structure</u> as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream.

<u>Cubic foot per second (cfs)</u> is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to approximately 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic meters per second.

<u>Cubic foot per second-day</u> is the volume of water represented by a flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acre-feet, or about 646,000 gallons or 2,445 cubic meters.

<u>Daily mean discharge</u> is the average discharge in cfs for a 24 hour period from midnight to midnight the following day.

<u>Discharge</u> is the volume of water (or more broadly, total fluid plus suspended sediment), that passes a given point within a given period of time.

<u>Drainage area</u> of a stream at a specified location is that area, measured in a horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the stream above the specified point.

<u>Drainage basin</u> is a part of the surface of the Earth that is occupied by a drainage system, which consists of a surface stream or body of impounded surface water, together with all tributary surface streams and bodies of impounded surface water.

<u>El Niño</u> is a condition where sea surface temperatures are warmer in the eastern Pacific Ocean and cooler in the western Pacific Ocean in the lower latitudes. Normal conditions of sea surface temperatures are opposite with warmer waters in the western Pacific and cooler waters in the eastern Pacific. El Niño conditions usually result in higher than normal precipitation in the southwestern United States.

<u>Flood Elevation Frequency</u> refers to the magnitude (in terms of depth or elevation) and probability of floods at a given flood control impoundment structure. The flood elevation frequency is usually given as a depth or elevation of impoundment associated with a given recurrence interval at a particular flood control impoundment structure.

<u>Flood Flow Frequency</u> refers to the magnitude (in terms of peak discharge) and probability of floods at a given gaging station. The flood flow frequency is usually given as a peak discharge associated with a given recurrence interval at a particular gaging station.

<u>Gage datum</u> is the elevation of the zero point of the reference gage from which gage height is determined. This elevation is established by a system of levels from known bench marks or by approximation from topographic maps or arbitrarily established to a known point such as a culvert invert elevation.

<u>Gage height</u> is the water-surface elevation referred to some arbitrary gage datum. Gage height is often used interchangeably with the more general term "stage," although gage height is more appropriate when used with a reading on a gage.

<u>Gaging station</u> is a particular site on a river, stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

Instantaneous discharge is the discharge at a particular instant of time.

La Niña is when above normal sea surface temperatures exist in the western Pacific Ocean and cooler than normal sea surface temperatures exist in the eastern Pacific Ocean. La Niña conditions usually result in drier than normal conditions in the southwestern United States.

<u>Maximum Level</u> is the highest pool level recorded or observed at a particular gaging station at a flood control impoundment structure for a given event.

<u>Maximum Storage</u> is the greatest volume of water stored behind or within a flood control impoundment structure for a given event. This occurs at the maximum pool level and is obtained from the stage-storage relation for that maximum level for a particular flood control impoundment structure.

<u>Mean discharge</u> (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

National Geodetic Vertical Datum of 1929 (NGVD 1929) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called "Sea Level Datum of 1929" or "mean sea level." Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

North American Vertical Datum of 1988 (NAVD 1988) is a datum based on the mass or density of the Earth instead of the varying values of the heights of the seas. Measurements of the acceleration of gravity are made at observation points in a network. Only one point is defined as the datum point. The vertical reference surface is then defined by the surface on which the gravity values are equal to the datum point value. This is called an equipotential surface.

Peak Discharge is the maximum instantaneous discharge for a given flood event.

<u>Period of Record</u> is the time period for which data exists for a given stream gaging station.

<u>Pressure transducer</u> is an instrument used to measure the depth of water. It is an analog instrument which measures a pressure change over a diaphragm. The depth of water is related to the change in pressure over the diaphragm created by the weight of the water over the instrument.

<u>Recurrence interval</u> is the reciprocal of the probability of a flood occurring in any given year. Thus, the flood having a 1% (1/100, or 1 in 100) chance of occurring in any given year has a recurrence interval of 100 years and is referred to as the 100-year flood. Similarly, the flood having a 50% (1/2 or 1 in 2) chance of occurring in any given year has a recurrence interval of 2 years and is referred to as the 2-year flood.

<u>Staff gage</u> is a device located at the gaging station to provide a visual reference to the depth of water at a gage in terms of gage height above the water level measuring instrument.


<u>Stage-discharge relation</u> is the relation between gage height (stage) and the volume of water, per unit of time, flowing in a channel.

<u>Stage-storage relation</u> is the relation between gage height (stage) and the volume of water stored behind or within a flood control impoundment structure.

<u>Streamflow</u> is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff" as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

<u>Water year</u> dealing with surface-water data is the 12-month period, October 1 through September 30. The water year is designated by the calendar year in which it ends and which includes 9 of the 12 months. Thus, the water year beginning October 1, 2000 and ending September 30, 2001, is called the "2001 Water Year."

FCD STAGE GAGE LOCATIONS – WY 2001



New Installations in Water Year 2001

Ten new streamgages were installed during Water Year 2001. The table below lists the new gages installed during the Water Year.

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
4573	Price Drain at Loop 202	02/18/01	1N-5E-18	33 26 04	111 53 25	1215	1:11
4588	Reata Pass Wash	05/15/01	4N-5E-17	33 41 52	111 51 51	2170	1:12
4913	Stagecoach Wash	06/13/01	5N-5E-06	33 48 42	111 53 27	2550	1:40
5033	Copper Wash	02/22/01	2S-10W-33	33 12 17	113 17 07	1070	1:45
5178	Centennial Trib nr Aguila	06/05/01	7N-8W-11	33 58 02	113 04 09	2340	1:55
5218	Jackrabbit Wash	10/31/00	4N-6W-04	33 42 57	112 52 54	2130	1:58
5276	Sols Wash at SR 71	09/10/01	9N-7W-14	34 07 07	112 57 45	2740	1:64
5488	Upper Trilby Wash	09/26/01	7N-3W-12	33 57 39	112 31 43	3040	1:76
6933	Sand Tank Wash at I-8	05/31/01	6S-4W-06	32 55 59	112 42 20	775	1:120
6953	Rainbow Wash at SR 85	11/06/00	2S-4W-23	33 14 08	112 38 22	900	1:121



Price Drain at Loop 202, #4573



Stagecoach Wash, #4913



Reata Pass Wash, #4588



Copper Wash, #4913

New installations, continued



Centennial Trib near Aguila, #5178



Upper Triby Wash, #5488



Jackrabbit Wash, #5218



Sols Wash at SR 71, #5276



Sand Tank Wash @ I-8, #6933



Rainbow Wash, #6953

Flood Control District of Maricopa County ALERT System Water Level Sensors WY 2001 -- Sorted by Sensor ID

0778 G 0783 G 0788 S 0793 G	at Momolikot Dam Sila @ Maricopa Rd Sila R. @ Olberg	1/21/98	9S-4E-30	00.00.40			
0783 G 0788 Sa 0793 G	· · · · · ·		90-4L-30	32 30 46	111 57 06	1540	1:1; 2:1; 3:1
0788 Sa 0793 G		4/9/95	3S-3E-13	33 10 19	112 00 20	1120	1:2
0793 G	nia R. W Olberg	4/12/95	4S-6E-12	33 05 15	111 41 11	1290	1:3
	anta Cruz @ SR 84	3/16/94	7S-5E-21	32 52 47	111 49 43	1311	1:4-5
0798 Sa	Greene Wash @ SR 84	3/23/94	7S-4E-21	32 52 48	111 56 01	1350	1:6-7
	anta Rosa @ SR 84	3/16/94	7S-4E-20	32 52 49	111 56 46	1305	1:8
4523 S;	alt R. @ Priest Dr.	12/7/93	1N-4E-17	33 26 00	111 57 43	1133	1:9
4563 S	pookhill FRS	3/13/84	2N-7E-31	33 28 01	111 40 48	1595	1:10; 2:2; 3:2
4573 P	rice Drain at Loop 202	2/18/01	1N-5E-18	33 26 04	111 53 25	1215	1:11
4588 R	eata Pass Wash	5/15/01	4N-5E-17	33 41 52	111 51 51	2170	1:12
4603 IE	3W nr McKellips Rd.	5/21/85	1N-4E-11	33 26 58	111 54 58	1187	1:13
4613 IE	3W @ Indian Bend Rd.	9/28/83	2N-4E-11	33 32 01	111 54 48	1280	1:14
4618 IE	3W @ Indian School Rd	11/25/97	2N-4E-23	33 29 42	111 54 38	1235	1:15
4623 IE	BW @ Interceptor	4/21/94	2N-4E-12	33 32 00	111 53 55	1280	1:16
	3W @ McDonald	11/24/97	2N-4E-11	33 31 26	111 54 33	1262	1:17
4638 T;	atum Wash Basin Inflow	5/6/98	3N-4E-30	33 34 54	111 59 01	1397	1:18
	3W @ Sweetwater	12/27/90	3N-3E-13	33 36 15	112 00 18	1400	1:19-21
	ast Fork CC #1	3/2/94	4N-3E-23	33 40 11	112 01 29		1:22; 2:3; 3:3
	atum Wash Basin	5/8/98	3N-4E-30	33 34 57	111 58 58	1394	1:23; 2:4, 3:4
4658 E	ast Fork CC #4	1/18/94	4N-3E-25	33 38 55	112 00 35		1:24; 2:5; 3:5
-	FCC nr 7th Ave.	5/21/97	3N-3E-5	33 37 40	112 04 49	1325	1:25
-	ake Marguerite	11/25/97	3N-4E-36	33 33 49	111 53 56	1325	1:26
	ast Fork CC #3	9/13/94	4N-3E-34	33 38 45	112 02 19		1:27; 2:6; 3:6
-	erneil Wash	7/30/98	3N-4E-34	33 34 01	111 56 17	1320	1:28
4693 IE	3W @ Shea	6/9/98	3N-4E-29	33 34 55	111 58 03	1350	1:29-30
-	Id X-cut @ McDowell	7/27/94	1N-4E-06	33 27 56	111 58 48	1250	1:31
4803 D	reamy Draw Dam	1/24/84	3N-3E-34	33 33 45	112 01 54	1407	1:32; 2:7; 3:7
	CDC @ 36th St.	2/24/94	2N-3E-13	33 30 49	111 59 56	1260	1:33
	CDC @ 14th St.	2/9/94	2N-3E-4	33 32 31	112 02 35	1230	1:34
	0th Street Wash Basin #1	11/26/96	3N-3E-28	33 34 47	112 03 14	1150	1:35; 2:8, 3:8
	CDC @ 43rd Ave.	11/14/90	3N-2E-22	33 35 03	112 09 16	1225	
	ave Creek @ Cactus	6/27/91	3N-2E-13	33 35 59	112 06 39	1280	
	awhide Wash	7/26/99	5N-4E-36	33 44 27	111 53 55	2205	1:38
	ave Buttes Pool	1/25/84	4N-3E-15	33 42 58	112 02 43		2:9; 3:9
	ave Buttes Outlet	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	1:39
4913 S	tagecoach Wash	6/13/01	5N-5E-06	33 48 42	111 53 27	2550	1:40
	ave Cr. nr Cave Cr.	5/27/94	5N-3E-12	33 47 28	112 00 05	1800	1:41-42
	ave Cr.@ Spur Cross	6/16/93	6N-4E-04	33 53 05	111 57 17	2280	1:43
	columbus Wash	9/22/99	4S-10W-06	33 06 27	113 19 57	685	1:44
	Copper Wash	2/22/01	2S-10W-33	33 12 17	113 17 07	1070	1:45
	Centennial @ Wenden	9/16/98	6N-12W-32	33 49 30	113 31 55	1860	1:46-47
-	entennial Railroad	2/9/90	1S-6W-28	33 18 35	112 52 56	850	1:48
	elaney Wash	12/21/99	2N-7W-34	33 28 11	112 58 30		1:49
	addleback FRS	12/16/88	2N-10W-34	33 27 55	113 04 21	1177	1:50; 2:11; 3:10
-	Vinters Wash	7/11/00	2N-6W-18	33 30 33	112 54 44		1:51

Flood Control District of Maricopa County ALERT System Water Level Sensors WY 2001 -- Sorted by Sensor ID

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
	Harquahala FRS	3/1/94	2N-8W-05	33 32 56	113 05 47		1:52; 2:11; 3:11
	Tiger Wash	9/15/99	5N-10W-26	33 45 30	113 16 43	1960	1:53-54
	Centennial Trib nr Aguila	6/5/01	7N-8W-11	33 58 02	113 04 09	2340	1:55
	Buckeye FRS #1	7/26/83	1N-5W-3	33 27 31	112 45 02		1:56; 2:12; 3:12
	Buckeye FRS #2	11/11/92	1N-3W-07	33 26 26	112 35 47	1150	1:57; 2:13; 3:13
	Jackrabbit Wash	10/31/00	4N-6W-04	33 42 57	112 52 54	2130	1:58
-	Hassy R. nr Morristown	5/7/96	6N-4W-03	33 53 05	112 39 42	1830	1:59
	Hassy R. @ US 60	3/14/94	7N-5W-12	33 58 13	112 43 31	2035	1:60-61
-	Sunset FRS	2/12/89	7N-5W-11	33 57 50	112 44 33	2100	1:62; 2:14; 3:14
	Sunnycove FRS	7/31/86	7N-5W-11	33 57 25	112 44 24	2200	1:63; 2:15; 3:15
	Sols Wash at SR 71	9/10/01	9N-7W-14	34 07 07	112 57 45	2740	1:64
	Hassy R. @ I-10	11/9/94	1N-5W-03	33 27 27	112 45 43	1035	1:65
	Hassy R. @ Box Canyon	11/17/83	8N-4W-7	34 02 41	112 42 32	2245	1:66-67
	Hassy R. @ Wagoner Rd.	9/26/91	11N-3W-9	34 18 38	112 34 05	3785	1:68
-	Agua Fria @ Buckeye	10/12/88	1N-1W-14	33 26 05	112 19 55	940	1:69
	Colter @ El Mirage	6/29/94	2N-1W-13	33 30 28	112 19 24	1025	1:70
-	Dysart Drain @ LAFB	8/22/96	2N-1W-03	33 32 38	112 20 59	1090	1:71
	White Tanks 3	3/12/86	2N-2W-9	33 32 01	112 28 14	1190	1:72; 2:16; 3:16
5422	Dysart Chnl @ El Mirage	3/7/97	2N-1W-1	33 32 36	112 19 24	1023	1:73
	McMicken Floodway	9/3/92	4N-1E-18	33 41 04	112 24 24	1337	1:74
	McMicken Dam	3/24/83	4N-2W-24	33 40 38	112 25 23	1361	1:75; 2:17; 3:17
5488	Upper Trilby Wash	9/26/01	7N-3W-12	33 57 39	112 31 43	3040	1:76
	Agua Fria @ Grand Ave.	4/27/94	3N-1E-18	33 36 26	112 18 16	1125	1:77-78
5508	New River @ Glendale	3/21/90	3N-1E-8	33 32 14	112 17 00	1050	1:79-80
5523	ACDC @ 67th Ave.	6/7/90	3N-1E-12	33 37 26	112 12 10	1220	1:81
5534	Adobe Dam Pool	10/28/82	4N-2E-21	33 40 37	112 09 12	1413	2:18; 3:18
5538	Adobe Dam Outlet	10/28/82	4N-2E-21	33 40 37	112 09 12	1413	1:82-83
5543	Scatter Wash	9/18/96	4N-2E-27	33 40 09	112 08 25	1340	1:84
5568	Skunk Creek @ I-17	10/26/89	5N-2E-35	33 43 47	112 07 21	1475	1:85
5588	Skunk Cr. nr New R.	6/21/95	7N-3E-29	33 55 34	112 04 56	1854	1:86-87
5598	New River @ Bell Rd.	4/4/90	3N-1E-3	33 38 18	112 14 27	1200	1:88
5609	New River Pool	4/15/86	5N-1E-35	33 44 09	112 13 31	1498	2:19; 3:19
5613	New River Outlet	4/15/86	5N-1E-35	33 44 09	112 13 31	1498	1:89
5968	Stoneridge Dam	12/11/96	3N-6E-22	33 35 41	111 43 57	1710	1:90; 2:20; 3:20
5973	Sunridge Canyon Dam	2/4/97	3N-6E-16	33 36 23	111 45 01	1932	1:91; 2:21; 3:21
5978	Golden Eagle Park Dam	12/12/96	3N-6E-10	33 37 08	111 44 04	1722	1:92; 2:22: 3:22
5983	North Heights Dam	10/11/96	3N-6E-9	33 37 17	111 44 52	1819	1:93; 2:23; 3:23
5988	Aspen Dam	1/2/97	3N-6E-4	33 37 34	111 44 41	1840	1:94; 2:24; 3:24
	Hesperus Dam	12/18/96	3N-6E-4	33 38 11	111 44 44	1894	1:95; 2:25; 3:25
	Guadalupe FRS	6/29/89	1S-4E-5	33 22 16	111 58 10	1250	1:96; 2:26; 3:26
	South Mountain Fan	6/9/93	1S-2E-26	33 18 56	112 07 59	1420	1:97
	EMF @ Broadway	8/10/89	1N-6E-26	33 24 21	111 42 42	1349	1:98
6583	EMF @ Queen Creek Rd.	1/18/89	2S-6E-15	33 15 50	111 43 35	1317	1:99-100
6598	EMF @ Arizona Ave.	2/10/89	3S-5E-15	33 09 57	111 49 56	1214	1:101
6603	Guadalupe Channel	8/07/98	1S-7E-6	33 21 55	111 40 32	1345	1:102
6608	Freestone Park Basin	12/19/95	1S-6E-8	33 21 28	111 46 19	1450	2:27; 3:27

Flood Control District of Maricopa County ALERT System Water Level Sensors WY 2001 -- Sorted by Sensor ID

ID #	Cago Namo	Installed	тре	Latitude	Longitudo	Elev.	Dago #c
	Gage Name				Longitude		Page #s
6623	Crossroads Park Basin	12/18/95	1S-6E-21	33 19 39	111 44 40	1270	2:28; 3:28
	Signal Butte FRS	11/10/87	1N-7E-12	33 26 25	111 35 25	1650	1:103; 2:29; 3:29
6673	Apache Junction FRS	12/16/81	1N-8E-8	33 26 28	111 33 07	1989	1:104; 2:30; 3:30
6683	Powerline FRS	12/3/92	1S-8E-9	33 21 22	111 32 14	1580	1:105; 2:31; 3:31
6688	Vineyard FRS	11/2/83	1S-8E-9	33 21 10	111 32 06	1582	1:106; 2:32; 3:32
6703	Rittenhouse FRS	9/27/88	2S-8E-2	33 17 22	111 29 49	1580	1:107; 2:33; 3:33
6707	Queen Ck @ Rittenhouse	9/14/93	2S-7E-25	33 13 50	111 35 41	1400	1:108
6723	Queen Creek at CAP	1/14/99	2S-8E-26	33 12 22	111 30 15	1565	1:109
6739	Whitlow Ranch Dam	1/8/98	1S-10E-36	33 17 55	111 16 35	2199	1:110; 2:34; 3:34
6813	Buckeye FRS #3	11/23/92	1N-3W-10	33 26 49	112 33 20	1200	1:111; 2:35; 3:35
6823	White Tanks 4	1/9/86	1N-2W-5	33 27 04	112 29 40	1044	1:112; 2:36; 3:36
6833	Waterman at Rainbow	3/18/99	2S-2W-14	33 15 40	112 26 38	1085	1:113-114
6848	Gila @ 116th Ave.	12/16/98	1N-1W-36	33 23 24	112 18 28	940	1:115
6853	Gila @ Estrella Pkwy.	12/2/92	1N-1W-31	33 23 19	112 23 33	900	1:116
6863	Bullard Wash	3/30/00	1N-1W-29	33 23 47	112 23 16	920	1:117
6893	Estrella Fan	4/30/93	2S-1W-12	33 16 02	112 18 53	1425	1:118
6923	Sauceda Wash	2/28/90	6S-5W-4	32 52 27	112 44 57	726	1:119
6933	Sand Tank Wash at I-8	5/31/01	6S-4W-06	32 55 59	112 42 20	775	1:120
6953	Rainbow Wash at SR 85	11/06/00	2S-4W-23	33 14 08	112 38 22	900	1:121
6983	Vekol Wash	3/7/90	7S-1E-3	32 50 30	112 14 58	1720	1:122
7013	Martinez Creek	11/23/94	8N-5W-17	34 01 44	112 47 30	2300	1:123-124
7043	Sols Wash nr Matthie	8/4/95	8N-5W-32	33 59 14	112 47 33	2220	1:125-126
7063	Hartman Wash	7/6/94	7N-5W-12	33 57 45	112 49 42	2488	1:127-128
7083	Flying E Wash	7/12/94	7N-5W-09	33 57 44	112 46 55	2302	1:129
	Casandro Wash	7/12/94	7N-5W-10	33 57 44	112 45 55	2240	1:130
7113	Powder House Wash	5/18/95	7N-4W-06	33 58 50	112 42 59	2120	1:131-132
7133	Casandro Dam	8/15/96	7N-5W-11	33 57 57	112 45 01	2163	1:133; 2:37; 3:37

Flood Control District of Maricopa County ALERT System Water Level Sensors WY 2001 – Sorted by Name

	Gage Name		T-R-S	Lauuue	Longitude	Elev.	Pade #s
	10th Street Wash Basin #1	11/26/96	3N-3E-28	33 34 47	_		1:35; 2:8, 3:8
	ACDC @ 14th St.	2/9/94	2N-3E-4	33 32 31	112 02 35	1230	1:34
	ACDC @ 36th St.	2/24/94	2N-3E-13	33 30 49	111 59 56	1260	1:33
	ACDC @ 43rd Ave.	11/14/90	3N-2E-22	33 35 03		1225	1:36
	ACDC @ 67th Ave.	6/7/90	3N-1E-12	33 37 26	112 12 10	1220	1:81
	Adobe Dam Outlet	10/28/82	4N-2E-21	33 40 37	112 09 12	1413	1:82-83
	Adobe Dam Pool	10/28/82	4N-2E-21	33 40 37			2:18; 3:18
	Agua Fria @ Buckeye	10/12/88	1N-1W-14	33 26 05	112 19 55	940	1:69
	Agua Fria @ Grand Ave.	4/27/94	3N-1E-18	33 36 26		1125	1:77-78
	Apache Junction FRS	12/16/81	1N-8E-8	33 26 28	111 33 07		1:104; 2:30; 3:30
	Aspen Dam	1/2/97	3N-6E-4	33 37 34	111 44 41	1840	1:94; 2:24; 3:24
	Berneil Wash	7/30/98	3N-4E-34	33 34 01	111 56 17	1320	1:28
			1N-5W-3	33 27 31			
	Buckeye FRS #1	7/26/83			112 45 02		1:56; 2:12; 3:12
	Buckeye FRS #2	11/11/92	1N-3W-07	33 26 26	112 35 47		1:57; 2:13; 3:13
	Buckeye FRS #3	11/23/92	1N-3W-10	33 26 49	112 33 20		1:111; 2:35; 3:35
	Bullard Wash	3/30/00	1N-1W-29	33 23 47	112 23 16	920	1:117
	Casandro Dam	8/15/96	7N-5W-11	33 57 57	112 45 01		1:133; 2:37; 3:37
	Casandro Wash	7/12/94	7N-5W-10	33 57 44	112 45 55	2240	1:130
	Cave Buttes Outlet	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	1:39
	Cave Buttes Pool	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	2:9; 3:9
	Cave Cr. nr Cave Cr.	5/27/94	5N-3E-12	33 47 28	112 00 05	1800	1:41-42
	Cave Cr.@ Spur Cross	6/16/93	6N-4E-04	33 53 05		2280	1:43
	Cave Creek @ Cactus	6/27/91	3N-2E-13	33 35 59	112 06 39	1280	1:37
	Centennial Trib nr Aguila	6/5/01	7N-8W-11	33 58 02	113 04 09	2340	1:55
	Centennial @ Wenden	9/16/98	6N-12W-32	33 49 30	113 31 55	1860	1:46-47
	Centennial Railroad	2/9/90	1S-6W-28	33 18 35	112 52 56	850	1:48
	Colter @ El Mirage	6/29/94	2N-1W-13	33 30 28	112 19 24	1025	1:73
	Columbus Wash	9/22/99	4S-10W-06	33 06 27	113 19 57	685	1:44
	Copper Wash	2/22/01	2S-10W-33	33 12 17	113 17 07	1070	1:45
6623 (Crossroads Park Basin	12/18/95	1S-6E-21	33 19 39	111 44 40		2:28; 3:28
	Delaney Wash	12/21/99	2N-7W-34	33 28 11		1110	
	Dreamy Draw Dam	1/24/84	3N-3E-34	33 33 45	112 01 54	1407	1:32; 2:7; 3:7
	Dysart Chnl @ El Mirage	3/7/97	2N-1W-1	33 32 36	112 19 24	1023	1:73
5413	Dysart Drain @ LAFB	8/22/96	2N-1W-03	33 32 38	112 20 59	1090	1:71
4648	East Fork CC #1	3/2/94	4N-3E-23	33 40 11	112 01 29	1515	1:22; 2:3; 3:3
4683	East Fork CC #3	9/13/94	4N-3E-34	33 38 45	112 02 19	1456	1:27; 2:6; 3:6
4658	East Fork CC #4	1/18/94	4N-3E-25	33 38 55	112 00 35	1456	1:24; 2:5; 3:5
4668	EFCC nr 7th Ave.	5/21/97	3N-3E-5	33 37 40	112 04 49	1325	1:25
6598	EMF @ Arizona Ave.	2/10/89	3S-5E-15	33 09 57	111 49 56	1214	1:101
6573	EMF @ Broadway	8/10/89	1N-6E-26	33 24 21	111 42 42	1349	1:98
6583	EMF @ Queen Creek Rd.	1/18/89	2S-6E-15	33 15 50	111 43 35	1317	1:99-100
6893	Estrella Fan	4/30/93	2S-1W-12	33 16 02	112 18 53	1425	1:118
7083	Flying E Wash	7/12/94	7N-5W-09	33 57 44	112 46 55	2302	1:129
6608	Freestone Park Basin	12/19/95	1S-6E-8	33 21 28	111 46 19	1450	2:27; 3:27
	Gila @ 116th Ave.	12/16/98	1N-1W-36	33 23 24	112 18 28		1:115

Flood Control District of Maricopa County ALERT System Water Level Sensors WY 2001 – Sorted by Name

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
6853	Gila @ Estrella Pkwy.	12/2/92	1N-1W-31	33 23 19	112 23 33	900	1:116
	Gila @ Maricopa Rd	4/9/95	3S-3E-13	33 10 19	112 00 20	1120	1:2
	Gila R. @ Olberg	4/12/95	4S-6E-12	33 05 15	111 41 11	1290	1:3
	Golden Eagle Park Dam	12/12/96	3N-6E-10	33 37 08	111 44 04	1722	1:92; 2:22: 3:22
	Greene Wash @ SR 84	3/23/94	7S-4E-21	32 52 48	111 56 01	1350	1:6-7
	Guadalupe Channel	8/07/98	1S-7E-6	33 21 55	111 40 32	1345	1:102
-	Guadalupe FRS	6/29/89	1S-4E-5	33 22 16	111 58 10	1250	1:96; 2:26; 3:26
	Harquahala FRS	3/1/94	2N-8W-05	33 32 56	113 05 47	1420	1:52; 2:11; 3:11
	Hartman Wash	7/6/94	7N-5W-12	33 57 45	112 49 42	2488	1:127-128
	Hassy R. @ Box Canyon	11/17/83	8N-4W-7	34 02 41	112 42 32	2245	1:66-67
	Hassy R. @ I-10	11/9/94	1N-5W-03	33 27 27	112 45 43	1035	1:65
	Hassy R. @ US 60	3/14/94	7N-5W-12	33 58 13	112 43 31	2035	1:60-61
	Hassy R. @ Wagoner Rd.	9/26/91	11N-3W-9	34 18 38	112 34 05	3785	1:68
	Hassy R. nr Morristown	5/7/96	6N-4W-03	33 53 05	112 39 42	1830	1:59
	Hesperus Dam	12/18/96	3N-6E-4	33 38 11	111 44 44	1894	1:95; 2:25; 3:25
	IBW @ Indian Bend Rd.	9/28/83	2N-4E-11	33 32 01	111 54 48	1280	1:14
	IBW @ Indian School Rd	11/25/97	2N-4E-23	33 29 42	111 54 38	1235	1:15
	IBW @ Interceptor	4/21/94	2N-4E-23	33 32 00	111 53 55	1280	1:16
	IBW @ McDonald	11/24/97	2N-4E-12 2N-4E-11	33 31 26	111 54 33	1262	1:17
-	IBW @ Shea	6/9/98	3N-4E-29	33 34 55	111 58 03	1350	1:29-30
-	IBW @ Sweetwater	12/27/90	3N-4E-23 3N-3E-13	33 36 15	112 00 18	1400	1:19-21
	IBW or McKellips Rd.	5/21/85	1N-4E-11	33 26 58	111 54 58	1187	1:13
	Jackrabbit Wash	10/31/00	4N-6W-04	33 42 57	112 52 54	2130	1:58
	Lake Marguerite	11/25/97	3N-4E-36	33 33 49	111 53 56	1325	1:26
	Martinez Creek	11/23/94	8N-5W-17	34 01 44	112 47 30	2300	1:123-124
	McMicken Dam	3/24/83	4N-2W-24	33 40 38	112 25 23	1361	1:75; 2:17; 3:17
	McMicken Floodway	9/3/92	4N-1E-18	33 41 04	112 24 24	1337	1:74
	New River @ Bell Rd.	4/4/90	3N-1E-3	33 38 18	112 14 27	1200	1:88
	New River @ Glendale	3/21/90	3N-1E-8	33 32 14	112 17 00	1050	1:79-80
	New River Outlet	4/15/86	5N-1E-35	33 44 09	112 17 00	1498	1:89
	New River Pool	4/15/86	5N-1E-35	33 44 09			2:19; 3:19
	North Heights Dam	10/11/96	3N-6E-9	33 37 17			1:93; 2:23; 3:23
	Old X-cut @ McDowell	7/27/94	1N-4E-06	33 27 56	111 58 48	1250	
	Powder House Wash	5/18/95	7N-4W-06	33 58 50	112 42 59		1:131-132
	Powerline FRS	12/3/92	1S-8E-9	33 21 22	111 32 14		
	Price Drain at Loop 202	2/18/01	1N-5E-18	33 26 04	111 53 25	1215	1:11
	Queen Ck @ Rittenhouse	9/14/93	2S-7E-25	33 13 50	111 35 23	1400	1:108
	Queen Creek at CAP	1/14/99	2S-7E-25 2S-8E-26	33 12 22	111 30 15	1565	1:109
-	Rainbow Wash at SR 85	11/06/00	2S-4W-23	33 14 08	112 38 22	900	1:121
	Rawhide Wash	7/26/99	5N-4E-36	33 44 27	112 30 22		1:38
	Reata Pass Wash	5/15/01	4N-5E-17	33 41 52	111 51 51	2170	1:12
	Rittenhouse FRS	9/27/88	2S-8E-2	33 17 22	111 29 49	1580	1:107; 2:33; 3:33
	Saddleback FRS						
		12/16/88	2N-10W-34	33 27 55	113 04 21		1:50; 2:10; 3:10
	Salt R. @ Priest Dr.	12/7/93	1N-4E-17	33 26 00	111 57 43	1133	1:9
0933	Sand Tank Wash at I-8	5/31/01	6S-4W-06	32 55 59	112 42 20	775	1:120

Flood Control District of Maricopa County ALERT System Water Level Sensors WY 2001 – Sorted by Name

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Flev	Page #s
	Santa Cruz @ SR 84	3/16/94	7S-5E-21	32 52 47	111 49 43	1311	1:4-5
-	Santa Rosa @ SR 84	3/16/94	7S-4E-20	32 52 47	111 56 46	1305	1:8
-	Sauceda Wash	2/28/90	6S-5W-4	32 52 27	112 44 57	726	1:119
	Scatter Wash	9/18/96	4N-2E-27	33 40 09	112 08 25	1340	1:84
-	Signal Butte FRS	11/10/87	1N-7E-12	33 26 25	111 35 25	1650	1:103; 2:29; 3:29
	Skunk Cr. nr New R.	6/21/95	7N-3E-29	33 55 34	112 04 56	1854	1:86-87
	Skunk Creek @ I-17	10/26/89	5N-2E-35	33 43 47	112 04 30	1475	1:85
	Sols Wash at SR 71	9/10/01	9N-7W-14	34 07 07	112 57 45	2740	1:64
	Sols Wash nr Matthie	8/4/95	8N-5W-32	33 59 14	112 47 33	2220	1:125-126
	South Mountain Fan	6/9/93	1S-2E-26	33 18 56	112 47 55	1420	1:97
-							
	Spookhill FRS	3/13/84	2N-7E-31	33 28 01	111 40 48	1595	1:10; 2:2; 3:2
	Stagecoach Wash	6/13/01	5N-5E-06	33 48 42	111 53 27	2550	1:40
	Stoneridge Dam	12/11/96	3N-6E-22	33 35 41	111 43 57		1:90; 2:20; 3:20
	Sunnycove FRS	7/31/86	7N-5W-11	33 57 25	112 44 24		1:63; 2:15; 3:15
	Sunridge Canyon Dam	2/4/97	3N-6E-16	33 36 23	111 45 01	1932	1:91; 2:21; 3:21
-	Sunset FRS	2/12/89	7N-5W-11	33 57 50	112 44 33		1:62; 2:14; 3:14
-	Tat Momolikot Dam	1/21/98	9S-4E-30	32 30 46	111 57 06	1540	1:1; 2:1; 3:1
4653	Tatum Wash Basin	5/8/98	3N-4E-30	33 34 57	111 58 58	1394	1:23; 2:4, 3:4
4638	Tatum Wash Basin Inflow	5/6/98	3N-4E-30	33 34 54	111 59 01	1397	1:18
5163	Tiger Wash	9/15/99	5N-10W-26	33 45 30	113 16 43	1960	1:53-54
5488	Upper Trilby Wash	9/26/01	7N-3W-12	33 57 39	112 31 43	3040	1:76
6983	Vekol Wash	3/7/90	7S-1E-3	32 50 30	112 14 58	1720	1:122
6688	Vineyard FRS	11/2/83	1S-8E-9	33 21 10	111 32 06	1582	1:106; 2:32; 3:32
6833	Waterman at Rainbow	3/18/99	2S-2W-14	33 15 40	112 26 38	1085	1:113-114
5418	White Tanks 3	3/12/86	2N-2W-9	33 32 01	112 28 14	1190	1:72; 2:16; 3:16
6823	White Tanks 4	1/9/86	1N-2W-5	33 27 04	112 29 40	1044	1:112; 2:36; 3:36
6739	Whitlow Ranch Dam	1/8/98	1S-10E-36	33 17 55	111 16 35	2199	1:110; 2:34; 3:34
5118	Winters Wash	7/11/00	2N-6W-18	33 30 33	112 54 44	1125	1:51

SUMMARY OF SIGNIFICANT STREAMFLOW EVENTS

Water Year 2001 began with a very wet October and early November. The remaining part of the winter season was peppered with some moderate weather events in late January, early March and early April. Rainfall during the summer monsoon season was generally insignificant, with a few isolated heavy rain producers.

The winter season began with much heavy precipitation and consequent flooding. An event in the northern part of the Phoenix area occurred on October 10 that produced some flows in Indian Bend Wash. This was followed by a cold system from the north combined with a surge of tropical moisture to bring significant instability to the region for about ten days from October 20 - 30. The main effects were felt in the northwest portion of Maricopa County in Aguila and Wickenburg, with lower, but still significant precipitation occurring further east toward Phoenix. Aguila received significant flooding on Grass Wash and Centennial Wash. A peak of about 24,000 cfs flowed in Centennial Wash at Wenden (#5093) on October 22. Flooding on Sols Wash near Matthie (#7043) (11,000 cfs) affected the Wickenburg area. Jackrabbit Wash (#5218) experienced a large flood (32,000 cfs) on October 27, four days before the gage was installed. Flooding eventually reached the Hassayampa River at I-10 (#5283) with a flood of nearly 30,000 cfs.

The summer monsoon began in late June and was all but over by the end of August. An occasional surge of tropical moisture would enter Arizona and produce some precipitation. Little flooding occurred in most areas. Much of the streamflow that did occur was small and insignificant. Flood events ranged from about 200 cfs at Winters Wash (#5118) in early July, to about 925 cfs at Sand Tank Wash at I-8 (#6933) in mid-September.

Maximum Flows and Impoundments for Water Year 2001 at Selected FCDMC Water Level Sensor Locations

Location	Discharge	Stage	Cor	itents	Date
	(cfs)	(feet)	(ac-ft)	(%full)	
Centennial Wash at Wenden	24,250	7.82			10/22/00
Hassayampa River at US60	15,400	4.90			10/21/00
Hassayampa River at I-10	12,200	5.02			10/27/00
Centennial Wash at Wenden	11,883	5.68			10/28/00
Gila River at 116th Ave	11,822	5.12			11/23/00
Sols Wash near Matthie	10,800	5.15			10/27/00
Agua Fria River at Grand Ave	5,839	6.46			10/27/00
Sols Wash near Matthie	4,772	3.22			10/27/00
Flying E Wash	3,600	5.10			10/21/00
Tiger Wash	3,542	7.65			10/21/00
Hassayampa River at Box Canyon	3,215	7.20			10/27/00
Tiger Wash	3,169	7.40			10/27/00
Martinez Creek	2,650	6.30			10/27/00
Gila River at Olberg	2,591	3.40			10/26/00
EMF at Queen Creek Road	2,459	3.80			10/28/00
Waterman Wash at Rainbow Valley Road	1,760	8.52			10/21/01
Hartman Wash	1,547	3.67			10/21/00
Santa Cruz River at SR 84	1,259	3.90			10/25/00
IBW at Shea Blvd.	1,247	2.50			10/10/00
Greene Wash at SR 84	1,154	3.28			10/25/00
Sand Tank Wash at I-8	925	3.20			09/13/01
IBW at Sweetwater	852	3.55			10/10/00
New River at Glendale Ave	824	1.43			10/27/00
Skunk Creek near New River	821	3.49			10/22/00
ACDC at 43rd Ave.	766	2.10			10/27/00
Powderhouse Wash	761	1.50			10/27/00
Rainbow Wash at SR 85	648	2.51			08/17/01
Harquahala FRS	12	21.47	492	5.7	10/21/00

DATA PRESENTATION

The following three sections present the data collected by the Flood Control District ALERT system. The first section is Surface Water Streamflow data. This section contains data from free-flowing stream sites and discharges from dams and detention basins. The second section contains Pool Level data from storage structures, both dams and basins. The third section presents Storage Volume data for both dams and basins. The data are in acre-feet of storage volume.

In the tables where there are dashes "- - -" for a particular date or dates, the gage was down. Typically a gage is down when the gage itself fails, or a transmitter or repeater fails. In the case of transmitter failure or repeater failure, data for that date is available by manual download. However, when no event has occurred, the data will typically not be retrieved from the device.

SURFACE WATER STREAMFLOW DATA

Computation of Continuous Records of Streamflow

Station Number:0773*Name:Tat Momolikot DamDrainage Area:1,780 mi²Period of Record:January 24, 2000 to current year**Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	FOTAL	0	MEAN	() MAX		о мін) AC_1	 FT	0

No recorded outflow during Water Year 2001

*Gage ID was 0768 prior to January 24, 2000.

**FCD Operated gage since January 1998. However, previous gage did not work properly. A pressure transducer gage was installed January 24, 2000 and all previous data were deleted. Previously, the US Army Corps of Engineers, Los Angeles District maintained a gage at this location.

Computation of Continuous Records of Streamflow

Station Number:0778Name:Gila @ Maricopa RdDrainage Area:19, 915 mi²Period of Record:FCDMC October 1, 1998 – current year
USGS: Gage number 09479350Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	ост	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	МАҮ	JUN	JUL	AUG	SEP
24												
25												
26 27	21											
28	21											
29	1											
30												
31												
TOTAL	23			0			0	0	0	0	0	0
MEAN	1	0	0	0	0	0	0	0	0	0	0	0
MAX	71	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	46	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 :	FOTAL	23	MEAN	() МАХ	71	MIN	с С	AC_E	 ?T	46

NOTE: The USGS maintains a gage at this site in cooperation with ADOT. See USGS Gage #09479350

Computation of Continuous Records of Streamflow

Station Number:0783Name:Gila @ OlbergDrainage Area:18,674 mi²Period of Record:October 1, 1998 – current year*Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

		Pe	Peak	flow	of intere	est during	Wate	er Yea	r 2001		eak		
Day I	Dischar	rge (cfs		Ht.	(feet)	Da	у І	Disch	arge		s) Gage	Ht.	(ft.)
10/26		2,591			.40	·							
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean Va MAR	alues APR		Y .	JUN	JUL	AUG	SEP
1 2 3 4													
- 5 6													
7 8													
9 10 11													
12 13													
14 15									_				
16 17 18													
19 20													
21 22 23	18 19 443												
24 25	244 876												
26 27	1269 988												
28 29 30	312 63 28												
30 31 	د ے 												
TOTAL MEAN	4259 137		0 0	0 0	0 0	0 0	0 0		0 0	0 0	0 0	0 0	0 0
MAX		0	0	0	0	0	0		0	0	0	0	0
MIN AC_FT	0	0 0	0 0	0 0	0 0	0 0	0 0		0 0	0 0	0 0	0 0	0 0
WTR YR	2001	TOTAL	 4259	MEAN	 1 1	 2 МАХ	 259	 91 м	 IN) AC_F	 r 8	 3448

*USGS maintained a gage at this site prior to October 1, 1998 (09478350)


Surface Water Streamflow Data Page 3

Computation of Continuous Records of Streamflow

Station Number:0788Name:Santa Cruz @ SR 84Drainage Area:UndeterminedPeriod of Record:March 16, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

	Peak flows of interest during Water Year 2001												
	Pea	k			Pea	k							
Day	Discharge (cfs)	Gage Ht. (feet)	Day	Discharge	(cfs)	Gage Ht. (ft.)							
10/25	1,259	3.90	11/08	554		2.90							

Hydrograph of October 25, 2000 event



Computation of Continuous Records of Streamflow

Station Number:0788Name:Santa Cruz @ SR 84Drainage Area:UndeterminedPeriod of Record:March 16, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001


DAY	ост	NOV	DEC	JAN	Daily M FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2 3		1					5					
4		1	14				1					
5		1	9				-					
6		1					19					
7		1				1	19					
8		78				1	_					
9 10		395 155					7 3					
10		155 12					3				9	
12		ΤZ									2	
13											9	
14												
15												
16												
17 18												
19												
20												
21												
22	1						3					
23												
24	701											
25 26	721 292											
27	55											
28	67											
29	16											
30												
31												
TOTAL	1152	 644	23	0	 0	2	58	0	0	0	18	0
MEAN	37	21	1	0	0	0	2	0	0	0	1	0
MAX	1259	554	40	0	0	12	61	0	0	0	93	0
MIN	0		0	0	0	0	0	0	0	0	0	0
AC_FT	2284	1277	47	0	0	5	114	0	0	0	36	0
WTR YR	2001	TOTAL	1897	MEAN	5	MAX	1259	MIN	0	AC_1	 FT 37	63

Computation of Continuous Records of Streamflow

Station Number:0793Name:Greene Wash @ SR 84Drainage Area:UndeterminedPeriod of Record:March 23, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

	Peak flows of interest during Water Year 2001												
Peak Peak Peak													
Day	Discharge (cfs)	Gage Ht. (feet)	Day	Discharge	(cfs)	Gage Ht. (ft.)							
10/25	1,154	3.28	11/08	419		1.77							

Hydrograph of October 25, 2000 event



Computation of Continuous Records of Streamflow

Station Number:0793Name:Greene Wash @ SR 84Drainage Area:UndeterminedPeriod of Record:March 23, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 	5 737 183 25 13	126 230 36		2								
TOTAL MEAN	963 31	392 13	0 0	2 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
MAX	1154	419	0	15	0	0	0	0	0	0	0	0
MIN AC_FT	0 1910	0 777	0 0	0 5	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
WTR YR	2001	TOTAL	1357	MEAN		4 MAX	. 115	 4 MIN		ACI	 FT 26	 592

Computation of Continuous Records of Streamflow

Station Number:0798Name:Santa Rosa @ SR 84Drainage Area:Undetermined (1,780 mi² are controlled by Tat Momolikot Dam)Period of Record:March 16, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

Peak flow of interest during Water Year 2001												
		P	eak						Pe	eak		
Day	Dischar	rge (cf	s) Gage	Ht.	(feet)	Da	iy D	ischarg	e (cfs	s) Gage	e Ht.	(ft.)
10/25	!	576		0	.41							
					Daily N	lean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
24												
25	123											
26	353											
27												
				·				·				
TOTAL	476 15	0	0	0	0 0	0	0 0	0	0	0 0	0	0
MEAN		0		0 0	0	0 0	0	0 0	0 0	0	0 0	0
MAX	576	0	0									0
MIN	0	•	0	0	0	0	0	0	0	0	0	0
AC_FT	944	0	0	0	0	0	0	0	0	0	0	0
WTR YI	R 2001	TOTAL	476	MEAN	1	MAX	57	6 MIN	() AC_1	FT	944

Flood Control District of Maricopa County ALERT System Computation of Continuous Records of Streamflow

Station Number:	4523	Name:	Salt R. @ Priest Dr
Drainage Area:	13,223 mi ²		

See USGS Water-Data Report AZ-01-1 for data for this site.

Flood Flow Frequency (source: Table 2-4 from <i>Study form Modified Roosevelt Dam</i>)											
		bility of Instantan									
Disc	charge, in cis, io	r Indicated Recu	frence interval								
5-year	10-year	20-year	50-year	100-year							
20,500	55,000	90,000	140,000	169,000							

Computation of Continuous Records of Streamflow

Station Number:4563Name:Spookhill FRSDrainage Area:13.6 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

				1	Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		6										
2		5										
3		4										
4		4										
5		3										
6		1					10					
7						7	8					
8						8	7					
9						6	5					
10	22					5	1					
11	21					4					2	
12	10					2					1	
13	6				0							
14	4				2							
15 16	1			7	4 1							
16 17				7	T							
18				5								
19				1								
20				-								
21												
22	24						5					
23	15						3					
24	10											
25	7											
26	5											
27	17			5								
28	36			9								
29	15			7								
30	8			5								
31	7			3								
TOTAL	208	24	0	49	 7	32	38	0	0	0	4	0
MEAN	7	1	0	2	0	1	1	0	0	0	0	0
MAX	43	6	0	10	7	13	11	0	0	0	11	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	413	48	0	98	14	63	76	0	0	0	8	0
WTR YR	2001	TOTAL	362	MEAN		 1 MAX	43	MIN	C	AC_1	 ?T	 719
										_		

Outflow controlled by gated outlet below 11.5 feet gage height.

See also Pool Level and Storage Volume data.

Computation of Continuous Records of Streamflow

Station Number:4573Name:Price Drain at Loop 202Drainage Area:UndeterminedPeriod of Record:February 18, 2001 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

	Peak flows of interest during Water Year 2001 Peak Peak											
Dest	Dischar		eak s) Gage Ht.		(feet)	D		Dischar				(61.)
<u>Day</u> 03/07			s) Gage				Day 07/29	Discharg	ge (cis 24) Gage		
03/07	236			4	1.40		07729	<u> </u>	24		4	1.30
					Daily	Mean	Value	s				
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1						5	2	1	1	2		4
2						2	7	2	3	2	8	6
3						2	5	2	3	3	9	6
4						1	4		3	4	4	5
5						1	12	2	3	5	5	4
6						2	20	1	2	5	4	5
7						51	7	1	4	4	3	3
8						25	4		2	3	4	4
9						33	4		2	3	21	2
10						17	6		2	3	9	5
11						2	2		2	2	6	4
12						1	2		1	1	5	3
13						1	1		2	3	6	7
14						1	2		2	1	7	, 7
15						1	1		2	1 2	5	
						1				∠ 3	-	6
16							2		3	-	8	5
17						1	1		2	4	6	6
18					8	1	1		2	4	3	2
19					8	1	2		2	6	2	3
20					6	1	1		3	5	3	2
21					5	1	4	1	5	5	2	2
22					1	1	8	2	3	4	2	3
23					1	3	4	2	2	3	3	3
24					4	2	2	4	2	2	3	4
25					2	2	2	5	3	3	3	4
26					4	3	2	3	2	4	3	6
27					4	2	5	2	2	3	4	8
28					14	3	3		3	2	4	6
29						3	4		1	16	4	4
30						2	2	1	1	26	9	5
31						3		- 1		12	8	
					106		100	 Б 1	 6 0		170	
TOTAL					186	177	122		69	143	170	135
MEAN					7	6	110		2	5	5	4
MAX					46	236	112		9	224	84	57
MIN					1	0	0		1	1	1	1
AC_FT					368	352	242	101	136	284	336	267
WTR YF	R 2001	TOTAL	1052	MEAN	r	5 MA	x 2	36 MIN	0	AC_F	т 2	2087

Peak flows of interest during Water Year 2001

Gaging established during Water Year 2001 on February 18, 2001.

Computation of Continuous Records of Streamflow

Station Number:4588Name:Reata Pass WashDrainage Area:7.9 mi²Period of Record:May 15, 2001 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

no rocorada non daring trator roal 2001												
DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL								0	0	0	0	0
MEAN								0	0	0	0	0
MAX								0	0	0	0	0
MIN								0	0	0	0	0
AC_FT								0	0	0	0	0
WTR YR	2001	TOTAL	0	MEAN		 0 мах	(0 MIN) AC_E	 ?T	0

No recorded flow during Water Year 2001

Gaging established during Water Year 2001 on May 31, 2001.

Computation of Continuous Records of Streamflow

Station Number:4603Name:IBW @ McKellips Rd.Drainage Area:101 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			ak						Pe			
	Dischar	ge (cfs 10) Gage						ge (cfs) Gage		
10/27 04/06		10			.42 .42		3/07 3/30		00 28			.40 .20
01,00				-	• • •	0.0	,	-	20		-	• = •
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR		JUN	JUL	AUG	SEP
1		10									1	1
2		4										1
3 4		1										1 1
5							2					1
6		7					118					1
7		6				40	67					1
8		1				97	17					1
9		1		5		44	6				20	1
10	7			6		2						1
11	35			9								1
12	13			20								1
13	8			47	-							1
14 15	10			22	1							1
16	9 9			11 19								1 1
17	6			5						24		1
18	0			2						9		1
19				2						-		
20				1								
21	1						1					
22	49											
23	30			1								
24				1								
25												
26 27	26			2	1							
28	129			36	2							
29	35			1						4		
30	14									22	11	
31	14									2	19	
TOTAL	 395	29	0	 191	5	184	212	0	0	 61	 51	19
MEAN	13	1	0	6	0	6	7		0	2	2	1
MAX	210	100		87	16	200	210		0	93	128	6
MIN		0		0	0	0	0		0	0	0	0
AC_FT	784	57	0	379	10	364	420	0	0	121	102	37
	2001 R	 ПОПЛТ	1147	MEAN	, —— —	3 МАХ		10 MIN		AC F	 m 0	274

Computation of Continuous Records of Streamflow

Station Number:4613Name:IBW @ Indian BendDrainage Area:88 mi² (approximate; includes area of Interceptor Channel)Period of Record:USGS: 1961 – 1984; FCDMC: November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flows	of inter	est durin	g Wate	r Year 20	001			
_	-· ·		eak			_	_			ak		
<u>Day</u> 10/10		rge (ci 238	s) Gage		(feet) .12		1<u>y</u> ⊡ 8/07	1scharg 24		s) Gage		(ft.) .14
10/10	4	230		2	• 12	0.	5707	24	5		Z	• 1 4
					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		5										
2												
3												
4	1											
5	1											
6						4 7	51					
7						47	9					
8 9				12		15 8	3 1					
9 10	45			12		6	T					
11	12			3		5						
12	3			15		2						
13	5			24		-						
14				7						1		
15				3								
16				1								
17												
18												
19												
20				1								
21												
22	43											
23	15											
24	9											
25 26	6 3											
20	32			29								
28	47			19								
29	10			5								
30	5			2						1		
31	13											
	247		0	128	0		64		0	1	0	0
MEAN	8			4		3	2		0	0	0	0
MAX		5	0	103	0	243	238		0	5	4	0
MIN	0	0	0	0	0		0	0	0		0	0
AC_FT	489	10	0	255	0	162	128	0	0	2	0	0
WTR YF	R 2001	TOTAL	527	MEAN		1 MAX	24	3 MIN	C) AC_FI	r 10	046

Computation of Continuous Records of Streamflow

Station Number:4618Name:IBW @ Indian SchoolDrainage Area:90 mi² (approximate)Period of Record:November 25, 1997 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

				flows	of inter	est dui	ring Wa	ter Ye	ear 200				
_			eak				_		-		eak		
			s) Gage			-	Day	Disc	harge	(cf:	s) Gage		
10/10	4	267		Z	2.62		04/06		267				2.62
					Daily	Mean	Value	s					
DAY	OCT	NOV	DEC	JAN	FEB	MAR			AY .	JUN	JUL	AUG	SEP
1													
1 2													
3													
4													
5							1						
6							83						
						60		>					
7						60 1 C							
8						16							
9	<i>c i</i>												
10	64												
11	7			0.4									
12				21									
13				42									
14													
15													
16													
17													
18													
19													
20													
21													
22	71												
23	10												
24	τu												
25													
26													
20	29			37									
28	29 97												
	97			46									
29													
30													
31								-					
TOTAL	277	0	0	146	0	76	84	1	0	0	0	0	0
MEAN	9		0	5	0	2			0	0	0	0	0
MAX	267		0	173	0	253	267		0	0	0	0	0
MIN			0	_,	0	200	201		0	0	0	0	0
	549		0	289		150			0	0	0	0	0
WIR YR	2001	TOTAL	582	MEAN	4	∠ MA	X 2	20/	MIN	(0 AC_F	Ľ	1122

Computation of Continuous Records of Streamflow

Station Number:4623Name:IBW InterceptorDrainage Area:35 mi²Period of Record:April 21, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flow	of intere	st during	g Wate	er Year 2	2001			
_			eak						I	Peak		
<u>Day</u> 10/22	Dischar	ge (cf 5	s) Gage		(feet) .98	Da	iy l	Discha	rge (cí	Es) Gage	e Ht.	(ft.)
10/22	Ċ	5		U	.98							
					Daily	Mean V	alues	:				
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4 5												
6												
7						6						
8												
9												
10												
11 12												
13												
14												
15												
16												
17 18												
19												
20												
21												
22	12											
23 24												
24 25												
26												
27	7											
28	2											
29 30												
30												
TOTAL	21	0	0	0	0	6	0	0	0	0	0	0
MEAN	1	0	0	0	0	0	0	0	0	0	0	0
MAX MIN	65 0	0 0	0 0	0 0	0 0	31 0	0 0	0 0	0 0	0 0	0 0	0 0
AC FT		0	0	0	0	12	0	0	0	0	0	0
WTR YE	R 2001	TOTAL	27	MEAN	ſ	0 MAX		65 MII	N	0 AC_1	FT	54

Computation of Continuous Records of Streamflow

Station Number:4628Name:IBW @ McDonaldDrainage Area:88 mi² (approximate)Period of Record:November 24, 1997 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			eak							Pe			
Day	Dischar		s) Gage					Disch) Gage		
10/10	5	11		C	.98	04	/06		602			1	.10
					Daily	Mean Va	alues	5					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR			JUN	JUL	AUG	SEP
1		4											
2													
3													
4													
5													
6		_				<u> </u>	158						
7		7				64	3						
8 9						11							
9 10	91												
11	25												
12	20			2									
13				23									
14													
15													
16													
17													
18													
19													
20									1				
21	0 5								1				
22 23	85 19								1				
23	19												
25													
26													
27	88			28									
28	126			15									
29	11										1		
30	3												
31	21												
TOTAL	 469	11	 0	 68	0	 75	161		2	0	1	0	0
MEAN	15	0	0	2	0	2	5		0	0	0	0	0
MAX	511	60	0	82	0	448	602		2	0	17	0	0
MIN	0	0	0	0	0	0	0		0	0	0	0	0
AC_FT	931	21	0	134	0	150	320		4	0	2	0	0
	2001 x 2001	 ≖∩≖ਙт.	 787	MEAN		2 MAX	6	 ∩2 №	IIN		AC_F	 r 1	.562

Computation of Continuous Records of Streamflow

Station Number:4638Name:Tatum Basin InflowDrainage Area:2.17 mi²Period of Record:May 6, 1998 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001


DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
26 27 28	1											
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	8	0	0	1	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	1	0	0	1	0	0	0	0	0	0	0	0
WTR YR :	2001 :	FOTAL	1	MEAN	() МАХ	8	 3 MIN) AC_I	 ?T	2

Computation of Continuous Records of Streamflow

Station Number:4643Name:IBW @ SweetwaterDrainage Area:9.2 mi²Period of Record:December 27, 1990 to current year*Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak flow	s of intere	st during Wa	ater Year 200'	1		
		Pea	k				Pea	k	
Day	Discharge	(cfs)	Gage Ht.	(feet)	Day	Discharge	(cfs)	Gage Ht.	(ft.)
10/10	852			3.55	10/27	292			2.00

Hydrograph of October 10, 2000 event



Computation of Continuous Records of Streamflow

Station Number:4643Name:IBW @ SweetwaterDrainage Area:9.2 mi²Period of Record:December 27, 1990 to current year*Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		 1										
2		±										
3												
4	7			2								
5	2			3			12					
6		11					13					
7		2		2		15						
8				1								
9				26							5	
10	114			5								
11	8			3								
12	3			29								
13				8								
14				1								
15												
16											1 0	
17 18											13	
10 19	4											
20	43											
21	10						2					
22	58						2					
23	13						2					
24	7											
25	1											
26												
27	51			45								
28	28			10								
29	1											
30	30									5		
31	5											
TOTAL	347	 14	0	134	0	 15	29	0	0	5	18	0
MEAN	11	0	0	4	0	0	1	0	0	0	1	0
MAX	852	62	3	138	0	91	159	0	0	30	105	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	689	27	0	267	0	31	58	0	0	9	35	0
WTR YR	2001	TOTAL	 563	MEAN	2	 2 MAX	852	MIN	 () AC_1	 FT 11	 L16

NOTE: The gage was moved to the 36th Street bridge from the Sweetwater Road bridge on November 18, 1998.

Computation of Continuous Records of Streamflow

Station Number:4643Name:IBW @ SweetwaterDrainage Area:9.2 mi²Period of Record:December 27, 1990 to current year*Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

	Flood Flow Frequency source: FEMA Sept. 1995)										
Magnitude and Probability of Instantaneous Peak Flow												
Discharge,	in cfs, for Indicated Recurre	nce Interval										
10-year 50-year 100-year												
2,000 3,500 6,000												

Computation of Continuous Records of Streamflow

Station Number:4648Name:E.Fork CC #1Drainage Area:1.18 mi²Period of Record:March 2, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
16 17 18 19											1 1	
TOTAL	0	0	0	0	0	0	0	0	0	0	3	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	2	0	0	0	0	0	0	2	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	7	0
WTR YR 2	2001 5	FOTAL	4	MEAN		0 MAX	2	2 MIN		AC1	: FT	7

See also Pool Level and Storage Volume Data

Computation of Continuous Records of Streamflow

Station Number:4653Name:Tatum Basin OutflowDrainage Area:2.17 mi²Period of Record:May 8, 1998 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 :	IOTAL	0	MEAN	() MAX) MIN) AC_1	 FT	0

No recorded flow during Water Year 2001

Computation of Continuous Records of Streamflow

Station Number:4658Name:E.Fork CC #4Drainage Area:0.68 mi²Period of Record:January 18, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		_				Mean V						
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		1				2						
2												
3							1					
4							2					
5							3				2	
6						<i>c</i>	4				2	
7		3				6	1					
8				4		2				1	2	
9	6			4		1 2				1	3 1	
10 11	0					2					T	
11				7		T						
12				2	2						2	
14				2	3						2	
15					1							
16					-							
17											3	
18											1	
19	1											
20	1						1					
21	1						4					
22	12						3					
23	9				1		3			1	1	
24	3						3				1	
25							1			1		
26					2					1		
27	4			9	1					1		
28	4			2 1	4					1		
29 30	1 3			T						1 2		
30	2									2		
TOTAL	50	4	0	25	14	14	25	0	0	9	17	0
MEAN	2	0	0	1	0	0	1	0	0	0	1	0
MAX	41	10	0	29	10	25	26	0	0	6	25	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT 	98	8	0	49	27	27	50	0	0	17	34	0
WTR YR 2	2001 !	TOTAL	157	MEAN	C) MAX	41	MIN	C) AC_1	FT :	311

See also Pool Level and Storage Volume Data

Computation of Continuous Records of Streamflow

Station Number:4668Name:EFCC nr 7th AvenueDrainage Area:14.1 mi²Period of Record:May 21, 1997 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1						4						
2 3												
4												
5 6							11					
6 7						17	ΤT					
8						6						
9				12							5	
10 11	11			1 1							1	
12				24								
13				5								
14 15				1	6 2						1 1	
16					2						T	
17											12	
18 19												
19 20												
21							1					
22	4						2					
23 24												
25												
26												
27 28	3 2			44 77	5							
29	2											
30	1									2		
31												
TOTAL	20	0	0	348	13	27	13	0	0	2	21	0
MEAN	1	0	0	11	0	1	0	0	0	0	1	0
MAX MIN	116 0	0 0	0 0	94 0	23 0	49 0	26 0	0 0	0 0	7 0	55 0	0 0
AC_FT	40	0	0	691	26	53	26	0	0	4	42	0
WTR YR	2001	TOTAL	444	MEAN		1 MAX	116	MIN) AC_1	 FT {	 882

Computation of Continuous Records of Streamflow

Station Number:	4678	Name:	Lake Marguarite
Drainage Area:	Undetermined		
Period of Record:	November 25,	1997 to currer	nt year
Discharge, in cfs, V	Vater Year 2001	October 20	000 to September 2001

				I	Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5							4					
6							31					
7						43	51					
8						26						
9						20						
10	29											
11	22											
12				2								
13												
14						17						
15												
16												
17	43											
18												
19												
20												
21												
22	53											
23												
24	36											
25	36											
26												
27	29											
28	26											
29												
30												
31												
TOTAL	273	0	0	2	0	 86	35	0	0	0	0	0
MEAN	9	0	0	0	0	3	1	0	0	0	0	0
MAX	195	0	0	90	0	138	190	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	542	0	0	3	0	170	69	0	0	0	0	0
WTR YR	 2001	 TOTAL	 396	MEAN		 1 MAX	 195	MIN	 0	AC_FI	 C 7	 785
								-	-			-

NOTE: Approximately 60 cfs pass the gage before detection due to the elevation of the instrument.

Computation of Continuous Records of Streamflow

Station Number:4683Name:E.Fork CC #3Drainage Area:3.52 mi² (1.86 mi² controlled by EFCC#1 and EFCC#4)Period of Record:July 27, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily I FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2												
3												
4 5												
6												
7						4						
8 9												
10	1											
11				1								
12 13				1								
14												
15 16												
10												
18												
19 20												
21												
22												
23 24												
25												
26 27				2								
28				2								
29												
30 31												
TOTAL	1	0	0	3	0	4	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX MIN	14 0	0 0	0 0	10 0	0 0	8 0	0 0	0 0	0 0	0 0	0 0	0 0
AC_FT	2	0	0	6	0	8	0	0	0	0	0	0
WTR YR 2	2001 5	 FOTAL	8	MEAN	0	MAX	14	MIN	0		 'T	16

See also Pool Level and Storage Volume Data

Computation of Continuous Records of Streamflow

Station Number:4688Name:Berneil WashDrainage Area:9.5 mi² (approximate) – significant split flows at Mt. View and 64th
Street and Mt. View and Miller RoadDeried of December4000 to surrent year

Period of Record: July 30, 1998 to current year

Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

			eak			est durin	-		Pe	ak		
	ischar		s) Gage) Gage		
10/10	30)5		1	.38	10	/22	29	7		1	.35
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 1												
2												
3												
1	7											
5	1						9					
5	1						12					
7	1	2				13						
3												
9	1			7							4	
10	34											
11												
L2				9								
L3				2								
L 4												
15												
16												
17												
18 19												
20												
21	5											
22	41											
23	1											
24	Ţ											
25												
26												
27	17			8								
28	3			Ţ.								
29	-									1		
30	2									1		
31												
 FOTAL	115	2	0	25	0	13	21	0	0	2		0
MEAN	4	0	0	1	0	0	1	0	0	0	0	0
YAN	305	5	0	59	5	106	215	0	0	27	79	0
AIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	228	3	0	50	0	26	42	0	0	3	8	C
	2001 :		 182	MEAN		 0 мах	305	MIN		AC_F		361


Surface Water Streamflow Data Page 28

Computation of Continuous Records of Streamflow

Station Number:4693Name:IBW @ Shea Blvd.Drainage Area:24.6 mi²Period of Record:June 9, 1998 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

	Peak flows of interest during Water Year 2001											
		Peal	k						Peal	k		
Day	Discharge	(cfs)	Gage	Ht.	(feet)	Da	Y	Discharge	(cfs)	Gage	Ht.	(ft.)
10/10	1,24	17		2	.50	04	/05	568			1	.85

Hydrograph of October 10, 2000 event



Computation of Continuous Records of Streamflow

Station Number:4693Name:IBW @ Shea Blvd.Drainage Area:24.6 mi²Period of Record:June 9, 1998 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1						5						
2 3 4 5 6 7	7											
5	7	4					40 104					
7 8		4		1		119 9	4					
8 9 10	183			55 1		9				2	85 9	
11	105									2	9	
12 13				61 21	2							
14 15				1	29 21							
16 17	2				2						87	
18 19	2										8	
20 21	7						4					
22 23	85 10						14 4					
24 25	20				-							
26 27	50			111	1							
28 29	35			22	25					10		
30 31	21 10									65 7		
TOTAL	447	4	0	272	80	133	172	0	0	83	188	0
MEAN MAX	14 1247	0 30	0	9 354	3 40	4 419	6 568	0	0	3 169	6 270	0
MIN AC_FT	0 888	0 7	0 0	0 540	0 159	0 265	0 342	0 0	0 0	0 165	0 374	0 0
WTR YR	2001	TOTAL	1381	MEAN		4 MAX	1247	MIN		ACI	FT 2'	739

(based on HE	CWRC implement USGS app	Flood Flow tation of Bulletin proximately 500 fe	Frequency 17B, n=14 for USC et upstream of SI	GS CSG 09512090 hea Blvd.)	, operated by						
	Magnituo	le and Probability of	of Instantaneous Po	eak Flow							
	Discha	rge, in cfs, for India	cated Recurrence I	nterval							
2-year	2-year 5-year 10-year 20-year 50-year 100-year										
820	820 1,810 2,730 3,840 5,630 7,260										

Computation of Continuous Records of Streamflow

Station Number:4748Name:Old Xcut @ McDowellDrainage Area:UndeterminedPeriod of Record:July 27, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		P	Peak eak	flows	of inter	est durin	g Wat	er Year 2		eak		
Day	Discha		s) Gage	Ht.	(feet)	Da	y I	Dischar			Ht.	(ft.)
03/07		143			.98		/05		19			.81
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR		JUN	JUL	AUG	SEP
1 2			28 30	28 30			 34 36					
3			30	30			33					
4	15		33	30			33					
5			36	13			36					
6		10	36				14					
7			31			35						
8			7	1		12					_	
9	11		29	19							5	
10 11	11 2		32 39									
12	2		39	29								
13			39	12								
14			37	1	12							
15			39									
16			36			13						
17			36			25						
18 19			36			25						
20			37 31			25 26						
21	5		JI			25	4					
22	4					27	1					
23		14	9			28						
24		25	34			30						
25		25	33		1	30						
26	1.0	26	31	0	11	31						
27	16	28 28	30	9	3	34						
28 29		28 28	14	5	24	33 17				3		
30	2	26	26	5		27				2		
31	_		28			33						
TOTAJ.	55	 2.11	 893	206	 51	 475	189	 0	0	4	 5	0
	2		29					0		0		0
MAX	78	60	39	119	57	143	119	0		68		0
	0		0				0			0	0	0
AC_FT	110	418	1772	408	101	943	375	0	0	9	9	0
WTR YI	R 2001	TOTAL	2090	MEAN		6 MAX	1	43 MIN	, c) AC_E	' т 4 1	145

NOTE: Some flows occur as a result of releases by the Salt River Project from the Arizona Canal and by irrigation return water.

Surface Water Streamflow Data Page 31

Computation of Continuous Records of Streamflow

Station Number:4803Name:Dreamy Draw DamDrainage Area:1.3 mi²Period of Record:November 1987 to current yearRevised Records:WY1996, WY1995Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily M FEB	lean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2												
2												
4												
5		1					1					
6 7		1 2				2	3 2					
8		2				2	2					
9				3								
10	4			2								
11				2								
12 13				2 3								
13				3 2								
15				2								
16												
17											1	
18 19												
20												
21												
22												
23												
24												
25 26												
27	1			3								
28	2			2								
29				1						1		
30										1		
31												
TOTAL	8	3	0	19	0	5	6	0	0	2	1	0
MEAN	0	0	0	1	0	0	0	0	0	0	0	0
MAX	51	7	0	17	0	16	17	0	0	34	17	0
MIN AC FT	0 15	0 5	0 0	0 38	0 0	0 9	0 11	0 0	0 0	0 3	0 1	0 0
AC_FI				ر 		y 	±±	·		د 	⊥ 	
WTR YR 2	2001 7	TOTAL	42	MEAN	0	MAX	51	MIN	() AC_I	?T	83

See also Pool Level and Surface Volume Data.

Computation of Continuous Records of Streamflow

Station Number:4808Name:ACDC @ 36th St.Drainage Area:4.82 mi²Period of Record:February 24, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4	2											
5 6	3											
6						_	1					
7 8						1						
8 9				1								
10	2			T								
11												
12				1								
13 14												
15										1		
16										-		
17												
18												
19 20										2		
21										2		
22	2						1					
23												
24 25												
26												
27	2			1								
28	1				1							
29	1											
30 31	1											
TOTAL	24	1	0	3	1	2	3	0	0	3	0	0
MEAN	1	0	0	0	0	0	0	0	0	0	0	0
MAX MIN	7 0	2 0	0 0	4 0	3 0	6 0	5 0	1 0	0 0	4 0	0 0	0 0
AC FT	48	1	0	0 7	2	3	5	1	0	6	0	0
WTR YR	2001 1	TOTAL	37	MEAN	() MAX	-	7 MIN	C) AC_1	FT.	73

Flood Flow Frequence	Flood Flow Frequency for inflow to sediment basin (HEC-1 for ACDC ADMS)									
Magnitud	Magnitude and Probability of Instantaneous Peak Flow									
Discha	arge, in cfs, for Indicated Recurrence I	nterval								
2-year	10-year	100-year								
590	2,510	590 2,510 5,410								

Computation of Continuous Records of Streamflow

Station Number:4813Name:ACDC @ 14th St.Drainage Area:10.2 mi²Period of Record:February 9, 1994Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Pe	ak flo	w of inte	erest in	Water	Year	2001				
			eak								eak		
Day	Discharc		s) Gage			<u> </u>	Day	Disc	harge	(cf:	s) Gage	Ht.	(ft.)
07/29	18	34		1	.92								
					Daily	Mean	Value	e					
DAY	ОСТ	NOV	DEC	JAN	FEB	MAR	APF		AY .	JUN	JUL	AUG	SEP
1													
2													
3													
4													
5							2						
6							10)					
7						12							
8				-									
9				1								-	
10 11												5	
11				2									
13				2									
14													
15													
16													
17								-				1	
18								-					
19													
20													
21													
22													
23	8												
24	8												
25													
26 27	3			6									
28	16			0									
29	10										6		
30											11		
31								-					
TOTAL		0	0	9		12	12	2	0	0	17	6	0
MEAN	1 27	0	0	0 36	0	0	C)	0	0	1	0	0
MAX	27	0	0	36	0	36	27	7	0 0 0	0	1 184 0	25	0
MIN	0	0	0	0	0	0	()	0	0			
AC_FT	68	0	0	17	0	24	24	Į	0	0	34	12	0
WTR YF	R 2001 1	TOTAL	90	MEAN	 1	0 MAX	к 1	.84	MIN		0 AC_F	 T	178

Computation of Continuous Records of Streamflow

Station Number:4818Drainage Area:1.21 mi²Period of Record:November 26,					Nam	e:	Tenth	Street	Wash I	Basin #	ŧ1	
Period Dischar						tober 20	000 to S	Septem	ber 200	01		
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	5					1						
22 23 24 25 26 27 28 29 30 31 TOTAL MEAN MAX MIN	2 7 0 17 0	 0 0 0 0	0 0 0 0 0	5 6 0 14 0	 0 0 0 0 0	1 0 5 0	 0 0 0 0	0 0 0 0 0	 0 0 0 0	 0 0 0 0	 0 0 0 0	 0 0 0 0
AC_FT wtr yr	13	0	0 14	13 MEAN	0	1	0 17	0	0	0 F	0	0 27

See also Pool Level and Storage Volume Data.

NOTE: Up to 300 cfs may bypass the basin.

Computation of Continuous Records of Streamflow

Station Number:4823Name:ACDC @ 43rd Ave.Drainage Area:56 mi² below Cave Buttes DamPeriod of Record:December 17, 1991 to current yearRevised Records:WY1998:WY1997Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

		_		flows	of intere	est dur	ing Wa	ter \	(ear 200				
Day D	ischaro		eak s) Gage	Ht.	(feet)	Т	Day	Dis	charge		eak s) Gage	Ht.	(ft.)
10/27	76		c, cuge		.10	-)1/27		365		e, enge		.45
08/09	48	7		1	.67								
					Daily	Maan	<u>valua</u>	~					
DAY	OCT	NOV	DEC	JAN	FEB	MAR			MAY	JUN	JUL	AUG	SEP
1													
2													
3													
4													
5													
6													
7													
8 9												31	
10	46											51	
11													
12				24									
13													
14													
15 16													
10													
18													
19													
20													
21													
22	57												
23 24	9												
24	9												
26													
27	45			123									
28													
29													
30											39		
31								-					
TOTAL	156	0	0	147	0	0	()	0	0	39	31	0
MEAN	5	0	0	5	0	0	(0	0	1	1	0
MAX	766	0	0	365	0	0	C)	0	0	217	487	0
MIN	0	0	0	0	0	0	(0	0	0	0	0
AC_FT	310	0	0	292	0	0	()	0	0	77	61	0
WTR YR :	 2001 Т	OTAL	373	MEAN		1 MAX	K 7	766	MIN		0 AC_F	 r	740

Surface Water Streamflow Data Page 36

Computation of Continuous Records of Streamflow

Station Number:4833Name:Cave Creek @ CactusDrainage Area:33.6 mi² below Cave Buttes DamPeriod of Record:June 21, 1991 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		P	<i>Peak</i> eak	flows	of intere	est durir	ng Wate	r Year 20)01 Pe	ak		
Day	Dischar	rge (cf	s) Gage	Ht.	(feet)	Da		ischarg) Gage		
10/24	3	386		1	0.33	01	1/27	23	9		9.6	58
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	58 15 2 106 232 233 204 115 74 195 147 80	131 66 31 14 6 3 2 1		10 1 43 43 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 5 33 12 4 2 1 1 1 1 1 6 	51 27 13 6 3 2 62 76 40 24 14 8 4 1	8				13 1 6 1	
31 TOTAL MEAN	149 1610 52	255 8	 0 0	3 465 15	 77 3	331 11	 10 0	0 0	 0 0	0 0	22 1	 0 0
MAX MIN AC_FT	386 0 3193	155 0 505	0		64 0 153	126 0 656	23 0 19	0 0 0	0 0 0	1 0 1	36 0 43	0 0 0
WTR YR	2001	TOTAL	2769	MEAN		3 МАХ	38	6 MIN	0	AC_F	r 549	 93

NOTE: Receding limbs of hydrographs are greatly affected by clogging of outlet orifice. Therefore, low flows for falling hydrographs may be unrealistically high. See downstream stations 4823 and 5523 for a better representation of the falling limbs. Weir flow begins into main channel above 10 feet gage height.

Computation of Continuous Records of Streamflow

Station Number:4863Name:Rawhide WashDrainage Area:UndeterminedPeriod of Record:July 27, 1999 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
9 10 11	22											
TOTAL	22	0	0	0	0	0	0	0	0	0	0	0
MEAN	1	0	0	0	0	0	0	0	0	0	0	0
MAX	70	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	44	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 !	TOTAL	22	MEAN) МАХ	70	MIN	() AC_I	 ?T	44

Computation of Continuous Records of Streamflow

Station Number:4903Name:Cave Buttes OutletDrainage Area:191 mi² at Cave Buttes DamPeriod of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily I FEB	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2		 18 19										
3		16								1		
4	6						2					
5 6							3 13					4
7						19	20					-
8				1.0								
9 10	5			12							5	
11	5										5	
12				19								
13 14				20							7	
15											16	
16											_	4
17 18											7	
19												
20	0											
21 22	2 20											
23	20											
24	20											
25 26	19 19											
27	19			21								
28	19			23	14							
29 30	20 19			22 20						4		
31	19			20						ŗ		
TOTAL	206	53	0	136	14	19	16	0	0	5	34	8
MEAN	7	2	0	4	1	1	1	0	0	0	1	0
MAX MIN	31 0	19 0	0 0	64 0	57 0	57 0	57 0	0 0	0 0	49 0	57 0	16 0
AC_FT	408	105	0	271	28	38	31	0	0	10	68	16
WTR YR	2001	TOTAL	492	MEAN	1	MAX	64	MIN	0	AC_1	FT S	 975

Computation of Continuous Records of Streamflow

Station Number:4913Name:Stagecoach WashDrainage Area:UndeterminedPeriod of Record:June 13, 2001 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

$\begin{array}{cccccccccccccccccccccccccccccccccccc$					1	Daily	Mean V	alues					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1												
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3												
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5												
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12												
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	13												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	L 6												
9 20 21 22 23 24 25 26 27 28 29 300 70TAL 0 0 0 4EAN 0 0 0 4MX 0 0 0 4MX 0 0 0 0 <td>L7</td> <td></td>	L7												
20 21 23 24 26 26 27 28 29 300 31 0 0 0 0 MEX 0 0 0 0 MAX 0 0 0 0 <td></td>													
21 22 23 24 25 26 27 28 29 30 31 31 0 0 0 4EAN 0 0 0 4AX 0 0 0 AC_FT													
22													
23 24 25 26 27 28 29 30 31 0 0 0 COTAL 0 0 0 MEAN 0 0 0 0 MAX 0 0 0 0 ACFT 0 1 0 0	21												
24 25 26 27 28 29 30 31 0 0 0 MEAN 0 0 0 0 MAX 0 9 4 7 MIN 0 0 0 0 ACTT 0 1 0 0													
25 26 27 28 30 31 31 0 0 0 MEAN 0 0 0 0 MAX 0 0 0 0 ACFT 0 1 0 0													
26 27 28 29 30 31 31 0 0 0 MEAN 0 0 0 0 MAX 0 9 4 7 MIN 0 0 0 0 AC_FT 0 1 0 0	24												
27 29 29 30 31 COTAL 0 0 0 0 MEAN 0 0 0 0 MAX 0 0 0 0 AC_FT 0 1 0 0	25												
28 -	26												
29 -	27												
30 -	28												
B1 -	29												
COTAL 0 0 0 0 MEAN 0 0 0 0 MAX 0 9 4 7 MIN 0 0 0 0 AC_FT 0 1 0 0	30												
MEAN 0 0 0 0 0 MAX 0 9 4 7 MIN 0 0 0 0 0 AC_FT 0 1 0 0	31												
MEAN 0 0 0 0 0 MAX 0 9 4 7 MIN 0 0 0 0 0 AC_FT 0 1 0 0													
MAX 0 9 4 7 MIN 0 0 0 0 AC_FT 0 1 0 0													0
MIN 0 0 0 0 0 AC_FT 0 1 0 0													0
AC_FT 0 1 0 0													7
													0
itr yr 2001 total 1 mean 0 max 9 min 0 ac_ft 1	AC_FT									0	1	0	0
TR YR 2001 TOTAL 1 MEAN 0 MAX 9 MIN 0 AC_FT 1													
	WTR YR	2001 !	TOTAL	1	MEAN	(MAX 0	9	9 MIN	0	AC_I	?T	1

NOTE: There is some small flows coming periodically from a water storage facility about 500 feet north of the gage. All recorded flows were from this periodic discharge.

Gaging established during Water Year 2001 on June 13, 2001.

Computation of Continuous Records of Streamflow

Station Number:4918Name:Cave Cr nr Cave CrDrainage Area:121 mi²Period of Record:USGS ID# 09512300 – 05/17/1958 to 09/30/1967WY 1968 – WY 1994 – Annual peaks onlyFCDMC – May 27, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

Peak flow of interest during Water Year 2001 Peak Peak Day Discharge (cfs) Gage Ht. (feet) Day Discharge (cfs) Gage Ht. (ft.) 10/24 2.12 Daily Mean Values DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP _____ ___ ___ ___ --- ---58 ---___ _____ TOTAL 247 0 0 69 0 95 0 0 0 125 41 MEAN 8 0 0 2 0 3 0 0 0 4 1 MAX 590 0 0 256 0 240 0 0 0 231 162 MIN 0 0 0 0 0 0 0 0 0 0 AC_FT 491 0 138 0 188 0 0 0 247 80 _____ WTR YR 2001 TOTAL 577 MEAN 2 MAX 590 MIN 0 AC_FT 1144

Continued on Next Page

Surface Water Streamflow Data Page 41

Computation of Continuous Records of Streamflow

Station Number:4918Name:Cave Cr nr Cave CrDrainage Area:121 mi²Period of Record:USGS ID# 09512300 – 05/17/1958 to 09/30/1967
WY 1968 – WY 1994 – Annual peaks only
FCDMC – May 27, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 38)													
Magnitude and Probability of Instantaneous Peak Flow													
	Discha	rge, in cfs, for India	cated Recurrence I	nterval									
2-year													
1,420 4,420 7,670 11,900 18,900 25,600													

Computation of Continuous Records of Streamflow

Station Number:4923Name:Cave Cr.@ SpurCrossUSGS Station:09512280Drainage Area:121 mi²Period of Record:June 13, 1993 to current year

See USGS Water-Data Report AZ-01-1 for data for this site.

Computation of Continuous Records of Streamflow

Station Number:5013Name:Columbus WashDrainage Area:UndeterminedPeriod of Record:September 22, 1999 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2001 :	IOTAL	0	MEAN	() MAX) MIN	() AC_1	 ?T	0

No recorded flow during Water Year 2001

Computation of Continuous Records of Streamflow

Station Number:5033Name:Copper WashDrainage Area:UndeterminedPeriod of Record:February 22, 2001 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			eak							Pe	eak		
Day	Dischar	ge (cf:	s) Gage	Ht.	(feet)	Da	<u>y</u> 1	Disc	harg	e (cfs	s) Gage	Ht.	(ft.)
08/12	23	14		1	.92								
							-						
	0.07		570		Daily M								
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR		AY	JUN	JUL 	AUG	SEP
1													
2													
3													
1													
5													
6													
7													
3													
9													
LO													
L1													
L2												6	
.3												2	
_4													
.5													
L6													
L7													
.8													
L9 20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													
31													
FOTAL 1EAN					0 0	0	0		0 0	0	0 0	8 0	0
1ean 1AX					0	0 0	0 0		0	0 0	0	214	0
4AX 4IN					0	0	0		0	0	0	214 0	0
AC FT					0	0	0		0	0	0	16	0
·~ · ·					0	0	0		0	U	0	ΤŪ	0


Gaging established during Water Year 2001 on February 20, 2001.

Computation of Continuous Records of Streamflow


Station Number:5093Name:Centennial @ WendenDrainage Area:586 mi² excluding area diverted from Sols Wash at Sols TankPeriod of Record:September 16, 1998 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

	Peak flows of interest during Water Year 2001												
	Peal	ĸ			Pea	k							
Day	Discharge (cfs)	Gage Ht. (feet)	Day	Discharge	(cfs)	Gage Ht. (ft.)							
10/22	24,300	7.82	10/28	11,8	383	5.68							

Hydrograph for October 22, 2000 event



Hydrograph for October 28, 2000 event



Computation of Continuous Records of Streamflow

Station Number:5093Name:Centennial @ WendenDrainage Area:586 mi² excluding area diverted from Sols Wash at Sols TankPeriod of Record:September 16, 1998 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily M FEB	ean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 1		 1										
2												
3												
4												
5												
6 7												
8												
9												
10												
11												
12												
13												
14											47	
15 16												
17												
18												
19												
20												
21												
22	12204											
23 24	4453											
24 25	815 8											
26	0											
27	1418											
28	7004											
29	2194											
30	124											
31	14											
TOTAL	28233	1	0	0	0	0	0	0	0	0	47	0
MEAN	911	0	0	0	0	0	0	0	0	0	2	0
MAX	24304	6	0	0	0	0	0	0	0	0	623	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT 	56000	2	0	0	0	0	0	0	0	0	94	0
WTR YR	2001	TOTAL	28282	MEAN	77	MAX	24304	MIN	0	AC_1	FT 560	96

Computation of Continuous Records of Streamflow

Station Number:5103Name:Centennial RailroadUSGS Station:09517490Drainage Area:1,817 mi²Period of Record:February 15, 1990 to current year
May 15, 1980 to September 30, 1985Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

See USGS Water-Data Report AZ-01-1 for data for this site.

Computation of Continuous Records of Streamflow

Station Number:5108Name:Delaney WashDrainage Area:50 mi² (approximately)Period of Record:December 22, 1999 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flows	of inter	est du	ring Wa	ater	Year 200	01			
			eak								eak		
<u>Day</u>	Dischar		s) Gage				Day				s) Gage		
10/10	2	03		2	2.52		10/22		260)		2	2.77
					Daily	Mean	Value	es					
DAY	OCT	NOV	DEC	JAN	FEB	MAF			MAY	JUN	JUL	AUG	SEP
1													
1 2													
2 3													
4													
5													
6													
8 7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22	195												
23	207												
24	25												
25	19												
26 27	24												
	24 16												
28 29	ΤO												
30													
31								_					
JI 													
TOTAL	484	0	0	0	0	C)	0	0	0	0	0	0
MEAN	16	0	0	0	0	C		0	0	0	0	0	0
MAX	260	0	0	0	0	C		0	0	0	0	10	0
MIN	0	0	0	0	0	C		0	0	0	0	0	0
	961	0	0	0	0	C)	0	0	0	0	0	0
	2001				 T		·	260	 мтм			 T	961
WIR II	R 2001	TOTAL	485	MEAN	4	T WH	x	200	MIN	(0 AC_F	Τ.	961

Computation of Continuous Records of Streamflow

Station Number:5113Name:Saddleback FRSDrainage Area:29.6 mi² excluding area brought in from Harquahala FRSPeriod of Record:December 16, 1988 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4												
5												
6												
7												
8 9												
9 10												
11												
12												
13												
14												
15 16												
17												
18												
19												
20												
21 22	2											
23	2											
24												
25												
26	2											
27 28	8 20											
29	20											
30												
31												
TOTAL	30	0	0	0	0	0	0	0	0	0	0	0
MEAN	1	0	0	0	0	0	0	0	0	0	0	0
MAX MIN	47 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
AC_FT	59	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	001 7	TOTAL	30	MEAN		0 MAX	47	/ MIN	с С) AC_1	 FT	59

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number:5118Name:Winters WashDrainage Area:UndeterminedPeriod of Record:July 10, 2000 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		Pe	eak 76		w of inter		- alei	i ca	2001	Pe	ak		
Day	Dischar			Ht.	(feet)	Da	iy	Disc	charge			Ht.	(ft.)
07/06		99			.94								
							_						
DAV	000	NOV	DEC	T7 N	Daily I FEB				(7) V	TITA	TTTT	ALIC	CED
DAY	ОСТ 	NOV	DEC	JAN	FEB	MAR		. r	1AY	JUN 	JUL	AUG	SEP
1													
2													
3													
4													
5											0.5		
6						8					35		
7 8						20 7					6		
9						/							
10													
11													
12													
13													
14													
15													
16													
17													
18 19													
20													
21													
22													
23													
24													
25													
26													
27	4												
28 29													
30													
31													
TOTAL	4	0	0	0	0	35	0		0	0	40	0	0
MEAN	0	0	0	0	0	1	0		0	0	1	0	0
MAX	44	0	0	0	0	101	0		0	0	199	0	0
MIN	0	0	0	0	0	0	0		0	0	0	0	0
AC_FT	8	0	0	0	0	69	0		0	0	80	0	0

Computation of Continuous Records of Streamflow

Station Number:5128Name:Harquahala FRSDrainage Area:102.3 mi²Period of Record:March 1, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
26 27	96											
28 29	2											
TOTAL	98	0	0	0	0	0	0	0	0	0	0	0
MEAN	3	0	0	0	0	0	0	0	0	0	0	0
MAX	309	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	194	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	TOTAL	98	MEAN		0 MAX	309	MIN	() AC_1	FT 1	L94

See also Pool Level and Storage Volume Data.


Computation of Continuous Records of Streamflow

Station Number:5163Name:Tiger WashDrainage Area:85.2 mi²Period of Record:September 15, 1999 to current year. USGS maintained a continuousgage from Sept.1965 to Sept. 1979. The station was reactivated in March 1991 as a peakflow gage site.Disabarra in ofa Water Year 2001


Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

		Peak flows of interest	during Wa	ater Year 2001								
	Peak Peak											
Day	Discharge (cfs)	Gage Ht. (feet)	Day	Discharge (cfs)	Gage Ht. (ft.)							
10/21	3,542	7.65	10/27	3,169	7.40							

Hydrograph for October 21, 2000 event



Hydrograph for October 27, 2000 event



Computation of Continuous Records of Streamflow

Station Number: 5163 Name: Tiger Wash Drainage Area: 85.2 mi² Period of Record: September 15, 1999 to current year. USGS maintained a continuous gage from Sept. 1965 to Sept. 1979. The station was reactivated in March 1991 as a peak flow gage site.

Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	ОСТ	NOV	DEC	I JAN	Daily M FEB	lean Va MAR	alues APR	МАҮ	JUN	JUL	AUG	SEP
1												
2 3												
4												
5												
6												
7												
8												
9												
10												
11 12												
12												
14												
15												
16												
17												
18												
19												
20 21	445											
22	706											
23	76											
24	, 0											
25												
26												
27	587											
28	112											
29												
30 31												
JI 												
TOTAL	1927	0	0	0	0	0	0	0	0	0	0	0
MEAN	62	0	0	0	0	0	0	0	0	0	0	0
MAX	3542	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	3822	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	TOTAL	1927	MEAN	5	MAX	3542	MIN	с С) AC_F1	r 38	322

Computation of Continuous Records of Streamflow

No Recorded Events During Water Year 2001

Station Number:5178Name:Centennial Trib near AguilaDrainage Area:UndeterminedPeriod of Record:June 5, 2001 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL									0	0	0	0
MEAN									0	0	0	0
MAX									0	0	0	0
MIN									0	0	0	0
AC_FT									0	0	0	0
WTR YR 2	2001	TOTAL	0	MEAN) MAX		0 MIN	сс) AC_E	 ?T	0

Gaging was established during Water Year 2001 on June 5, 2001.

Computation of Continuous Records of Streamflow

Station Number:5203Name:Buckeye FRS #1Drainage Area:74 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4 5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15											3	
16											2	
17												
18												
19												
20 21												
22												
22												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	5	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	8	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	9	0
WTR YR	 2001	TOTAL	5	MEAN		0 MAX		 3 MIN	C) AC_1	 FT	9

See also Pool Level and Storage Volume Data.

NOTE: Because of local drawdown effects at the gage on the principal outlet, discharges for stages below about one foot gage height are approximate.

Computation of Continuous Records of Streamflow

Station Number:5208Name:Buckeye FRS #2Drainage Area:5.7 mi² without area from Buckeye #3 FRSPeriod of Record:November 11, 1992 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 1												
2												
3											2	
4												
5										1		
6 7										1		
8												
9												
10												
11												
12												
13												
14												
15												
16 17											12	
18											ΤZ	
19												
20												
21												
22												
23												
24 25												
25												
20												
28												
29												
30												
31												
TOTAL	 0	0	0	0	0	0	0	0	0	 1	 14	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0		0	0	0	0		94	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	2	28	0
WTR YR	2001	TOTAL	15	MEAN		0 MAX	94	MIN	C) AC_I	FT	30

See also Pool Level and Storage Volume Data.

NOTE: Because of local drawdown effects at the gage on the principal outlet, discharges for stages below about one foot gage height are approximate.

Computation of Continuous Records of Streamflow

Station Number:5218Name:Jackrabbit WashDrainage Area:90 mi²Period of Record:October 31, 2000 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			NO F	ecorde	d Flow	<i>during</i>	water	Year 2	001			
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL		0	0	0	0	0	0	0	0	0	0	0
MEAN		0	0	0	0	0	0	0	0	0	0	0
MAX		0	0	0	0	0	0	0	0	0	0	0
MIN		0	0	0	0	0	0	0	0	0	0	0
AC_FT		0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	TOTAL	0	MEAN	() MAX	(NIM C	() AC_I	T	0

No Recorded Flow during Water Year 2001

Gaging was established during Water Year 2001 on October 31, 2000.

Computation of Continuous Records of Streamflow

Station Number:5223Name:Hassy nr MorristownDrainage Area:711 mi²Period of Record:March 14, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

See USGS Water-Data Report AZ-01-1 for data for this site.


expec		ECWRC implement	Frequency ntation of Bulletin s graphically clos		d data							
	Magnitude and Probability of Instantaneous Peak Flow											
	Discha	rge, in cfs, for India	cated Recurrence I	nterval								
2-year												
2,920	2,920 10,200 18,400 29,200 47,500 64,700											

Computation of Continuous Records of Streamflow

Station Number:5228Name:Hassayampa @ US 60Drainage Area:711 mi²Period of Record:March 14, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		Peak flows of interest of	luring Wa	nter Year 2001						
	Peal	k	Peak							
Day	Discharge (cfs)	Gage Ht. (feet)	Day	Discharge	(cfs)	Gage Ht. (ft.)				
10/21	15,400	4.90	10/27	8,63	0	3.62				

Hydrograph of October 21, 2000 event



Computation of Continuous Records of Streamflow

Station Number:5228Name:Hassayampa @ US 60Drainage Area:711 mi²Period of Record:March 14, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean Va MAR	alues APR	МАҮ	JUN	JUL	AUG	SEP
1												
2 3												
4	1											
5 6	Ţ											
7						22						
8 9						20 8						
10						0						
11												
12 13												
14												
15												
16 17												
18												
19 20												
21	179											
22	309											
23 24	126											
25	1											
26 27	1176											
28	186											
29												
30 31	7 4											
TOTAL MEAN	1990 64	0 0	0 0	0 0	0 0	50 2	0 0	0 0	0 0	0 0	0 0	0
MEAN MAX	64 7029	31	0	0	0	∠ 35	0	0	0	0	0	0 0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT 	3947	0	0	0	0	100	0	0	0	0	0	0
WTR YR	2001	TOTAL	2040	MEAN		6 MAX	7029	MIN	0	AC_F	т 40)47

Gage separated from low flow channel during all of Water Year 2001.

NOTE: This gage location is a wide mobile sand be channel. Therefore, data relilability is considered poor. See also gage #5308 upstream and USGS gage 'Hassayampa River near Morristown" #09516500, downstream fro additional data and comparative flood flow frequency for this site.

Computation of Continuous Records of Streamflow

Station Number:5233Name:Sunset FRSDrainage Area:0.95 mi² (from Wickenburge ADMS)Period of Record:February 12, 1989 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	I JAN	Daily FEB	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 1						 11						
2						10						
3						1						
4												
5												
6										14		
7						15				17		
8						18				16		
9						17				13		
10						17				5		
11						17						
12						16						
13					3	16						
14					3	15						
15				2		14						
16						14						
17						13						
18						12						
19						12						
20						11						
21	5					3						
22	22											
23	22											
24	21											
25	21											
26	19											
27	18				2							
28	19			6	11							
29	13			11								
30	5			9								
31				2								
TOTAL	166	0	0	30	19	232	0	0	0	65	0	0
MEAN	5	0	0	1	1	7	0	0	0	2	0	0
MAX	25	0	0	12	12	18	0	0	0	18	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	328	0	0	60	37	460	0	0	0	129	0	0
WTR YR	2001	TOTAL	512	MEAN		1 MAX	25	MIN	(FT 10	 015

NOTE: Outlet data based on assumption that the outlet gate is fully open, which is not necessarily the case.

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number:5248Name:Sunnycove FRSDrainage Area:0.98 mi² (from Wickenburg ADMS)Period of Record:November 1987 to current yearRevised Records:WY2000:WY1999Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

]	Daily	Mean Va	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR					SEP
1		25					21					
2		25					20					
3		25					1					
4		25										
5		24										
6		24								23		
7		24				18				30		
8		24				24				30		
9		23				24				28		
10		23				24				7		
11		23				24						
12		23				23						
13		23				23						
14		21				23						
15		9				23						
16						23						
17						23						
18						23						
19						23						
20						22						
21	4					22						
22	28					22						
23	28					22						
24	28					22						
25	28					22						
26	26					22						
27	29					21						
28	33					21						
29	29					21						
30	26					21						
31	26					21						
TOTAL	285	341	0	0	0	 557	42	0	0	118		0
	205	11		0			1	0		4	0	0
MAX	38		0			24			0		0	0
MIN	0	0	0	0	0	0	0	0	Õ	0	0	Ő
AC_FT	566	676	0	0		1104		0	0	0 235	0	0
WTR YR		TOTAL				 4 мах	38	MIN		0 AC_1	 FT 20	 665

NOTE: Outflow data based on assumption that the outlet gate is fully open.

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number:5276Name:Sols Wash at SR 71Drainage Area:10 mi²Period of Record:September 10, 2001 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

No Recorded Flows during Water Year 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
TOTAL												0
MEAN												0
MAX												0
MIN												0
AC_FT												0
WTR YR 2	2001	TOTAL	0	MEAN	() MAX	(O MIN	(0 AC_B	?T	0

Guaging established during Water Year 2001 on September 10, 2001.

Computation of Continuous Records of Streamflow

Station Number:5283Name:Hassayampa R @ I-10Drainage Area:1,450 mi² approximatePeriod of Record:November 9, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flow of	of interes	st during	g Wate	r Year 2001	1			
		Pea	ak						Pea	ak		
Day	Dischar	rge (cfs)) Gage	Ht.	(feet)	Da	y D	ischarge	(cfs)	Gage	Ht.	(ft.)
10/27		12,200*			.02*							
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean Va MAR	alues APR		JUN	JUL	AUG	SEP
26 27 28 29 30 31	2458 1944											
TOTAL MEAN MAX MIN AC_FT	7587 245 12200 0 15049	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
WTR YF	2001 x 2001	TOTAL	7587	MEAN	21	L MAX	1220	00 MIN	0	AC_F1	r 15	 049

NOTE: The gage was separated from the low flow channel for all of Water Year 2001.

(from R. W	Flood Flow Frequency (from R. W. Cruff analysis of 1995 based on shape of Hassayampa near Arlington relation)												
	Magnitud	de and Probability of	of Instantaneous P	eak Flow									
	Discha	rge, in cfs, for India	cated Recurrence I	nterval									
2-year	5-year	10-year	20-year	50-year	100-year								
2,500													

*NOTE: Gage indicated a peak of 12,200 cfs for October 27, 2000. Data collected from the crest stage gages and a cross section survey indicate the peak on October 27, 2000 was approximately 27,000 cfs at about 7.0 feet gage height.


Computation of Continuous Records of Streamflow

Station Number:5308Name:Hassy @ Box CanyonDrainage Area:416 mi²Period of Record:USGS: ID 09515500 – 1925, 1927, 1937, 1938 (annual peaks only)WY1946 – WY1982 as a continuous siteFCDMC: November 1987 to current yearRevised Records:WY1996: WY1994-1995. WY1997: WY1996Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

Peak flows of interest during Water Year 2001

	Pea	k		Pea	k
Day	Discharge (cfs)	Gage Ht. (feet)	Day	Discharge (cfs)	Gage Ht. (ft.)
10/21	1,019	4.93	10/27	3,215	7.20
03/07	667	4.38			

Hydrograph for October 27, 2000 event



	Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 46)											
	Magnituo	le and Probability	of Instantaneous Po	eak Flow								
	Discha	rge, in cfs, for Indi	cated Recurrence I	nterval								
2-year	5-year	10-year	20-year	50-year	100-year							
4,020												

Continued on next page

Computation of Continuous Records of Streamflow

Station Number:	5308	Name:	Hassy @ Box Canyon
Drainage Area:	416 mi ²		
Period of Record:	USGS: ID 095	515500 – 1925,	1927, 1937, 1938 (annual peaks only)
	WY1946 – W	Y1982 as a cor	itinuous site
	FCDMC: Nov	ember 1987 to	current year
Revised Records:	WY1996: WY	1994-1995. Wነ	′1997: ŴY1996
Diacharga in ofa M	Vatar Vaar 200	1 October 2	000 to Santambar 2001

Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	ост	NOV	DEC	I JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 1												
2												
3												
4 5												
6												
7 8						205 204						
9						255						
10						252					13	
11 12						259 236						
13						96						
14 15												15
15 16												101
17												
18 19												
20												
21 22	80 287											
23	207											
24												
25 26												
27	495											
28 29	165											
30												
31												
TOTAL	1028	0	0	0		1508	0	0	0	0		115
MEAN	33	0	0	0		49	0	0			0	4
MAX MIN	3215 0	0 0	0 0	0 0		667 0	0 0	0 0	0 0	0	246 0	288 0
AC_FT	2039	0	0	0	0	2992	0	0	0	0	27	229
WTR YR		TOTAL	2665	MEAN		7 MAX	3215	MIN	() AC_1		 287

NOTE: There is a frequent low flow below the gage. Approximately 150 cfs pass below the gage before detection.

Computation of Continuous Records of Streamflow

Station Number:5353Name:Hassy @ Wagoner RdDrainage Area:78 mi²Period of Record:September 26, 1991 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		-	Peak	flows	of intere	est durin	g Water	Year 200	01			
Day	Dischar		eak s) Gage	Ht.	(feet)	Da	y Di	scharge	Pea (cfs)		Ht.	(ft.)
10721	1	,336		6	.85							
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 8 9 20 21 22 23 24 25 26 27 28 9 30 31	94 2 7 3 1	2 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 3 1 1 3 1 1 2 1 1	1 2 1 1	1 1	6 1 3 7 10 5 2 2 2 3 3 2 3 3 2 3 3 4 2 2 2 3 4 3 3 4 2 2 3 4 3 3 4 2 2 3 4 3 4	3 7 4 7 9 7 3 4 7 2 1 1 3 2 1 3 6 3 3 2 3 4 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 2 1 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	3 7 4 5 2 1 1 3 2 1 1 2 3 9 2 1 1 2 3 9 2 1 1 2 3 9 2 1 1 2 3 9 2 1 1 2			1	
TOTAL MEAN MAX MIN AC_FT	108 3 1336 0 213	28 1 16 0 56	27 1 15 0 53	14 0 16 0 28	8 0 14 0 16	83 3 14 0 165	97 3 14 0 193	53 2 51 0 104	0 0 0 0 0	0 0 0 0 0	1 0 18 0 2	0 0 35 0 0
WTR YR	2001	TOTAL	418	MEAN		1 MAX	1336	5 MIN	0	AC_FT		830

NOTE: The sonar device at this locaiton is influenced by temperature. Therefore, daily values may be overestimated. Typically, base flow is 5 – 20 cfs.

	Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 12)											
	Magnitud	le and Probability of	of Instantaneous Po	eak Flow								
	Discha	rge, in cfs, for Indi	cated Recurrence I	nterval								
2-year	5-year	10-year	20-year	50-year	100-year							
595												

Computation of Continuous Records of Streamflow

Station Number:5403Name:Agua Fria @ BuckeyeDrainage Area:2,241 mi², 1,459 mi² controlled by New Waddell Dam, 191 mi² by
Cave Buttes Dam, 90 mi² by Adobe Dam, 164 mi² by New River Dam,
and 247 mi² by McMicken Dam.

Period of Record: October 12, 1988 to current year

Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

Peak flows of interest during Water Year 2001 Peak Peak												
Day	Dischar	rge (cf:		Ht.	(feet)	Da	ay Di	ischarg	-	-	e Ht.	(ft.)
10/10		133		-	0.38	10)/28		288			.15
01/27	2	133		-	0.38							
					Deil.	Meen M	-1					
DAY	OCT	NOV	DEC	JAN	FEB	Mean V MAR	APR	MAY	JUN	JUL	AUG	SEP
1		164										
2												
3 4												
5 6												
6						-						
7 8						5						
9												
10 11	52											
12				22								
13												
14 15												
16												
17												
18 19												
20												
21												
22 23	47											
24	371											
25	164											
26 27	32 156			74								
28	1129			4								
29 30	441 37											
31	133											
—————— ПОПЛТ	25.00	1 С Л		1 0 1					·			
TOTAL MEAN	2562 83	164 5	0 0	101 3	0 0	6 0	0 0	0 0	0 0	0 0	0 0	0 0
MAX	1288	271	24	433	0	57	0	0	0	0	0	0
MIN AC FT	0 5081	0 325	0 0	0 200	0 0	0 11	0 0	0 0	0 0	0 0	0 0	0 0
AC_FT 		JZJ		200								
WTR YF	R 2001	TOTAL	2832	MEAN	· •	8 MAX	1288	8 MIN	0	AC_I	FT 50	617

NOTE: Severe drop at boulders along the downstream side of Buckeye Road bridge as well as two channels for lower flows introduce considerable error into the rating for flows less than about 3,500 cfs. The multiple channels also mean some lower flows are missed by the gage.

Computation of Continuous Records of Streamflow

Station Number:5408Name:Colter @ El MirageDrainage Area:3.48 mi²Period of Record:June 29, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

Peak flows of interest during Water Year 2001												
			eak						Pe			
<u>Day</u> 10/27	Dischar	:ge (cf : .35	s) Gage	<u>Ht.</u>	(feet)	Da	ay I	Discharg	ge (cfs) Gage	Ht.	(ft.)
10/2/	-			1	• • •							
DAY	ост	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR		JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16		2		6 8 4 4	3 3 2	4						
17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	27 15 1 17 13 10 8			7 9 8	3 1 8 			10 14				
TOTAL MEAN MAX MIN AC_FT	92 3 135 0 182	2 0 0 0 4	0 0 0 0 0 0	47 2 23 0 93	21 1 13 0 41	14 0 22 0 27	0 0 0 0 0	24 1 16 0 47	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
WTR YF	2001	TOTAL	199	MEAN	r :	1 MAX	13	35 MIN	0	AC_F	'T	395

Flood Flow Frequency											
(HEC-1 for Colter Channel Design Analysis)											
Magnitude and Probability of Instantaneous Peak Flow											
Discharge, in cfs, for Indicated Recurrence Interval											
100-year											
1,040											

Computation of Continuous Records of Streamflow

Station Number:	5413	Name:	Dysart Drain @ LAFB	
Drainage Area:	52 mi ²			
Period of Record:	August 22, 19	996 to current y	ear	
Discharge, in cfs, W	/ater Year 200)1 October 2	000 to September 2001	

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2												
3												
4												
5 6												
7												
8												
9 10												
11												
12												
13 14												
15												
16												
17 18												
19												
20												
21 22	16											
23	10											
24												
25 26												
27	17											
28												
29 30	3											
31	5											
TOTAL	46	0	0	0	0	0	0	0	0	0	0	0
MEAN MAX	1 113	0 0	0 0	0 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
MAX MIN	113 0	0	0	2	0	0	0	0	0	0	0	0
AC_FT	91	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	TOTAL	46	MEAN		0 MAX	113	MIN	0	AC_1	 FT	91

NOTE: Many days of positive mean daily flow due to irrigation tailwater.

Computation of Continuous Records of Streamflow

Station Number:5418Name:White Tanks #3 FRSDrainage Area:20.5 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

No recorded impoundments or outflows during Water Year 2001

				:	Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 1	2001 :	FOTAL	0	MEAN	() MAX	() MIN	() AC_I	?T	0

NOTE: Flow assumes gated outlet open, however, it is usually closed.

Computation of Continuous Records of Streamflow

Station Number:5422*Name:Dysart Chnl@ El Mirage RoadDrainage Area:58.2 mi²Period of Record:June 23, 1994 to December 26, 1995
March 7, 1997 to current year**

Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

$\begin{array}{cccccccccccccccccccccccccccccccccccc$	DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	1	3 13 8 7 10 10 11 6 5 7 7 7 11	6 3 1 2 5 6 6 6 5 1 7 5 5 1 7 5 5	4 11 5 7 6 3 10 2 5	1	9 1		1		4 1 1 1 3 1 2	1 2 2 1 2 3 2 2 1 6 2 4 1 4	2 1 4 1 2 2 2 2 1 5 4 2
MEAN 7 6 5 3 0 0 0 0 1 MAX 311 22 17 23 7 23 0 6 0 21	20 21 22 23 24 25 26 27 28 29 30	81 46 5 57 12 1 16	4 6 7 5 2 7 4 5	1 7 6 3 7 6 2 8 4 1 7	9	3 					3	4 6 1 4 4	2 3 2 2 3 2 1 3 3 3
	MEAN MAX MIN AC_FT	7 311 0 444	6 22 0 384	5 17 0 312	3 23 0 158	0 7 0 12	0 23 0 20	0 0 0	0 6 0 21	0 0 0 0	1 21 0 54	55 2 27 0 108	49 2 12 0 97 512

*Gage ID number changed to 5422 from 5423 when PT gage was removed. Sonar gage is ID number 5422.

** Gage reinstalled on March 7, 1997 on new Dysart Channel. Gage moved from approximately 1,000 feet upstream of El Mirage Road.

Flood Flow Frequency (HEC-1 for White Tanks ADMS modified for Dysart Channel Design Analysis)
Magnitude and Probability of Instantaneous Peak Flow
Discharge, in cfs, for Indicated Recurrence Interval
100-year
4,020

Computation of Continuous Records of Streamflow

Station Number:5438Name:McMicken FloodwayDrainage Area:305 mi² of which 247 mi² is controlled by McMicken DamPeriod of Record:September 3, 1992 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1		4										
2 3												
4												
5 6												
6												
7 8												
9												
10												
11												
12 13												
14												
15												
16 17												
18												
19												
20												
21 22	4											
23	3											
24	4											
25 26												
27	3											
28	7											
29	6											
30 31	5 6											
TOTAL	38	4	0	0	0	0	0	0	0	0	0	0
MEAN	1	0	0	0	0	0	0	0	0	0	0	0
MAX MIN	8 0	4 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
AC_FT	76	9	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	FOTAL	43	MEAN		0 MAX		3 MIN	0	AC_I	FT	84

NOTE: Flow during Water Year 2001 generated below McMicken Dam. No outflow occurred from McMicken Dam into the floodway. See also Gage 5448.

Flood Flow Frequency (FEMA 9/95, "at confluence with McMicken Dam")											
Magnitude and Probability of Instantaneous Peak Flow											
Discha	rge, in cfs, for Indicated Recurrence I	nterval									
10-year	10-year 50-year 100-year										
2,610	4,280	5,090									

Computation of Continuous Records of Streamflow

Station Number:5448Name:McMicken DamDrainage Area:247 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

No recorded impoundment or flow during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2001 :	 FOTAL	0	MEAN) MAX) MIN	() AC_1	 FT	0

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

No Recorded Flow during Water Year 2001

Station Number:5488Name:Upper Trilby WashDrainage Area:5 mi²Period of Record:September 26, 2001 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

					••••••	. uug	mater					
DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL												0
MEAN												0
MAX												0
MIN												0
AC FT												0
WTR YR	2001	TOTAL	0	MEAN	(0 MAX		0 MIN	(D AC_I	FT	0


Guaging was established during Water Year 2001 on September 26, 2001.

Computation of Continuous Records of Streamflow

Station Number:5503Name:Agua Fria @ GrandUSGS Gage:09513650 (Agua Fria at El Mirage)Drainage Area:1,628 mi² of which 1,433 mi² is controlled by New Waddell DamDischarge, in cfs,Water Year 2001 --- October 2000 to September 2001

		Peak flows of interest	during W	Vater Year 2001
	Pea	k		Peak
Day	Discharge (cfs)	Gage Ht. (feet)	Day	Discharge (cfs) Gage Ht. (ft.)
10/27	5,839	6.46		

Hydrograph of October 27, 2000 event



Computation of Continuous Records of Streamflow

Station Number:5503Name:Agua Fria @ GrandUSGS Gage:09513650 (Agua Fria at El Mirage)Drainage Area:1,628 mi² of which 1,433 mi² is controlled by New Waddell DamDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001


			Peak	flows	of inter	est durin	g Wat	er Year 2	001			
_			Peak			_	_			eak		
<u>Day</u> 10/27		rge (cf 5 , 839	s) Gage		(feet) 5.46	Da	ay I	Dischar	ge (cfs	s) Gage	Ht.	(ft.)
10/2/	``	,059		Ċ	0.40							
DAY	OCT	NOV	DEC	T7 N	Daily FEB	Mean V MAR	alues APR		771331		AUC	CED
DA1			DEC	JAN	гњо 	MAR 	APK	MAI 	JUN	JUL 	AUG	SEP
1												
2												
3 4												
5												
6												
7												
8 9												
9 10												
11												
12												
13												
14 15												
15 16												
17												
18												
19												
20 21												
22	1											
23	1											
24												
25 26												
20 27	1195											
28	609											
29	6											
30												
31												
TOTAL	1813	1	0	1	1	0	0	0	0	0	0	0
MEAN	58	0	0	0	0	0	0		0	0	0	0
	5839	1 0	0 0	2		2	0		0	0	0	0
MIN Ac ft	0 3596	0 1	0	0 1	0 1	0 1	0 0	0 0	0 0	0 0	0 0	0 0
				·	·							
WTR YF	R 2001	TOTAL	1815	MEAN	I	5 MAX	583	39 MIN	() AC_F1	r 3	601

Computation of Continuous Records of Streamflow

Station Number:5508Name:NewRiver @ GlendaleDrainage Area:600 mi², of which 191 mi² is controlled by Cave Buttes Dam, 164 mi²
by New River Dam, and 90 mi² by Adobe Dam.Period of Record:FCDMC: October 1, 1998 to current year*
USGS: through WY1998 (09513910)Revised Records:WY2000:WY1999
Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flows	of interes	st during Wa	ater Year 2001	1			
		Pea	k					Pea	k		
Day	Discharge	(cfs)	Gage	Ht.	(feet)	Day	Discharge	(cfs)	Gage	Ht.	(ft.)
10/27	824			1	.43	03/07	583			1	.35

Hydrograph of October 27-28, 2000 event.



Computation of Continuous Records of Streamflow

Station Number:	5508	Name:	NewRiver @ Glendale
Drainage Area:	600 mi ² , of wh	ich 191 mi ² is	s controlled by Cave Buttes Dam, 164 mi ²
	by New River	Dam, and 90	mi ² by Adobe Dam.
Period of Record:	FCDMC: Octo	ber 1, 1998 to	o current year*
	USGS: through	h WY1998 (0	9513910)
Revised Records:	WY2000:WY1	999	

Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily I FEB	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6		281 36 1										
6 7 8 9 10 11	1 28					164 89 36						
12 13 14 15 16 17	1 1 1			56 135 6	1	1						
18 19 20 21 22 23 24 25 26 27	177 320 280 274 241 195			91								
28 29 30 31	585 314 138 326			228 1	 					35		
TOTAL MEAN MAX MIN AC_FT	2885 93 824 0 5722	324 11 298 0 642	6 0 0 0 12	522 17 354 0 1035	7 0 1 0 13	295 10 583 0 584	6 0 0 0 12	6 0 0 0 12	6 0 0 0 12	41 1 250 0 81	6 0 0 0 12	6 0 0 0 12
WTR YR	2001	TOTAL	4109	MEAN	11	MAX	824	MIN) AC_1	 FT 81	50

Computation of Continuous Records of Streamflow

Station Number:5523Name:ACDC @ 67th Ave.Drainage Area:86 mi² at confluence with Skunk CreekPeriod of Record:June 7, 1990 to current yearRevised Records:WY1996: WY1994-1995Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

Peak flows of interest during Water Year 2001

_

			eak				-			eak		
<u>Day</u> <u>I</u> 10/10	Dischar 3	:ge (cf : 375	s) Gage	e Ht.	(feet)	<u>Da</u> 10	<u>y</u> <u>D</u>	ischarg 41	e (cf	s) Gage	e Ht.	(ft.) 42
01/27	4	43		3.	.50	10	, _ ,				0	
						Mean Va						
DAY	ост 	NOV	DEC	JAN 	FEB	MAR	APR	MAY	JUN		AUG	SEP
1 2		31 12				16 6	1					
3		6				2	1					
4 5	11 4	3 1			2		1					
6	1	2			2	0.4	72			15		
7 8		7				81 26	7 1			5		
9 10	11 128			37 5		9 6					125 16	
11	29					3	3				1	
12 13	1		1	84 55	1	1	1 1				15	
14				7	27		1				7	
15 16				2	22 7		1 1				17	
17 18				1	2		1 1				26 7	
19	9					1	1	2				
20 21	5 1					1 1	1 4	1				
22 23	56 119					1	23 2					
24	194					3	1			_		
25 26	79 46				13	1	1			1 21		
27 28	104 121			189 141	2 36	1						
29	57			36								
30 31	61 50			11 3						118 1		
							100					
TOTAL MEAN	1089 35	°∠ 2	1 0 3 0	18	113 4	159 5 152	123 4	3 0	0	162 5 313 0	215 7	0 0
MAX MIN	417 0	34	3 0	443 0	61 0	T O D	144 0	6 0	0	313 0	328 0	0 0
AC_FT		123	1	1131	223	316	244	5	0	321	426	0
WTR YR	2001	TOTAL	2495			 7 МАХ	44	 3 MIN) AC_1	 FT 49	950

	Flood Flow Frequency (computed from USACE design information)							
	Magnit	ude and Probability	of Instantaneous Pea	ik Flow				
	Disc	harge, in cfs, for Indi	cated Recurrence Int	erval				
2-year	5-year	10-year	20-year	50-year	100-year			
1,900	4,500	7,700	13,500	20,600	29,000			


FCDMC Annual Surface Water Report Water Year 2001

Computation of Continuous Records of Streamflow

Station Number:5538Name:Adobe Dam OutletDrainage Area:89.6 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		Peak	flow of interes	st during W	ater Year 2001			
		Peak				Pea	k	
Day	Discharge	(cfs) Gage	Ht. (feet)	Day	Discharge	(cfs)	Gage Ht.	(ft.)
10/22	497		4.45					

Hydrograph of October 21 - 23, 2000 event



Computation of Continuous Records of Streamflow

Station Number:5538Name:Adobe Dam OutletDrainage Area:89.6 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

Day I	Dischar		eak	u +	(feet)	De	<u>y</u>	Discha		Peak fs) Gag	o Ht	(f+)
10/22		97 97	s/ Gaye		.45		<u>v</u>	DISCHA	rge (C	157 Gay	e nc.	(10.)
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alue: APR		JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	242 63 21 12 1 9 76 4 3 109	7 1									31 1	
TOTAL MEAN MAX MIN AC_FT	18 497 0	8 0 14 0 16	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0	0 0 0	0 0 0	32 1 67 0 63	0 0 0 0 0

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number:5543Name:Scatter WashDrainage Area:18.1 mi²Period of Record:September 18, 1996 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		P	<i>Peak</i> eak	flows	of intere	est durin	g Wate	r Year 200		ak		
Day 1 10/27	Dischar	rge (cf:	s) Gage	Ht.	(feet)	Da	<u>y</u> <u>D</u>	ischarge 429			e Ht.	(ft.)
10/2/	-	IJI		Ţ		Mean Va			,		Ξ.	. 2 3
DAY	ост	NOV	DEC	JAN			APR		JUN	JUL	AUG	SEP
1 2												
2 3 4												
4 5 6							1					
7						7	11					
8 9				1							14	
10 11	1										6	
12 13				58 13								
14 15												
16 17											2	
18 19												
20 21												
22 23	69 50											
24 25	4											
26 27	80			115								
28 29	12			40	7							
30 31	37 14									3		
TOTAL	268	1	1	228		8	13	 1	 1		23	
MEAN MAX	9 491	0 0	0 0	7 344	0 83	0 65	0 128	0 0	0 0	0 28	1 166	0 0
MIN AC FT	0 532	0 2	0 2	0 453	0 16	0 16	0 26	0 2	0 2	0 8	0 46	0 2
WTR YR			 557	MEAN		 2 MAX	49		0	AC_1	 FT 1:	L06

Flood Flow Frequency (Channel Design Analysis)
Magnitude and Probability of Instantaneous Peak Flow
Discharge, in cfs, for Indicated Recurrence Interval
100-year
6,100

Computation of Continuous Records of Streamflow

Station Number:5568Name:Skunk Creek @ I-17USGS Gage:09512860 – Skunk Creek near Phoenix, ArizonaDrainage Area:64.9 mi²

See USGS Water-Data Report AZ-01-1 for data for this site.


		Flood Flow ECWRC implemen sed based on exa	ntation of Bulletin		
	Magnitud	le and Probability of	of Instantaneous Po	eak Flow	
	Discha	rge, in cfs, for India	cated Recurrence I	nterval	
2-year	5-year	10-year	20-year	50-year	100-year
1,070	3,960	7,100	11,000	17,300	22,800

Computation of Continuous Records of Streamflow

Station Number:5588Name:Skunk Creek near New RiverDrainage Area:4 mi² (approximate)Period of Record:June 21, 1995 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flows	of interes	st during N	ater Year 200 [°]	1					
		Peal	k			Peak							
Day	Discharge	(cfs)	Gage	Ht.	(feet)	Day	Discharge	(cfs)	Gage H	t. (ft.)			
10/22	821			(*)	3.49	08/14	325			2.04			

Hydrograph of October 21, 2000 event



Computation of Continuous Records of Streamflow

Station Number:5588Name:Skunk Creek near New RiverDrainage Area:4 mi² (approximate)Period of Record:June 21, 1995 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4 5												
6												
7 8						10						
9												
10 11												
12				6								
13 14					30						1 21	
15					00						18	
16 17				3								
18												
19 20												
21												
22 23	356 160											
24	39											
25 26												
27 28	26			13 3	2.0							
28 29				3	28					5		
30 31	38 24									8		
31												
TOTAL MEAN	643 21	0 0	0 0	24 1	58 2	10 0	0 0	0 0	0 0	14 0	41 1	0 0
MAX	821	0	0	38	93	44	0	0	0	176	325	0
MIN AC FT	0 1276	0 0	0 0	0 48	0 115	0 20	0 0	0 0	0 0	0 27	0 81	0 0
WTR YR		TOTAL	 790	MEAN		2 MAX	 821					 567

NOTE: ID number changed from 5583 to 5588 during Water Year 2001. All historic data moved to ID 5588.

Flood Flow Frequency										
Magnitude and Probability of Instantaneous Peak Flow										
Discharge,	in cfs, for Indicated Recurre	nce Interval								
10-year	50-year	100-year								
1,730 2,500 3,650										

Computation of Continuous Records of Streamflow

Station Number:5598Name:New River @ BellDrainage Area:185 mi², of which 164 mi² are controlled by New River DamPeriod of Record:April 4, 1990 to current year*Revised Records:WY1996, WY1995Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

		п	<i>Peak</i> eak	flows	of inter	est duri	ng Wa	ter Yea	ar 200)1 Pea	1.		
Day	Discha		ear s) Gage	Ht.	(feet)	D	ay	Disch	arge	(cfs)		Ht.	(ft.)
10/24		396	_, _, <u>,</u> _	1	.00	1	0/28		430		_		.55
10/31		363		0	.95	0	3/07		155			0	.60
DAY	OCT	NOV	DEC	JAN	_	Mean MAR		s MA	Y	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 	137 290 203 300 96 92 387 182 58 230	187 55 39				41 56 89 18							
TOTAL MEAN MAX MIN AC_FT	1976 64 430 0 3919	281 9 268 0 557	0 0 0 0 0 0	0 0 33 0 0	0 0 0 0 0	204 7 155 0 405	0 0 0 0 0		0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0
WTR YR	2001	TOTAL	2460	MEAN	 [7 MAX	 4	30 M	 IN	0	AC_F	 г 4	880

	Flood Flow Frequency (based on HEC-1 analysis by R. W. Cruff, 1995)												
	Magnitude and Probability of Instantaneous Peak Flow												
	Disc	harge, in cfs, for indi	cated Recurrence Inte	erval									
2-year	2-year 5-year 10-year 25-year 50-year 100-year												
1,920													

Computation of Continuous Records of Streamflow

Station Number:5613Name:New River OutletDrainage Area:164 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

				flows	of inter	est durir	ng Wa	ter Yea	ar 200				
Dave	Dicchar		eak	u +	(feet)	D .		Dicch			eak	u +	(= +)
<u>Day</u> 10/27	Dischar	ge (cr 11	s) Gage		(1eet) .82		ay 3/08	Disch	133	(CI:	s) Gage		.07
10/2/	1	± ±			.02	0.	5700		100			-	• • • /
537			580		_	Mean V							
DAY 	ОСТ 	NOV	DEC	JAN 	FEB	MAR	APR	. MA	.¥	JUN 	JUL 	AUG	SEP
1		227				38							
2		67				82							
3		8				41							
4		4				10							
5		3				4							
6		2				3							
7						3							
8						105							
9						88							
10						40							
11						18			-				
12						28			-				
13						16			-				
14						5							
15						4							
16						2							
17						1							
18					3								
19					20								
20					15								
21					4								
22	223				3								
23	289				2								
24	240				1								
25	283												
26	88												
27	117												
28	360												
29	171												
30	49												
31	265								-				
													·
TOTAL	2083 67 411 0	311 10	U	U	46	488	0		0	0		0	0
MEAN	6/	100	U	U		10 100	0		0	0	0 0	0	0 0
MAX	411	T20	U	U	24	133	0		U	U	U	U	U
MIN Ng TT	0	0	0	0	0	0	0		U	0	0		0
AC_FT	4132	617	0	0	92	968	0		0	0	0	0	0
WTR YF	R 2001	TOTAL	2929	MEAN	I	8 MAX	4	11 M	IN		0 AC_F	c 5	809

Computation of Continuous Records of Streamflow

Station Drainage Period of Discharg	e Area of Reco	: 0. ord: D	.86 mi ² ecemb	er 11,	1996 te	o curre	nt date	-	001	
DAY							APR			SEP
1									 	
2										
3 4										
5										
6										
7										
8										
9										
10 11										
12										
13										
14										
15										
16 17										
18										
19										
20										
21										
22										
23 24										
24										

28												
29										3		
30												
31												
TOTAL	1	0	0	0	0	0	0	0	0	3	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	39	0	0	0	0	4	0	0	0	49	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	2	0	0	0	0	0	0	0	0	5	0	0
WTR YR	2001 TC	OTAL	4	MEAN	0	MAX	49	MIN	0	AC_F1		7

See also Pool Level and Storage Volume Data.

1

26

27

Computation of Continuous Records of Streamflow

Station Number:5973Name:SunRidge Canyon DamDrainage Area:1.6 mi²Period of Record:February 4, 1997 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4												
5												
6												
7												
8												
9 10												
11												
12												
13												
14												
15 16												
16 17												
18												
19												
20												
21												
22 23												
24												
25												
26												
27	1											
28										0		
29 30										2 7		
31										7		
TOTAL	1	0	0	0	0	0	0	0	0	8	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	28	0	0	0	0	19	0	0	0	35	0	0
MIN AC_FT	0 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 17	0 0	0 0
WTR YR 2	2001 7	IOTAL	10	MEAN		0 МАХ	35	5 MIN) AC_F	 T	19

Computation of Continuous Records of Streamflow

Station Number:5978Name:GoldenEaglePark DamDrainage Area:7.13 mi² of which 2.02 mi², 2.13 mi², and 1.6 mi² are controlled by
Aspen, North Heights, and Sunridge Canyon Dams respectively.Period of Record:December 12, 1996 to current year

Discharge, in cub, Water Year 2001 --- October 2000 to September 2001

		P	Peak	flows	of inter	est duriı	ng Wate	er Year 20		eak		
Day	Dischar			Ht.	(feet)	Da	ay D	ischarg			e Ht.	(ft.)
03/07		375	· 2		.94		7/29	39				.20
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6	2		 			 	24 72					64 79
7 8 9 10 11 12 13	4 3		 	2		154 1 39					9	
14 15 16 17 18 19 20 21 22 23 24	3 4	 					6					21 96
25 26 27 28 29 30 31	3 9 1 1	 		2 1	 					28 13	27 51	
TOTAL MEAN MAX MIN AC_FT	29 1 136 0 58	0 0 0 0 0	0 0 0 0 0	5 0 26 0 10	0 0 0 0 0	195 6 375 0 386	102 3 244 0 202	0 0 0 0 0	0 0 0 0 0 0	40 1 399 0 80	87 3 249 0 173	260 9 192 0 517
WTR YE	R 2001	TOTAL	719	MEAN	r	2 MAX	39	9 MIN		0 AC_1	 FT 1	425

See also Pool Level and Storage Volume Data.

NOTE: Dam was breached for construction in May 2000 with the gage being reinstalled at the new outlet on March 5, 2001. During construction, the gage was moved to the north inlet channel and behind the temporary construction berm. Data for October 1, 2000 through March 5, 2001 represented flow in that channel. Flows after March 5, 2001 are from the outlet at the dam.

Surface Water Streamflow Data Page 92

Computation of Continuous Records of Streamflow

Station Number:5983Name:North Heights DamDrainage Area:2.13 mi²Period of Record:October 11, 1996 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

No significant flow or impound during Water Year 2001

DAY	OCT	NOV	DEC	I JAN	Daily N FEB		alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6 7												
8												
9												
10												
11												
12												
13												
14 15												
16												
17												
18												
19												
20												
21 22												
22												
24												
25												
26												
27												
28												
29 30												
30 31												
TOTAL	0		0	0	0	0	0	0	0	0		0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	5	11
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	1
WTR YR 2	2001 :	TOTAL	0	MEAN	0	MAX	11	. MIN	0	AC_1	FT	1

Computation of Continuous Records of Streamflow

Station Number:5988Name:Aspen DamDrainage Area:2.02 mi²Period of Record:January 2, 1997 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001


DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7						1						
8												
9												
10												
11												
12 13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26	-											
27	3											
28												
29 30												
31												
TOTAL	4	0	0	0	0	 1	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	36	0	0	0	0	8	0	0	0	8	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	7	0	0	0	0	2	0	0	0	0	0	0
WTR YR 2	2001 1	FOTAL	5	MEAN		0 МАХ	36	5 MIN) AC_1	 ?T	10

Computation of Continuous Records of Streamflow

Station Number:5993Name:Hesperus DamDrainage Area:2.91 mi²Period of Record:December 18, 1996 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

One recorded flow and impoundment during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4												
5 6												
7												
8 9												
9 10												
11												
12 13												
14												
15 16												
17												
18												
19 20												
21												
22 23												
24												
25 26												
27	3											
28												
29 30												
31												
TOTAL	3	0	0	0	0	0	0	0			0	0
MEAN MAX		0	0			0 13	0	0 0			0 0	0 0
MAX MIN		0	0	0	0	13	0	0		0		0
	5	0		0	0	0	0	0	0		0	0
WTR YR 2				MEAN	0) MAX	45	MIN	0	AC_E	 ?T	5



Computation of Continuous Records of Streamflow

Station Number:6503Name:Guadalupe FRSDrainage Area:1.87 mi²Period of Record:June 29, 1989 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

No recorded flow or impoundment during Water Year 2001

				1	Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	 0	0	0	 0	0	 0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2001 5	IOTAL	0	MEAN	() МАХ) MIN) AC_1	 FT	0

NOTE: Gated outlet assumed closed.

Computation of Continuous Records of Streamflow

Station Number:6563Name:South Mountain FanDrainage Area:1.98 mi²Period of Record:June 9, 1993 to current yearRevised Records:WY1996: WY1995Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	14	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC FT	2	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2001 !	TOTAL	4	MEAN	() MAX	14	4 MIN	() AC_1	FT	7

			[,] Frequency 1 analysis, 1997)										
	Magnitude and Probability of Instantaneous Peak Flow												
	Discha	rge, in cfs, for indi	cated Recurrence I	nterval									
2-year	5-year	10-year	25-year	50-year	100-year								
300	650	990	1,500	2,000	2,400								

Computation of Continuous Records of Streamflow

Station Number:6573Name:EMF @ BroadwayDrainage Area:15.4 mi²Period of Record:August 10, 1989 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001


			Peak eak	(flows	of inter	est dur	ing Wa	ater	Year 20				
Dave	Dischar			. U+	(feet)	,	D	Die	ahanaa		eak 3) Gage	u +	(f+)
<u>Day</u> 10/10	Dischar	504	s) Gage		(1eet) 62		Day 10/27	Dis	520		s) Gage		.65
10/10		FOI		-	. 02		10/2/		520)		1	• 00
DAY	ост	NOV	DEC	JAN	Daily FEB	Mean MAR			MAY	JUN	JUL	AUG	SEP
1													
2													
3													
4													
5													
6							ſ	5					
7						28							
8						1							
9													
10	95												
11	8												
12	-												
13													
14													
15													
16													
17													
18													
19													
20													
21													
22	16												
23	10												
24													
25													
26													
27	124			1									
28	8			T									
29	0												
30													
31								_					
JI 													
TOTAL	252	0	0	1	0	29	1	5	0	0	0	0	0
MEAN	8	0	0	0	0	1)	0	0	0	0	0
MAX		0	0	4		118		9	0	0	0	0	0
	00	0	0	0		0		5	0	Ũ	0	0	0
AC FT	0 499	0	0	2	0	57		9	0	0	0	0	0
WIR IF	R 2001	TOTAL	286	MEAN	4	1 MA	х :	520	MIN	C) AC_F	Ľ	567

Computation of Continuous Records of Streamflow

Station Number:6583Name:EMF @ Queen CreekDrainage Area:104.6 mi²Period of Record:January 18, 1989 to current yearRevised Records:WY2000:WY1998-1999Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak flow	vs of interes	st during Wa	ater Year 200	1		
		Pea	k						
Day	Discharge	(cfs)	Gage Ht	. (feet)	Day	Discharge	(cfs)	Gage H	Ht. (ft.)
10/22	574			1.65	10/28	2,45	59		3.80
11/07	560			1.62					

Hydrograph of October 28, 2000 event



Computation of Continuous Records of Streamflow

Station Number:6583Name:EMF @ Queen CreekDrainage Area:104.6 mi²Period of Record:January 18, 1989 to current yearRevised Records:WY2000:WY1998-1999Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1		116										
2 3		91 74										
3 4		60										
5		17										
6		60										
7		476										
8		295				130						
9		195				82						
10 11		128				71						
12		95 85				65 35						
13		80				55						
14		49		77								
15		20		59								
16				64								
17				87								
18				72								
19 20				49								
20												
22	265											
23	307											
24	258											
25	115											
26	82											
27 28	143 1230			76								
20	438			76								
30	290			50								
31	179											
TOTAL	3307	1869	0	608	0	376	0	0	0	0	0	0
MEAN	107	62	0	20	0	12	0	0	0	0	0	0
MAX	2459	560	0	115	0	152	0	0	0	0	0	0
MIN Do DE	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	6560	3707	0	1206	0	746	0	0	0	0	0	0
WTR YR	2001	TOTAL	6161	MEAN	1	7 MAX	2459	MIN	0	AC_FT	122	19

Computation of Continuous Records of Streamflow

Station Number:6598Name:EMF @ Arizona Ave.Drainage Area:214 mi² (at Hunt Highway, 8 miles upstream.)Period of Record:February 10, 1989 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		Pe	Peak eak	flows	of inter	est duri	ng Wa	ter Y	'ear 20	001 Pe	ak		
Day	Dischar			Ht.	(feet)	E	ay	Disc	charg	e (cfs		Ht.	(ft.)
10/28		317			.65		1/07		28).95
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Value: APF		MAY	JUN	JUL	AUG	SEP
 1		 71											
2		42											
3		15											
4		2											
5													
6													
7		126											
8		152						-					
9		114											
10		93				14							
11 12		64 41											
13		41 16		2									
14		13		2									
15		2											
16													
17													
18													
19				11									
20				2									
21													
22													
23	88												
24 25	136 132												
26	90												
27	59			3									
28	357			3									
29	227												
30	148			9									
31	102							-					
TOTAL	1338	 751	 0	 30	0	15	 C)	0	0	0	 0	0
	43		0	1	0	0	C		0	0	0	0	0
	817			48	0	41	С		0	0	0	0	0
	0	0	0		0	0	С		0	0	0	0	0
AC_FT	2655	1489	0	59	0	29	C)	0	0	0	0	0
WTR YI	R 2001	TOTAL	2134	MEAN		6 MAX	s 8	317	MIN	0	AC_F	r 4	232

Computation of Continuous Records of Streamflow

Station Number:6603Name:Guadalupe ChannelDrainage Area:13.7 mi² (discharge under US 60 limited to 1,800 cfs; drainage area
downstream of US 60 about 1.5 mi² (1.2 mi² east of Sossaman Road
and south of US 60.)

Period of Record: August 7, 1998 to current year

Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

		P	Peak eak	flows	of inter	est dur	ing Wa	ter \	Year 20		ak		
<u>Day</u> 10/22		rge (cf					Day	Dis		e (cfs	s) Gage		
10/22	2	235		1	.25		10/27		52	6		1	.98
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR			MAY	JUN	JUL	AUG	SEP
1 2 3 4													
5 6 7 8 9		38 43 3 1				13							
10 11 12 13 14				1 2									
15 16 17 18 19				20									
20 21 22 23 24	33 38 1												
25 26 27 28 29	94 11			7									6 5
30 31								-					4
TOTAL MEAN MAX MIN AC FT	178 6 526 0 354	85 3 131 0 169	0 0 0 0 0 0	30 1 100 0 59	0 0 0 0 0 0	13 0 100 0 26	 () () () ())))	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	14 0 15 0 29
WTR YR		TOTAL	 321	MEAN		1 MA		 526	MIN	C			637

Flood Flow Frequency (from design sheets)
Magnitude and Probability of Instantaneous Peak Flow
Discharge, in cfs, for Indicated Recurrence Interval
100-year
2,400

Computation of Continuous Records of Streamflow

Station Number:6628Name:Signal Butte FRSDrainage Area:16.4 mi² not including area from Apache Junction FRSPeriod of Record:November 10, 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

No recorded flows or impounds during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2001 1	IOTAL	0	MEAN) MAX) MIN) AC_H	 ?T	0

Computation of Continuous Records of Streamflow

Station Number:6673Name:Apache Jct. FRSDrainage Area:5.8 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2												
3		1										
4		3										
5 6		3 3										
7		1										
8												
9												
10												
11 12												
13												
14												
15												
16				1								
17 18												
19	3											
20												
21	6											
22	10											
23 24												
25												
26												
27	9											
28 29	5											
30												
31												
TOTAL	33	12	0	1	0	0	0	0	0	0	0	0
MEAN	1	0	0	0	0	0	0	0	0	0	0	0
MAX MIN	26 0	7 0	0 0	3 0	0 0	4 0	0 0	0 0	0 0	0 0	0 0	0 0
MIN AC_FT	65	24	0	2	0	1	0	0	0	0	0	0
WTR YR 2	2001 5	 TOTAL	 47	MEAN		0 МАХ	26	 5 MIN	() AC_F	 'T	92



Computation of Continuous Records of Streamflow

Station Number:6683Name:Powerline FRSDrainage Area:49.9 mi²Period of Record:December 3, 1992 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

				1	Daily M	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		2										
2												
3												
4												
5												
6		3										
7		9				2						
8		4		2		2						
9	1	4 1		3								
10 11	T	T										
11												
13												
14												
15												
16				1								
17				1							1	
18												
19												
20												
21	5											
22	25											
23	17											
24 25	11 4											
25	4											
20	8			2								
28	27			1								
29	17			-								
30	11									2		
31	6											
TOTAL	131	24	0	9	0	4	0	0	0	2	 1	0
MEAN	4	1	0	0	0	0	0	0	0	0	0	0
MAX	32	11	0	6	0	5	0	0	0	2	4	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	261	48	0	17	0	8	0	0	0	4	3	0
WTR YR	2001 !	IOTAL	 172	MEAN	0	MAX	32	MIN	сс) AC_F	 T :	 340
										_		

Computation of Continuous Records of Streamflow

Station Number:6688Name:Vineyard FRSDrainage Area:57.8 mi²Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

						Mean V						
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		20										
2		13										
3		7										
4		5										
5		3										
6 7		18 63										
8		63 56										
9		41										
10		28										
11		18										
12		11										
13		6										
14		4										
15		3										
16		2										
17		1										
18 19												
20												
21	1											
22	5											
23	14											
24	18											
25	11											
26	6											
27	16											
28	57											
29 30	51 37									1		
31	28									1 1		
TOTAL	245	301	0	1	0	1	1	0	0	2	0	0
MEAN	8	10	0	0	0	0	0	0	0	0	0	0
MAX	61	65	0	1	0	1	0	0	0	2	0	0
MIN AC FT	0 486	0 596	0 0	0 2	0 0	0 2	0 1	0 0	0 0	0 4	0 0	0 0
AC_FI	400	J90 		ے 		ے 	·		·	4		
WTR YR	2001	TOTAL	550	MEAN	2	2 MAX	65	MIN	C) AC_E	T 10	92

Computation of Continuous Records of Streamflow

Station Number:6703Name:Rittenhouse FRSDrainage Area:51.3 mi²Period of Record:September 27, 1988 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1		2										
2		1										
3												
4 5												
5		2.0										
6 7		28 83				14						
8		83 42				14 4						
9		42		10		4						
10	2	1		2		Ŧ						
11	2	-		2								
12				5								
13				-								
14												
15												
16				1								
17				1							12	
18												
19	1											
20												
21	9											
22	84											
23	59											
24	6											
25	2											
26	20			1.0								
27 28	26 82			10 1								
20 29	₀∠ 45			T								
30	43											
31	23											
TOTAL	344	160	0	30	0	19	0	0	0	0	12	0
MEAN	11	5	0	1	0	1	0	0	0	0	0	0
MAX	89	91	0	31	0	36	2	0	0	0	32	0
MIN	0		0	0	0	0	0	0	0	0	0	0
AC_FT	683	318	0	60	0	37	1	0	0	0	23	0
WTR YR	2001	TOTAL	565	MEAN		2 MAX	91	. MIN	C) AC_1	 FT 11	 121

Computation of Continuous Records of Streamflow

 Station Number:
 6707*
 Name:
 Queen Creek at Rittenhouse Road

 Drainage Area:
 Undetermined

 Period of Record:
 September 14, 1993 to current year

 Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

 No recorded flow during Water Year 2001

				10001000				ur 2001				
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 T	OTAL	0	MEAN	0	MAX	0	MIN	0	AC_F1	 C	0

* Gage ID number changed during Water Year 1997 from 6713 to 6707 to mitigate radio interference problems.

Computation of Continuous Records of Streamflow

1 106 3 10 9 10 9 1 10 1 12 1 13 14 14 358 15 141 16 1 17 1 18 1 19 1 20 1 12 1 13 1 14 1 15 141 16 1 17 1 18 1 20 1 21 10 22 341 23 63 24 25 26	Draina Period	Station Number:6723Name:Queen Creek @ CAPOrainage Area:256 mi²Period of Record:January 14, 1999 to current yearDischarge, in cfs, Water Year 2001 October 2000 to September 2001												
$\begin{array}{c c c c c c c c c c c c c c c c c c c $				Peak	flows	of intere	st durin	g Wate	r Year 2	001				
10/22 454 4.65 10/28 445 4.60 11/06 600 5.47 08/14 440 4.57 Daily Mean Values DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SE 1 <	Dav I	Discha			Ht.	(feet)	Da	ıv Di	schard			∍ Ht.	(ft.)	
DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SH 1	10/22		454		4	.65	10)/28	44	5		4	.60	
2 3 4 5 6 106 7 325 8 10 9 1 10 10 11 12 13 14 14 15 14 15 14 15 14 16 1 17 1 18 10 20 21 10 22 341 23 63 24 25 26 27 26 28 23 29 3 30 31 54 	DAY	OCT	NOV	DEC					MAY	JUN	JUL	AUG	SEP	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 3 4 5 6 7 8 9 10 11		325 10											
27 26 28 233 29 3 30 31 54 TOTAL 730 443 0 0 0 0 0 503 MEAN 24 15 0 0 0 0 0 16 MAX 454 600 0 0 0 0 0 0 0 MIN 0 0 0 0 0 0 0 998	13 14 15 16 17 18 19 20 21 22 23 24 25	341										141 1 1		
MEAN 24 15 0 0 0 0 0 0 0 16 MAX 454 600 0 0 0 0 0 0 0 0 0 440 MIN 0	27 28 29 30	233 3												
WTR YR 2001 TOTAL 1676 MEAN 5 MAX 600 MIN 0 AC_FT 3324	MEAN MAX MIN AC_FT 	24 454 0 1447	15 600 0 879	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	16 440 0 998		

Computation of Continuous Records of Streamflow

Station Number:6739Name:Whitlow Ranch DamDrainage Area:143 mi²Period of Record:FCDMC – January 8, 1998 to current year*Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7	1											
8												
9												
10						27						
11						62						
12												
13												
14											64	28
15											40	
16												
17	1											
18	1											
19	1											
20 21	1											
22												
22												
23	1											
24	T											
26												
27												
28	1											
29	1											
30												
31												
TOTAL	 6	0		0		 89	0	0	0	0	 76	28
MEAN	0	0	0	0	0	3	0 0	0	0	0	2	1
MAX	1	0	0	0	0	97	0	0	0	0	67	82
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	12	0	0	0	0	177	0	0	0	0	150	55
WTR YR	2001	FOTAL	199	MEAN		1 MAX	97	MIN	C) AC_1	 FT	 394

NOTE: Gage becomes disconnected from the USACOE gaging equipment on occasion. There may have been several impoundments behind the dam during the water year that may not have been recorded by FCDMC gaging equipment. For more information, refer to the *U.S. Army Corps of Engineers, Los Angeles District*.

Computation of Continuous Records of Streamflow

Station Number:6813Name:Buckeye FRS #3Drainage Area:9.3 mi²Period of Record:November 23, 1992 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 5												
6 7										1		
TOTAL	0	0	0	0	0	0	0	0	0	1	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	8	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	3	0	0
WTR YR	2001 !	TOTAL	1	MEAN	(0 мах	٤	3 MIN	() AC_1	 FT	3

Computation of Continuous Records of Streamflow

Station Number:6823Name:White Tanks #4 FRSDrainage Area:18.6 mi² (White Tanks ADMS)Period of Record:November 1987 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

No recorded flows or impoundments during Water Year 2001


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2001 7	TOTAL	0	MEAN	() MAX	() MIN) AC_I	 FT	0

Computation of Continuous Records of Streamflow

Station Number:6833Name:Waterman @ RainbowDrainage Area:362 mi²Period of Record:March 18, 1999 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

	P	eak discharge of intere	st during	Water Year 20	001							
	Peak Peak											
Day	Discharge (cfs)	Gage Ht. (feet)	Day	Discharge	(cfs)	Gage Ht. (ft.)						
10/21	1,760	8.52	11/06	257		3.88						

Hydrograph for October 21, 2000 event:



Computation of Continuous Records of Streamflow

Station Number:6833Name:Waterman @ RainbowDrainage Area:362 mi²Period of Record:March 18, 1999 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	ост	NOV	DEC	JAN	Daily FEB	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1							7	 3	1	33		23
2						1	6	1	2	7		20
3						4	7		1			30
4						2	6		1			30
5						1	4		1			30
6		37		2		2	4		1	33		26
7		10				3	4		1			29
8						1	4		1			10
9							3		1			11
10							4		2			14
11							2	1	3			23
12					3		1	7	2			4
13					1		1	5	1			
14					1		1	3	1			
15					5	1	1	7	1			
16					7		2	2	2			
17			5		6	_	4	3	2			
18			9		7	1	3	1	1			
19			8		7	1	1	2	1			
20	1 7 0		3		4	5	1	2	4			
21	178		3		6	3	1	1	1			
22 23	52 26		3		5 1	3 3	1 4	1	1 1			
23 24	26 29				1 1	3 6	4 6	1 1				
24 25	29 5				1	5	2	1	1 1			
26	2				T	5	5	1	1			
20	17					4	6	1	1			
28	7					4	7	Ŧ	1	20		
29	, 1		4			5	4		1	20		
30	-		1			6	4		1	28		
31						5				20		
TOTAL	325	59	45	14	62	 74	102	47	36	121	0	250
MEAN	10	2	1	0	2	2	3	2	1	4	0	8
MAX	1760	257	12	3	11	9	10	9	11	118	0	42
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	645	118	90	29	123	146	203	94	71	240	0	497
WTR YR	2001	TOTAL	1137	MEAN		3 MAX	1760	MIN		0 AC_1	FT 22	255

NOTE: Many days of irrigation tailwater flows at this site.

Computation of Continuous Records of Streamflow

Station Number:6848Name:Gila R. @ 116th AveDrainage Area:43,300 mi² (approximate)Period of Record:December 21, 1998 to current year*Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

									-			
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	TOTAL	0	MEAN	(0 МАХ	(о мім	() AC_1	 FT	0

No recorded flow during Water Year 2001

*Gage installed on December 21, 1998, replacing FCDMC gage #6863 at the old 115th Avenue Gila River crossing. Old gage was in service from November 6, 1997 until installation of new gage 6848.

**An undetermined amount of flow occurs more or less continually at this location below the gage.

Computation of Continuous Records of Streamflow

Station Number:6853Name:Gila @ Estrella PkyUSGS Gage:09514100 (Gila River at Estrella Parkway nr Goodyear, AZ)Drainage Area:45,585 mi²

See USGS Water-Data Report AZ-01-1 for data for this site.

	Flood Flow Frequency (source: Table 2-4 from <i>Study for Modified Roosevelt Dam</i>)									
	Magnitude and Probability of Instantaneous Peak Flow									
	Discharge, in o	ofs, for Indicated Recu	rrence Interval							
5-year	10-year	20-year	50-year	100-year						
20,000	50,000	84,000	170,000	217,000						

Computation of Continuous Records of Streamflow

Station Number:6863Name:Bullard WashDrainage Area:UndeterminedPeriod of Record:March 30, 2000 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

No recorded flow at this location during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL						0	0	0	0	0	0	0
MEAN						0	0	0	0	0	0	0
MAX						0	0	0	0	0	0	0
MIN						0	0	0	0	0	0	0
AC_FT						0	0	0	0	0	0	0
WTR YR	2001	TOTAL	0	MEAN	с С	MAX) MIN) AC_E	 ?T	0

Computation of Continuous Records of Streamflow

Station Number:6893Name:Estrella FanDrainage Area:1.0 mi²Period of Record:April 30, 1993 to current yearRevised Records:WY1997: WY1996Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2001 :	TOTAL	0	MEAN	(XAM C	() MIN	() AC_I	FT	0

No recorded flows during Water Year 2001

Flood Flow Frequency (based on HEC-1 analysis, 1997)											
	Magnitude and Probability of Instantaneous Peak Flow										
	Discha	rge, in cfs, for indic	cated Recurrence I	nterval							
2-year	5-year	10-year	25-year	50-year	100-year						
310	860	1,280	1,800	2,250	2,710						

Computation of Continuous Records of Streamflow

Station Number:	6923	Name:	Sauceda Wash	
Drainage Area:	126 mi ²			
Period of Record:	February 28,	1990 to curre	ent year*	
Discharge, in cfs, V	Vater Year 200	01 October	2000 to September 2001	

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 3 24 25 26 27 28 29 30 31		5								13		
TOTAL MEAN MAX MIN AC_FT	0 0 0 0 0	5 0 113 0 10	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	13 0 120 0 27	6 0 0 11	6 0 0 0 11
WTR YR	2001	TOTAL	30	MEAN		0 MAX	K 12	0 MIN	(0 AC_1	FT	59

* USGS maintained a crest stage gage at this location from 11/27/1963 to 09/30/1979. In 1990, a joint USGS/FCDMC continuous station was installed. The USGS continuous station was discontinued 10/01/1994. Since Water Year 1995, the continuous station has been operated by the FCDMC and the crest stage gage by the USGS.

** See also USGS crest stage gage, 09519760, data for this site.

	(based on Hi station skew us	Flood Flow ECWRC implements and based on exa	Frequency ntation of Bulletin mination of obser	17B, n = 25, ved data plots)	
	Magnituc	le and Probability	of Instantaneous Pe	eak Flow	
	Discha	rge, in cfs, for indi	cated Recurrence li	nterval	
2-year	5-year	10-year	25-year	50-year	100-year
530	1,640	2,610	3,640	5,020	6,040

Computation of Continuous Records of Streamflow

Station Number:6933Name:Sand Tank Wash at I-8Drainage Area:185 mi²Period of Record:May 31, 2001 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flow	of intere	est duri	ng Wat	er Year 20	01			
		P	eak						Pea	ak		
Day	Dischar	rge (cf	s) Gage	Ht.	(feet)	1	Day	Discharg	e (cfs)	Gage	Ht.	(ft.)
09/13		925*			.20*							
					Daily	Mean	Values	3				
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR		JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6 7												
8												
9												
10												
11												
12												
13												49
14												15
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
—————— —————												
TOTAL MEAN									0 0	0 0	0 0	49 2
MEAN MAX									0	0	0	∠ 767
MAX MIN									0	0	0	0
AC FT									0	0	0	97
<u> </u>												
WTR YI	R 2001	TOTAL	49	MEAN	ſ	0 ма	X 7	67 MIN	0	AC_F	г	97

*Peak on September 13, 2001 was actually at 3.2 feet gage height with a peak discharge of 925 cfs. The peak was confirmed from an indirect measurement. It is believed the pressure transducer did not operate correctly during the event. No hydrograph included for this event.

Gaging established during Water Year 2001 on May 31, 2001.

Computation of Continuous Records of Streamflow

Station Number:6953Name:Rainbow Wash near SR 85Drainage Area:16.4 mi²Period of Record:November 14, 2000 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flow	of intere	est durin	g Wate	er Year 2	001			
Peak Day Discharge (cfs) Gage Ht. (feet) Day Discharge (cfs) Gage Ht. (ft.												
			s) Gage			Da	ay	Dischar	ge (cf	s) Gag	e Ht.	(ft.)
08/17	6	48		2	.51							
					Dailv	Mean V	alues	5				
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR		JUN	JUL	AUG	SEP
1												
2												
3												
4												
5										7		
6						2				7		
7						3 1						
8						T						
9												
10												
11												
12												
13												
14												
15												
16											C 1	
17											64	
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL		0	0	0	0	4	0	0	0	7	64	0
MEAN		0	0	0	0	0	0		0	0	2	0
MAX		0	0	0	0	37	0		0	96	648	0
MIN		0	0	0	0	0	0		0	0	0	0
AC_FT		0	0	0	0	8	0		0	13	127	0
WTR YR	2001	 Ͳ <u></u> Ͳ	 75	MEAN		 0 MAX	 م	 48 MIN			 FT	 148
HIN IN	2001	TOTUD	, ,				0	10 MIN		~ <u>_</u>		140

Gaging established during Water Year 2001 on November 6, 2000.

Computation of Continuous Records of Streamflow

Station Number:6983Name:Vekol WashDrainage Area:150 mi²Period of Record:FCDMC Continuous Station: March 7, 1990 to current year
USGS Continuous Station: 1990 – 1996 (09488650)
USGS Crest Stage Gage: 1996 – current year (09488650)Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2001 :	FOTAL	0	MEAN	C) MAX	C) MIN	C) AC_I	?T	0

No recorded flows during Water Year 2001


NOTE: Gaging station was moved approximately 400 feet downstream (north) of the I-8 bridge on August 19, 2000. The gaging station is now co-located with the USGS gaging station ID 09488650.

Computation of Continuous Records of Streamflow

Station Number:7013Name:Martinez CreekDrainage Area:109 mi²Period of Record:November 23, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak flo	ws	of interes	st du	ring Wa	ater Year 200'	1					
		Pea	k			Peak								
Day	Discharge	(cfs)	Gage H	t.	(feet)		Day	Discharge	(cfs)	Gage	Ht.	(ft.)		
10/21	890			4	.00		10/27	2,65	50		6	5.30		
08/09	386			2	.05									

Hydrograph for October 27, 2000 event



Note: Flows below about 3,000 cfs are considered approximate at best due to multiple channel configuration of Martinez Creek at the gage location. The rating for flows above 3,000 cfs are still considered poor due to the expanding dowstream reach, mobile bed conditions, and the angle of attack of flow at the gage.

Flood Flow Frequency (based on R. W. Cruff analysis, 1995 combining FEMA, 1994 and Box Canyon relation shape)											
	Magnitud	le and Probability of	of Instantaneous P	eak Flow							
	Discha	rge, in cfs, for indic	cated Recurrence I	nterval							
2-year	5-year	10-year	25-year	50-year	100-year						
1,520	5,000	9,220	18,000	27,400	32,000						

Continued on next page.

Flood Control District of Maricopa County ALERT System Computation of Continuous Records of Streamflow

Station Number:	7013	Name:	Martinez Creek
Drainage Area:	109 mi ²		
Period of Record:	November 23,	1994 to currer	nt year
Discharge, in cfs, W	/ater Year 2001	October 20	000 to September 2001


DAY	00	NOV	DEC		Daily M FEB	lean Va MAR	alues APR	M7 V	TINI		AUC	CED
DA1	0CT	NOV	DEC	JAN		MAR 	APR	MAY 	JUN	JUL	AUG	SEP
1 2												
2 3												
4												
5												
6 7												
8												
9											23	
10 11											15	
12												
13												
14 15												
16												
17												
18 19												
20												
21	69											
22 23	66											
23												
25												
26 27	201											
28	201											
29												
30 31	45											
JT 												
TOTAL	381	0	0	0	0	0	0	0	0	0	38	0
MEAN MAX	12 2650	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 386	0 0
MAX MIN	2650	0	0	0	0	0	0	0	0	0	300 0	0
AC_FT	756	0	0	0	0	0	0	0	0	0	75	0
WTR YR	2001	TOTAL	419	MEAN	1	MAX	2650	MIN	0	AC_1	 FT	 832

Computation of Continuous Records of Streamflow


Station Number:7043Name:Sols Wash near MatthieDrainage Area:121 mi²Period of Record:August 4, 1995 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		Peak	flows	Peak flows of interest during Water Year 2001												
Peak Peak																
Day	Discharge (c:	s) Gage	Ht.	(feet)	Day	Discharge	(cfs)	Gage H	t. (ft.)							
10/21	10,792		5	5.15	10/27	4,7	72		2.70							

Hydrograph for October 22, 2000 event



Hydrograph for October 27, 2000 event



Computation of Continuous Records of Streamflow

Station Number:7043Name:Sols Wash near MatthieDrainage Area:121 mi²Period of Record:August 4, 1995 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15												
16 17 18 19 20 21 22 23 24 25	340 872 224											
26 27 28 29 30 31	617											
TOTAL MEAN MAX MIN AC_FT	2052 66 10792 0 4070	0 0 0 0 0										
WTR YR	2001	TOTAL	2052	MEAN		6 MAX	10792	2 MIN	0	AC_1	FT 40)70

	Flood Flow Frequency (FEMA Sept. 1995)	
Magnitude	and Probability of Instantaneous	Peak Flow
Discharge	e, in cfs, for indicated Recurrenc	e Interval
10-year	50-year	100-year
4,800	9,800	12,250

NOTE: About 500 cfs pass below the gage before detection. On April 22, 2001, the sensor was moved to the low flow channel. Now, about 100 cfs pass below the gage.


Computation of Continuous Records of Streamflow

Station Number:7063Name:Hartman WashDrainage Area:5.4 mi²Period of Record:FCDMC: July 6, 1994 to current year
USGS: Crest Stage Data, WY 1964-1979 and 1992 to current year
(09515800)Revised Records:WY1996: WY1995Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

Peak flows of interest during Water Year 2001

		Pea	k			Peak							
Day	Discharge	(cfs)	Gage	Ht.	(feet)	Day	Discharge	(cfs)	Gage	Ht.	(ft.)		
10/21	1,54	7		(*)	8.67	10/27	892			2	2.70		

Hydrograph of October 21, 2000 event



Computation of Continuous Records of Streamflow

Station Number:7063Name:Hartman WashDrainage Area:5.4 mi²Period of Record:FCDMC: July 6, 1994 to current year
USGS: Crest Stage Data, WY 1964-1979 and 1992 to current year
(09515800)Revised Records:WY1996: WY1995

Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4 5												
6												
7 8												
9 10												
11												
12 13												
14 15												
16												
17 18												
19 20												
21	68											
22 23	3											
24												
25 26												
27 28	30											
29												
30 31												
TOTAL	101	0	0	0		0	0	0	0	0	0	0
MEAN MAX	3 1547	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	200	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	TOTAL	101	MEAN		0 MA	X 154	7 MIN	0	AC_F	т 2	200

Computation of Continuous Records of Streamflow

Station Number:7083Name:Flying E WashDrainage Area:8.5 mi² (4 mi² partially controlled by three stock tanks)Period of Record:July 12, 1994 to current yearRevised Records:WY1996: WY1994-1995Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flows	of inter	est duri	ing Wa	ter Y	ear 200 ⁻	1			
		Pea	ak				-			Pea	k		
Day	Dischar	ge (cfs)	Gage	Ht.	(feet)	I	ay	Disc	harge	(cfs)	Gage	Ht.	(ft.)
10/21*	3	,675		5	.60	1	0/27		269			1	.75
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Value APF		iay J	JUN	JUL	AUG	SEP
19 20 21 22 23 24 25 26	15												
27 28	6												
TOTAL MEAN MAX MIN AC_FT	21 1 517 0 42	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	() () () () ())))	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
WTR YR	2001 ·	FOTAL	21	MEAN	 r	0 МАХ	ς ε	517	MIN	0	AC_F	 C	42

*NOTE: The peak discharge for an event of October 21, 2000 was 3,675 cfs at 5.6 feet gage height. The flood was not recorded by the continuous recording gage. Data were recovered from the crest stage gage at the site. An indirect measurement of the discharge was done to confirm the peak.

(base	Flood Flow Frequency (based on Wickenburg ADMS HEC-1 and R. W. Cruff, 1995 graphical extension)											
	Magnitude and Probability of Instantaneous Peak Flow											
	Discha	rge, in cfs, for indi	cated Recurrence	Interval								
2-year	5-year	10-year	25-year	50-year	100-year							
890	890 2,200 3,490 4,770 5,860 6,940											

Computation of Continuous Records of Streamflow

Station Number:7093Name:Casandro WashDrainage Area:0.61 mi²Period of Record:July 12, 1994 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

		F	Peak	flow	of intere	est dur	ing Wat	ter Ye	ear 2001	l Pea	ık		
		rge (cf	s) Gage			-	Day	Disc	charge			Ht.	(ft.)
10/27	-	118		1	.20								
DAY	ОСТ	NOV	DEC	JAN	Daily FEB	Mean MAR			MAY .	JUN	JUL	AUG	SEP
1 2													
2 3 4 5 6 7 8 9													
6 7											1		
10													
11 12 13													
14 15													
16 17 18													
19 20 21	1												
22 23	Ť												
24 25 26													
27 28 29	2 1 1							-					
30 31								-					
TOTAL MEAN	5 0	0 0	0 0	0 0	0 0	0			0 0	0 0	1 0	0 0	0 0
MAX MIN AC FT	118 0 10	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	C))	0 0 0	0 0 0	61 0 3	0 0 0	0 0 0
WTR YR		TOTAL	7	MEAN		0 MA		.18	MIN	0	AC_F		13


	(based on FEM	Flood Flow A, 9/95 and R. W.	Frequency Cruff, 1995 graph	ical extension)								
	Magnitude and Probability of Instantaneous Peak Flow											
	Discha	rge, in cfs, for indic	cated Recurrence I	nterval								
2-year	5-year	10-year	25-year	50-year	100-year							
5 20 50 200 500 800												

Computation of Continuous Records of Streamflow

Station Number:7113Name:Powder House WashDrainage Area:1.8 mi²Period of Record:May 18, 1995 to current yearRevised Records:WY2000:WY1995-1999Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

			Peak	flow	of interes	t during Wa	ter Year 2001			
		Peal	k			-		Peal	k	
Day	Discharge	(cfs)	Gage	Ht.	(feet)	Day	Discharge	(cfs)	Gage Ht.	(ft.)
10/21	348			1	1.02	10/27	761			1.50

Hydrograph for October 27, 2000 event



Flood Flow Frequency (FEMA Sept. 1995)									
Magnitude a	and Probability of Instantaneous	Peak Flow							
Discharge	e, in cfs, for indicated Recurrenc	e Interval							
10-year	50-year	100-year							
300 1,300 1,900									

Computation of Continuous Records of Streamflow

Station Number:7113Name:Powder House WashDrainage Area:1.8 mi²Period of Record:May 18, 1995 to current yearRevised Records:WY2000:WY1995-1999Discharge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily M FEB		alues APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4												
5												
6												
7 8												
9												
10												
11												
12 13												
13 14												
15												
16												
17												1
18 19												1
20												
21	7											
22	6											
23 24	10											
25	10 21											
26	17											
27	28											
28												
29 30												
31												
TOTAL MEAN	90 3	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1
MEAN MAX	3 761	0	0	0	0	0	0	0	0	0	0	0 64
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	178	0	0	0	0	0	0	0	0	0	0	3
WTR YR	2001	TOTAL	 91	MEAN	0	MAX	761	MIN	0	AC_F	 г :	 181

Computation of Continuous Records of Streamflow

Station Number:7133Name:Casandro DamDrainage Area:1.3 mi²Period of Record:August 15, 1996 to current yearDischarge, in cfs, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	I JAN	Daily M FEB	lean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2												
3												
4												
5												
6										8		
7 8												
o 9												
10												
11												
12												
13												
14												
15 16												
17												
18												
19												
20												
21	2					-						
22 23	6					7						
24												
25												
26												
27	7											
28	6											
29												
30 31												
TOTAL	20	0	0	0	0	7	0	0	0	8	0	0
MEAN	1	0	0	0	0	0	0	0	0	0	0	0
MAX	15	0	0	0	0	14	0	0	0	15	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT 	40	0	0	0	0	13	0	0	0	15	0	0
WTR YR 2		FOTAL	35	MEAN	0	MAX	15	MIN) AC_F	_	69

See also Pool Level and Storage Volume Data.

POOL LEVEL DATA

Computation of Continuous Records of Reservoir Depths

Station Number:0773*Name:Tat Momolikot DamDrainage Area:1,780 mi²Period of Record:January 21, 1998 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

					Daily	Mean V	Values					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.6	4.1	2.7	1.7	1.8	0.9	2.2	0.8	0.8	0.8	2.8	2.2
2	2.5	4.0	2.7	1.7	1.8	0.8	2.2	0.8	0.8	0.8	2.7	2.1
3	2.5	3.9	3.0	1.7	1.8	0.8	2.1	0.8	0.8	0.8	2.6	2.1
4	2.4	3.8	3.1	1.7	1.7	0.8	2.0	0.8	0.8	0.8	2.7	2.0
5	2.3	3.7	2.6	1.7	1.7	0.8	2.0	0.8	0.8	0.8	4.2	2.0
6	2.3	3.6	2.5	1.6	1.7	0.8	2.0	0.8	0.8	0.8	4.2	1.9
7	2.2	3.7	2.5	1.6	1.6	1.4	1.9	0.8	0.8	0.8	4.0	1.9
8	2.2	4.5	2.5	1.6	1.6	3.3	1.9	0.8	0.8	0.8	3.9	1.8
9	2.1	4.8	2.4	1.6	1.6	4.0	1.9	0.8	0.8	0.8	3.8	1.7
10	2.1	4.7	2.4	1.6	1.6	3.9	1.9	0.8	0.8	0.8	3.7	1.7
11	2.0	4.4	2.4	1.5	1.6	3.8	1.8	0.8	0.8	0.8	3.8	1.7
12	1.9	4.2	2.3	1.5	1.6	3.7	1.7	0.8	0.8	1.7	3.7	1.6
13	1.9	4.1	2.3	1.6	1.5	3.5	1.7	0.8	0.8	1.9	3.6	1.6
14	1.9	4.0	2.3	1.6	1.5	3.4	1.7	0.8	0.8	1.8	3.5	1.5
15	1.8	3.9	2.2	1.6	1.5	3.3	1.6	0.8	0.8	1.7	3.5	1.5
16	1.8	3.7	2.2	1.5	1.4	3.2	1.6	0.8	0.8	1.7	3.4	1.5
17	1.7	3.6	2.1	1.5	1.4	3.1	1.6	0.8	0.8	1.6	3.3	1.4
18	1.7	3.6	2.1	1.5	1.4	3.1	1.5	0.8	0.8	1.5	3.2	1.4
19	1.6	3.5	2.1	1.5	1.4	3.0	1.5	0.8	0.8	1.5	3.1	1.2
20	1.6	3.4	2.0	1.5	1.4	2.9	1.4	0.8	0.8	1.4	3.0	1.0
21	1.6	3.4	2.0	1.4	1.3	2.8	1.4	0.8	0.8	1.4	3.0	0.8
22	1.5	3.2	2.0	1.4	1.3	2.8	1.4	0.8	0.8	1.4	2.9	0.8
23	1.9	3.2	2.0	1.4	1.3	2.7	1.4	0.8	0.8	1.3	2.8	0.8
24	2.5	3.1	2.0	1.4	1.3	2.7	1.3	0.8	0.8	1.3	2.8	0.9
25	2.6	3.0	1.9	1.4	1.3	2.6	1.3	0.8	0.8	1.3	2.7	0.9
26	2.6	3.0	1.9	1.3	1.2	2.5	1.3	0.8	0.8	1.5	2.6	0.8
27	2.7	2.9	1.9	1.4	1.0	2.5	1.2	0.8	0.8	1.5	2.5	0.8
28	3.3	2.9	1.8	1.7	1.0	2.4	0.9	0.8	0.8	1.4	2.5	0.8
29	4.0	2.9	1.8	1.8		2.4	0.8	0.8	0.8	1.4	2.4	0.8
30	3.9	2.8	1.8	1.9		2.3	0.8	0.8	0.8	1.3	2.4	0.9
31	3.8		1.8	1.9		2.2		0.8		2.4	2.3	
MEAN	2.3	 3.6	2.2	1.6	1.5	2.5	1.6	0.8	0.8	1.3	3.1	1.4
MAX	4.0	4.8	3.2	1.9	1.8	4.1	2.2	0.8	0.8	2.9	4.3	2.2
MIN	1.5	2.7	1.8	1.3	0.9	0.8	0.8	0.8	0.8	0.8	2.2	0.8
WTR YR	2001	 MEAN	1.91	MAX	4.78	MIN	0.81					

*NOTE: Float gage was removed and a pressure transducer type gage was installed on January 24, 2000. Subsequently, the gage id number changed to 0773 from 0768. Data prior to January 24 has been deleted.

Computation of Continuous Records of Reservoir Depths

Station Number:4563Name:Spookhill FRSDrainage Area:13.6 mi²Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean N MAR	/alues APR	MAY	JUN	JUL	AUG	SEP
1												
1 2	0.6 0.6	1.1 0.9	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6
2	0.0	0.9	0.0	0.6	0.6	0.6	0.0	0.6	0.6	0.0	0.6	0.0
4	0.0	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0
5	0.0	0.7	0.6	0.6	0.0	0.6	0.0	0.0	0.6	0.6	0.6	0.0
6	0.6	0.6	0.6	0.6	0.6	0.6	1.5	0.6	0.6	0.6	0.6	0.6
7	0.6	0.6	0.6	0.6	0.6	1.3	1.3	0.6	0.6	0.6	0.6	0.6
8	0.6	0.6	0.6	0.6	0.6	1.3	1.1	0.6	0.6	0.6	0.6	0.6
9	0.6	0.6	0.6	0.6	0.6	1.1	0.8	0.6	0.6	0.6	0.6	0.6
10	3.2	0.6	0.6	0.6	0.6	0.9	0.6	0.6	0.6	0.6	0.6	0.6
11	2.8	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.8	0.6
12	1.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
13	1.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
14	0.7	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6
15	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6
16	0.6	0.6	0.6	1.2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
17	0.6	0.6	0.6	1.2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
18	0.6	0.6	0.6	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
19	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
20	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
21	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
22	3.3	0.6	0.6	0.6	0.6	0.6	0.8	0.6	0.6	0.6	0.6	0.6
23	2.1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
24	1.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
25	1.1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
26	0.9	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
27	2.5	0.6	0.6	1.1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
28	5.0	0.6	0.6	1.4	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
29	2.1	0.6	0.6	1.1		0.6	0.6	0.6	0.6	0.6	0.6	0.6
30	1.3	0.6	0.6	0.9		0.6	0.6	0.6	0.6	0.6	0.6	0.6
31	1.2		0.6	0.7		0.6		0.6		0.6	0.6	
MEAN	1.3	0.6	0.6	0.7	0.6	0.7	0.7	0.6	0.6	0.6	0.6	0.6
MAX	6.3	1.0	0.6	1.5	1.1	1.9	1.6	0.6	0.6	0.6	1.7	0.6
MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
WTR YR	2001	MEAN	0.68	MAX	6.26	MIN	0.59					

Computation of Continuous Records of Reservoir Depths

Station Number:4648Name:E.Fork CC #1Drainage Area:1.18 mi²Period of Record:March 2, 1994 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

Daily Mean Values OCT NOV DEC JUN DAY JAN FEB MAR APR MAY JUL AUG SEP _____ 1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 3 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 4 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 5 0.1 6 7 0.1 8 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 9 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 10 0.1 11 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 12 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 13 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 14 0.1 15 0.1 0.1 0.1 0.1 0.1 0.1 16 0.1 0.2 17 0.1 0.1 0.1 18 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 19 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 20 0.1 0.1 0.1 0.1 0.1 21 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 22 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 23 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 24 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 25 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 26 0.1 27 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 28 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 29 0.1 0.1 0.1 0.1 ___ 0.1 0.1 0.1 0.1 0.1 0.1 0.1 ___ 0.1 0.1 30 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 ___ ___ 31 0.1 ___ 0.1 0.1 0.1 0.1 ___ 0.1 0.1 ___ _____ _____ 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 MEAN 0.1 0.3 0.1 0.1 0.1 0.1 0.1 0.3 0.1 MAX 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 MTN 0.1 0.1 0.1 0.1 0.1 0.1 _____ _____ _____ 0.35 MIN WTR YR 2001 MEAN 0.10 MAX 0.10

Computation of Continuous Records of Reservoir Depths

Station Number:4653Name:Tatum Basin OutflowDrainage Area:2.17 mi²Period of Record:May 8, 1998 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

No recorded impoundment during Water Year 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1		0.1	0.1		0.1		0.1		0.1	0.1	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WTR YR	2001	 MEAN	0.05	MAX	0.05	MIN	0.05					

Computation of Continuous Records of Reservoir Depths

Station Number:4658Name:E.Fork CC #4Drainage Area:0.68 mi²Period of Record:January 18, 1994 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

					_	Mean V						
DAY	ост 	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
5	0.0		0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.2	0.0
7	0.0	0.3	0.0	0.0	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0
8	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0	0.0	0.1	0.3	0.0
10	0.5	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0
11	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.6	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0
14	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
15	0.0	0.0	0.0	0.0	0.2	0.0		0.0	0.0		0.0	
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
18	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
19	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
20	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
21	0.1	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
22	1.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
23	0.7	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.1	0.1	0.0
24	0.3	0.0		0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.0
25	0.0	0.0		0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0
26	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0
27	0.4	0.0	0.0	0.7	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0
28	0.4	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.2	0.0	0.0	0.1		0.0	0.0	0.0	0.0	0.2	0.0	0.0
30	0.3	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.3	0.0	0.0
31	0.3		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.0
MAX	2.6	0.9	0.0	2.1	0.9	1.8	1.9	0.0	0.0	0.6	1.9	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	2001	MEAN	0.05	MAX	2.58	MIN	0.00					

Computation of Continuous Records of Reservoir Depths

Station Number:4683Name:E.Fork CC #3Drainage Area:3.52 mi² (1.86 mi² controlled by EFCC #1 and EFCC #4)Period of Record:September 13, 1994 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2 0.2	0.2	0.2
21 22	0.2 0.2	0.2	0.2 0.2	0.2	0.2 0.2	0.2	0.2	0.2 0.2	0.2 0.2	0.2	0.2	0.2
22	0.2	0.2 0.2	0.2	0.2 0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2		0.2
24 25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2		0.2	0.2		0.2		0.2		0.2	0.2	
MEAN	0.2	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1
MAX	0.5	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR YR	2001	 MEAN	0.15	MAX	0.45	MIN	0.15					

Computation of Continuous Records of Reservoir Depths

Station Number:4803Name:Dreamy Draw DamDrainage Area:1.3 mi²Period of Record:November 1987 to current yearRevised Records:WY1996: WY1995Depth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1			0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1			0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
6	0.1	0.2	0.1	0.1	0.1	0.1	0.5	0.1	0.1	0.1	0.1	0.1
7	0.1	0.2	0.1	0.1	0.1	0.4	0.2	0.1	0.1	0.1	0.1	0.1
8	0.1	0.1	0.1	0.1	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.5	0.1	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.3	0.1	0.1	0.1		0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1
27	0.3	0.1	0.1	0.4	0.1	0.1	0.1		0.1	0.1	0.1	0.1
28	0.4	0.1	0.1	0.3	0.1	0.1	0.1		0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.2		0.1	0.1		0.1	0.2	0.1	0.1
30	0.1	0.1	0.1	0.1		0.1			0.1	0.2	0.1	0.1
31	0.1		0.1	0.1		0.1				0.1	0.1	
MEAN	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MAX	3.4	1.0	0.1	1.7	0.1	1.6	1.7	0.1	0.1	2.6	1.7	0.1
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WTR YR	2001	MEAN	0.13	MAX	3.44	 мтN	0.12					

WTR YR 2001 MEAN 0.13 MAX 3.44 MIN 0.12

Computation of Continuous Records of Reservoir Depths

Station Number:	4818	Name:	10 St.Wash Basin #1
Drainage Area:	1.21 mi ²		
Period of Record:	November 26	6, 1996 to cu	rrent year
Depth, in feet, Wate	er Year 2001 -	October 2	000 to September 2001

					_	Mean V	Values					
DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3 4	0.3 0.3											
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10	0.8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11 12	0.3 0.3	0.3 0.3	0.3 0.3	0.3 0.4	0.3 0.3							
12	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
17	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
19 20	0.3 0.3											
20	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
27 28	0.5 0.4	0.3 0.3	0.3 0.3	1.0 0.4	0.3 0.3							
20 29	0.4	0.3	0.3	0.4	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3		0.3	0.3		0.3		0.3		0.3	0.3	
MEAN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MAX	2.1	0.3	0.3	1.8	0.3	1.0	0.3	0.3	0.3	0.3	0.3	0.3
MIN 	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WTR YR	2001	MEAN	0.30	MAX	2.10	MIN	0.30					

Computation of Continuous Records of Reservoir Depths

Station Number:4899*Name:CaveButtes Dam PoolDrainage Area:191 mi²Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	ост	NOV	DEC	JAN	Daily FEB	Mean V MAR	/alues APR	MAY	JUN	JUL	AUG	SEP
1	1.9	2.1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
2	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
3	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
4	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
5	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
6	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
7	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
8	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
10	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
11	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
12	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
13	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9		1.9	1.9
14	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
15	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
16	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
17	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
18	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
19	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
20	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
21	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
22	12.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
23	14.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
24	6.2	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
25	4.7	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
26	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
27	3.9	1.9	1.9	2.5	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
28	5.1	1.9	1.9	3.1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
29	2.2	1.9	1.9	1.9		1.9	1.9	1.9	1.9	1.9	1.9	1.9
30	2.3	1.9	1.9	1.9		1.9	1.9	1.9	1.9	2.0	1.9	1.9
31	3.9		1.9	1.9		1.9		1.9		1.9	1.9	
MEAN	3.1	 1.9	1.9	2.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
MAX	18.6	2.4	1.9	7.1	1.9	2.0	1.9	1.9	1.9	2.7	2.1	1.9
MIN	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.7	1.9	1.9
WTR YR	2001	MEAN	2.01	MAX	18.56	MIN	1.73					

*NOTE: Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on February 17, 2000. The gage id number changed from 4904 to 4899.

See also Surface Water Streamflow (4903) and Storage Volume data (4902).

Computation of Continuous Records of Reservoir Depths

Station Number:5113Name:Saddleback FRSDrainage Area:29.6 mi² excluding area brought in from Harquahala FRSPeriod of Record:December 16, 1988 to current yearDepth, in feet, Water Year October 1998 to September 1999Depth, in feet, Water Year 2001 --- October 2000 to September 2001

					Daily	Mean V	Values					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
13	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
17	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
19	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
20	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
21	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
27	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
28	0.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
29	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3		0.3	0.3		0.3		0.3		0.3	0.3	
MEAN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MAX	1.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WTR YR	2001	MEAN	0 30	 мах	1 00	 мтN	0 30					

WTR YR 2001 MEAN 0.30 MAX 1.00 MIN 0.30

Computation of Continuous Records of Reservoir Depths

Station Number:5128Name:Harquahala FRSDrainage Area:102.3 mi²Period of Record:March 1, 1994 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.4	10.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
2	0.4	10.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
3	0.4	9.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
4	0.4	8.1	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
5	0.4	7.1	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
6	0.4	6.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
7	0.4	5.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
8	0.4	5.1	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
9	0.4	4.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
10	0.4	4.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
11	0.4	4.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
12	0.4	4.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
13	0.4	3.7	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
14	0.4	3.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.9	0.4
15	0.4	3.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.7	0.4
16	0.4	2.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
17	0.4	2.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
18	0.4	2.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
19	0.4	1.9	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
20	0.4	1.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
21	0.4	1.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
22	0.7	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
23	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
24	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
25	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
26	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
27	10.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
28	14.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
29	13.5	0.4	0.4	0.4		0.4	0.4	0.4	0.4	0.4	0.4	0.4
30	12.7	0.4	0.4	0.4		0.4	0.4	0.4	0.4	0.4	0.4	0.4
31	11.8		0.4	0.4		0.4		0.4		0.4	0.4	
MEAN	2.4	 3.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
MAX	21.5	10.9	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	2.3	0.4
MIN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
WTR YR	2001	MEAN	0.81	MAX	21.47	MIN	0.38					

NOTE: Gated outlet not opened. Therefore, many days of post-flood impoundment.

Computation of Continuous Records of Reservoir Depths

Station Number:5203Name:Buckeye FRS #1Drainage Area:74 mi² not including area from Buckeye FRS #2 and #3Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
2	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
3	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
4	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
6	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
7	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
8	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
9	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
10	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5		-2.5	-2.5	-2.5	-2.5
11	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5		-2.5	-2.5	-2.5	-2.5
12	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5		-2.5	-2.5	-2.5	-2.5
13	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
14	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
15	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.2	-2.5
16	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.2	-2.5
17	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
18	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
19	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
20	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
21	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
22	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
23	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
24	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
25	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
26	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5		-2.5	-2.5	-2.5	-2.5	-2.5
27	-2.5	-2.5	-2.5		-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
28	-2.5	-2.5	-2.5		-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
29	-2.5	-2.5	-2.5			-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
30	-2.5	-2.5	-2.5	-2.5		-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
31	-2.5		-2.5	-2.5		-2.5		-2.5		-2.5	-2.5	
MEAN	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
MAX	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-1.6	-2.5
MIN	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
WTR YR	2001	MEAN	-2.49	MAX	-1.59	MIN	-2.49					

NOTE: Instrument is 2.49 feet below gage datum zero at invert elevation of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

Computation of Continuous Records of Reservoir Depths

Station Number:5208Name:Buckeye FRS #2Drainage Area:5.7 mi² without area from Buckeye FRS #2Period of Record:November 11, 1992 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1		-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
2	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
3	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.2	-1.4
4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
5	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
6	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.3	-1.4	-1.4
7	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
8	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
9	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
10	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
11	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
12	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
13	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	
14	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
15	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
16	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
17	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-0.7	-1.4
18	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
19	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
20	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
21	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
22	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
23	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
24	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
25	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
26	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
27	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
28	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
29	-1.4	-1.4	-1.4	-1.4		-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
30	-1.4	-1.4	-1.4	-1.4		-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
31	-1.4		-1.4	-1.4		-1.4		-1.4		-1.4	-1.4	
MEAN	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
MAX	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-0.8	2.8	-1.4
MIN	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
WTR YR	2001	MEAN	-1.39	MAX	2.81	MIN	-1.39					

Instrument 1.39 feet below zero gage datum at invert of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

Computation of Continuous Records of Reservoir Depths

Station Number:5233Name:Sunset FRSDrainage Area:0.95 mi² (from Wickenburg ADMS)Period of Record:Febraury 12, 1989 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	 0.7	0.7	0.7	0.7	0.7	1.6	0.7	0.7	0.7	0.7	0.7	0.7
2	0.7	0.7	0.7	0.7	0.7	1.3	0.7	0.7	0.7	0.7	0.7	0.7
3	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
4	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
5	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
6	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	3.4	0.7	0.7
7	0.7	0.7	0.7	0.7	0.7	3.7	0.7	0.7	0.7	3.9	0.7	0.7
8	0.7	0.7	0.7	0.7	0.7	4.5	0.7	0.7	0.7	3.6	0.7	0.7
9	0.7	0.7	0.7	0.7	0.7	4.2	0.7	0.7	0.7	2.4	0.7	0.7
10	0.7	0.7	0.7	0.7	0.7	4.0	0.7	0.7	0.7	0.8	0.7	0.7
11	0.7	0.7	0.7	0.7	0.7	3.8	0.7	0.7	0.7	0.7	0.7	0.7
12	0.7	0.7	0.7	0.7	0.7	3.5	0.7	0.7	0.7	0.7	0.7	0.7
13	0.7	0.7	0.7	0.7	0.9	3.3	0.7	0.7	0.7	0.7	0.7	0.7
14	0.7	0.7	0.7	0.7	0.8	3.1	0.7	0.7	0.7	0.7	0.7	0.7
15	0.7	0.7	0.7	0.8	0.7	2.8	0.7	0.7	0.7	0.7	0.7	0.7
16	0.7	0.7	0.7	0.7	0.7	2.6	0.7	0.7	0.7	0.7	0.7	0.7
17	0.7	0.7	0.7	0.7	0.7	2.3	0.7	0.7	0.7	0.7	0.7	0.7
18	0.7		0.7	0.7	0.7	2.1	0.7	0.7	0.7	0.7	0.7	0.7
19	0.7		0.7	0.7	0.7	1.9	0.7	0.7	0.7	0.7	0.7	0.7
20	0.7	0.7	0.7	0.7	0.7	1.6	0.7	0.7	0.7	0.7	0.7	0.7
21	1.6	0.7	0.7	0.7	0.7	0.9	0.7	0.7	0.7	0.7	0.7	0.7
22	6.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
23	6.5	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
24	6.2	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
25	5.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
26	4.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
27	4.7	0.7	0.7	0.7	0.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7
28	5.2	0.7	0.7	1.3	1.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
29	2.3	0.7	0.7	1.7		0.7	0.7	0.7	0.7	0.7	0.7	0.7
30	0.8 0.7	0.7	0.7 0.7	1.2		0.7 0.7	0.7	0.7 0.7	0.7	0.7 0.7	0.7	0.7
31	0.7		0.7	0.7		0.7		0.7		0.7	0.7	
MEAN	1.9	0.7	0.7	0.8	0.8	1.8	0.7	0.7	0.7	1.0	0.7	0.7
MAX	8.4	0.7	0.7	1.9	1.9	4.7	0.7	0.7	0.7	4.3	0.7	0.7
MIN	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
WTR YR	2001	MEAN	0.94	MAX	8.43	MIN	0.70					

Computation of Continuous Records of Reservoir Depths

Station Number:5248Name:Sunnycove FRSDrainage Area:0.98 mi² (from Wickenburg ADMS)Period of Record:November 1987 to current yearRevised Records:WY2000:WY1999Depth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.9	4.2	0.9	0.9	0.9	0.9	1.4	0.9	0.9	0.9	0.9	0.9
2	0.9	3.9	0.9	0.9	0.9	0.9	1.4	0.9	0.9	0.9	0.9	0.9
3	0.9	3.7	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
4	0.9	3.5	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
5	0.9	3.3	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
6	0.9	3.2	0.9	0.9	0.9	0.9	0.9	0.9	0.9	6.2	0.9	0.9
7	0.9	3.0	0.9	0.9	0.9	1.9	0.9	0.9	0.9	7.6	0.9	0.9
8	0.9	2.8	0.9	0.9	0.9	2.9	0.9	0.9	0.9	7.3	0.9	0.9
9	0.9	2.7	0.9	0.9	0.9	2.9	0.9	0.9	0.9	6.1	0.9	0.9
10	0.9	2.6	0.9	0.9	0.9	2.8	0.9	0.9	0.9	1.3	0.9	0.9
11	0.9	2.5	0.9	0.9	0.9	2.8	0.9	0.9	0.9	0.9	0.9	0.9
12	0.9	2.4	0.9	0.9	0.9	2.7	0.9	0.9	0.9	0.9	0.9	0.9
13	0.9	2.3	0.9	0.9	0.9	2.6	0.9	0.9	0.9	0.9	0.9	0.9
14	0.9	1.8	0.9	0.9	0.9	2.6	0.9	0.9	0.9	0.9	0.9	0.9
15	0.9	1.2	0.9	0.9	0.9	2.5	0.9	0.9	0.9	0.9	0.9	0.9
16	0.9	0.9	0.9	0.9	0.9	2.5	0.9	0.9	0.9	0.9	0.9	0.9
17	0.9	0.9	0.9	0.9	0.9	2.4	0.9	0.9	0.9	0.9	0.9	0.9
18	0.9	0.9	0.9	0.9	0.9	2.3	0.9	0.9	0.9	0.9	0.9	0.9
19	0.9	0.9	0.9	0.9	0.9	2.3	0.9	0.9	0.9	0.9	0.9	0.9
20	0.9	0.9	0.9	0.9	0.9	2.2	0.9	0.9	0.9	0.9	0.9	0.9
21	1.6	0.9	0.9	0.9	0.9	2.2	0.9	0.9	0.9	0.9	0.9	0.9
22	6.5	0.9	0.9	0.9	0.9	2.1	0.9	0.9	0.9	0.9	0.9	0.9
23	6.4	0.9	0.9	0.9	0.9	2.0	0.9	0.9	0.9	0.9	0.9	0.9
24	6.3	0.9	0.9	0.9	0.9	1.9	0.9	0.9	0.9	0.9	0.9	0.9
25	6.1	0.9	0.9	0.9	0.9	1.9	0.9	0.9	0.9	0.9	0.9	0.9
26	4.6	0.9	0.9	0.9	0.9	1.8	0.9	0.9	0.9	0.9	0.9	0.9
27	7.8	0.9	0.9	0.9	0.9	1.7	0.9	0.9	0.9	0.9	0.9	0.9
28	10.1	0.9	0.9	0.9	0.9	1.7	0.9	0.9	0.9	0.9	0.9	0.9
29	6.5	0.9	0.9	0.9		1.6	0.9	0.9	0.9	0.9	0.9	0.9
30	5.0	0.9	0.9	0.9		1.5	0.9	0.9	0.9	0.9	0.9	0.9
31	4.5		0.9	0.9		1.5		0.9		0.9	0.9	
MEAN	2.7	1.9	0.9	0.9	0.9	2.0	0.9	0.9	0.9	1.7	0.9	0.9
MAX	15.2	4.1	0.9	0.9	0.9	3.0	1.4	0.9	0.9	8.0	0.9	0.9
MIN	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
WTR YR	2001	MEAN	1.29	MAX	15.16	MIN	0.90					

WTR YR 2001 MEAN 1.29 MAX 15.16 MIN 0.90

Computation of Continuous Records of Reservoir Depths

Station Number:5418Name:White Tanks #3 FRSDrainage Area:20.5 mi² (White Tanks ADMS)Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

No recorded impoundments during Water Year 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	2001	MEAN	0.00	MAX	0.00	MIN	0.00					

Computation of Continuous Records of Reservoir Depths

Station Number:5448Name:McMicken DamDrainage Area:247 mi²Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	2001	MEAN	0.00	MAX	0.60	MIN	0.00		·		·	

Computation of Continuous Records of Reservoir Depths

Station Number:5534*Name:Adobe DamDrainage Area:89.6 mi²Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	/alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 	3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2	3.2 3	3.2 3	3.222 3.322 3.322 3.323 3.3333 3.33333 3.33333 3.33333 3.33333 3.33333 3.33333 3.33333 3.33333 3.33333 3.33333 3.33333 3.33333 3.333333	3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2	3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2	3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2	3 2 3 2 3 2 3 3 3	3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2	3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2	$\begin{array}{c} 3 & . 2 \\$	3.2 3
MEAN MAX MIN	3.3 8.2 3.2	3.2 3.2 3.2	3.2 3.2 3.2	3.2 3.3 3.2	3.2 3.2 3.2	3.2 3.2 3.2	3.2 3.2 3.2	3.2 3.2 3.2	3.2 3.2 3.2	3.2 3.2 3.2	3.2 3.2 3.2	3.2 3.2 3.2
WTR YR	2001	MEAN	3.21	MAX	8.20	MIN	3.20					

*NOTE: Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on August 10, 2000. The gage id number changed from 5539 to 5534. Gage was also moved from at the principal outlet to the original stilling well location and thus the datum increased by 3.1 feet.

See also Surface Water Streamflow (5538) and Storage Volume data (5537).

	Flood Elevation Frequency (from USACE Design Memorandum)											
	Magnitude and Probability of Elevation of Impound											
	Elevation, in feet gage height, for Indicated Recurrence Invterval											
2-year	2-year 5-year 10-year 25-year 50-year 100-year											
12.8												

Computation of Continuous Records of Reservoir Depths

Station Number:5609*Name:New River DamDrainage Area:164 mi²Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean N MAR	/alues APR	MAY	JUN	JUL	AUG	SEP
1	2.9	4.1	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
2	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
3	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
4	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
5	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
6 7	2.9 2.9	2.9 2.9	2.9 2.9	2.9	2.9 2.9	2.9 2.9	2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9
8	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
10	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		2.9	2.9	2.9
11	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		2.9	2.9	2.9
12	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		2.9	2.9	2.9
13	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		2.9	2.9	2.9
14	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
15	2.9	2.9		2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
16	2.9	2.9		2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
17 18	2.9 2.9	2.9 2.9	2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9
19	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
20	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
21	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
22	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
23	5.4	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
24	6.7	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
25	6.7	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
26	6.7	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
27 28	6.7 6.7	2.9 2.9	2.9 2.9	2.9 2.9	2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9	2.9 2.9
20	6.7	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
30	4.4	2.9	2.9	2.9		2.9	2.9	2.9	2.9	2.9	2.9	2.9
31	5.9		2.9	2.9		2.9		2.9		2.9	2.9	
MEAN	3.8	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
MAX	6.9	5.5	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
MIN 	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
WTR YR	2001	MEAN	2.97	MAX	6.87	MIN	2.88					

*NOTE: Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on August 10, 2000. The gage id number changed from 5614 to 5609.

See also Surface Water Streamflow (5613) and Storage Volume data (5612).

Flood Elevation Frequency (from USACE Design Memorandum)												
Magnitude and Probability of Elevation of Impound												
	Elevation, in feet gage height, for Indicated Recurrence Invterval											
2-year	2-year 5-year 10-year 25-year 50-year 100-year											
7.4												

Computation of Continuous Records of Reservoir Depths

Station Number:	5968	Name:	StoneRidge Dam
Drainage Area:	0.86 mi ²		
Period of Record:	December 11,	, 1996 to cu	irrent year
Depth, in feet, Wate	er Year 2001	- October 2	000 to September 2001

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
4	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7
7	0.6	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.6
8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
9	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
10	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
11	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
12	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7
13	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
14	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
15	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
16	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
17	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
18	0.6	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.6
19	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
20	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.6
21	0.6	0.6	0.6	0.7	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6
22	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
23	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
24	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
25	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
26	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
27	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
28	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
29	0.6	0.6	0.6	0.6		0.6	0.6	0.6	0.6	0.9	0.6	0.6
30	0.7	0.6	0.6	0.6		0.6	0.6	0.6	0.6	0.7	0.6	0.6
31	0.6		0.6	0.6		0.6		0.6		0.6	0.6	
MEAN	0.7	0.6	0.6	0.7	0.6	0.7	0.6	0.6	0.6	0.7	0.6	0.6
MAX	4.4	0.6	0.6	0.7	0.6	0.9	0.6	0.6	0.6	5.8	0.6	0.6
MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
WTR YR	2001	MEAN	0.65	MAX	5.82	MIN	0.65					

Computation of Continuous Records of Reservoir Depths

Station Number:5973Name:SunRidge Canyon DamDrainage Area:1.6 mi²Period of Record:February 4, 1997 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

					Daily	Mean V	Values					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.3	 1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
6	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
8	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
9	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
10	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
11	1.3	1.3	1.3	1.3	1.3		1.3	1.3	1.3	1.3	1.3	1.3
12	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
13	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
14	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
15	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
16	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
17	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
18	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
19	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
20	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
21	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
22	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
23	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3		1.3	1.3
24	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
25	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
26	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
27	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
28	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
29	1.3	1.3	1.3	1.3		1.3	1.3	1.3	1.3	1.3	1.3	1.3
30	1.3	1.3	1.3	1.3		1.3	1.3	1.3	1.3	1.3	1.3	1.3
31	1.3		1.3	1.3		1.3		1.3		1.3	1.3	
MEAN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
MAX	2.0	1.3	1.3	1.3	1.3	1.5	1.3	1.3	1.3	2.3	1.3	1.3
MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
WTR YR	2001	MEAN	1.28	MAX	2.33	MIN	1.28					

Computation of Continuous Records of Reservoir Depths

Station Number:5978Name:GoldenEaglePark DamDrainage Area:7.13 mi² of which 2.02 mi², 2.13 mi², and 1.6 mi² are controlled by
Aspen, North Heights, and Sunridge Canyon Dams respectively.

Period of Record: December 12, 1996 to current year

Depth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	/alues APR	MAY	JUN	JUL	AUG	SEP
 1	4.9	 4.9		4.9			2.2	2.2	2.3	2.3	2.3	2.2
2	4.9	4.9		4.9	4.9		2.2	2.3	2.3	2.3	2.3	2.4
3	4.9	4.9		4.9	4.9		2.2	2.3	2.3	2.3	2.3	2.4
4	5.0	4.9		4.9	4.9		2.2	2.3	2.3	2.3	2.3	2.3
5	4.9	4.9		4.9	4.9	2.2	2.3	2.3	2.3	2.3	2.3	2.3
6	4.9	4.9		4.9	4.9	2.2	2.4	2.3	2.3	2.3	2.3	2.3
7	4.9	4.9		4.9	4.9	2.7	2.2	2.3	2.3	2.3	2.3	2.3
8	4.9	4.9		4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.3
9	4.9	4.9		4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
10	5.0	4.9		4.9	4.9	2.3	2.2	2.3	2.3	2.3	2.3	2.2
11	5.0	4.9		4.9	4.9	2.3	2.2	2.3	2.3	2.3	2.3	2.2
12	4.9	4.9	4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
13	4.9	4.9	4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
14	4.9	4.9	4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.3
15	4.9	4.9	4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.4
16 17	4.9	4.9	4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
17	4.9 4.9	4.9 4.9	4.9 4.9	4.9 4.9	4.9 4.9	2.2 2.2	2.2 2.2	2.3 2.3	2.3 2.3	2.3 2.3	2.3 2.3	2.2 2.2
19	4.9	4.9	4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
20	4.9		4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.3
21	5.0		4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
22	5.0		4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
23	4.9		4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
24	4.9		4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
25	4.9		4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
26	5.0		4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
27	5.1		4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.2
28	4.9		4.9	4.9		2.2	2.2	2.3	2.3	2.3	2.3	2.2
29	4.9		4.9	4.9		2.2	2.2	2.3	2.3	2.5	2.3	2.2
30	4.9		4.9	4.9		2.2	2.2	2.3	2.3	2.3	2.4	2.2
31	4.9		4.9			2.2		2.3		2.3	2.3	
MEAN	4.9	4.9	4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.3	2.3
MAX	6.5	4.9	4.9	5.5	4.9	4.9	3.7	2.3	2.3	5.2	3.7	2.8
MIN 	4.9	4.9	4.9	4.9	4.9	2.2	2.2	2.3	2.3	2.3	2.2	2.2
WTR YR	2001	MEAN	3.39	MAX	6.52	MIN	2.20					

See also Surface Water Streamflow and Storage Volume Data.

NOTE: Dam was breached for construction in May 2000. A new outlet structure is being constructed and the dam height is being increased. Gage was moved to the north inlet channel and behind the temporary construction berm and thus the height of the instrument has increased. From October 1, 2000 to March 4, 2001, gage heights represent that from the north inlet channel. From March 5, 2001 to September 30, 2001, gage heights represent impound behind the dam.

Computation of Continuous Records of Reservoir Depths

Station Number:5983Name:North Heights DamDrainage Area:2.13 mi²Period of Record:October 11, 1996 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	/alues APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
19 20	0.2 0.2	0.2 0.2	0.2	0.2 0.2	0.2 0.2	0.2 0.2	0.2	0.3 0.3	0.3 0.3	0.3 0.3	0.3 0.3	0.2 0.2
20 21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
29	0.2	0.2	0.2	0.2		0.2	0.2	0.3	0.3	0.3	0.3	0.2
30	0.2	0.2	0.2	0.2		0.2	0.2	0.3	0.3	0.3	0.3	0.2
31	0.2		0.2	0.2		0.2		0.3		0.3	0.3	
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
MAX	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.5	0.9
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2
WTR YR	2001	MEAN	0.25	MAX	0.89	MIN	0.21					

Computation of Continuous Records of Reservoir Depths

Station Number:5988Name:Aspen DamDrainage Area:2.02 mi²Period of Record:January 2, 1997 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

					-	Mean V						
DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1		0.1		0.2	0.2	0.2	0.2
2	0.1	0.1	0.1	0.1	0.1			0.2	0.1	0.1	0.2	0.2
3	0.1	0.1	0.1	0.1	0.1		0.1	0.2	0.2	0.2	0.2	0.1
4	0.1	0.1	0.1	0.1	0.1		0.1	0.2	0.2	0.2	0.2	0.2
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
7	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.2	0.2
8	0.1	0.1	0.1	0.1		0.2	0.1	0.2	0.1	0.2	0.2	0.2
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2
10	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2
12	0.1	0.1	0.1	0.1	0.1		0.1	0.2	0.1	0.2	0.2	0.2
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2
17	0.1	0.1	0.1	0.1	0.1	0.1		0.2	0.2	0.2	0.2	0.2
18	0.1	0.1	0.1	0.1	0.1	0.1		0.2	0.2	0.2	0.2	0.2
19	0.1	0.1	0.1	0.1	0.1	0.1		0.2	0.2	0.2	0.2	0.2
20	0.1	0.1	0.1	0.1	0.1	0.1		0.2	0.1	0.2	0.2	0.2
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
22	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
24	0.1	0.1	0.1	0.1		0.1	0.1	0.2	0.1	0.2	0.2	0.2
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
26	0.1	0.1	0.1	0.1	0.1	0.1		0.2	0.2	0.2	0.2	0.2
27	0.3	0.1	0.1	0.1	0.1	0.1		0.2	0.2	0.2	0.2	0.2
28	0.2	0.1	0.1	0.1	0.1	0.1		0.2	0.1	0.1	0.2	0.2
29	0.1	0.1	0.1	0.1		0.1	0.1	0.2	0.1	0.2	0.1	0.2
30	0.1	0.1	0.1	0.1		0.1	0.1	0.2	0.1	0.2	0.2	0.2
31	0.1		0.1	0.1		0.1		0.2		0.2	0.2	
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
MAX	2.3	0.1	0.1	0.1	0.1	0.7	0.1	0.2	0.2	0.7	0.2	0.2
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WTR YR	2001	MEAN	0.14	MAX	2.28	MIN	0.12					

Computation of Continuous Records of Reservoir Depths

Station Number:	5993	Name:	Hesperus Dam
Drainage Area:	2.91 mi ²		
Period of Record:	December 18,	1996 to cu	irrent year
Depth, in feet, Wate	er Year 2001	October 2	000 to September 2001

					Daily	Mean V	Values					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
2	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
3	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	0.9	0.9
4	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	0.9	1.0
5	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0	1.0
6 7	0.9 0.9	0.9 0.9	0.9 0.9	0.9 0.9	0.9 0.9	0.9 1.0	0.9 0.9	0.9 0.9	0.9 0.9	1.0 0.9	0.9	1.0 0.9
8	0.9	0.9	0.9	0.9	0.9	1.0	0.9	0.9	0.9	1.0	0.9 0.9	0.9
9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0	0.9
10	0.9	0.9	0.9	0.9	0.9	0.9	0.9		0.9	0.9	1.0	0.9
11	0.9	0.9	0.9	0.9	0.9	0.9	0.9		0.9	1.0	1.0	0.9
12	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0	1.0
13	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0	1.0
14	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
15	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
16	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	0.9	0.9
17	0.9	0.9	0.9	0.9	0.9	0.9	0.9		0.9	0.9	1.0	0.9
18	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0
19	0.9	0.9	0.9	0.9	0.9	0.9		1.0	0.9	0.9	1.0	1.0
20	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	0.9
21	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	0.9
22	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	0.9
23	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
24 25	0.9 0.9											
26	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	0.9	0.9
20	1.1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0	1.0
28	1.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0	1.0
29	0.9	0.9	0.9	0.9		0.9	0.9	0.9	0.9	1.0	1.0	1.0
30	0.9	0.9	0.9	0.9		0.9	0.9	0.9	0.9	1.0	1.0	0.9
31	0.9		0.9	0.9		0.9		0.9		1.0	1.0	
MEAN	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0	1.0	1.0
MAX	3.1	0.9	0.9	0.9	0.9	1.1	0.9	1.0	0.9	1.0	1.0	1.0
MIN	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
WTR YR	2001	MEAN	0.94	MAX	3.09	MIN	0.93					

Computation of Continuous Records of Reservoir Depths

Station Number:6503Name:Guadalupe FRSDrainage Area:1.87 mi²Period of Record:June 29, 1989 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
13	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
16 17	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18	0.3	0.3	0.3 0.3	0.3 0.3	0.3 0.3	0.3 0.3	0.3 0.3	0.3 0.3	0.3 0.3	0.3 0.3	0.3	0.3
10 19	0.3	0.3 0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3 0.3	0.3 0.3
20	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
20	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	2.7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
27	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
28	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
29	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3		0.3	0.3		0.3		0.3		0.3	0.3	
MEAN	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MAX	4.1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WTR YR	2001	MEAN	0.27	MAX	4.07	MIN	0.26					

Computation of Continuous Records of Reservoir Depths

Station Number:6608Name:Freestone BasinDrainage Area:4.26 mi² (area downstream of Eastern Canal only, does not include area from overflows of Eastern Canal)

Period of Record: December 19, 1996 to current year

Depth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean N MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	 0.9	0.6	0.1	0.3	0.1	2.4	0.1	0.2	0.6	1.3	1.8	1.1
2	0.9	0.0	0.1	0.3	0.1	1.2	0.1	0.0	1.8	1.0	2.3	1.3
3	0.9	0.0	0.1	0.3	0.3	0.1	0.1	0.6	1.6	0.7	1.6	1.5
4	1.7	0.0	0.1	0.3	0.6	0.1	0.1	0.7	0.6	0.6	1.6	1.0
5	1.8	0.0	0.1	0.2	0.8	0.2	0.4	0.2	0.1	0.5	1.6	0.0
6	1.5	0.5	0.1	0.2	0.8	0.3	2.9	0.7	0.3	0.5	1.7	0.5
7	1.3	1.0	0.1	0.2	0.8	3.3	3.1	0.4	0.5	0.7	1.4	0.7
8	1.0	0.6	0.1	0.3	0.8	4.7	3.0	0.0	0.6	0.9	2.1	1.3
9	0.8	0.0	0.1	0.8	0.8	3.4	1.4	0.1	0.7	1.0	1.4	1.6
10	1.5	0.0	0.1	0.8	1.0	0.8	0.3	0.1	0.7	1.0	0.1	0.6
11	2.0	0.3	0.2	2.0	1.0	1.3	0.6	0.1	0.7	0.4	0.5	1.3
12		0.3	0.3	3.2	1.0	1.3	0.5	0.1	0.7	0.1	0.7	0.7
13		0.3	0.3	3.5	1.1	1.2	0.3	0.1	0.2	0.8	0.9	0.4
14		0.3	0.2	3.5	1.2	1.2	0.1	0.1	0.4	1.1	1.2	0.9
15		0.3	0.3	3.3	1.5	1.2	0.1	0.1	0.3	1.5	1.2	1.3
16	1.2	0.2	0.3	4.0	1.5	1.1	0.1	0.1	0.1	0.6	1.3	1.5
17	0.3	0.2	0.3	4.2	1.5	1.2	0.2	0.1	0.3	1.7	1.4	1.6
18	0.0	0.2	0.3	4.0	1.5	1.2	0.2	0.1	0.4	3.5	1.4	1.6
19	0.3	0.2	0.3	2.3	1.5	1.1	0.2	0.1	0.5	1.8	1.4	1.2
20	0.2	0.2	0.3	0.1	1.5	0.6	0.3	0.5	1.3	0.7	1.3	2.0
21	0.3	0.2	0.3	0.1	0.7	0.0	0.7	0.6	0.4	1.7	1.2	1.9
22	1.2	0.2	0.3	0.2	0.0	0.1	1.9	0.1	0.1	1.6	1.0	1.8
23	1.2	0.2	0.3	0.6	0.0	0.1	0.8	0.3	0.9	1.6	1.2	1.7
24	1.2	0.2	0.3	0.7	0.3	0.1	0.0	0.4	0.9	1.5	1.2	1.4
25	1.1	0.2	0.3	0.8	0.5	0.1	0.3	0.2	1.0	2.2	1.4	1.5
26	1.0	0.2	0.3	0.8	1.2	0.2	0.4	0.8	1.0	2.5	1.7	2.3
27	0.4	0.1	0.3	2.5	1.3	0.7	0.2	1.6	1.2	1.0	1.6	0.6
28	1.2	0.1	0.3	3.4	2.0	0.7	0.1	1.9	1.8	0.6	0.4	0.1
29	1.2	0.1	0.3	1.8		0.3	0.1	1.0	1.7	0.9	0.1	0.4
30	1.0	0.1	0.3	0.1		0.1	0.1	0.0	1.6	2.6	0.6	0.8
31	0.9		0.3	0.1		0.2		0.1		1.6	0.9	
MEAN	1.1	0.2	0.2	1.4	0.9	1.0	0.6	0.4	0.8	1.2	1.2	1.2
MAX	2.2	1.0	0.3	4.2	2.3	4.8	3.2	2.1	1.9	3.7	2.8	2.3
MIN	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	2001	MEAN	0.86	MAX	4.75	MIN	0.00				·	

Many days of impoundment due to irrigation tailwater. The gage is located inside a pump housing that, when stage reaches a certain level, pumps water from the gage house and basin. The daily stage values fluctuate substantially. Gage Heights above 10.0 feet are generally caused by storm events.

See also Storage Volume data.

Computation of Continuous Records of Reservoir Depths

Station Number:6623Name:Crossroads ParkDrainage Area:15.7 mi² (area downstream of US 60 only, does not include area from
Eastern Canal tailwater ditch under US 60)

Period of Record: December 18, 1996 to current year

Depth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	МАҮ	JUN	JUL	AUG	SEP
1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
6	1.3	1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
7	1.3	1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
8	1.3	1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
9	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
10	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
11	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
12	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
13	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
14	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
15	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
16		1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
17	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
18	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
19	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
20	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
21	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
22	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
23	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
24	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
25	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
26	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
27	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
28	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
29	1.3	1.3	1.3	1.3		1.3	1.3	1.3	1.3	1.3	1.3	1.3
30	1.3	1.3	1.3	1.3		1.3	1.3	1.3	1.3	1.3	1.3	1.3
31	1.3		1.3	1.3		1.3		1.3		1.3	1.3	
MEAN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
MAX	1.3	1.6	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
WTR YR	2001	MEAN	1.33	MAX	1.56	MIN	1.33					

See also Storage Volume data.

Computation of Continuous Records of Reservoir Depths

Station Number:6628Name:Signal Butte FRSDrainage Area:16.4 mi² not including area from Apache Junction FRSPeriod of Record:November 10, 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	-0.2	 5.3	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
2	-0.2	4.8	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
3	-0.2	4.4	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
4	-0.2	4.0	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
5	-0.2	3.7	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
6	-0.2	3.4	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
7	-0.2	3.3	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
8	-0.2	3.1	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
9	-0.2	2.8	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
10	-0.2	3.1	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
11	-0.2	2.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
12	-0.2	1.8	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
13	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
14	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
15	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
16	-0.2	-0.2	-0.2	0.0	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
17	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
18	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
19	1.3	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
20	3.1	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
21	3.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
22	5.5	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
23	5.1	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
24	4.6	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
25	4.0	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
26	3.5	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
27	4.5	-0.2	-0.2	0.8	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
28	7.7	-0.2	-0.2	1.6	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
29	7.1	-0.2	-0.2	0.4		-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
30	6.5	-0.2	-0.2	-0.2		-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
31	5.9		-0.2	-0.2		-0.2		-0.2		-0.2	-0.2	
MEAN	1.9	1.2	-0.2	-0.1	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
MAX	7.8	5.4	-0.2	1.7	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.3	-0.2
MIN 	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
WTR YR	2001	MEAN	0.06	MAX	7.76	MIN	-0.25					

Computation of Continuous Records of Reservoir Depths

Station Number:6673Name:Apache Jct. FRSDrainage Area:5.8 mi²Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	1.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	1.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	1.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
29	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	
30	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	
31	0.1		0.1	0.1		0.1		0.1		0.1	0.1	
MEAN	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MAX	4.2	0.8	0.1	0.2	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WTR YR	2001	MEAN	0.14	MAX	4.23	MIN	0.13					

Computation of Continuous Records of Reservoir Depths

Station Number:6683Name:Powerline FRSDrainage Area:49.9 mi²Period of Record:December 3, 1992 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2
6	0.2	0.5	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2
7	0.2	1.1	0.2	0.2	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.6	0.2	0.2	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.5	0.2	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
18 19	0.2	0.2 0.2	0.2 0.2	0.2	0.2 0.2	0.2 0.2	0.2	0.2 0.2	0.2 0.2	0.2	0.2	0.2 0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	2.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	1.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
24	1.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.8	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	2.4	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	1.7	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	1.3	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.4	0.2	0.2
31	0.8		0.2	0.2		0.2		0.2		0.2	0.2	
MEAN	0.6	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MAX	2.7	1.3	0.2	0.8	0.2	0.7	0.2	0.2	0.2	0.4	0.6	0.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR YR	2001	MEAN	0.24	MAX	2.67	MIN	0.20					

Computation of Continuous Records of Reservoir Depths

Station Number:6688Name:Vineyard FRSDrainage Area:57.8 mi²Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.0	 1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	1.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
7	0.0	3.5	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
8	0.0	3.3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.6	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0
16	0.0	0.4	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0
17	0.0	0.2	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0
18	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
23	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
24	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	1.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
26	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	3.1	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	2.6	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.3	0.0	0.0
31	2.2		0.0	0.0		0.0		0.0		0.1	0.0	
MEAN	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	3.4	3.5	0.0	0.2	0.1	0.2	0.1	0.0	0.0	0.4	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	2001	MEAN	0.12	MAX	3.53	MIN	0.00					

Computation of Continuous Records of Reservoir Depths

Station Number:	6703	Name:	Rittenhouse FRS
Drainage Area:	51.3 mi ²		
Period of Record:	September 27,	1988 to cu	irrent year
Depth, in feet, Wate	er Year 2001	October 20	000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	2.4	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
7	0.1	6.6	0.1	0.1	0.1	1.3	0.1	0.1	0.1	0.1	0.1	0.1
8	0.1	3.3	0.1	0.1	0.1	0.6	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.5	0.1	1.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1
10	0.4	0.3	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	1.2	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	6.7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	4.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	2.1	0.1	0.1	1.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	6.4	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	3.5	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
30 31	0.6 2.1	0.1	0.1 0.1	0.1 0.1		0.1 0.1	0.1	0.1 0.1	0.1	0.1 0.1	0.1 0.1	0.1
 MEAN	1.0	 0.6	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.1
MAX	7.4	7.8	0.1	2.6	0.1	2.9	0.3	0.1	0.1	0.1	2.7	0.1
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WTR YR	2001	MEAN	0.26	 МАХ	7.76	MIN	0.13					

Computation of Continuous Records of Streamflow

Station Number:6739Name:Whitlow Ranch DamDrainage Area:143 mi²Period of Record:FCDMC – January 8, 1998 to current year*Depth, in feet, Water Year 2001 --- October 2000 to September 2001

					Daily	Mean V	/alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
2	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	3.3
3	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
4	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
5	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
6	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
7	3.4	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
8	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
9	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
10	3.3	3.3			3.3	3.6	3.3	3.3	3.3	3.3		3.3
11		3.3		3.3	3.3	3.8	3.3	3.3	3.3	3.3		3.3
12	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3		3.3
13	3.3	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3		3.3
14	3.3	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.7	3.5
15	3.3	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.5	3.3
16	3.3	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
17	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
18	3.4		3.3	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3
19	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
20	3.4		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
21	3.3			3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
22	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
23	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
24	3.4		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
25	3.3		3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3
26	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
27	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	3.3	3.3
28	3.4		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
29	3.3		3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3
30	3.3		3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3
31	3.3		3.3	3.3		3.3		3.3		3.3	3.3	
MEAN	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
MAX	3.4	3.3	3.3	3.3	3.3	5.3	3.3	3.3	3.3	3.3	3.8	4.6
MIN	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
WTR YR	2001	 MEAN	3.31	MAX	5.26	MIN	3.30					

NOTE: Gage becomes disconnected from the USACOE gaging equipment on occasion. There may have been several impoundments behind the dam during the water year that may not have been recorded by FCDMC gaging equipment. For more information, refer to the *U.S. Army Corps of Engineers, Los Angeles District*.

Computation of Continuous Records of Reservoir Depths

Station Number:6813Name:Buckeye FRS #3Drainage Area:9.3 mi²Period of Record:November 23, 1992 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	ост	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
2	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
3	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
4	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
5	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
6	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.0	-4.1	-4.1
7	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
8	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
9	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
10	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
11	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
12	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
13	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
14	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
15	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
16	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
17	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
18	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1		-4.1	-4.1	-4.1	-4.1
19	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
20	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
21	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
22	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
23	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
24	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
25	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
26	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
27	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1		-4.1	-4.1	-4.1	-4.1
28	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1		-4.1	-4.1	-4.1	-4.1
29	-4.1	-4.1	-4.1	-4.1		-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
30	-4.1	-4.1	-4.1	-4.1		-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
31	-4.1		-4.1	-4.1		-4.1		-4.1		-4.1	-4.1	
MEAN	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
MAX	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-3.1	-4.1	-4.1
MIN	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
WTR YR	2001	MEAN	-4.08	MAX	-3.11	MIN	-4.08					

Note: Instrument is 4.08 feet below zero gage datum at invert of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

Computation of Continuous Records of Reservoir Depths

Station Number:6823Name:White Tanks #4 FRSDrainage Area:18.6 mi² (White Tanks ADMS)Period of Record:November 1987 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

No recorded impoundment during Water Year 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	2001 1	MEAN	0.00	MAX	0.00	MIN	0.00					

Computation of Continuous Records of Reservoir Depths

Station Number:7133Name:Casandro DamDrainage Area:1.3 mi²Period of Record:August 15, 1996 to current yearDepth, in feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.6	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.6	0.2	0.2	0.2	0.8	0.2	0.2
8	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.2	0.2	0.5	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2 0.2	0.2 0.2	0.2	0.2	0.2	0.2	0.2	0.2 0.2	0.2 0.2	0.2	0.2	0.2 0.2
17 18	0.2	0.2	0.2	0.2 0.2	0.2	0.2	0.2	0.2	0.2	0.4 0.2	0.2 0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	2.1	0.2	0.2	0.2	0.2	2.4	0.2	0.2	0.2	0.2	0.2	0.2
23	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	3.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	2.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2		0.2	0.2		0.2		0.2		0.2	0.2	
MEAN	0.4	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.2	0.2
MAX	7.2	0.2	0.2	0.2	0.2	4.9	0.2	0.2	0.2	6.1	0.2	0.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR YR	2001	MEAN	0.23	MAX	7.22	MIN	0.19					

STORAGE VOLUME DATA

Computation of Continuous Records of Storage Volumes

Station Number:0772*Name:Tat Momolikot CapDrainage Area:1,780 mi²Period of Record:January 21, 1998 to current yearSpillway Capacity:198,545 acre-feetVolume, in acre-feet, Water Year 2001 --- October 2000 to September 2001

Maximum Storage

Maximum Storage during Water Year 2001

		Maxim	um Sto	rage								
Day	()	ac-ft)	(%full)	-							
11/09		825		0.7								
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	477	 776	 502	298	311	56	 391				 513	 394
2	461	772	493	295	307		383				489	379
3	447	743	554	297	302		373				469	371
4	429	719	576	297	298	175	358				497	355
5	421	692	471	297	289	22	355				807	344
6	403	677	461	283	282	17	348				805	332
7	396	699	451	269	274	196	337				773	322
8	385	860	444	264	271	611	332				742	309
9	371	922	434	259	271	774	322				714	296
10	368	904	431	260	271	752	321				697	293
11	356	845	427	255	268	716	312			3	720	283
12	347	812	419	253	266	694	297			291	707	276
13	337	785	410	261	260	665	294			330	688	268
14	327	761	407	272	250	645	284			312	670	255
15	311	735	399	266	246	624	275			300	653	250
16	302	704	393	251	238	609	267			285	633	242
17	297	685	379	99	209	586	263			267	617	230
18	281	683	374	154	232	570	257			253	601	220
19	271	659	368	246	227	550	249			244	586	196
20	267	637	361	244	223	535	237			235	568	138
21	259	637	359	232	225	524	230			232	553	46
22	255	608	355	225	225	444	231			223	538	52
23	335	589	348	224	215	497	222			212	525	50
24	454	577	343	219	209	488	216			205	508	63
25	481	565	338	218	202	475	209			212	492	69
26	483	557	338	217	188	458	200			246	479	43
27	486	540	187	241	140	450	176			240	464	43
28	612	534	316	297	138	441	71			227	452	52
29	757	534	313	320		429				219	442	43
30	738	517	310	323		415				213	424	69
31	722		307	320		402				440	413	
MEAN	414	691	396	257	244	446	260	0	0	167	588	210
MAX	766	925	591	699	307	781	390	0	0	529	817	395
MIN	246	503 	0	0	69	0	0	0	0	0	395	0
WTR YR	2001	MEAN	307	MAX	925	MIN	0					

*Gage ID was 0769 prior to January 24, 2000.

**FCD Operated gage since January 1998. However, previous gage did not work properly. A pressure transducer gage was installed January 24, 2000 and all previous data were deleted. Previously, the US Army Corps of Engineers, Los Angeles District maintained a gage at this location.

Computation of Continuous Records of Storage Volumes

Station Number:4562Name:Spookhill FRS CapDrainage Area:13.6 mi²Period of Record:November 1987 to current yearSpillway Capacity:1,391 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 1												
2												
3												
4 5												
6												
7												
8												
9												
10	12											
11	3											
12												
13												
14												
15												
16 17												
18												
19												
20												
21												
22	8											
23	1											
24												
25												
26												
27	18											
28	31											
29 30	1											
31												
MEAN	2	0	0	0	0	0	0	0	0	0	0	0
MAX	60	0	0	0	0	0	0	0	0	0	0	0
MIN 	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	0	MAX	60	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:4647Name:E.Fork CC #1 CapDrainage Area:1.18 mi²Period of Record:March 2, 1994 to current yearSpillway Capacity:59 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

						Mean V						
DAY 	OCT	NOV	DEC	JAN	FEB		APR		JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6						1						
7												
8												
9												
10 11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28 29	3											
29 30	3											
31												
 MEAN	0							0	0	0	0	0
MAX	18	0	0	0	0	17	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
 WTR YR	2001 N	 MEAN	0	 МАХ	 18	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:4652Name:Tatum Basin CapDrainage Area:2.17 mi²Period of Record:May 8, 1998 to current yearSpillway Capacity:32.7 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

No recorded impoundment during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 4657 Name: E.Fork CC #4 Cap Drainage Area: 0.68 mi² Period of Record: January 18, 1994 Spillway Capacity: 74 acre-feet Volume, in acre feet, Water Year 2001 --- October 2000 to September 2001 Daily Mean Values DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP 1

MIN 												
MEAN MAX	0 3 0	0 0 0	0 1 0	0 1 0	0 22 0	0 23 0	0 1 0	0 0 0	0 0 0	0 0 0	0 1 0	0 0 0
31												
30												
29												
28												
26 27												
25 26												
24												
23												
22												
21												
20					,							
19					7							
17 18						9						
16						0						
15												
14												
13												
12												
11												
10												
8 9												
7												
6												
-												
5												
4												

Computation of Continuous Records of Storage Volumes

Station Number:4682Name:E.Fork CC #3 CapDrainage Area:3.52 mi² (1.86 mi² controlled by EFCC#1 and EFCC#4)Period of Record:September 13, 1994 to current yearSpillway Capacity:175 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

No significant mpound during Water Year 2001

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:4802Name:Dreamy Draw Dam CapDrainage Area:1.3 mi²Period of Record:November 1987 to current yearRevised Records:WY1996: WY1995Volume, in acre feet, Water Year 2001 --- October 2000 to September 2001

No significant impound during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0		0		0			0	0	0
MAX MIN	0	0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0
WTR YR	2001 1	 MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:4817Name:10 St.Wash #1 CapDrainage Area:1.21 mi²Period of Record:November 26, 1996 to current yearSpillway Capacity:21.64 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

No significant impound during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN MAX	0	0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	MEAN	0	MAX	1	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:4902Name:Cave Buttes Dam CapDrainage Area:191 mi²Period of Record:November 1987 to current yearSpillway Capacity:46,100 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 1												
2		1										
3												
4												
5												
6												
7						1						
8												
9												
10 11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22	302											
23 24	347 66											
24 25	66 47											
26	47 1										1	
27	35			7							Ŧ	
28	41			15								
29	6			-								
30	6											
31	26											
MEAN	28	0	0	1	0	0	0	0	0	0	0	0
MAX	545	7	0	71	0	6	0	0	0	0	6	0
MIN 	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	2	MAX	545	MIN	0					

See also Surface Water Streamflow (4903) and Pool Level (4899) data.

Computation of Continuous Records of Storage Volumes

Station Number:5112Name:Saddleback FRS CapDrainage Area:29.6 mi²Period of Record:December 16, 1988 to current yearSpillway Capacity:6,743 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

						Mean V						
DAY	ОСТ	NOV	DEC	JAN				MAY				SEE
1												
2												
3												
4 5												
6												
7												
8												
9												
10												
11												
12												
13 14												
15												
16												
17												
18												
19												
20												
21 22	3											
23	3											
24												
25												
26												
27	14											
28	31											
29												
30 31												
JI 												
MEAN	2	0		0		0	0	0		0	0	0
MAX	65	0	0	0	0	0	0	0			0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
 WTD VD	2001 1	MEAN	0	 MAX		MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5127Name:Harquahala FRS CapDrainage Area:102.3 mi²Period of Record:March 1, 1994 to current yearSpillway Capacity:8,689 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

Day 10/28	<u>(</u>	Maxim u ac-ft) 492	um Stoı (۹			e durin	g Water `	Year 200	01			
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	90 29 21 15 11	8 6 4 3 2 1 1 1 1			 							
MEAN MAX MIN	5 492 0	1 8 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
WTR YR	2001	MEAN	1	MAX	492	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5202Name:Buckeye FRS #1 CapDrainage Area:74 mi² without area from Buckeye FRS #2 and #3Period of Record:November 1987 to current yearSpillway Capacity:8,105 acre-feetVolume, in acre-feet, Water Year October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR		MAY	JUN	JUL	AUG	SEP
1 2												
3												
4												
5												
6												
7												
3												
9 10												
11												
12												
13	1											
14												
15											2	
16											1	
17												
18												
19	1											
20 21	1											
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0		0			0	0
MAX	-		0	0				0				0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	 0	MAX	 148	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5207Name:Buckeye FRS #2 CapDrainage Area:5.7 mi² without area from Buckeye FRS #3Period of Record:November 11, 1992 to current yearSpillway Capacity:824 acre-feetVolume, in acre-feet, Water Year October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	36	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	0	MAX	36	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5232Name:Sunset FRS CapDrainage Area:0.95 mi² (from Wickenburg ADMS)Period of Record:February 12, 1989 to current yearSpillway Capacity:86 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

						Mean V						
DAY 	ОСТ	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEI
1												
2												
3												
4												
5												
6										2		
7						3				2		
8						4				1		
9						3				1		
10						2						
11 12						2						
13						1 1						
14						1						
15						1						
16						1						
17						1						
18						1						
19												
20												
21	1											
22	10											
23	9											
24	8											
25	7											
26	5											
27	6											
28	5											
29	1											
30												
31												
MEAN	2	0	0	0	0	1	0	0	0	0	0	0
MAX	14	0	0	0		4	0	0	0	3	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
	 2001 M		 0			MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5247Name:Sunnycove FRS CapDrainage Area:0.98 mi² (from Wickenburg ADMS)Period of Record:November 1987 to current yearSpillway Capacity:216 acre-feetRevised Records:WY2000:WY1999Volume, in acre feet, Water Year 2001 --- October 2000 to September 2001

						Mean V						~~~
DAY 	OCT	NOV	DEC	JAN	FEB	MAR	APR		JUN	JUL	AUG	SEP
1		1										
2		1										
3		1										
4		1										
5		1								4		
6		1 1								4		
7		1 1				1				5		
8 9		1				1 1				4 3		
9 10		1				1				3		
11		1				1						
12		T				1						
13						1						
14						1						
15						1						
16						1						
17												
18						1						
19												
20												
21												
22	3											
23	3											
24	3											
25	3											
26	2											
27	9											
28 29	9											
30	4 2											
30 31	2											
JI 												
MEAN	1	0	0	0	0	0	0	0	0	1	0	0
MAX	22	1	0	0	0	1	0	0	0	8	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0

Computation of Continuous Records of Storage Volumes

Station Number:5417Name:White Tanks #3 CapDrainage Area:20.5 mi² (White Tanks ADMS)Period of Record:November 1987 to current yearSpillway Capacity:3,134 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

No recorded impound during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5447Name:McMicken Dam CapDrainage Area:247 mi²Period of Record:November 1987 to current yearSpillway Capacity:20,070 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6 7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18 19												
20												
21												
22												
23												
24												
25												
26												
27	35											
28	144											
29	2											
30												
31												
MEAN	6	0	0	0	0	0	0	0	0	0	0	0
MAX	188	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 B	MEAN	0	MAX	188	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5537Name:Adobe Dam CapDrainage Area:89.6 mi²Period of Record:November 1987 to current yearSpillway Capacity:18,776 acre-feetVolume, in acre-feet, Water Year October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1		24										
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15 16												
16 17												
18												
19												
20												
21												
22	104											
23	33											
24	25											
25												
26												
27	6			17								
28	33			23								
29												
30	2											
31	40											
MEAN	8	1	0	1	0	0	0	0	0	0	0	0
MAX	224	26	0	27	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	1	MAX	224	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5612Name:New River Dam CapDrainage Area:164 mi²Period of Record:November 1987 to current yearSpillway Capacity:43,700 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR		MAY	JUN	JUL	AUG	SEP
 1		 166										
2		44										
3												
4												
5 6												
7												
8												
9												
10												
11												
12												
13 14												
14 15												
16												
17												
18												
19												
20												
21 22												
23	195											
24	298											
25	298											
26	298											
27	298											
28	298											
29 30	298 120											
30 31	120 249											
JT												
MEAN	76	7	0	0	0	0	0	0	0	0	0	0
MAX	306	237	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	MEAN	7	MAX	306	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5967Name:StoneRidge Dam CapDrainage Area:0.86 mi²Period of Record:December 11, 1996 to current yearSpillway Capacity:66.2 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	1	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 N	IEAN	0	MAX	1	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5972Name:SunRidge Canyon CapDrainage Area:1.6 mi²Period of Record:February 4, 1997 to current yearSpillway Capacity:94 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5977 Name: GoldenEaglePark Cap 7.13 mi² of which 2.02 mi², 2.13 mi², and 1.6 mi² are controlled by Drainage Area: Aspen, North Heights, and SunRidge Canyon Dams, respectively. **Period of Record:** December 12, 1996 to current year Spillway Capacity: 95 acre-feet Volume, in acre feet, Water Year 2001 --- October 2000 to September 2001 OCT DEC SEP DAY NOV JAN FEB MAR APR MAY JUN JUL AUG MEAN 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 3 2 1 0 1 0 0 0 MAX 1 0 0 0 0 0 0 0 MIN 0 0 0 0 0 ____ WTR YR 2001 MEAN 0 MAX 3 MIN 0

NOTE: Dam was breached for construction in May 2000. A new outlet structure is being constructed and the dam height is being increased. Gage was moved to the north inlet channel and behind the temporary construction berm and thus the height of the instrument has increased. From October 1, 2000 to March 4, 2001, gage heights represent that from the north inlet channel. From March 5, 2001 to September 30, 2001, gage heights represent impound behind the dam.

Computation of Continuous Records of Storage Volumes

Station Number:5982Name:N. Heights Dam CapDrainage Area:2.13 mi²Period of Record:October 11, 1996Spillway Capacity:138 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

No recorded impoundments during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0		0		0			0	0	0
MAX MIN	0	0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0
WTR YR	2001 1	 MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5987Name:Aspen Dam CapDrainage Area:2.02 mi²Period of Record:January 2, 1997 to current yearSpillway Capacity:183 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	1EAN	0	MAX	1	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:5992Name:Hesperus Dam CapDrainage Area:2.91 mi²Period of Record:December 18, 1996 to current yearSpillway Capacity:276 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

No recorded impoundments during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0		0		0			0	0	0
MAX MIN	0	0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0
WTR YR	2001 1	 MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:6502Name:Guadalupe FRS CapDrainage Area:1.87 mi²Period of Record:June 29, 1989 to current yearSpillway Capacity:329 acre-feetVolume, in acre-feet, Water Year October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 1												
2												
3												
4												
5												
6												
7												
8												
9												
10 11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21	1											
22	5											
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	10	0	0	0	0	0	0	0	0		0	0
MIN 	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	0	MAX	10	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:6608Name:Freestone BasinDrainage Area:4.26 mi² (area downstream of Eastern Canal only, does not include
area from overflows of Eastern Canal)

Period of Record: December 19, 1995 to current year

Spillway Capacity: 218 acre-feet

Volume, in acre-feet, Water Year October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1	1	1				3			1	 1	2	1
2	1					1			2	1	3	1
3	1							1	2	1	2	1
4	2				1			1	1	1	2	1
5	2				1						1	
6	1				1		4	1			2	
7	1	1			1	7	5		1	1	1	1
8	1	1			1	11	5		1	1	2	1
9	1			1	1	7	2		1	1	2	2
10	2			1	1	1			1	1		1
11	2			3	1	1	1		1			1
12				5	1	1	1		1		1	1
13				7	1	1				1	1	
14				6	1	1				1	1	1
15				6	1	1				1	1	1
16	1			8	1	1				1	1	1
17				9	1	1				2	1	1
18				8	1	1				7	1	1
19				4	1	1			1	3	1	1
20					1	1			1	1	1	2
21					1		1	1		2	1	2
22	1						2			1	1	2
23	1			1			1		1	2	1	2
24	1			1					1	2	1	1
25	1			1					1	3	1	2
26	1			1	1			1	1	3	2	3
27				4	1	1		2	1	1	1	1
28	1			6	2	1		2	2	1		
29	1			3				1	2	1		
30	1			-				—	1	4	1	1
31	1									2	1	
MEAN	1	0	0	2	1	1	1	0	1	1	 1	1
MAX	3	1	0	9	3	12	5	2	2	7	4	3
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	 1	MAX	 12	MIN	0					

See also Pool Level data.

Many days of storage from irrigation tailwater. The gage is located inside a pump housing that, when stage reaches a certain level, pumps water from the gage house and basin. The daily stage values fluctuate substantially. Gage Heights above 10.0 feet are generally caused by storm events.

Computation of Continuous Records of Storage Volumes

Station Number:6623Name:Crossroads ParkDrainage Area:15.7 mi² (area downstream of US 60 only, does not include area from
Eastern Canal tailwater ditch under US 60.)

Period of Record: December 18, 1995 to current year

Spillway Capacity: 456 acre-feet

Volume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV		JAN	FEB	Mean N MAR	/alues APR	MAY	JUN		AUG	SEP
1 2												
3 4												
5												
6		2										
7 8		11 10										
9		1										
10 11												
12												
13 14												
14												
16												
17 18												
19												
20 21												
22												
23 24												
25												
26 27												
28												
29												
30 31												
MEAN	0	1	0	0	0	0	0	0	0	0	0	0
MAX MIN	0 0	12 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
WTR YR 2	2001 1	MEAN	0	MAX	12	MIN	0					

See also Pool Level data.

Computation of Continuous Records of Storage Volumes

Station Number:6627Name:Signal Butte FRS CapDrainage Area:16.4 mi² not including area from Apache Junction FRSPeriod of Record:November 10, 1987 to current yearSpillway Capacity:1,665 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR		MAY	JUN	JUL	AUG	SEP
 1		 35										
2		28										
3		20										
4		18										
5		14										
6		14										
7		10										
8		9										
o 9		9										
10		10										
11		3										
12		2										
13												
14												
15												
16												
17												
18												
19	4											
20	9											
21	11											
22	38											
23	32											
24	24											
25	17											
26	12											
27	29											
28	83			1								
29	69											
30	56											
31	45											
MEAN	14	6	0	0	0	0	0			0	0	0
		35	0	1			0					0
MIN			0				0			0		0
WTR YR	2001 1	MEAN	 2	MAX	 85	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:6672Name:Apache Jct. FRS CapDrainage Area:5.8 mi²Period of Record:November 1987 to current yearSpillway Capacity:676 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21	1											
22	1											
23												
24												
25												
26												
27	3											
28	1											
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	10	0	0	0	0	0	0	0	0		0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	 MEAN	0	MAX	 10	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:6682Name:Powerline FRS CapDrainage Area:49.9 mi²Period of Record:December 3, 1992 to current yearSpillway Capacity:4,064 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	МАУ	JUN	JUL	AUG	SEP
1		4										
2												
3												
4												
5 6		7										
7		20				3						
8		20				4						
9		7		5								
10	1	4										
11												
12				1								
13 14												
15												
16				3								
17				2							2	
18												
19												
20 21	1 /											
22	14 84											
23	44											
24	24											
25	7											
26												
27	25			3								
28	91			4								
29 30	44 24									5		
31	12									5		
MEAN	12	2		1	0	0	0	0	0	0	0	0
MAX	111	24	0	11	0	8	0	0	0	5	7	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	1	MAX	111	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:6687Name:Vineyard FRS CapDrainage Area:57.8 mi²Period of Record:November 1987 to current yearSpillway Capacity:3,531 acre-feetVolume, in acre-feet, Water Year October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1		145										
2		91										
3 4		49 35										
5		26										
6		134					4					
7		471				3	5					
8		417				5						
9		307				5						
10	3	203			3	5						
11	1	133										
12		77										
13		47										
14		34										
15 16		26 18										
16 17		18										
18		5										
19		2										
20		_										
21	5											
22	41											
23	102											
24	132			2								
25	79			5		3						
26	46			4								
27	116			3								
28 29	422 380			5 5						1		
29 30	380 274			5 5						1 11		
31	200			5						6		
J ±												
MEAN	58	74	0	1	0	1	0	0	0	1	0	0
MAX	455	487	0	6		6	6	0	0	19	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	MEAN	11	MAX	487	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:	6702	Name:	Rittenhouse FRS Cap
Drainage Area:	51.3 n	ni ²	
Period of Record:	Septe	mber 27, 198	88 to current year
Spillway Capacity:	3,475	acre-feet	
Volume, in acre-feet,	Water Year	October 200	0 to September 2001

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5 6		38										
7		103				1						
8		12				1						
9				1								
10												
11												
12												
13												
14												
15												
16 17											1	
18											T	
19												
20												
21	4											
22	106											
23	28											
24												
25												
26	20			1								
27 28	26 90			1								
29	90 14											
30	11											
31	1											
MEAN	9	5	0	0	0	0	0	0	0	0	0	0
MAX	145	171	0	2	0	2	0	0	0	0	2	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001	MEAN	1	MAX	171	MIN	0					

Computation of Continuous Records of Storage Volumes Station Number: 6742 Name: Whitlow Dam Capacity Drainage Area: 143 mi² Period of Record: August 2000 to current year Spillway Capacity: Volume, in acre-feet, Water Year October 2000 to September 2001

DAY						MAR					AUG	
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0		0	0	1	0	0			0	1
			0			0	0	0		0	0	0
WTR YR												

NOTE: Tie-in to Corps of Engineers gaging equipment was set up in August 2000. FCD gage was in operation since January 8, 1998. All FCD data prior to August 2000 has been deleted because it is believed that the gage did not operate correctly during that period. <u>See U.S. Army Corps of Engineers, Los Angeles District for official information at this gage site</u>.

Computation of Continuous Records of Storage Volumes

Station Number:6812Name:Buckeye FRS #3 CapDrainage Area:9.3 mi²Period of Record:November 23, 1992 to current yearSpillway Capacity:1,286 acre-feetVolume, in acre-feet, Water Year October 2000 to September 2001

No recorded impoundments during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:6822Name:White Tanks #4 CapDrainage Area:18.6 mi² (from White Tanks ADMS)Period of Record:November 1987 to current yearSpillway Capacity:1,243 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

No recorded impoundments during Water Year 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 1	MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number:7132Name:Casandro Dam CapDrainage Area:1.3 mi²Period of Record:August 15, 1996 to current yearSpillway Capacity:143 acre-feetVolume, in acre feet, Water Year 2001 --- October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
 1												
2												
3												
4												
5												
6										8		
7						1				2		
8										1		
9												
10												
11												
12												
13												
14												
15												
16										1.0		
17										10		
18 19												
20												
20	2											
22	6											
23	1											
24	1											
25												
26												
27	12											
28	6											
29												
30												
31												
MEAN	1	0	 0	0	0	0	0	0	0		0	 0
MAX	28	0	0	0	0	2	0	0	0		0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2001 N	MEAN	 0	MAX	 28	MIN	0					

This page intentionally blank.

Comments about this report or errors discovered may be forwarded to the Flood Warning and Data Collection Branch using this Comment/Errata sheet. Simply fold this sheet over in half so that the address labels are on the outside, tape closed, add a stamp and place in the mail.

Comments:_____

Errors (please include page numbers, gage names or IDs, and dates whenever possible):_____

Flood Control District of Maricopa County Flood Warning and Data Collection Branch 2801 W. Durango Street Phoenix, Arizona 85009

Place Stamp Here

Flood Control District of Maricopa County Flood Warning and Data Collection Branch 2801 W. Durango Street Phoenix, Arizona 85009