

Sunset FRS, #5233



ANNUAL HYDROLOGIC DATA REPORT

VOLUME II SURFACE WATER DATA

WATER YEAR 2002

PREFACE

This publication presents the surface water data collected by the Flood Control District of Maricopa County's automated water-level gage network. This telemetered network is located primarily throughout Maricopa County, Arizona with additional gages in Yavapai, Pinal, and La Paz Counties.

The surface water data contained in this report were collected, compiled and edited by the Flood Warning Branch of the Engineering Division. Data include mean daily, total, maximum, and minimum discharges at the flow sites; mean daily, maximum, and minimum pool levels at the storage locations; and mean daily, maximum, and minimum volumes stored at the storage locations. Also included are maximum discharges, pool levels, and storage volumes for flood events of interest at each site. In addition, a few hydrographs from significant floods are also presented. Furthermore, flood flow frequency tables are included at sites where information is available either from statistical analysis of gage records or from rainfall/runoff models. These estimates of flood flow frequency do not necessarily correspond to regulatory discharges for the channel reaches near the gage sites. Always refer to official regulatory documents for such discharge information.

The information contained herein is as accurate and complete as possible within the limitations of real-time data collection technology currently available. Wherever possible, footnotes have been included to identify questionable data. Reliance upon the accuracy, reliability, and authority of this information is solely the responsibility of the user.

Revisions to any of these data for any reason will be published in the following years' reports immediately following the data for the current year for the site where the revisions have been made.

Additional copies of this report may be purchased from:

Flood Control District of Maricopa County 2801 W. Durango Street Phoenix, Arizona 85009 (602) 506-1501

or downloaded from the World Wide Web at http://www.fcd.maricopa.gov/Services/ALERT/default.asp.

TABLE OF CONTENTS

Preface	ii
Contents	iii
Introduction	iv
Definition of Terms	viii
Surface Water Gage Location Map	xii
List of New Gage Locations in Water Year 2002	xiii
List of Stations Sorted By Sensor ID#	xv
List of Stations Sorted By Name	xviii
Summary of Significant Streamflow Events	xxi
Surface Water Streamflow and Storage Facility Discharge Data	Tab 1
Pool Levels at Storage Facilities (Reservoir Depths)	Tab 2
Storage Volumes at Storage Facilities	Tab 3
Comment/Errata Sheet	Appendix

INTRODUCTION

The Flood Control District of Maricopa County in cooperation with federal, state, and local agencies collects a large amount of data pertaining to surface water runoff in and around Maricopa County. These data provide a valuable resource for information not otherwise furnished by the traditional sources of this type of material. To make these data readily available to interested parties outside the Flood Control District, the data are published annually in this report entitled "Annual Hydrologic Data Report, Volume II -- Surface Water Data."

This report includes records on discharge at stream gages and at flood control storage structures, on depths at flood control storage structures, and on contents at flood control storage structures. Specifically it contains: (1) Streamflow records at 87 stream gages and 40 flood control storage structures; (2) Pool levels of stored water at 43 flood control storage structures; and (3) Storage volumes at 43 flood control storage structures where stage-storage relationships are available. Records included are only averages of data collected at each site during this water year.

Several streamflow gages are operated cooperatively between the FCDMC and the United States Geological Survey (USGS). Although real-time data for these sites are collected by the FCDMC ALERT System for the purposes of flood event monitoring, quality control for the data at these gages lies with the USGS. The official records for these sites are published in the USGS Surface Water Data Reports each water year or for current data go to http://az.water.usgs.gov/. The cooperative gages collected jointly for Water Year 2002 were:

USGS Gage Name	FCDMC ID	<u>USGS ID</u>
Gila River near Maricopa, AZ*	0788	09479350
Salt River at Priest Drive	4523	09512165
Cave Cr. below Cottonwood Cr.	4923	09512280
Skunk Creek near Phoenix, AZ	5568	09513860
Gila River @ Estrella Parkway	6853	09514100
Hassayampa River nr Morristown	5223	09516500
Centennial Wash at SPRR	5103	09517490
d.		

^{*}Gage is a cooperative between ADOT and USGS.

There are three additional continuous cooperative gages which the USGS operates, but are not ALERT equipped.

Gage Site Name	USGS ID Number
Indian Bend Wash at Curry Drive, Tempe	09512162
New River near Rock Springs	09513780
Hassayampa River near Arlington	09517000

In addition to the continuous cooperative stations, the FCDMC also cooperates with the USGS in the collection of peak discharges at a number of crest stage gage sites. The data for these crest stage gage sites are also published by the USGS in their Surface Water Data Reports each water year.

The cooperative crest stage gage sites for Water Year 2002 were:

Gage Site Name	<u>USGS ID</u>
Vekol Wash near Stanfield, AZ Tortilla Creek at Tortilla Flat	09488650 09501300
Camp Creek near Sunflower	09510170
Rock Creek near Sunflower	09510180
Indian Bend Wash at Shea Blvd	09512090
Salt River Trib in South Mountain Park	09512200
Agua Fria R. Trib. No. 2	09512700
Deadman Wash near New River	09513820
Waterman Wash near Buckeye	09514200
Hartman Wash near Wickenburg	09515800
Ox Wash near Morristown	09516600
Jackrabbit Wash near Tonopah	09516800
Centennial Wash Trib. nr Wenden	09517200
Tiger Wash near Aguila	09517280
Winters Wash near Tonopah	09517400
Rainbow Wash Trib. near Buckeye	09519600
Bender Wash near Gila Bend	09519750
Sauceda Wash near Gila Bend	09519760
Military Wash near Sentinel	09520100
Crater Range Wash near Ajo	09520230
Star Wash	09516790

ALERT water-level sensors are located on two Corps of Engineers structures. Tat Momolikot and Whitlow Ranch Dams are monitored by the Corps of Engineers. Again, these data are collected in real-time by the FCDMC for the purpose of flood monitoring. The District will publish data for Tat Momolikot since data are no longer collected by the Corps. Please refer to the Los Angeles District office for official data for Whitlow Ranch Dam at http://www.spl.usace.army.mil/resreg/.

This is the eighth annual surface water report published by the District. Prior to water year 1994, surface water data collected by the FCDMC ALERT System were not quality controlled, and therefore, not published. However, there are data resident in archives prior to water year 1994 that may have value to specific individuals. Data are available back to November 1987 for some streamflow sites.

The data are collected as a depth of flow in feet (or stage). The discharge and/or contents is then obtained by applying the stage to a rating curve of stage versus discharge in cubic feet per second (cfs), or stage versus contents in acre-feet (ac-ft). The discharge rating curves have been developed at stream gages by using field surveyed cross sections in a HEC-2 or HECRAS step backwater computer model to obtain a range of stage versus discharge points to be plotted on a curve. These step backwater ratings are refined whenever possible using direct and/or indirect measurements made at or near the gage site. For flood control storage structures, discharge ratings were obtained in one of two ways. First, the design ratings may be used. In most cases however, the discharge rating curves were developed by application of the Federal Highway Administration's HY-8 computer model for culvert flow and U.S. Geological Survey methods for weir flow over the uncontrolled emergency spillways. The storage rating curves were obtained from published as-built or construction plans or developed from digital elevation data.

Daily mean discharges are computed by applying the daily mean stages (gage heights) to the stage-discharge curves or tables. The same is similarly true for storage facility contents. The minimum and maximum values are based on instantaneous readings and the volumes for discharge stations are based on accumulations of daily means. Those gages in section 2, Pool Levels at Storage Facilities, which show a continuous gage height during obvious periods of no storage, do so because the orifice to the pressure transducer is set at that gage height above or below 0.0 feet gage datum.

All data in this report have been reviewed and edited in an attempt to provide the most accurate data possible. A blank or blanks within the data set is an indication that data was lost either due to hardware, software, or radio problems, or that the gage had not yet been installed. Where possible, these data are flagged with footnotes describing the time the gage was down. In the event that published records require revision, revisions are printed in later reports. Listed in the heading for each gage where records have been revised are all the reports in which revisions have been published for the station and the water years to which the revisions apply (e.g. WY1999: WY1994-95 means that the data for Water Years 1994-1995 were revised in the report for Water Year 1999).

Comments about this report or errors discovered may be forwarded to the Flood Warning Branch using the comment/errata sheet found at the back of this document. Alternately, comments or errors may be sent via Internet e-mail from the FCDMC ALERT System Home Page or directly to deg@mail.maricopa.gov.

An index of gage names, numbers, locations, and other descriptors is included following the Definition of Terms in this report.

Additional or more detailed surface water data in hard copy or computer disk format is available for the gages listed in this report. Furthermore, data is

available on the FCD ALERT internet site at http://www.fcd.maricopa.gov/Services/ALERT/default.asp. For information, contact the Flood Control District, Engineering Division, Flood Warning and Data Collection Branch at (602) 506-1501.

DEFINITION OF TERMS

Terms related to streamflow and other hydrologic data, as used in this report are defined below.

Acre-foot (ac-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

<u>Contents</u> is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool.

<u>Control</u> designates a feature downstream from the gage that determines the stage-discharge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

<u>Control structure</u> as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream.

<u>Cubic foot per second (cfs)</u> is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to approximately 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic meters per second.

<u>Cubic foot per second-day</u> is the volume of water represented by a flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acre-feet, or about 646,000 gallons or 2,445 cubic meters.

<u>Daily mean discharge</u> is the average discharge in cfs for a 24 hour period from midnight to midnight the following day.

<u>Discharge</u> is the volume of water (or more broadly, total fluid plus suspended sediment), that passes a given point within a given period of time.

<u>Drainage area</u> of a stream at a specified location is that area, measured in a horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the stream above the specified point.

<u>Drainage basin</u> is a part of the surface of the Earth that is occupied by a drainage system, which consists of a surface stream or body of impounded surface water, together with all tributary surface streams and bodies of impounded surface water.

<u>El Niño</u> is a condition where sea surface temperatures are warmer in the eastern Pacific Ocean and cooler in the western Pacific Ocean in the lower latitudes. Normal conditions of sea surface temperatures are opposite with warmer waters in the western Pacific and cooler waters in the eastern Pacific. El Niño conditions usually result in higher than normal precipitation in the southwestern United States.

<u>Flood Elevation Frequency</u> refers to the magnitude (in terms of depth or elevation) and probability of floods at a given flood control impoundment structure. The flood elevation frequency is usually given as a depth or elevation of impoundment associated with a given recurrence interval at a particular flood control impoundment structure.

<u>Flood Flow Frequency</u> refers to the magnitude (in terms of peak discharge) and probability of floods at a given gaging station. The flood flow frequency is usually given as a peak discharge associated with a given recurrence interval at a particular gaging station.

<u>Gage datum</u> is the elevation of the zero point of the reference gage from which gage height is determined. This elevation is established by a system of levels from known bench marks or by approximation from topographic maps or arbitrarily established to a known point such as a culvert invert elevation.

<u>Gage height</u> is the water-surface elevation referred to some arbitrary gage datum. Gage height is often used interchangeably with the more general term "stage," although gage height is more appropriate when used with a reading on a gage.

<u>Gaging station</u> is a particular site on a river, stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

<u>Instantaneous discharge</u> is the discharge at a particular instant of time.

<u>La Niña</u> is when above normal sea surface temperatures exist in the western Pacific Ocean and cooler than normal sea surface temperatures exist in the eastern Pacific Ocean. La Niña conditions usually result in drier than normal conditions in the southwestern United States.

<u>Maximum Level</u> is the highest pool level recorded or observed at a particular gaging station at a flood control impoundment structure for a given event.

<u>Maximum Storage</u> is the greatest volume of water stored behind or within a flood control impoundment structure for a given event. This occurs at the maximum pool level and is obtained from the stage-storage relation for that maximum level for a particular flood control impoundment structure.

Mean discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

National Geodetic Vertical Datum of 1929 (NGVD 1929) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called "Sea Level Datum of 1929" or "mean sea level." Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

North American Vertical Datum of 1988 (NAVD 1988) is a datum based on the mass or density of the Earth instead of the varying values of the heights of the seas. Measurements of the acceleration of gravity are made at observation points in a network. Only one point is defined as the datum point. The vertical reference surface is then defined by the surface on which the gravity values are equal to the datum point value. This is called an equipotential surface.

Peak Discharge is the maximum instantaneous discharge for a given flood event.

<u>Period of Record</u> is the time period for which data exists for a given stream gaging station.

<u>Pressure transducer</u> is an instrument used to measure the depth of water. It is an analog instrument which measures a pressure change over a diaphragm. The depth of water is related to the change in pressure over the diaphragm created by the weight of the water over the instrument.

Recurrence interval is the reciprocal of the probability of a flood occurring in any given year. Thus, the flood having a 1% (1/100, or 1 in 100) chance of occurring in any given year has a recurrence interval of 100 years and is referred to as the 100-year flood. Similarly, the flood having a 50% (1/2 or 1 in 2) chance of occurring in any given year has a recurrence interval of 2 years and is referred to as the 2-year flood.

<u>Staff gage</u> is a device located at the gaging station to provide a visual reference to the depth of water at a gage in terms of gage height above the water level measuring instrument.


<u>Stage-discharge relation</u> is the relation between gage height (stage) and the volume of water, per unit of time, flowing in a channel.

<u>Stage-storage relation</u> is the relation between gage height (stage) and the volume of water stored behind or within a flood control impoundment structure.

<u>Streamflow</u> is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff" as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

<u>Water year</u> dealing with surface-water data is the 12-month period, October 1 through September 30. The water year is designated by the calendar year in which it ends and which includes 9 of the 12 months. Thus, the water year beginning October 1, 2000 and ending September 30, 2001, is called the "2001 Water Year."

FCD STAGE GAGE LOCATIONS – WY 2002



New Installations in Water Year 2002

Eleven new streamgages were installed and one streamgage was reestablished during Water Year 2002. The table below lists the new gages installed during the Water Year.

ID#	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
4828	Phoenix Basin #3	12/18/01	3N-3E-22	33 35 12	112 02 49	1356	1:37; 2:9; 3:9
4848	Phoenix East Park Dam	11/28/01	3N-3E-29	33 34 45	112 04 37	1348	1:39; 2:10; 3:10
4853	Phoenix Basin #7	12/19/01	3N-3E-17	33 36 04	112 04 21	1369	1:40; 2:11, 3:11
4858	Phoenix West Park Dam	11/29/01	3N-3E-20	33 35 23	112 04 55	1312	1:41; 2:12; 3:12
4938	Reata Pass Dam	10/02/01	5N-5E-33	33 44 06	111 50 39	2600	1:47; 2:14; 3:14
4963	Seven Springs Wash	03/12/02	7N-5E-09	33 57 39	111 50 45	3470	1:48
5043	Fourth of July Wash	03/14/02	2S-9W-01	33 16 39	113 07 48	1110	1:51
5078	Cruff Wash	05/14/02	2S-6W-20	33 14 46	112 53 41	968	1:52
5428	Ford Canyon Wash	02/05/02	3N-2W-18	33 35 48	112 29 57	1468	1:80
5443	McMicken Dam South	02/13/02	3N-2W-21	33 35 13	112 28 37	1343	2:22; 3:22
5583	Cline Creek	11/20/01	7N-3E-33	33 54 03	112 03 19	2171	1:91
7028	Sols Trib at US 93	01/30/02	8N-6W-11	34 03 10	112 50 59	2580	1:129



Phoenix Basin #3, #4828



Phoenix Basin #7, #4853



Phoenix East Park Dam, #4848



Phoenix West Park Dam, #4858



Reata Pass Dam, #4938



Fourth of July Wash, #5043



Ford Canyon Wash, #5428



Cline Creek, #5583



Seven Springs Wash, #4963



Cruff Wash, #5078



McMicken Dam South, #5443



Sols Trib at US 93, #7028

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2002 -- Sorted by Sensor ID

ID#	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
0773	Tat Momolikot Dam	1/21/98	9S-4E-30	32 30 46	111 57 06	1540	1:1; 2:1; 3:1
0778	Gila @ Maricopa Rd	4/9/95	3S-3E-13	33 10 19	112 00 20	1120	1:2
	Gila R. @ Olberg	4/12/95	4S-6E-12	33 05 15	111 41 11	1290	1:3
	Santa Cruz @ SR 84	3/16/94	7S-5E-21	32 52 47	111 49 43	1311	1:4
0793	Greene Wash @ SR 84	3/23/94	7S-4E-21	32 52 48	111 56 01	1350	1:5
0798	Santa Rosa @ SR 84	3/16/94	7S-4E-20	32 52 49	111 56 46	1305	1:6
4523	Salt R. @ Priest Dr.	12/7/93	1N-4E-17	33 26 00	111 57 43	1133	1:7
4563	Spookhill FRS	3/13/84	2N-7E-31	33 28 01	111 40 48	1595	1:8; 2:2; 3:2
4573	Price Drain at Loop 202	2/18/01	1N-5E-18	33 26 04	111 53 25	1215	1:9
	Reata Pass Wash	5/15/01	4N-5E-17	33 41 52	111 51 51	2170	1:10
4603	IBW nr McKellips Rd.	5/21/85	1N-4E-11	33 26 58	111 54 58	1187	1:11
4613	IBW @ Indian Bend Rd.	9/28/83	2N-4E-11	33 32 01	111 54 48	1280	1:12
4618	IBW @ Indian School Rd	11/25/97	2N-4E-23	33 29 42	111 54 38	1235	1:13
4623	IBW @ Interceptor	4/21/94	2N-4E-12	33 32 00	111 53 55	1280	1:14
4628	IBW @ McDonald	11/24/97	2N-4E-11	33 31 26	111 54 33	1262	1:15
4638	Tatum Wash Basin Inflow	5/6/98	3N-4E-30	33 34 54	111 59 01	1397	1:16
4643	IBW @ Sweetwater	12/27/90	3N-3E-13	33 36 15	112 00 18	1400	1:17-19
4648	East Fork CC #1	3/2/94	4N-3E-23	33 40 11	112 01 29	1515	1:20; 2:3; 3:3
4653	Tatum Wash Basin	5/8/98	3N-4E-30	33 34 57	111 58 58	1394	1:21; 2:4, 3:4
4658	East Fork CC #4	1/18/94	4N-3E-25	33 38 55	112 00 35	1456	1:22; 2:5; 3:5
4668	EFCC nr 7th Ave.	5/21/97	3N-3E-5	33 37 40	112 04 49	1325	1:23-24
4678	Lake Marguerite	11/25/97	3N-4E-36	33 33 49	111 53 56	1325	1:25
4683	East Fork CC #3	9/13/94	4N-3E-34	33 38 45	112 02 19	1456	1:26; 2:6; 3:6
4688	Berneil Wash	7/30/98	3N-4E-34	33 34 01	111 56 17	1320	1:27
4693	IBW @ Shea	6/9/98	3N-4E-29	33 34 55	111 58 03	1350	1:28-29
4748	Old X-cut @ McDowell	7/27/94	1N-4E-06	33 27 56	111 58 48	1250	1:30
4803	Dreamy Draw Dam	1/24/84	3N-3E-34	33 33 45	112 01 54	1407	1:31; 2:7; 3:7
4808	ACDC @ 36th St.	2/24/94	2N-3E-13	33 30 49	111 59 56	1260	1:32
4813	ACDC @ 14th St.	2/9/94	2N-3E-4	33 32 31	112 02 35	1230	1:33
4818	10th Street Wash Basin #1	11/26/96	3N-3E-28	33 34 47	112 03 14		1:34; 2:8, 3:8
4823	ACDC @ 43rd Ave.	11/14/90	3N-2E-22	33 35 03	112 09 16	1225	1:35-36
4828	Phoenix Basin #3	12/18/01	3N-3E-22	33 35 12	112 02 49	1356	1:37; 2:9; 3:9
4833	Cave Creek @ Cactus	6/27/91	3N-2E-13	33 35 59	112 06 39	1280	1:38
4848	Phoenix East Park Dam	11/28/01	3N-3E-29	33 34 45	112 04 37	1348	1:39; 2:10; 3:10
4853	Phoenix Basin #7	12/19/01	3N-3E-17	33 36 04	112 04 21	1369	1:40; 2:11; 3:11
4858	Phoenix West Park Dam	11/29/01	3N-3E-20	33 35 23	112 04 55	1312	1:41; 2:12; 3:12
	Rawhide Wash	7/26/99	5N-4E-36	33 44 27	111 53 55	2205	
4899	Cave Buttes Pool	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	2:13; 3:13
	Cave Buttes Outlet	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	1:43
	Stagecoach Wash	6/13/01	5N-5E-06	33 48 42	111 53 27	2550	1:44
	Cave Cr. nr Cave Cr.	5/27/94	5N-3E-12	33 47 28	112 00 05	1800	1:45
4923	Cave Cr.@ Spur Cross	6/16/93	6N-4E-04	33 53 05	111 57 17	2280	1:46
	Reata Pass Dam	10/2/01	5N-5E-33	33 44 06	111 50 39	2600	1:47; 2:14; 3:14
	Seven Springs Wash	3/12/02	7N-5E-09	33 57 39	111 50 45	3470	1:48
5013	Columbus Wash	9/22/99	4S-10W-06	33 06 27	113 19 57	685	1:49

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2002 -- Sorted by Sensor ID

ID#	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
5033	Copper Wash	2/22/01	2S-10W-33	33 12 17	113 17 07	1070	1:50
5043	Fourth of July Wash	3/14/02	2S-9W-01	33 16 39	113 07 48	1110	1:51
	Cruff Wash	5/14/02	2S-6W-20	33 14 46	112 53 41	968	1:52
	Centennial @ Wenden	9/16/98	6N-12W-32	33 49 30	113 31 55	1860	1:53
5103	Centennial Railroad	2/9/90	1S-6W-28	33 18 35	112 52 56	850	1:54
5108	Delaney Wash	12/21/99	2N-7W-34	33 28 11	112 58 30	1110	1:55
	Saddleback FRS	12/16/88	2N-10W-34	33 27 55	113 04 21	1177	1:56; 2:15; 3:15
5118	Winters Wash	7/11/00	2N-6W-18	33 30 33	112 54 44	1125	1:57
5128	Harquahala FRS	3/1/94	2N-8W-05	33 32 56	113 05 47	1420	1:58; 2:16; 3:16
	Tiger Wash	9/15/99	5N-10W-26	33 45 30	113 16 43	1960	1:59-60
	Centennial Trib nr Aguila	6/5/01	7N-8W-11	33 58 02	113 04 09	2340	1:61
5203	Buckeye FRS #1	7/26/83	1N-5W-3	33 27 31	112 45 02	1097	1:62; 2:17; 3:17
5208	Buckeye FRS #2	11/11/92	1N-3W-07	33 26 26	112 35 47	1150	1:63; 2:18; 3:18
5218	Jackrabbit Wash	10/31/00	4N-6W-04	33 42 57	112 52 54	2130	1:64-65
5223	Hassy R. nr Morristown	5/7/96	6N-4W-03	33 53 05	112 39 42	1830	1:66
5228	Hassy R. @ US 60	3/14/94	7N-5W-12	33 58 13	112 43 31	2035	1:67
5233	Sunset FRS	2/12/89	7N-5W-11	33 57 50	112 44 33	2100	1:68; 2:19; 3:19
5248	Sunnycove FRS	7/31/86	7N-5W-11	33 57 25	112 44 24	2200	1:69; 2:20; 3:20
5276	Sols Wash at SR 71	9/10/01	9N-7W-14	34 07 07	112 57 45	2740	1:70
5283	Hassy R. @ I-10	11/9/94	1N-5W-03	33 27 27	112 45 43	1035	1:71
5308	Hassy R. @ Box Canyon	11/17/83	8N-4W-7	34 02 41	112 42 32	2245	1:72-73
5353	Hassy R. @ Wagoner Rd.	9/26/91	11N-3W-9	34 18 38	112 34 05	3785	1:74
5403	Agua Fria @ Buckeye	10/12/88	1N-1W-14	33 26 05	112 19 55	940	1:75
5408	Colter @ El Mirage	6/29/94	2N-1W-13	33 30 28	112 19 24	1025	1:76
5413	Dysart Drain @ LAFB	8/22/96	2N-1W-03	33 32 38	112 20 59	1090	1:77
5418	White Tanks 3	3/12/86	2N-2W-9	33 32 01	112 28 14	1190	1:78; 2:21; 3:21
5422	Dysart Chnl @ El Mirage	3/7/97	2N-1W-1	33 32 36	112 19 24	1023	1:79
5428	Ford Canyon Wash	2/5/02	3N-2W-18	33 35 48	112 29 57	1468	1:80
5438	McMicken Floodway	9/3/92	4N-1E-18	33 41 04	112 24 24	1337	1:81
5443	McMicken Dam South	2/13/02	3N-2W-21	33 35 13	112 28 37		2:22; 3:22
	McMicken Dam	3/24/83	4N-2W-24	33 40 38	112 25 23	1361	1:82; 2:23; 3:23
	Upper Trilby Wash	9/26/01	7N-3W-12	33 57 39	112 31 43	3040	
	Agua Fria @ Grand Ave.	4/27/94	3N-1E-18	33 36 26	112 18 16	1125	1:84
	New River @ Glendale	3/21/90	3N-1E-8	33 32 14	112 17 00	1050	1:85-86
	ACDC @ 67th Ave.	6/7/90	3N-1E-12	33 37 26	112 12 10	1220	1:87
	Adobe Dam Pool	10/28/82	4N-2E-21	33 40 37	112 09 12		2:24; 3:24
-	Adobe Dam Outlet	10/28/82	4N-2E-21	33 40 37	112 09 12	1413	1:88
	Scatter Wash	9/18/96	4N-2E-27	33 40 09	112 08 25	1340	1:89
	Skunk Creek @ I-17	10/26/89	5N-2E-35	33 43 47	112 07 21	1475	1:90
	Cline Creek	11/20/01	7N-3E-33	33 54 03	112 03 19	2171	1:91
	Skunk Cr. nr New R.	6/21/95	7N-3E-29	33 55 34	112 04 56	1854	1:92
	New River @ Bell Rd.	4/4/90	3N-1E-3	33 38 18	112 14 27	1200	1:93
	New River Pool	4/15/86	5N-1E-35	33 44 09	112 13 31		2:25; 3:25
	New River Outlet	4/15/86	5N-1E-35	33 44 09	112 13 31	1498	1:94
	Stoneridge Dam	12/11/96	3N-6E-22	33 35 41	111 43 57		1:95; 2:26; 3:26
5973	Sunridge Canyon Dam	2/4/97	3N-6E-16	33 36 23	111 45 01	1932	1:96; 2:27; 3:27

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2002 -- Sorted by Sensor ID

ID#	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
5978	Golden Eagle Park Dam	12/12/96	3N-6E-10	33 37 08	111 44 04	1722	1:97; 2:28: 3:28
5983	North Heights Dam	10/11/96	3N-6E-9	33 37 17	111 44 52	1819	1:98; 2:29; 3:29
5988	Aspen Dam	1/2/97	3N-6E-4	33 37 34	111 44 41	1840	1:99; 2:30; 3:30
5993	Hesperus Dam	12/18/96	3N-6E-4	33 38 11	111 44 44	1894	1:100; 2:31; 3:31
6503	Guadalupe FRS	6/29/89	1S-4E-5	33 22 16	111 58 10	1250	1:101; 2:32; 3:32
6563	South Mountain Fan	6/9/93	1S-2E-26	33 18 56	112 07 59	1420	1:102
6573	EMF @ Broadway	8/10/89	1N-6E-26	33 24 21	111 42 42	1349	1:103
6583	EMF @ Queen Creek Rd.	1/18/89	2S-6E-15	33 15 50	111 43 35	1317	1:104
6598	EMF @ Arizona Ave.	2/10/89	3S-5E-15	33 09 57	111 49 56	1214	1:105
6603	Guadalupe Channel	8/07/98	1S-7E-6	33 21 55	111 40 32	1345	1:106-107
6608	Freestone Park Basin	12/19/95	1S-6E-8	33 21 28	111 46 19	1450	2:33; 3:33
6623	Crossroads Park Basin	12/18/95	1S-6E-21	33 19 39	111 44 40	1270	2:34; 3:34
6628	Signal Butte FRS	11/10/87	1N-7E-12	33 26 25	111 35 25	1650	1:108; 2:35; 3:35
6673	Apache Junction FRS	12/16/81	1N-8E-8	33 26 28	111 33 07	1989	1:109; 2:36; 3:36
6683	Powerline FRS	12/3/92	1S-8E-9	33 21 22	111 32 14	1580	1:110; 2:37; 3:37
6688	Vineyard FRS	11/2/83	1S-8E-9	33 21 10	111 32 06	1582	1:111; 2:38; 3:38
6703	Rittenhouse FRS	9/27/88	2S-8E-2	33 17 22	111 29 49	1580	1:112; 2:39; 3:39
6707	Queen Ck @ Rittenhouse	9/14/93	2S-7E-25	33 13 50	111 35 41	1400	1:113
6723	Queen Creek at CAP	1/14/99	2S-8E-26	33 12 22	111 30 15	1565	1:114
6739	Whitlow Ranch Dam	1/8/98	1S-10E-36	33 17 55	111 16 35	2199	1:115; 2:40; 3:40
6813	Buckeye FRS #3	11/23/92	1N-3W-10	33 26 49	112 33 20	1200	1:116; 2:41; 3:41
6823	White Tanks 4	1/9/86	1N-2W-5	33 27 04	112 29 40	1044	1:117; 2:42; 3:42
6833	Waterman at Rainbow	3/18/99	2S-2W-14	33 15 40	112 26 38	1085	1:118
6848	Gila @ 116th Ave.	12/16/98	1N-1W-36	33 23 24	112 18 28	940	1:119
6853	Gila @ Estrella Pkwy.	12/2/92	1N-1W-31	33 23 19	112 23 33	900	1:120
6863	Bullard Wash	3/30/00	1N-1W-29	33 23 47	112 23 16	920	1:121
6893	Estrella Fan	4/30/93	2S-1W-12	33 16 02	112 18 53	1425	1:122
6923	Sauceda Wash	2/28/90	6S-5W-4	32 52 27	112 44 57	726	1:123
6933	Sand Tank Wash at I-8	5/31/01	6S-4W-06	32 55 59	112 42 20	775	1:124
6953	Rainbow Wash at SR 85	11/06/00	2S-4W-23	33 14 08	112 38 22	900	1:125
6983	Vekol Wash	3/7/90	7S-1E-3	32 50 30	112 14 58	1720	1:126
7013	Martinez Creek	11/23/94	8N-5W-17	34 01 44	112 47 30	2300	1:127-128
7028	Sols Trib near US 93	1/30/02	8N-6W-11	34 03 10	112 50 59	2580	1:129
7043	Sols Wash nr Matthie	8/4/95	8N-5W-32	33 59 14	112 47 33	2220	1:130
7063	Hartman Wash	7/6/94	7N-5W-12	33 57 45	112 49 42	2488	1:131
7083	Flying E Wash	7/12/94	7N-5W-09	33 57 44	112 46 55	2302	1:132
7093	Casandro Wash	7/12/94	7N-5W-10	33 57 44	112 45 55	2240	1:133
7113	Powder House Wash	5/18/95	7N-4W-06	33 58 50	112 42 59	2120	1:134
7133	Casandro Dam	8/15/96	7N-5W-11	33 57 57	112 45 01	2163	1:135; 2:43; 3:43

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2002 – Sorted by Name

ID#	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
	10th Street Wash Basin #1	11/26/96	3N-3E-28	33 34 47	112 03 14		1:34; 2:8; 3:8
	ACDC @ 14th St.	2/9/94	2N-3E-4	33 32 31	112 02 35	1230	1:33
	ACDC @ 36th St.	2/24/94	2N-3E-13	33 30 49	111 59 56	1260	1:32
	ACDC @ 43rd Ave.	11/14/90	3N-2E-22	33 35 03	112 09 16	1225	1:35-36
	ACDC @ 43rd Ave.	6/7/90	3N-1E-12	33 37 26	112 12 10	1220	1:87
	Adobe Dam Outlet		4N-2E-21	33 40 37	112 12 10	1413	1:88
		10/28/82	4N-2E-21 4N-2E-21	33 40 37			
	Adobe Dam Pool	10/28/82			112 09 12	1413	2:24; 3:24
	Agua Fria @ Buckeye	10/12/88	1N-1W-14	33 26 05	112 19 55	940	1:75
	Agua Fria @ Grand Ave.	4/27/94	3N-1E-18	33 36 26	112 18 16	1125	1:84
	Apache Junction FRS	12/16/81	1N-8E-8	33 26 28	111 33 07	1989	1:109; 2:36; 3:36
	Aspen Dam	1/2/97	3N-6E-4	33 37 34	111 44 41		1:99; 2:30; 3:30
	Berneil Wash	7/30/98	3N-4E-34	33 34 01	111 56 17	1320	1:27
	Buckeye FRS #1	7/26/83	1N-5W-3	33 27 31	112 45 02	1097	1:62; 2:17; 3:17
	Buckeye FRS #2	11/11/92	1N-3W-07	33 26 26	112 35 47		1:63; 2:18; 3:18
	Buckeye FRS #3	11/23/92	1N-3W-10	33 26 49	112 33 20	1200	1:116; 2:41; 3:41
	Bullard Wash	3/30/00	1N-1W-29	33 23 47	112 23 16	920	1:121
	Casandro Dam	8/15/96	7N-5W-11	33 57 57	112 45 01	2163	1:135; 2:43; 3:43
7093	Casandro Wash	7/12/94	7N-5W-10	33 57 44	112 45 55	2240	1:133
4903	Cave Buttes Outlet	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	1:43
4899	Cave Buttes Pool	1/25/84	4N-3E-15	33 42 58	112 02 43	1649	2:13; 3:13
4918	Cave Cr. nr Cave Cr.	5/27/94	5N-3E-12	33 47 28	112 00 05	1800	1:45
4923	Cave Cr.@ Spur Cross	6/16/93	6N-4E-04	33 53 05	111 57 17	2280	1:46
4833	Cave Creek @ Cactus	6/27/91	3N-2E-13	33 35 59	112 06 39	1280	1:38
5178	Centennial Trib nr Aguila	6/5/01	7N-8W-11	33 58 02	113 04 09	2340	1:61
5093	Centennial @ Wenden	9/16/98	6N-12W-32	33 49 30	113 31 55	1860	1:53
5103	Centennial Railroad	2/9/90	1S-6W-28	33 18 35	112 52 56	850	1:54
5583	Cline Creek	11/20/01	7N-3E-33	33 54 03	112 03 19	2171	1:91
5408	Colter @ El Mirage	6/29/94	2N-1W-13	33 30 28	112 19 24	1025	1:75
5013	Columbus Wash	9/22/99	4S-10W-06	33 06 27	113 19 57	685	1:49
5033	Copper Wash	2/22/01	2S-10W-33	33 12 17	113 17 07	1070	1:50
6623	Crossroads Park Basin	12/18/95	1S-6E-21	33 19 39	111 44 40	1270	2:34; 3:34
5078	Cruff Wash	5/14/02	2S-6W-20	33 14 46	112 53 41	968	1:52
5108	Delaney Wash	12/21/99	2N-7W-34	33 28 11	112 58 30	1110	1:55
	Dreamy Draw Dam	1/24/84	3N-3E-34	33 33 45	112 01 54	1407	1:31; 2:7; 3:7
	Dysart Chnl @ El Mirage	3/7/97	2N-1W-1	33 32 36	112 19 24	1023	1:79
	Dysart Drain @ LAFB	8/22/96	2N-1W-03	33 32 38	112 20 59	1090	1:77
	East Fork CC #1	3/2/94	4N-3E-23	33 40 11	112 01 29		1:20; 2:3; 3:3
	East Fork CC #3	9/13/94	4N-3E-34	33 38 45	112 02 19	1456	1:26; 2:6; 3:6
	East Fork CC #4	1/18/94	4N-3E-25	33 38 55	112 00 35	1456	1:22; 2:5; 3:5
	EFCC nr 7th Ave.	5/21/97	3N-3E-5	33 37 40	112 04 49	1325	1:23-24
	EMF @ Arizona Ave.	2/10/89	3S-5E-15	33 09 57	111 49 56	1214	1:105
	EMF @ Broadway	8/10/89	1N-6E-26	33 24 21	111 42 42	1349	1:103
	EMF @ Queen Creek Rd.	1/18/89	2S-6E-15	33 15 50	111 42 42	1317	1:104
	Estrella Fan	4/30/93	2S-0E-13	33 16 02	112 18 53	1425	1:122
1003	Flying E Wash	7/12/94	7N-5W-09	33 57 44	112 46 55	2302	1:132

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2002 – Sorted by Name

ID#	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
	Fourth of July Wash	3/14/02	2S-9W-01	33 16 39	113 07 48	1110	1:51
	Ford Canyon Wash	3/12/02	3N-2W-18	33 35 48	112 29 57	1468	1:80
	Freestone Park Basin	12/19/95	1S-6E-8	33 21 28	111 46 19	1450	2:33; 3:33
	Gila @ 116th Ave.	12/16/98	1N-1W-36	33 23 24	112 18 28	940	1:119
	Gila @ Estrella Pkwy.	12/2/92	1N-1W-31	33 23 19	112 23 33	900	1:120
	Gila @ Maricopa Rd	4/9/95	3S-3E-13	33 10 19	112 00 20	1120	1:2
	Gila R. @ Olberg	4/12/95	4S-6E-12	33 05 15	111 41 11	1290	1:3
	Golden Eagle Park Dam	12/12/96	3N-6E-10	33 37 08	111 44 04		1:97; 2:28; 3:28
	Greene Wash @ SR 84	3/23/94	7S-4E-21	32 52 48	111 56 01	1350	1:5
	Guadalupe Channel	8/07/98	1S-7E-6	33 21 55	111 40 32	1345	1:106-107
	Guadalupe FRS	6/29/89	1S-4E-5	33 22 16	111 58 10	1250	1:101; 2:32; 3:32
	Harquahala FRS	3/1/94	2N-8W-05	33 32 56	113 05 47	1420	1:58; 2:16; 3:16
	Hartman Wash	7/6/94	7N-5W-12	33 57 45	112 49 42	2488	1:131
	Hassy R. @ Box Canyon	11/17/83	8N-4W-7	34 02 41	112 42 32	2245	1:72-73
	Hassy R. @ I-10	11/9/94	1N-5W-03	33 27 27	112 45 43	1035	1:71
	Hassy R. @ US 60	3/14/94	7N-5W-12	33 58 13	112 43 31	2035	1:67
	Hassy R. @ Wagoner Rd.	9/26/91	11N-3W-9	34 18 38	112 34 05	3785	1:74
	Hassy R. nr Morristown	5/7/96	6N-4W-03	33 53 05	112 39 42	1830	1:66
	Hesperus Dam	12/18/96	3N-6E-4	33 38 11	111 44 44	1894	1:100; 2:31; 3:31
	IBW @ Indian Bend Rd.	9/28/83	2N-4E-11	33 32 01	111 54 48	1280	1:12
	IBW @ Indian School Rd	11/25/97	2N-4E-23	33 29 42	111 54 38	1235	1:13
	IBW @ Interceptor	4/21/94	2N-4E-12	33 32 00	111 53 55	1280	1:14
	IBW @ McDonald	11/24/97	2N-4E-11	33 31 26	111 54 33	1262	1:15
	IBW @ Shea	6/9/98	3N-4E-29	33 34 55	111 58 03	1350	1:28-29
	IBW @ Sweetwater	12/27/90	3N-3E-13	33 36 15	112 00 18	1400	1:17-19
	IBW nr McKellips Rd.	5/21/85	1N-4E-11	33 26 58	111 54 58	1187	1:11
	Jackrabbit Wash	10/31/00	4N-6W-04	33 42 57	112 52 54	2130	1:64-65
	Lake Marguerite	11/25/97	3N-4E-36	33 33 49	111 53 56	1325	1:25
	Martinez Creek	11/23/94	8N-5W-17	34 01 44	112 47 30	2300	1:127-128
	McMicken Dam	3/24/83	4N-2W-24	33 40 38	112 25 23	1361	1:82; 2:23; 3:23
	McMicken Dam South	2/13/02	3N-2W-21	33 35 13	112 28 37		2:22; 3:22
5438	McMicken Floodway	9/3/92	4N-1E-18	33 41 04	112 24 24		1:81
5598	New River @ Bell Rd.	4/4/90	3N-1E-3	33 38 18	112 14 27	1200	1:93
5508	New River @ Glendale	3/21/90	3N-1E-8	33 32 14	112 17 00		1:85-86
	New River Outlet	4/15/86	5N-1E-35	33 44 09	112 13 31	1498	1:94
	New River Pool	4/15/86	5N-1E-35	33 44 09	112 13 31	1498	2:25; 3:25
5983	North Heights Dam	10/11/96	3N-6E-9	33 37 17	111 44 52	1819	1:98; 2:29; 3:29
4748	Old X-cut @ McDowell	7/27/94	1N-4E-06	33 27 56	111 58 48	1250	1:30
4828	Phoenix Basin #3	12/18/01	3N-3E-22	33 35 12	112 02 49	1356	1:37; 2:9; 3:9
4848	Phoenix East Park Dam	11/28/01	3N-3E-29	33 34 45	112 04 37		1:39; 2:10; 3:10
4853	Phoenix Basin #7	12/19/01	3N-3E-17	33 36 04	112 04 21	1369	1:40; 2:11; 3:11
	Phoenix West Park Dam	11/29/01	3N-3E-20	33 35 23	112 04 55		1:41; 2:12; 3:12
	Powder House Wash	5/18/95	7N-4W-06	33 58 50	112 42 59	2120	1:134
	Powerline FRS	12/3/92	1S-8E-9	33 21 22	111 32 14	1580	1:110; 2:37; 3:37
	Price Drain at Loop 202	2/18/01	1N-5E-18	33 26 04	111 53 25	1215	1:9

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2002 – Sorted by Name

ID#	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev.	Page #s
6707	Queen Ck @ Rittenhouse	9/14/93	2S-7E-25	33 13 50	111 35 41	1400	1:113
6723	Queen Creek at CAP	1/14/99	2S-8E-26	33 12 22	111 30 15	1565	1:114
6953	Rainbow Wash at SR 85	11/06/00	2S-4W-23	33 14 08	112 38 22	900	1:125
4863	Rawhide Wash	7/26/99	5N-4E-36	33 44 27	111 53 55	2205	1:42
4938	Reata Pass Dam	10/2/01	5N-5E-33	33 44 06	111 50 39	2600	1:47; 2:14; 3:14
4588	Reata Pass Wash	5/15/01	4N-5E-17	33 41 52	111 51 51	2170	1:10
6703	Rittenhouse FRS	9/27/88	2S-8E-2	33 17 22	111 29 49	1580	1:112; 2:39; 3:39
5113	Saddleback FRS	12/16/88	2N-10W-34	33 27 55	113 04 21	1177	1:56; 2:15; 3:15
4523	Salt R. @ Priest Dr.	12/7/93	1N-4E-17	33 26 00	111 57 43	1133	1:7
6933	Sand Tank Wash at I-8	5/31/01	6S-4W-06	32 55 59	112 42 20	775	1:124
0788	Santa Cruz @ SR 84	3/16/94	7S-5E-21	32 52 47	111 49 43	1311	1:4
0798	Santa Rosa @ SR 84	3/16/94	7S-4E-20	32 52 49	111 56 46	1305	1:6
6923	Sauceda Wash	2/28/90	6S-5W-4	32 52 27	112 44 57	726	1:123
5543	Scatter Wash	9/18/96	4N-2E-27	33 40 09	112 08 25	1340	1:89
4963	Seven Springs Wash	3/12/02	7N-5E-09	33 57 39	111 50 45	3470	1:48
6628	Signal Butte FRS	11/10/87	1N-7E-12	33 26 25	111 35 25	1650	1:108; 2:35; 3:35
5588	Skunk Cr. nr New R.	6/21/95	7N-3E-29	33 55 34	112 04 56	1854	1:92
5568	Skunk Creek @ I-17	10/26/89	5N-2E-35	33 43 47	112 07 21	1475	1:90
7028	Sols Trib near US 93	1/30/02	8N-6W-11	34 03 10	112 50 59	2580	1:129
5276	Sols Wash at SR 71	9/10/01	9N-7W-14	34 07 07	112 57 45	2740	1:70
7043	Sols Wash nr Matthie	8/4/95	8N-5W-32	33 59 14	112 47 33	2220	1:130
6563	South Mountain Fan	6/9/93	1S-2E-26	33 18 56	112 07 59	1420	1:102
4563	Spookhill FRS	3/13/84	2N-7E-31	33 28 01	111 40 48	1595	1:8; 2:2; 3:2
4913	Stagecoach Wash	6/13/01	5N-5E-06	33 48 42	111 53 27	2550	1:44
5968	Stoneridge Dam	12/11/96	3N-6E-22	33 35 41	111 43 57	1710	1:95; 2:26; 3:26
5248	Sunnycove FRS	7/31/86	7N-5W-11	33 57 25	112 44 24	2200	1:69; 2:20; 3:20
5973	Sunridge Canyon Dam	2/4/97	3N-6E-16	33 36 23	111 45 01	1932	1:96; 2:27; 3:27
5233	Sunset FRS	2/12/89	7N-5W-11	33 57 50	112 44 33	2100	1:68; 2:19; 3:19
0773	Tat Momolikot Dam	1/21/98	9S-4E-30	32 30 46	111 57 06	1540	1:1; 2:1; 3:1
4653	Tatum Wash Basin	5/8/98	3N-4E-30	33 34 57	111 58 58	1394	1:21; 2:4; 3:4
4638	Tatum Wash Basin Inflow	5/6/98	3N-4E-30	33 34 54	111 59 01	1397	1:16
5163	Tiger Wash	9/15/99	5N-10W-26	33 45 30	113 16 43	1960	1:59-60
5488	Upper Trilby Wash	9/26/01	7N-3W-12	33 57 39	112 31 43	3040	1:83
6983	Vekol Wash	3/7/90	7S-1E-3	32 50 30	112 14 58	1720	1:126
6688	Vineyard FRS	11/2/83	1S-8E-9	33 21 10	111 32 06	1582	1:111; 2:38; 3:38
6833	Waterman at Rainbow	3/18/99	2S-2W-14	33 15 40	112 26 38	1085	1:118
5418	White Tanks 3	3/12/86	2N-2W-9	33 32 01	112 28 14	1190	1:78; 2:21; 3:21
6823	White Tanks 4	1/9/86	1N-2W-5	33 27 04	112 29 40	1044	1:117; 2:42; 3:42
6739	Whitlow Ranch Dam	1/8/98	1S-10E-36	33 17 55	111 16 35	2199	1:115; 2:40; 3:40
5118	Winters Wash	7/11/00	2N-6W-18	33 30 33	112 54 44	1125	1:57

SUMMARY OF SIGNIFICANT STREAMFLOW EVENTS

Water Year 2002 began very dry and remained that way through mid-July. With the exception of a few small storm events in November and December, there was very little rain from mid-December through mid-July. The summer monsoon season produced several heavy rain and flood events. The summer was capped by a tropical system in early September.

The winter season was extraordinarily dry. Some stations received no rain during the winter. Most desert stations had less than one inch of rain for the October to June period. One notable event occurred on Jackrabbit Wash (#5218) on October 10. A few small local flows occurred Indian Bend Wash and the Arizona Canal Diversion Channel in December. However, none of the winter rain events was significant.

The summer monsoon began in early July and was all but over by the middle of August. A large precipitation event occurred in the early evening of July 14 and resulted in significant flooding in north-central Phoenix. The ACDC gages received, in some instances, record flows. A second, smaller magnitude event occurred on July 23 and affected the Phoenix, Scottsdale, and Mesa areas. Gages on the ACDC, IBW, and Guadalupe Channel were mainly affected. Following these events, the summer monsoon season was more or less over. The second half of August was extraordinarily dry, with dew points in the teens.

The Water Year ended with a wet early September. A tropical system affected Maricopa County from September 7 - 11. Significant runoff occurred in western Maricopa County, especially on Tiger Wash (#5163) and Jackrabbit Wash (#5218).

Maximum Flows and Impoundments for Water Year 2002 at Selected FCDMC Water Level Sensor Locations

Location	Discharge	Stage	Cor	Contents	
	(cfs)	(feet)	(ac-ft)	(%full)	
Jackrabbit Wash (5218)	6,000	5.70			9/7/02
Tiger Wash (5163)	3,935	8.90			9/9/02
ACDC at 43rd Ave (4823)	3,644	5.03			7/14/02
IBW at Shea Blvd. (4693)	1,957	2.97			7/14/02
IBW at Sweetwater (4643)	1,902	4.75			7/14/02
ACDC at 67th Ave (5523)	1,510	5.36			7/15/02
Tiger Wash (5163)	1,498	7.10			9/7/02
Agua Fria at Buckeye (5403)	1,477	0.22			7/15/02
Martinez Creek (7013)	1,415	4.55			9/7/02
New River at Glendale (5508)	1,361	1.75			7/15/02
Cave Creek at Cactus (4833)	1,244	11.35			7/14/02
East Fork Cave Creek nr 7th Ave (4668)	1,168	6.20			7/14/02
IBW at Shea Blvd. (4693)	977	2.28			7/23/02
New River at Glendale (5508)	974	1.58			9/7/02
Hassayampa River at Box Canyon (5308)	963	5.50			9/7/02
Guadalupe Channel (6603)	940	2.88			7/23/02
Golden Eagle Park Dam (5978)	925	12.03	15	15.3	9/10/02
ACDC at 43rd Ave (4823)	899	2.28			7/23/02
Sand Tank at I-8 (6933)	790	3.88			9/7/02
IBW at McDonald Dr. (4628)	754	1.30			7/24/02
Jackrabbit Wash (5218)	726	3.05			10/08/01
Hassayampa River at I-10 (5283)	703	2.55			9/8/02
Delaney Wash (5108)	677	3.89			9/6/02
Hassayampa River at Box Canyon (5308)	662	5.05			9/11/02
ACDC at 67th Ave (5523)	481	3.60			7/24/02
ACDC at 43rd Ave (4823)	431	1.57			9/6/02
New River at Glendale (5508)	420	1.30			7/24/02
Phoenix Basin #7 (4853)	51	12.11	21	20	7/14/02
Phoenix West Park Dam (4858)	51	10.73	18	16	7/14/02
Phoenix Basin #3 (4828)	50	10.36	5	8.3	7/14/02
Phoenix East Park Dam (4848)	36	4.84	2	8.5	7/14/02

DATA PRESENTATION

The following three sections present the data collected by the Flood Control District ALERT system. The first section is Surface Water Streamflow data. This section contains data from free-flowing stream sites and discharges from dams and detention basins. The second section contains Pool Level data from storage structures, both dams and basins. The third section presents Storage Volume data for both dams and basins. The data are in acre-feet of storage volume.

In the tables where there are dashes "- - -" for a particular date or dates, the gage was down. Typically a gage is down when the gage itself fails, or a transmitter or repeater fails. In the case of transmitter failure or repeater failure, data for that date is available by manual download. However, when no event has occurred, the data will typically not be retrieved from the device.

SURFACE WATER STREAMFLOW DATA

Computation of Continuous Records of Streamflow

Station Number: 0773* **Name:** Tat Momolikot Dam

Drainage Area: 1,780 mi²

Period of Record: January 24, 2000 to current year**

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded outflow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2002 5	TOTAL	0	MEAN	(XAM C	(NIM ((AC_I	FT	0

^{*}Gage ID was 0768 prior to January 24, 2000.

See also Pool Level and Storage Volume data. Gage recorded several impoundments in Water Year 2002.

^{**}FCD Operated gage since January 1998. However, previous gage did not work properly. A pressure transducer gage was installed January 24, 2000 and all previous data were deleted. Previously, the US Army Corps of Engineers, Los Angeles District maintained a gage at this location.

Computation of Continuous Records of Streamflow

Station Number: 0778 Name: Gila @ Maricopa Rd

Drainage Area: 19, 915 mi²

Period of Record: FCDMC October 1, 1998 - current year

USGS: Gage number 09479350

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No flow recorded during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 5	 FOTAL	0	MEAN	() MAX	c) MIN	(AC_F	 r T	0

NOTE: The USGS maintains a gage at this site in cooperation with ADOT. See USGS Gage #09479350

Computation of Continuous Records of Streamflow

Station Number: 0783 Name: Gila @ Olberg

Drainage Area: 18,674 mi²

Period of Record: October 1, 1998 - current year*

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No flow recorded during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 :	TOTAL	0	MEAN	(XAM C	(NIM C	() AC_1	FT	0

^{*}USGS maintained a gage at this site prior to October 1, 1998 (09478350)

Computation of Continuous Records of Streamflow

Station Number: 0788 Name: Santa Cruz @ SR 84

Drainage Area: Undetermined

Period of Record: March 16, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR		JUN	JUL	AUG	SEP
1 2												
3 4												
5												
6 7											17	14
8	3										14	5
9 10	2										21 5	7 33
11											5	33 94
12												0
13 14												2
15												
16 17												
18												
19 20											1	
21											1	
22 23												
24												
25 26											2	
27												
28 29												
30												
31												
TOTAL	5	0	0	0	0	0	0	0	0	0	61	155
MEAN MAX	0 18	0	0	0	0	0 0	0	0 0	0 0	0 0	2 48	5 229
MIN	0	0	0	0	0	0	0	0	0	0	48	229
AC_FT	10	0	0	0	0	0	0	0	0	0	120	308
WTR YR	2002	TOTAL	221	MEAN		1 1 MAX	229	MIN	0	AC 1	 FT	438

Computation of Continuous Records of Streamflow

Station Number: 0793 Name: Greene Wash @ SR 84

Drainage Area: Undetermined

Period of Record: March 23, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No flow recorded during Water Year 2002

DAY	OCT	NOA	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	 2002 '	 FOTAL	0	MEAN		 O MAX		 O MIN		 D AC I	 ਾਧਾ	0

Computation of Continuous Records of Streamflow

Station Number: 0798 Name: Santa Rosa @ SR 84

Drainage Area: Undetermined (1,780 mi² are controlled by Tat Momolikot Dam)

Period of Record: March 16, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No flow recorded during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN		XAM 0	(NIM C	() AC	FT	0

Computation of Continuous Records of Streamflow

Station Number: 4523 Name: Salt R. @ Priest Dr

Drainage Area: 13,223 mi²

See USGS Water-Data Report AZ-02-1 for data for this site.

(source: T	Flood Flow Frequency (source: Table 2-4 from <i>Study from Modified Roosevelt Dam</i>)													
Magn	Magnitude and Probability of Instantaneous Peak Flow													
Disc	Discharge, in cfs, for Indicated Recurrence Interval													
5-year	10-year	20-year	50-year	100-year										
20,500	55,000	90,000	140,000	169,000										

Computation of Continuous Records of Streamflow

Station Number: 4563 Name: Spookhill FRS

Drainage Area: 13.6 mi²

Period of Record: November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

]	Daily 1							
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4			3									
5												
6												
7												
8												
9 10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21 22												
23												
24										7		
25										,		
26												
27												
28												
29												
30												
31												
TOTAL	0	0	3	0	0	0	0	0	0	8	0	0
MEAN	0	0	0		0	0	0	0	0	0	0	0
MAX	0	0	9	0	0	0	0	0	0	12	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	5	0	0	0	0	0	0	16	0	0
WTR YR	2002	TOTAL	11	MEAN	0	MAX	12	MIN	0	AC_F	 [22

Outflow controlled by gated outlet below 11.5 feet gage height.

See also Pool Level and Storage Volume data.

Computation of Continuous Records of Streamflow

Station Number: 4573 **Name:** Price Drain at Loop 202

Drainage Area: Undetermined

Period of Record: February 18, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

				1	Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	 5	1	1	2	3	2	1	1	2	1	1	2
2	3	1	1	2	3	4	1	1	1	1	1	1
3	3	3	1	4	2	3	1	1	1	2	2	1
4	3	3	23	6	2	3	3	1	1	1	3	1
5	3	4	14	7	2	1	3	1	2	1	3	1
6	4	2	5	5	2	2	3	1	1	1	1	13
7	4	2	1	6	1	1	4		1	1	1	10
8	3	5	1	3	1	4	2	1	1	1		4
9	5	6		2	3	3	2	1	2	1	1	5
10	2	2		3	1	2	2	1	2	1		3
11	8	3	1	4	2	6	3	1	1			5
12	11	3	1	3	5	7	3	1	2	2		4
13	6	4	1	3	5	8	1	1	1	1		1
14	3	2	1	4	7	8		1	1	12	1	2
15	2	4	2	4	6	5	1	1	1	3	1	2
16		3	3	3	4	4	6	1	1	1	1	1
17	1	1	3	2	3	3	3	1	1	1	1	1
18	1	1	3	1	2	5	1	1	1	1	1	1
19	1	4	3	1	3	5	1	1	1	1	1	1
20	1	3	3	1	3	2	1	1	1	2	1	2
21	1	3	2	1	2	1	2	1	1	2	1	1
22	2	5	2	1	2	2	1	1	1	1	1	1
23	3	3	2	1	3	3	1	1	1	11	1	1
24	5	2	2	1	3	3	1	1	1	12	1	1
25	5	1	2	1	3	2	1	1	2	5		1
26	3	1	2	5	2	2	1	1	1	1	1	1
27	3	1	1	4	3	2	1	1	1	1		1
28	3	1	1	6	2	4	1	1	1	1	1	2
29	2	1	1	3		3	1	1	1	1	3	2
30	2	1	1	5		2	1	1	1	1	2	2
31	2		1	4		2		1		1	1	
TOTAL	100	78	85	96	80	101	53	31	36	70	31	75
MEAN	3	3	3	3	3	3	2	1	1	2	1	2
MAX	30	9	84	20	9	12	8	3	3	165	5	126
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	198	155	169	191	159	201	105	62	71	139	62	148
WTR YR	2002	TOTAL	837	MEAN		2 MAX	165	MIN	(O AC_1	 FT 10	660

NOTE: Total Volume of 1,660 acre-feet is based on average daily values. More detailed volumetric data are available from the FCD website at http://156.42.96.39/alert/Flow/pg_4573.htm.

Computation of Continuous Records of Streamflow

Station Number: 4588 **Name:** Reata Pass Wash

Drainage Area: 7.9 mi²

Period of Record: May 15, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily M	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
12 13 14 15										3		
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	3 0 108 0 5	0 0 0 0	0 0 0 0								
WTR YR	2002	 TOTAL	3	MEAN	 0	MAX	108	MIN) AC_1	 FT	5

Computation of Continuous Records of Streamflow

Station Number: 4603 Name: IBW @ McKellips Rd.

Drainage Area: 101 mi²

Period of Record: November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

			Peak				9		rear 200	- Pea	ık		
			fs) Gage			_	Day	Dis	charge	(cfs)	Gage	Ht.	(ft.)
07/23		229		1	.48								
					Daily	Mean	Value	s					
DAY	OCT	NOV	DEC	JAN	FEB	MAR			MAY	JUN	JUL	AUG	SEP
1													
2													
3													
4			6										
5			7										
6			5										
7			3										7
8			2										2
9													3
10			4										
11			1										
12 13						2							
14						1					1		
15					8	1					5		
16					O						9		
17													5
18													9
19													10
20													11
21													10
22													9
23											8		7
24											57		10
25											5		7
26													
27													
28													
29													
30 31								_					
TOTAL	0		24	0	8	3		C	0	0	77	0	91
MEAN	0		1	0	0	0		0	0	0	2	0	3
MAX	0		20	1	12	3))	0	0	229	0	50
MIN	0		0	0	0	0		0	0	0	0	0	0
AC_FT	0	1	47 	1	16	6) 	0	0	153	0	180
WTR YF	2002	TOTAL	203	MEAN	Ī	1 MA	x 2	229	MIN	0	AC F	T	403

Computation of Continuous Records of Streamflow

Station Number: 4613 Name: IBW @ Indian Bend

Drainage Area: 88 mi² (approximate; includes area of Interceptor Channel) **Period of Record:** USGS: 1961 – 1984; FCDMC: November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4												
5												
6												
7												
8 9												
10												
11												
12												
13												
14 15										2 24		
16										6		
17										Ŭ		
18												
19												
20 21												
22												
23										4		
24										48		
25										5		
26 27												
28												
29												
30												
31												
TOTAL	0	0	0	0		0	0	0		89	0	0
			0				0	0			0	0
MAX	0	0	0	0		0		0	0	190 0	0	0
MIN AC_FT	0	0	0 0	0	0	0	0	0 0	0	176	0 0	0
WTR YR	2002 :	 FOTAL	89	MEAN		0 MAX	19	0 MIN		0 AC_1	FT	 176

Computation of Continuous Records of Streamflow

Station Number: 4618 Name: IBW @ Indian School

Drainage Area: 90 mi² (approximate)

Period of Record: November 25, 1997 to current year

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR			AY	JUN	JUL	AUG	SEP
1													
2													
4													
5													
6 7													
8													
9													
10													
11 12													
13													
14													
15													
16 17													
18													
19													
20													
21 22													
23											10		
24											40		
25 26													
27													
28													
29													
30 31													
21								_ 					
TOTAL	0	0	0	0	0	0		0	0	0	50	0	0
MEAN	0	0	0	0	0	0		0	0	0	2	0	0
MAX MIN	0 0	0	0	0	0	0		0 0	0	0	185 0	0	0
AC_FT	0	0	0	0	0	0		0	0	0	99	0	0
WTR YR	2002	TOTAL	50) ME	AN	0	MAX	185	MI	 N	0 A	 C_FT	99

Computation of Continuous Records of Streamflow

Station Number: 4623 Name: IBW Interceptor

Drainage Area: 35 mi²

Period of Record: April 21, 1994 to current year

DAY	ОСТ	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4												
5												
6												
7												
8 9												
10												
11												
12												
13												
14 15												
16												
17												
18												
19												
20 21												
22												
23												
24												
25												
26 27												
28												
29												
30												
31				1								
TOTAL	0	0	0	1	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	2	0	0	0	0	0	0	0	0
MIN AC_FT	0 0	0 0	0 0	0 2	0 0	0	0	0 0	0 0	0	0 0	0
WTR YR	 2002 <u>'</u>	 FOTAL	1	MEAN		0 MAX	<u>-</u>	 2 MIN)	 FT	2

Computation of Continuous Records of Streamflow

Station Number: 4628 Name: IBW @ McDonald

Drainage Area: 88 mi² (approximate)

Period of Record: November 24, 1997 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

					flows	of inter	est du	ring Wa	ater	Year 200				
Dav			Pea								Pea			
<u>Day</u> 07/24	Discha	rge 754	(cfs)	Gage 1.	Ht.	(feet)	-	Day	Dis	scharge	(cfs)	Gage	Ht.	(ft.)
DAY	OCT		VOV	DEC	JAN	Daily FEB	MAF	AP:	R	MAY		JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14												 		
15 16 17 18 19 20 21 22 23 24												12 1 94		
25 26 27 28 29 30 31		-							_					
TOTAL	0		0	0	0	0	. _)	0	0	0	108	0	0
MEAN	0		0	0	0	0	C)	0	0	0	3	0	0
MAX	0		0	0	0	0	C		0	0		754	0	0
MIN AC_FT	0		0	0	0	0	C		0	0 0	0	0 213	0	0
WTR Y	R 2002	TO	FAL	108	MEAN	1	0 MZ	X	754	MIN	0	AC_F	r	213

Computation of Continuous Records of Streamflow

Station Number: 4638 Name: Tatum Basin Inflow

Drainage Area: 2.17 mi²

Period of Record: May 6, 1998 to current year

DAY	OCT	NOV	DEC	JAN	Daily I	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
12												
13												
14										2		
15												
16												
TOTAL	0	0	0	0	0	0	0	0	0	2	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	81	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	4	0	0
WTR YR	2002 :	 FOTAL	2	MEAN		MAX	81	MIN) AC I	 ?T	4

Computation of Continuous Records of Streamflow

Station Number: 4643 Name: IBW @ Sweetwater

Drainage Area: 9.2 mi²

Period of Record: December 27, 1990 to current year*


Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

Peak Peak

<u>Day</u> <u>Discharge (cfs) Gage Ht. (feet)</u> <u>Day</u> <u>Discharge (cfs) Gage Ht. (ft.)</u> 07/14 1,902 4.75

Hydrograph of July 14, 2002 event



Computation of Continuous Records of Streamflow

Station Number: 4643 Name: IBW @ Sweetwater

Drainage Area: 9.2 mi²

Period of Record: December 27, 1990 to current year*

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN		Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1 2												
3												
4			11									
5												
6												5
7						4	2					
8 9						1						
10												
11			1									
12			_							2		
13										1		
14										88		
15										36		
16										1		
17 18												
19												
20												
21												
22												
23										9		
24												
25												
26												
27 28												
29												
30												
31												
TOTAL	0	0	12	0	0	1	3	0	0	137	0	6
MEAN	0	0	0	0	0	0	0	0		4	0	0
MAX	0	0	32	0	0	5	11	0	0	1902	0	117
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT		0	25 	0	0	2	5 	0	0	272	0 	11
WTR YR	2002	TOTAL	159	MEAN		0 MAX	190	2 MIN		0 AC_	FT	316

NOTE: The gage was moved to the 36th Street bridge from the Sweetwater Road bridge on November 18, 1998.

Computation of Continuous Records of Streamflow

Station Number: 4643 Name: IBW @ Sweetwater

Drainage Area: 9.2 mi²

Period of Record: December 27, 1990 to current year*

Flood Flow Frequency (source: FEMA Sept. 1995)										
Magnitude and Probability of Instantaneous Peak Flow										
Discharge,	in cfs, for Indicated Recurre	nce Interval								
10-year	10-year 50-year 100-year									
2,000	3,500	6,000								

Computation of Continuous Records of Streamflow

Station Number: 4648 Name: E.Fork CC #1

Drainage Area: 1.18 mi²

Period of Record: March 2, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values													
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1													
2													
3													
4													
5													
6												1	
7												2	
8													
9													
10													
11													
12													
13 14										0			
15										8 3			
16										3			
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27												1	
28 29												1	
30													
31													
TOTAL	0	0	0	0	0	0	0	0	0	12	0	4	
MEAN	0	0	0	0	0	0	0	0	0	0	0	0	
MAX	0	2	0	0	0	0	0	0	0	107	0	12	
MIN	0	0	0	0	0	0	0	0	0	0	0	0	
AC_FT	0	0	0	0	0	0	0	0	0	24	0	8	
WTR YR	2002	TOTAL	16	MEAN	0	MAX	107	MIN	() AC_F	 T	32	

See also Pool Level and Storage Volume Data

Computation of Continuous Records of Streamflow

Station Number: 4653 **Name:** Tatum Basin Outflow

Drainage Area: 2.17 mi²

Period of Record: May 8, 1998 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOA	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN	(XAM C	(NIM C	(AC_I	FT	0

See also Pool Level and Storage Volume data. Gage did record one impound during Water Year 2002.

Computation of Continuous Records of Streamflow

Station Number: 4658 Name: E.Fork CC #4

Drainage Area: 0.68 mi²

Period of Record: January 18, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10		1	3								1 2 2 2 1 1	2 3 2 2 1
12 13 14 15 16 17 18 19 20 21										2 1 1		
22 23 24 25 26 27 28 29 30 31										2 2 1 1 1		
TOTAL MEAN MAX MIN AC_FT	0 0 0 0 0	0 4	3 0 10 0 7	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	11 0 28 0 21	9 0 15 0	11 0 28 0 22
WTR YR	2002	TOTAL	36	MEAN		0 MAX	28	MIN) AC_1	 FT	72

See also Pool Level and Storage Volume Data

Computation of Continuous Records of Streamflow

Station Number: 4668 Name: EFCC nr 7th Avenue

Drainage Area: 14.1 mi²


Period of Record: May 21, 1997 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

Peak Peak

Hydrograph for July 14, 2002 event:



Computation of Continuous Records of Streamflow

Station Number: 4668 Name: EFCC nr 7th Avenue

Drainage Area: 14.1 mi²

Period of Record: May 21, 1997 to current year

DAY	ост	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3 4			9									
5			6									
6												10
7												25
8												3
9 10												
11												
12												
13												
14										46		
15										32		
16 17										3		
18												
19												
20												
21												
22 23										7		
24										10		
25										10		
26												
27												
28												
29 30												
31												
TOTAL	0	0	15	0	0	0	0	0	0	98	0	38
MEAN	0	0	0	0	0	0	0	0	0	3	0	1
MAX MIN	0	0	22 0	0	0	0 0	0	0	0 0	1168 0	0	170 0
AC FT	0	0	30	0	0	0	0	0	0	195	0	75
WTR YR	 2002	TOTAL	 151	MEAN		 0 MAX	 1168	MIN		 0 AC_F	'	 299

Computation of Continuous Records of Streamflow

Station Number: 4678 **Name:** Lake Marguarite

Drainage Area: Undetermined

Period of Record: November 25, 1997 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4												
5												
6 7												
8												
9												
10 11												
12												
13												
14										11		
15 16										5		
17												
18												
19 20												
21												
22												
23 24												
25												
26												
27 28												
28 29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	16	0	0
MEAN	0	0	0	0	0	0	0	0	0	1	0	0
MAX MIN	0	0	0	0 0	0 0	0	0 0	0 0	0	133 0	0 0	0
AC_FT	0	0	0	0	0	0	0	0	0	32	0	0
WTR YR	2002	TOTAL	16	MEAN		0 MAX	13	3 MIN		O AC_E	 T	32

NOTE: Approximately 60 cfs pass the gage before detection due to the elevation of the instrument.

Computation of Continuous Records of Streamflow

Station Number: 4683 Name: E.Fork CC #3

Drainage Area: 3.52 mi² (1.86 mi² controlled by EFCC#1 and EFCC#4)

Period of Record: July 27, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values													
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1													
2													
3													
4													
5													
6												1	
7 8												2	
9													
10													
11													
12													
13													
14										16			
15										1			
16 17													
18													
19													
20													
21													
22													
23													
24													
25 26													
27													
28													
29													
30													
31													
TOTAL	0	0	0	0	0	0	0	0	0	16	0	3	
MEAN	0	0	0	0	0	0	0	0	0		0	0	
MAX	0	0	0	0	0	0	0	0	0		0	6	
MIN	0	0	0	0	0	0	0	0	0	0	0	0	
AC_FT	0	0	0	0	0	0	0	0	0	32	0	5	
WTR YR	2002	TOTAL	19	MEAN	0	MAX	292	MIN		AC_F	 Т	37	

See also Pool Level and Storage Volume Data

Computation of Continuous Records of Streamflow

Station Number: 4688 Name: Berneil Wash

Drainage Area: 9.5 mi² (approximate) – significant split flows at Mt. View and 64th

Street and Mt. View and Miller Road

Period of Record: July 30, 1998 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

				flows	of inter	est du	ring Wa	ater \	ear 200				
_		Pea					_		•	Pea			
<u>Day</u> 07/23	Dischard 2	ge (cis)	Gage	<u>Ht.</u> 10	(feet)	-	Day	Dis	cnarge	(CIS)	Gage	Ht.	(ft.)
DAY	OCT	NOV	DEC	JAN	Daily FEB	MAR	AP	R			JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17			3								1		
19 20 21 22 23 24 25 26 27 28 29 30 31 TOTAL MEAN	 0 0	 1 0	3 0	 0 0	 0	0 0		_ 0 0	 0 0	 0 0	11 1 13 0	 0 0	 1 0
MAX MIN AC_FT	0 0 0	7 0 1	27 0 7	0 0	0 0 0	0 0 0		0 2 0 1	0 0 0		215 0 26	0 0 0	5 0 1
WTR Y	R 2002	TOTAL	18	MEAN	1	0 MA	X :	215	MIN	0	AC_F	ľ	36

Computation of Continuous Records of Streamflow

Station Number: 4693 Name: IBW @ Shea Blvd.

Drainage Area: 24.6 mi²

Period of Record: June 9, 1998 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002


Peak flows of interest during Water Year 2002

Peak Peak

 Day
 Discharge (cfs)
 Gage Ht. (feet)
 Day
 Discharge (cfs)
 Gage Ht. (ft.)

 07/14
 1,957
 2.97
 07/23
 977
 2.28

Hydrograph of July 14, 2002 event



Computation of Continuous Records of Streamflow

Station Number: 4693 Name: IBW @ Shea Blvd.

Drainage Area: 24.6 mi²

Period of Record: June 9, 1998 to current year

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9		3	23 17			1	20 6				6 1	16 118 25 33 33
11 12										2		
13 14 15 16 17 18 19 20 21 22 23										99 106 22		
24 25 26 27 28 29 30 31					 					89 15		
TOTAL MEAN	0 0	3 0	41 1	0	0	1 0	26 1	0	0	421 14	7 0	224 7
MAX MIN AC FT	0 0	30 0 7	40 0 81	0 0	0 0	19 0 2	46 0 51	0 0 0	0 0	1957 0 836	77 0 14	370 0 445
WTR YR		TOTAL	724	MEAN		2 MAX	1957			0 AC_1		436

(based on HE	CWRC implement USGS app	Flood Flow tation of Bulletin proximately 500 fe	Frequency 17B, n=14 for USO eet upstream of S	GS CSG 09512090 hea Blvd.)	, operated by
	Magnitud	de and Probability of	of Instantaneous P	eak Flow	
	Discha	rge, in cfs, for Indic	cated Recurrence I	nterval	
2-year	5-year	10-year	20-year	50-year	100-year
820	1,810	2,730	3,840	5,630	7,260

Computation of Continuous Records of Streamflow

Station Number: 4748 Name: Old Xcut @ McDowell

Drainage Area: Undetermined

Period of Record: July 27, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2					10							
3					13 2							
4 5		3			2							
6		5										7
7							6					3
8												
9												12
10												
11												
12 13												
14										8		
15										O		
16												
17												
18												
19												
20												
21 22						6						
23						О				7		
24										8		
25												
26												
27												
28												
29												
30 31												
31									 			
TOTAL	0	3	0	0	15	6	6	0	0	23	0	22
MEAN	0	0	0	0	1	0	0	0	0	1	0	1
MAX	0	45	0	0	110	25	25	0	0	128	0	63
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	6	0	0	29 	12	12	0	0	46	0	44
WTR YR	2002	TOTAL	75	MEAN		0 MAX	128	B MIN	(0 AC_1	FT :	149

NOTE: Some flows occur as a result of releases by the Salt River Project from the Arizona Canal and by irrigation return water.

Computation of Continuous Records of Streamflow

Station Number: 4803 **Name:** Dreamy Draw Dam

Drainage Area: 1.3 mi²

Period of Record: November 1987 to current year

Revised Records: WY1996, WY1995

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4 5												
6												
7												
8												
9												
10												
11												
12												
13 14										11		
15										1		
16										Τ.		
17												
18												
19												
20												
21												
22 23										4		
24										2		
25										1		
26										_		
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	19	0	0
MEAN	0	0	0	0	0	0	0	0	0	1	0	0
MAX	0	0	0	0	0	0	0	0	0	143	0	12
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	38	0	0
WTR YR	2002	TOTAL	19	MEAN	(XAM C	143	MIN	(D AC I	 FT	38

See also Pool Level and Surface Volume Data.

Computation of Continuous Records of Streamflow

Station Number: 4808 Name: ACDC @ 36th St.

Drainage Area: 4.82 mi²

Period of Record: February 24, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 :	TOTAL	0	MEAN		XAM C	(NIM C	(AC_E	 ?T	0

Flood Flow Frequence	cy for inflow to sediment basin (HE	C-1 for ACDC ADMS)							
Magnitude and Probability of Instantaneous Peak Flow									
Discha	arge, in cfs, for Indicated Recurrence I	nterval							
2-year	10-year	100-year							
590	2,510	5,410							

Computation of Continuous Records of Streamflow

Station Number: 4813 Name: ACDC @ 14th St.

Drainage Area: 10.2 mi²

Period of Record: February 9, 1994

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flow of interest in Water Year 2002

		Pe		110	w Oi iiil	oi ogt II	. Hatel	, ca	. 2002	Pea	ık		
		rge (cfs			(feet)					(cfs)			(ft.)
07/23		317	2.6	5			07/14		298	3	2.	55	
					Daily	Mean	Value	s					
DAY	OCT	NOV	DEC	JAN		MAR			MAY	JUN	JUL	AUG	SEP
1													
1 2													
3													
4													
5													
6 7													
8													
9													
10													
11													
12 13													
14											25		
15											7		
16													
17													
18 19													
20													
21													
22													
23											16		
24 25											10		
26													
27													
28													
29													
30 31								_					
TOTAL	0	0	0	0	0	0			0	0	58	0	0
MEAN	0	0	0	0	0	0			0	0	2	0	0
MAX MIN	0	0	0	0	0	0			0 0	0	317	0	0
AC_FT	0	0	0	0	0	0			0	0	114	0	0
WTR YR	2002	TOTAL		MEAN	 I	 О м А		 317	MIN		AC_F		114

Computation of Continuous Records of Streamflow

Station Number: 4818 Name: Tenth Street Wash Basin #1

Drainage Area: 1.21 mi²

Period of Record: November 26, 1996

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4 5												
6												
7												
8												
9												
10												
11												
12												
13												
14										3		
15										11		
16										1		
17 18												
19												
20												
21												
22												
23										1		
24												
25												
26												
27												
28												
29 30												
31												
21												
TOTAL	0	0	0	0	0	0	0	0	0	16	0	1
MEAN	0	0	0	0	0	0	0	0	0	1	0	0
MAX	0	0	0	0	0	0	0	0	0	32	0	7
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	32	0	1
WTR YR	2002 :	TOTAL	17	MEAN		 XAM 0	32	MIN		AC F	 r	34

See also Pool Level and Storage Volume Data.

NOTE: Up to 300 cfs may bypass the basin.

Computation of Continuous Records of Streamflow

Station Number: 4823 Name: ACDC @ 43rd Ave.

Drainage Area: 56 mi² below Cave Buttes Dam **Period of Record:** December 17, 1991 to current year

Revised Records: WY1998:WY1997


Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

		Pea	k				Pea	k	
Day	Discharge	(cfs)	Gage Ht.	(feet)	Day	Discharge	(cfs)	Gage	Ht.

Day	Discharge (cfs)	Gage Ht.	(feet)	Day	Discharge	(cfs)	Gage Ht.	(ft.)
	3,644	5.03		07/23	899		2.28	
09/06	431	1.57						

Hydrograph of July 14, 2002 event:



Computation of Continuous Records of Streamflow

Station Number: 4823 Name: ACDC @ 43rd Ave.

Drainage Area: 56 mi² below Cave Buttes Dam **Period of Record:** December 17, 1991 to current year

Revised Records: WY1998:WY1997

DAY	ОСШ	NOV	DEC	TAN	Daily N	Man Va	alues	MAY	77737	7777	AIIC	CED
		NOV		JAN			APK				AUG	SEP
1												
2												
4												
5												
6												24
7												25
8 9												
10												
11												
12												
13										0.2.6		
14 15										236 350		
16										53		
17												
18												
19 20												
21												
22												
23										67		
24										49		
25 26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	756	0	50
MEAN	0	0	0	0	0	0	0	0	0	24	0	2
MAX	0	0	0	0	0	0	0	0	0	3644	0	431
MAX MIN AC_FT	0	0	0	0	0	0	0	0	0	1500	0	0 98
WTR YR	2002 !	TOTAL	806	MEAN	2	MAX	3644	MTN		U AC_1	FT 1:	98

Computation of Continuous Records of Streamflow

Station Number: 4828 **Name:** Phoenix Basin #3

Drainage Area: 0.50 mi²

Period of Record: December 18, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
1 2												
3												
3 4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										6		
15										5		
16										9		
17												
18												
19												
20												
21												
22												
23										1		
24										_		
25												
26												
27												
28												
29												
30												
31												
TOTAL			0	0	0	0	0	0	0	12	0	0
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	0	0	0	0	0	0	51	0	7
MIN			0	0	0	0	0	0	0	0	0	0
AC_FT			0	0	0	0	0	0	0	24	0	0
WTR YR	 2002 '	TOTAL	12	MEAN		0 MAX	 51	MIN		O AC_1	 ?T	24

See also Pool Level and Storage Volume Data.

Gaging established during Water Year 2002 on December 18, 2001.

Computation of Continuous Records of Streamflow

Station Number: 4833 Name: Cave Creek @ Cactus

Drainage Area: 33.6 mi² below Cave Buttes Dam **Period of Record:** June 21, 1991 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

	Peak flows of interest during Water Year 2002											
_		Pea	ık			_		Pea	k			
<u>Day</u>	Discharge	e (cfs)	Gage	Ht.	(feet)	Day	Discharge	e (cfs)	Gage	Ht.	(ft.)	
07/14 DAY	1,: OCT		DEC	JAN		Mean Value	es R MAY	JUN	JUL	AUG	SEP	
1 2 3 4 5			1								1	
7 8 9											59 5	
10 11 12 13			1 1 1						F.0		2 6 1	
14 15 16 17 18 19 20 21									52 244 59 7 2			
22 23 24 25 26 27 28 29 30 31					 		_		10 90 30 7 2			
TOTAL MEAN MAX MIN AC_FT	0 0 0 0 0	0 1 0 0	0 3 0 11	0 0 0	0 0 0 0	0	0 0	0 0 1 0	16 244 0 998	0 0 0 0	73 2 138 0 145	

NOTE: Receding limbs of hydrographs are greatly affected by clogging of outlet orifice. Therefore, low flows for falling hydrographs may be unrealistically high. See downstream stations 4823 and 5523 for a better representation of the falling limbs. Weir flow begins into main channel above 10 feet gage height.

2 MAX

1244 MIN

582 MEAN

WTR YR 2002 TOTAL

1155

0 AC FT

Computation of Continuous Records of Streamflow

Station Number: 4848 **Name:** Phoenix East Park

Drainage Area: 0.11 mi²

Period of Record: November 28, 2001 to current year

Discharge, in cfs, Water Year October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										1		
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL		0	0	0	0	0	0	0	0	2	0	0
MEAN		0	0	0	0	0	0	0	0	0	0	0
MAX		0	0	0	0	0	0	0	0	37	0	0
MIN		0	0	0	0	0	0	0	0	0	0	0
AC FT		0	0	0	0	0	0	0	0	3	0	0
WTR YR	2002	TOTAL	2	MEAN	(MAX (37	MIN	C	AC_1	FT	3

See also Pool Level and Storage Volume Data.

Gaging established during Water Year 2002 on November 28, 2001.

Computation of Continuous Records of Streamflow

Station Number: 4853 **Name:** Phoenix Basin #7

Drainage Area: 0.55 mi²

Period of Record: December 19, 2001 to current year

Discharge, in cfs, Water Year October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												1
7												
8												
9												
10												
11												
12												
13												
14										6		
15										7		
16												
17												
18												
19												
20												
21												
22												
23										2		
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL			0	0	0	0	0	0	0	15	0	1
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	0	0	0	0	0	0	49	0	26
MIN			0	0	0	0	0	0	0	0	0	0
AC_FT			0	0	0	0	0	0	0	30	0	2
WTR YR	2002	TOTAL	 16	MEAN	() Max	49	MIN) AC F	' 'T	32

See also Pool Level and Storage Volume Data.

Gaging established during Water Year 2002 on December 19, 2001.

Computation of Continuous Records of Streamflow

Station Number: 4858 **Name:** Phoenix West Park

Drainage Area: 0.62 mi²

Period of Record: November 29, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										6		
15										11		
16												
17												
18												
19												
20												
21												
22												
23										2		
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL		0	0	0	0	0	0	0	0	19	0	1
MEAN		0	0	0	0	0	0	0	0	1	0	0
MAX		0	0	0	0	0	0	0	0	51	0	3
MIN		0	0	0	0	0	0	0	0	0	0	0
AC_FT		0	0	0	0	0	0	0	0	37	0	1
WTR YR	2002	TOTAL	 19	MEAN		MAX	 51	MIN	 0	AC F		 38

See also Pool Level and Storage Volume Data.

Gaging established during Water Year 2002 on November 29, 2001.

Computation of Continuous Records of Streamflow

Station Number: 4863 Name: Rawhide Wash

Drainage Area: 9.2 mi²

Period of Record: July 27, 1999 to current year

DAY	ОСТ	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3 4												
5												
6												
7												
8												
9												
10												
11												
12 13												
14										6		
15										29		
16												
17												
18												
19												
20 21												
22												
23										7		
24										8		
25												
26												
27												
28												
29												
30 31												
JI												
TOTAL	0	0	0	0	0	0	0	0	0	50	0	0
MEAN	0	0	0	0	0	0	0	0	0	2	0	0
MAX	0	0	0	0	0	0	0	0	0	82	0	46
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	99	0	0
WTR YR	2002 !	TOTAL	50	MEAN		0 MAX	82	2 MIN	C	AC F	т	99

Computation of Continuous Records of Streamflow

Station Number: 4903 **Name:** Cave Buttes Outlet

Drainage Area: 191 mi² at Cave Buttes Dam **Period of Record:** November 1987 to current year

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2												
3			1 4									
4 5			14 13									
6												3
7							5					18
8 9												7
10												
11												
12 13												
14										8		
15										22		
16 17										13		
18												
19												
20 21												
22												
23										4		
24 25										19 3		
26										3		
27												
28 29												
30												
31												
TOTAL	0	0	 27	0	0	0	 5	0	0	 68	0	29
MEAN	0	0	1	0	0	0	0	0	0	2	0	1
MAX	0	0	38	0	0	0	57	0	0	42	0	31
MIN AC FT	0	0	0 54	0	0	0	0 9	0	0 0	0 136	0	0 57
WTR YR	2002	TOTAL	129	MEAN		0 MAX	57	MIN	(AC_F	r 2	256

Computation of Continuous Records of Streamflow

Station Number: 4913 Name: Stagecoach Wash

Drainage Area: 1.12 mi²

Period of Record: June 13, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	Values APR			JUL	AUG	SEP
1									 1	1		
2									1	1		
3									1	1		
4									1	2		
5								1	1	3		
6								1	1	3		
7										1		
8									1	1		
9									1	1		
10									1	1		
11									1	1		
12 13									1 1	1		
13									2	1		
15									1	1 1		
16									1	1		
17										1		
18									1	1		
19									1	1		
20							1		1	1		
21									1			
22									1	2		
23									1	1		
24									2	1		
25									1	1		
26									1	1		
27										1		
28									1	1		
29							1		1			
30								1	1			
31										1		
TOTAL	0	0	0	0	0	0	1	3	 25	30	0	0
MEAN	0	0	0	0	0	0	0	0	1	1	0	0
MAX	0	0	2	0	0	0	17	12	27	14	3	2
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	3	7	50	60	1	0
WTR YR	2002	TOTAL	61	MEAN		CAM 0	2	7 MIN		0 AC_E	 FT	120

NOTE: There is some small flows coming periodically from a water storage facility about 500 feet north of the gage. All recorded flows were from this periodic discharge.

Computation of Continuous Records of Streamflow

Station Number: 4918 **Name**: Cave Cr nr Cave Cr

Drainage Area: 121 mi²

Period of Record: USGS ID# 09512300 – 05/17/1958 to 09/30/1967

WY 1968 – WY 1994 – Annual peaks only FCDMC – May 27, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0					0	0	0	0	0
MEAN	0	0	0					0	0	0	0	0
MAX	0	0	0					0	0	0	0	0
MIN	0	0	0					0	0	0	0	0
AC_FT	0	0	0					0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN	0	MAX	(NIM ((AC_I	?T	0

NOTE: Gage was down due to vandalism from December 2, 2001 to May 22, 2002.

Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 38)													
Magnitude and Probability of Instantaneous Peak Flow													
	Discha	rge, in cfs, for Indic	cated Recurrence I	nterval									
2-year													
1,420	4,420	7,670	11,900	18,900	25,600								

Computation of Continuous Records of Streamflow

Station Number: 4923 Name: Cave Cr.@ SpurCross

USGS Station: 09512280 **Drainage Area:** 121 mi²

Period of Record: June 13, 1993 to current year

See USGS Water-Data Report AZ-02-1 for data for this site.

Computation of Continuous Records of Streamflow

Station Number: 4938 **Name:** Reata Pass Dam

Drainage Area: 1.0 mi²

Period of Record: October 2, 2001 to current year

Previous gage: February 25, 1993 to November 17, 1998

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	Da J AN	ily Me	an Val MAR	ues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5 6												
7												
8												
9												
10												
11												
12 13												
14												
15												
16												
17												
18 19												
20												
21												
22												
23												
24												
25 26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	7
MIN AC FT	0	0 0	0	0	0 0	0 0	0 0	0	0 0	0	0	0
WTR YR 2		 IOTAL	<u>-</u> 0	 MEAN	 0		 7		 0			0

See also Pool Level and Storage Volume Data.

Gaging re-established during Water Year 2002 on October 2, 2001. Gage was removed during reconstruction of dam.

Computation of Continuous Records of Streamflow

Station Number: 4963 Name: Seven Springs Wash

Drainage Area: 8.0 mi²

Period of Record: March 12, 2002 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												3
8												4
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL						0	0	0	0	0	0	6
MEAN						0	0	0	0	0	0	0
MAX						0	0	0	0	0	0	22
MIN						0	0	0	0	0	0	0
AC_FT						0	0	0	0	0	0	13
WTR YR	2002	TOTAL	6	MEAN) MAX	22	MIN	0	AC_FT	!	13

Gaging established during Water Year 2002 on March 12, 2002.

Computation of Continuous Records of Streamflow

Station Number: 5013 Name: Columbus Wash

Drainage Area: Undetermined

Period of Record: September 22, 1999 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOA	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN	(XAM C	(NIM C	() AC E	T	0

Computation of Continuous Records of Streamflow

Station Number: 5033 Name: Copper Wash

Drainage Area: Undetermined

Period of Record: February 22, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOA	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	 0			0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN		 0 MAX		O MIN		0 AC_1	 FT	0

Computation of Continuous Records of Streamflow

Station Number: 5043 Name: 4th of July Wash

Drainage Area: 3.7 mi²

Period of Record: March 14, 2002 to current year

Discharge, in cfs, Water Year October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL						0	0	0	0	0	0	0
MEAN						0	0	0	0	0	0	0
XAN						0	0	0	0	0	0	0
MIN						0	0	0	0	0	0	0
AC FT						0	0	0	0	0	0	0
_	2002 '		 0	MEAN) MIN	0	AC F	 т	0

Gaging established during Water Year 2002 on March 14, 2002.

Computation of Continuous Records of Streamflow

Station Number: 5078 **Name:** Cruff Wash

Drainage Area: 9.3 mi² (approximate)

Period of Record: May 14, 2002 to current year

Discharge, in cfs, Water Year October 2001 to September 2002

DAY	OCT	NOV	DEC	Da J AN	FEB	ean Val MAR	ues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL								0	0	0	0	0
MEAN								0	0	0	0	0
MAX								0	0	0	0	0
MIN								0	0	0	0	0
AC_FT								0	0	0	0	0
 WTR YR		 TOTAL	 0	MEAN		 O MAX		 O MIN	0	AC F	 -	0

Gaging established during Water Year 2002 on May 14, 2002.

Computation of Continuous Records of Streamflow

Station Number: 5093 Name: Centennial @ Wenden

Drainage Area: 586 mi² excluding area diverted from Sols Wash at Sols Tank

Period of Record: September 16, 1998 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL			 0		0							
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0 	0	0	0	0	0	0	0 	0	0	0	0
WTR YR	2002 5	TOTAL	0	MEAN	(XAM C	(O MIN	(D AC_I	FT	0

Computation of Continuous Records of Streamflow

Station Number: 5103 Name: Centennial Railroad

USGS Station: 09517490 Drainage Area: 1,817 mi²

Period of Record: February 15, 1990 to current year

May 15, 1980 to September 30, 1985

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

See USGS Water-Data Report AZ-02-1 for data for this site.

Computation of Continuous Records of Streamflow

Station Number: 5108 Name: **Delaney Wash**

50 mi² (approximately) Drainage Area:

Period of Record: December 22, 1999 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002												
Day	Dischar		eak	. ⊔+	(foot)	D-	D:	icabara		ak	Ht. (ft.)	
09/06		577		89	(Ieec)		<u>.y</u> D.	ISCHALG	e (CIS	, Gage	110. (10.)	
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL .	AUG SEP	
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31											32 3	
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 35 0 1 0 677 0 0 0 70							
WTR YF	R 2002	TOTAL	35	MEAN	1	0 MAX	677	7 MIN	0	AC_FT	70	

Computation of Continuous Records of Streamflow

Station Number: 5113 Name: Saddleback FRS

Drainage Area: 29.6 mi² excluding area brought in from Harquahala FRS

Period of Record: December 16, 1988 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN	(MAX 0	(NIM C	(D AC 1	FT	0

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number: 5118 Name: Winters Wash

Drainage Area: Undetermined

Period of Record: July 10, 2000 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN		XAM 0	(NIM C	() AC	FT	0

Computation of Continuous Records of Streamflow

Station Number: 5128 Name: Harquahala FRS

Drainage Area: 102.3 mi²

Period of Record: March 1, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 :	LATOI	0	MEAN	(XAM C	(NIM ((D AC_I	FT	0

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number: 5163 **Name:** Tiger Wash

Drainage Area: 85.2 mi²


Period of Record: September 15, 1999 to current year. USGS maintained a continuous gage from Sept. 1965 to Sept. 1979. The station was reactivated in March 1991 as a peak flow gage site.

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002


Peak flows of interest during Water Year 2002

	Pe	ak				Pea	k	
Day	Discharge (cfs) Gage Ht.	(feet)	Day	Discharge	(cfs)	Gage Ht.	(ft.)
09/09	3,935	8.90		09/07	1,49	98	7.10	

Hydrograph for September 9, 2002 event



Hydrograph for September 7, 2002 event



Computation of Continuous Records of Streamflow

Station Number: 5163 **Name:** Tiger Wash

Drainage Area: 85.2 mi²

Period of Record: September 15, 1999 to current year. USGS maintained a continuous gage from Sept. 1965 to Sept. 1979. The station was reactivated in March 1991 as a peak flow gage site.

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												214
8												
9												300
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20 21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	514
MEAN	0	0	0	0	0	0	0	0	0	0	0	17
MAX	0	0	0	0	0	0	0	0	0	0	0	3935
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	1020
WTR YR	2002	TOTAL	514	MEAN	:	L MAX	3935	MIN	0	AC_F	r 1	020

Gage was down several times during Water Year 2002 due to radio issues. No events were missed.

Computation of Continuous Records of Streamflow

Station Number: 5178 Name: Centennial Trib near Aguila

Drainage Area: Undetermined

Period of Record: June 5, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No Recorded Events During Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN	(XAM 0	(NIM 0		0 AC	FT	0

Computation of Continuous Records of Streamflow

Station Number: 5203 Name: Buckeye FRS #1

Drainage Area: 74 mi²

Period of Record: November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												1
7 8												1 14
9												14
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21 22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	15
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0		0	0	0	0	55
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	29
WTR YR	2002	TOTAL	15	MEAN		0 MA	X 5.	5 MIN) AC 1	FT	29

See also Pool Level and Storage Volume Data.

NOTE: Because of local drawdown effects at the gage on the principal outlet, discharges for stages below about one foot gage height are approximate.

Computation of Continuous Records of Streamflow

Station Number: 5208 **Name**: Buckeye FRS #2 **Drainage Area:** 5.7 mi² without area from Buckeye #3 FRS

Period of Record: November 11, 1992 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily 1	MAR		MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4 5												
6												
7												11
8												6
9												
10												
11												
12 13												
14												
15												
16												
17												
18												
19 20												
21												
22												
23												
24												
25												
26												
27 28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	16
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	0	0	0	0	0	0	0	0	0	0	64
MIN AC FT	0	0	0	0	0 0	0	0	0 0	0	0	0	0 32
WTR YR			16	MEAN	 C		 64					32

See also Pool Level and Storage Volume Data.

NOTE: Because of local drawdown effects at the gage on the principal outlet, discharges for stages below about one foot gage height are approximate.

Computation of Continuous Records of Streamflow

Station Number: 5218 Name: Jackrabbit Wash

Drainage Area: 120 mi²

Period of Record: October 31, 2000 to current year


Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

Peak Peak

<u>Day</u> <u>Discharge (cfs) Gage Ht. (feet)</u> <u>Day</u> <u>Discharge (cfs) Gage Ht. (ft.)</u> 09/08 6,000 5.70 10/08 726 3.05

Hydrograph for September 8, 2002 event:



Computation of Continuous Records of Streamflow

Station Number: 5218 Name: Jackrabbit Wash

Drainage Area: 120 mi²

Period of Record: October 31, 2000 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	alues APR	MAY	JUN	JUL .	AUG	SEP
1 2												
3												
4 5												
6												
7	0.0											43
8 9	33											256 292
10												154
11												
12 13												
14												
15 16												
17												
18												
19 20												
21												
22												
23 24												
25												
26												
27 28												
29												
30												
31												
TOTAL	33	0	0	0	0	0	0	0	0	0	0	745
MEAN MAX	1 726	0	0	0 0	0	0	0 0	0	0	0	0	25 6000
MIN	726	0	0	0	0	0	0	0	0	0	0	0 0 0 0
AC_FT	66	0	0	0	0	0	0	0	0	0	0	1478
WTR YR	2002	TOTAL	779	MEAN		2 MAX	6000	 O MIN	0	AC_FT	 1	.544

Computation of Continuous Records of Streamflow

Station Number: 5223 Name: Hassy nr Morristown

Drainage Area: 711 mi²

Period of Record: March 14, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

See USGS Water-Data Report AZ-02-1 for data for this site.

expec	(based on Hi ted probability sh	ECWRC impleme	Frequency ntation of Bulletin s graphically clos		d data
	Magnitud	de and Probability	of Instantaneous P	eak Flow	
	Discha	rge, in cfs, for India	cated Recurrence I	nterval	
2-year	5-year	10-year	20-year	50-year	100-year
2,920	10,200	18,400	29,200	47,500	64,700

Computation of Continuous Records of Streamflow

Station Number: 5228 Name: Hassayampa @ US 60

Drainage Area: 711 mi²

Period of Record: March 14, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 :	TOTAL	0	MEAN	() MAX	(NIM C	() AC_I	FT	0

Gage separated from low flow channel through April 15, 2002 when the recording gage was relocated to the low-flow channel.

NOTE: This gage location is a wide mobile sand bed channel. Therefore, data relilability is considered poor. See also gage #5308 upstream and USGS gage 'Hassayampa River near Morristown" #09516500, downstream for additional data and comparative flood flow frequency for this site.

Computation of Continuous Records of Streamflow

Station Number: 5233 Name: Sunset FRS

Drainage Area: 0.95 mi² (from Wickenburge ADMS) **Period of Record:** February 12, 1989 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

				1		Mean V						
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												4
6 7												4 18
8	17											18
9	15									1		19
10	1									10		18
11										8		18
12										3		17
13												17
14										1		16
15										10		16
16 17										8 7		15 15
18										/		10
19												10
20												
21												
22												
23												
24												
25 26												
27												
28												
29												
30												
31												
TOTAL	34	0	0	0	0	0	0	0	0	47	0	201
MEAN	1	0	0	0	0	0	0	0	0	2	0	7
MAX	18	0	0	0	0	0	0	0	0	11	0	19
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	67 	0	0	0	0	0	0	0	0	94	0	399
WTR YR	2002	TOTAL	282	MEAN	1	L MAX	19	MIN	C	AC_F	r	560

NOTE: Outlet data based on assumption that the outlet gate is fully open, which is not necessarily the case.

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number: 5248 Name: Sunnycove FRS

Drainage Area: 0.98 mi² (from Wickenburg ADMS) **Period of Record:** November 1987 to current year

Revised Records: WY2000:WY1999

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

					Daily							
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL 	AUG	SEP
1												
2												
3												
4												
5 6												5
7	1											26
8	29											27
9	27									1		28
10	1									5		27
11												26
12												26
13 14												25
15												25 24
16												23
17												22
18												7
19												
20												
21 22												
23												
24												
25												
26												
27												
28												
29 30												
31												
TOTAL	58	0	0	0	0	0	0	0	0	6	0	292
MEAN	2	0	0	0	0	0	0	0	0	0	0	10
MAX	29	0	0	0	0	0	0	0	0	20	0	29
MIN	0 115	0	0	0	0 0	0 0	0 0	0 0	0	0 12	0	0 570
AC_FT	115	0 		. _	 		 	·	 	1Z 	0	579
WTR YR	2002	TOTAL	356	MEAN	1	MAX	29	MIN	c	AC_F	T T	706

NOTE: Outflow data based on assumption that the outlet gate is fully open.

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number: 5276 Name: Sols Wash at SR 71

Drainage Area: 10 mi²

Period of Record: September 10, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	alues APR	MAY	JUN	JUL	AUG	SEP
6 7 8	1 6											
10												
TOTAL	6	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	26	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	13	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	TOTAL	6	MEAN	(0 MAX	26	MIN	(AC_E	T	13

Computation of Continuous Records of Streamflow

Station Number: 5283 Name: Hassayampa R @ I-10

Drainage Area: 1,450 mi² approximate

Period of Record: November 9, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flow of interest during Water Year 2002

Peak Peak

<u>Day</u> <u>Discharge (cfs) Gage Ht. (feet)</u> <u>Day</u> <u>Discharge (cfs) Gage Ht. (ft.)</u>

					Daily 1							
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
6												
7												46
8												298
9												292
10												291
11												210
12												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	1138
MEAN	0	0	0	0	0	0	0	0	0	0	0	38
MAX	0	0	0	0	0	0	0	0	0	0	0	703
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	2256
WTR YR	2002	TOTAL	1138	MEAN	3	MAX	703	MIN	0	AC_F	. 2	256

NOTE: The gage was separated from the low flow channel through April 3, 2002 when gage was moved to the low-flow channel.

(from R. W	. Cruff analysis o		Frequency shape of Hassaya	mpa near Arlingto	on relation)						
	Magnitude and Probability of Instantaneous Peak Flow										
	Discha	rge, in cfs, for Indi	cated Recurrence I	nterval							
2-year	5-year	10-year	20-year	50-year	100-year						
2,500	8,000	15,000	32,000	51,000	75,000						

Computation of Continuous Records of Streamflow

Station Number: 5308 Name: Hassy @ Box Canyon

Drainage Area: 416 mi²

Period of Record: USGS: ID 09515500 – 1925, 1927, 1937, 1938 (annual peaks only)

WY1946 – WY1982 as a continuous site FCDMC: November 1987 to current year

Revised Records: WY1996: WY1994-1995. WY1997: WY1996


Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

Peak Peak

<u>Day</u> <u>Discharge (cfs) Gage Ht. (feet)</u> <u>Day</u> <u>Discharge (cfs) Gage Ht. (ft.)</u> 09/07 963 5.50 09/11 662 5.05

Hydrograph for September 7, 2002 event:



	(based on H	Flood Flow ECWRC implemen	Frequency ntation of Bulletin	17B, n = 46)	
	Magnitud	de and Probability of	of Instantaneous Po	eak Flow	
	Discha	rge, in cfs, for Indic	cated Recurrence I	nterval	
2-year	5-year	10-year	20-year	50-year	100-year
4,020	12,200	21,200	32,900	53,000	72,200

Continued on next page

Computation of Continuous Records of Streamflow

Station Number: 5308 Name: Hassy @ Box Canyon

Drainage Area: 416 mi²

Period of Record: USGS: ID 09515500 – 1925, 1927, 1937, 1938 (annual peaks only)

WY1946 – WY1982 as a continuous site FCDMC: November 1987 to current year

Revised Records: WY1996: WY1994-1995. WY1997: WY1996

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4 5												
6												
7												102
8												117
9 10												2 5
11												86
12												0.0
13												
14										3 2		
15 16										2		
17												
18												
19												
20												
21 22												
23												
24												
25												
26 27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0		0	0	5	0	312
MEAN	0	0	0	0	0	0		0	0	0	0	10
MAX	0	0	0	0	0	0		0	0	49	0	963
MIN AC FT	0	0 0	0	0	0	0		0	0	0 11	0	0 619
WTR YR	2002	TOTAL	317	MEAN		1 MA	X 96	3 MIN	•	0 AC_F	T.	630

NOTE: There is a frequent low flow below the gage. Approximately 150 cfs pass below the gage before detection.

Computation of Continuous Records of Streamflow

Station Number: 5353 Name: Hassy @ Wagoner Rd

Drainage Area: 78 mi²

Period of Record: September 26, 1991 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1 2 3												
3 4 5												
2 3 4 5 6 7												1
8 9 10	1											
11												3
12 13												
14 15 16												
17 18												
19 20												
21 22												
23												
25 26												
27 28 29												
30 31												
TOTAL	1	0	0	0	0	0	0	0	0	0	0	4
MEAN MAX	0 15	0 2	0	0	0	0 12	0 15	0 1	0	0 12	0	0 95
MIN AC_FT	0 2	0	0	0	0	0	0	0	0	0	0	0 9
WTR YR	2002	TOTAL	7	MEAN		0 MAX	s 9!	5 MIN	(0 AC_I	· T	13

NOTE: The sonar device at this locaiton is influenced by temperature. Therefore, daily values may be overestimated. Typically, base flow is 5-20~cfs.

	Flood Flow Frequency (based on HECWRC implementation of Bulletin 17B, n = 12)											
	Magnitude and Probability of Instantaneous Peak Flow											
	Discha	rge, in cfs, for Indi	cated Recurrence I	nterval								
2-year	2-year 5-year 10-year 20-year 50-year 100-year											
595	1,590	2,580	3,780	5,730	7,490							

Computation of Continuous Records of Streamflow

Station Number: 5403 Name: Agua Fria @ Buckeye

Drainage Area: 2,241 mi², 1,459 mi² controlled by New Waddell Dam, 191 mi² by

Cave Buttes Dam, 90 mi² by Adobe Dam, 164 mi² by New River Dam,

and 247 mi² by McMicken Dam. **Period of Record:** October 12, 1988 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

Peak Peak

<u>Day Discharge (cfs) Gage Ht. (feet)</u> <u>Day Discharge (cfs) Gage Ht. (ft.)</u> 07/15 1,477 0.22

DAY	OCT	NOV	DEC	JAN		MAR	APR		JUN	JUL	AUG	SEP
1												
2 3												
4 5												
6 7												36
8												3
9 10												
11 12												
13 14												
15										297		
16 17												
18 19										39		
20 21												
22												
23 24												
25 26												
27 28												
29												
30 31												
TOTAL	0	0	0	0	0	0	0	0	0	336	0	39
MEAN MAX	0	0	0	0	0	_	0	0 0		11 1477	0	1 328
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	665 	0	78
WTR YR	2002 '	TOTAL	375	MEAN	1	MAX	1477	MIN		0 AC 1	FT '	743

NOTE: Severe drop at boulders along the downstream side of Buckeye Road bridge as well as two channels for lower flows introduce considerable error into the rating for flows less than about 3,500 cfs. The multiple channels also mean some lower flows are missed by the gage.

Computation of Continuous Records of Streamflow

Station Number: 5408 Name: Colter @ El Mirage

Drainage Area: 3.48 mi²

Period of Record: June 29, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
4												
5												
6												2
7												6
8												
9												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	9
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	37
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	18
WTR YR	2002 '	TOTAL	9	MEAN	0	MAX	37	MIN	(AC_1	 FT	18

Flood Flow Frequency (HEC-1 for Colter Channel Design Analysis)									
(HEC-1 for Colter Channel Design Analysis)									
Magnitude and Probability of Instantaneous Peak Flow									
Discharge, in cfs, for Indicated Recurrence Interval									
100-year									
1,040									

Computation of Continuous Records of Streamflow

Station Number: 5413 Name: Dysart Drain @ LAFB

Drainage Area: 52 mi²

Period of Record: August 22, 1996 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												1
7 8												1
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19 20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	2
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	17
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	3
WTR YR	2002	TOTAL	2	MEAN		0 MA	1	7 MIN	0	AC_I	 ?T	3

NOTE: Many days of positive mean daily flow due to irrigation tailwater.

Computation of Continuous Records of Streamflow

Station Number: 5418 Name: White Tanks #3 FRS

Drainage Area: 20.5 mi²

Period of Record: November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded impoundments or outflows during Water Year 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN		XAM 0	(NIM C		D AC_I	FT	0

NOTE: Flow assumes gated outlet open, however, it is usually closed.

Computation of Continuous Records of Streamflow

Station Number: 5422* Name: Dysart Chnl@ El Mirage Road

Drainage Area: 58.2 mi²

Period of Record: June 23, 1994 to December 26, 1995

March 7, 1997 to current year**

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	4 3	2						1 3 3 5 5		1 1 1 1		
7 8 9 10 11	5 2 3 1	1		1	1			5 2 2 2 3		1 1 1	1	5 15 15 5 1
12 13 14 15 16 17	1 1 1	1 2						2 3 1 1 2		1	1	
18 19 20 21 22 23		1 1						1	1 1	6 3 3 1 1	1	
24 25 26 27 28	1	2 1 3 5		1				2 2 4 4 2	1	2 1 1 3	_	1
29 30 31	1 2	1						2 2 1	1	4 1		
TOTAL MEAN MAX MIN AC_FT	29 1 14 0 57	22 1 12 0 44	0 0 0 0 0	4 0 1 0 8	2 0 1 0 3	0 0 2 0	0 0 0 0	57 2 6 0 114	8 0 3 0 17	38 1 11 0 76	10 0 1 0	48 2 78 0 95
WTR YR	2002	TOTAL	218	MEAN		1 MA	x 7	8 MIN) AC_	 FT	432

^{*}Gage ID number changed to 5422 from 5423 when PT gage was removed. Sonar gage is ID number 5422.

^{**} Gage reinstalled on March 7, 1997 on new Dysart Channel. Gage moved from approximately 1,000 feet upstream of El Mirage Road.

Flood Flow Frequency (HEC-1 for White Tanks ADMS modified for Dysart Channel Design Analysis)								
Magnitude and Probability of Instantaneous Peak Flow								
Discharge, in cfs, for Indicated Recurrence Interval								
100-year								
4,020								

Computation of Continuous Records of Streamflow

Station Number: 5428 Name: Ford Canyon Wash

Drainage Area: 4.3 mi²

Period of Record: February 5, 2002 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

				Da	ily Me	ean Val	.ues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												1
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL					0	0	0	0	0	0	0	1
MEAN					0	0	0	0	0	0	0	0
MAX					0	0	0	0	0	0	0	4
MIN					0	0	0	0	0	0	0	0
AC FT					0	0	0	0	0	0	0	1
WTR YR	2002	TOTAL	1	MEAN	(XAM C	4	4 MIN	C	AC_F	T	1

Gaging established during Water Year 2002 on February 5, 2002.

Computation of Continuous Records of Streamflow

Station Number: 5438 Name: McMicken Floodway

Drainage Area: 305 mi² of which 247 mi² is controlled by McMicken Dam

Period of Record: September 3, 1992 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily	Mean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4												
5 6												4
7												42
8 9												92 28
10 11												16 22
12												9
13 14												
15												
16 17												
18 19												
20												
21 22												
23 24										1 8		
25										O		
26 27												
28 29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	9 0	0	213
MEAN MAX	0 0	0 0	0 0	0	0	0 0	0 0	0 0	0 0	80	0 0	7 180
MIN AC FT	0	0	0	0	0	0	0	0	0	0 18	0	0 422
WTR YR 2		 IOTAL	 222	 MEAN	 1		 180	 MIN	0			 441

NOTE: Flow events in July and September were overstated due to a construction dam about 200 feet downstream from the gage. Levels recorded by gage were correct.

Flood Flow Frequency (FEMA 9/95, "at confluence with McMicken Dam")										
Magnitude and Probability of Instantaneous Peak Flow										
Discha	rge, in cfs, for Indicated Recurrence I	nterval								
10-year	10-year 50-year 100-year									
2,610	2,610 4,280 5,090									

Computation of Continuous Records of Streamflow

Station Number: 5448 Name: McMicken Dam

Drainage Area: 247 mi²

Period of Record: November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded impoundment or flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2002 TOTAL 0 MEAN) MAX	(MIN	() AC_I	 ?T	0

NOTE: Some impoundment occurred at McMicken Dam during Water Year 2002. It was found that the level sensor was not in the correct position, and thus missed the events.

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number: 5488 Name: Upper Trilby Wash

Drainage Area: 5 mi²

Period of Record: September 26, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	FEB	Mean V MAR	alues APR		JUN	JUL	AUG	SEP
1 2												
3												
4 5												
6												2
7												
8 9												
10												
11												
12												
13 14												
15												
16 17												
18												
19												
20 21												
22												
23												
24 25												
26												
27												
28 29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	2
MEAN			0	0				0			0	0
MAX MIN	0 0	0	0	0	0	0 0	0 0	0 0	0 0	0	0 0	57 0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	4
WTR YR	2002 :	TOTAL	2	MEAN		0 MAX	5	7 MIN) AC_1	 FT	4

Computation of Continuous Records of Streamflow

Station Number: 5503 Name: Agua Fria @ Grand

USGS Gage: 09513650 (Agua Fria at El Mirage)

Drainage Area: 1,628 mi² of which 1,433 mi² is controlled by New Waddell Dam

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	2											
TOTAL MEAN MAX MIN AC_FT	2 0 84 0 3	0 0 0 0										
WTR YR	2002	TOTAL	2	MEAN		0 MAX	8	 4 MIN	0	AC_1	 FT	3

Computation of Continuous Records of Streamflow

Station Number: 5508 **Name:** NewRiver @ Glendale

Drainage Area: 600 mi², of which 191 mi² is controlled by Cave Buttes Dam, 164 mi²

by New River Dam, and 90 mi² by Adobe Dam.

Period of Record: FCDMC: October 1, 1998 to current year*

USGS: through WY1998 (09513910)


Revised Records: WY2000:WY1999

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

				•								
	Pea	k		Peak								
Day	Discharge (cfs)	Gage Ht.	(feet)	Day	Discharge	(cfs)	Gage Ht.	(ft.)				
07/15	1,361	1.75		07/24	420		1.30					
09/07	974	1.58										

Hydrograph of July 15, 2002 event:



Computation of Continuous Records of Streamflow

Station Number: 5508 Name: NewRiver @ Glendale

Drainage Area: 600 mi², of which 191 mi² is controlled by Cave Buttes Dam, 164 mi²

by New River Dam, and 90 mi² by Adobe Dam.

Period of Record: FCDMC: October 1, 1998 to current year*

USGS: through WY1998 (09513910)

Revised Records: WY2000:WY1999

DAY	ОСТ	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1 2												
3												
4 5												
6 7												252
8												257
9 10												
11												
12 13												
14 15										483		
16										2		
17 18												
19 20												
21												
22 23												
24 25										114		
26												
27 28												
29 30												
31												
TOTAL	6	6	6	6	6	6		6	6	605	6	515
MEAN MAX	0	0	0	0	0	0	0	0	0	20 1361	0	17 974
MIN	0 12	0 12	0 12	0 12	0 11	0 12	0 12	0 12	0 12	0 1200	0 12	0 1022
AC_FT WTR YR		 TOTAL	1182	⊥∠ MEAN		3 MA				0 AC_		344
MIK IK	2002	TOIAL	1102	MEAN		J MA	v 130	T MIN		O AC_	:	J-1-1

Computation of Continuous Records of Streamflow

Station Number: 5523 Name: ACDC @ 67th Ave.

Drainage Area: 86 mi² at confluence with Skunk Creek

Period of Record: June 7, 1990 to current year **Revised Records:** WY1996: WY1994-1995

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

Peak Peak

<u>Day</u> <u>Discharge (cfs) Gage Ht. (feet)</u> <u>Day</u> <u>Discharge (cfs) Gage Ht. (ft.)</u> 07/15 1,510* 5.36 07/24 481 3.60

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6		5 8	40 12				4				4 1 4 1	 4 179
8 9 10 11 12 13			7 10 12	1 2	3 2	1			1		1	57 5 6 27 3
14 15 16 17 18 19 20				1						1 75 37 14 4 3		2 1 1 1 1 1
21 22 23 24 25 26 27										10 114 17 9		
28 29 30 31										2 1		7 4
									 1	202	11	
TOTAL MEAN MAX MIN AC FT	0 0 0 0	14 0 23 0 28	82 3 73 0 163	3 0 7 0 7	5 0 3 0 11	1 0 2 0 1	4 0 11 0 8	0 0 0 0	1 0 2 0 2	292 9 481 0 578	11 0 8 0 23	299 10 306 0 594
WTR YR	 2002	TOTAL	 713	MEAN		2 MAX	 481	MIN		AC		 414

^{*} Level gage failed during event of July 15, 2002. Peak data were recovered from the crest-stage gage on site.

	Flood Flow Frequency (computed from USACE design information)													
	Magnitude and Probability of Instantaneous Peak Flow													
	Disc	harge, in cfs, for Indi	cated Recurrence Int	erval										
2-year	5-year	10-year	20-year	50-year	100-year									
1,900														

Computation of Continuous Records of Streamflow

Station Number: 5538 Name: Adobe Dam Outlet

Drainage Area: 89.6 mi²

Period of Record: November 1987 to current year

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR			MAY	JUN	JUL	AUG	SEP
1													
2													
4													
5 6													
7													1
8													35
9 10													9 1
11													1
12													
13 14													
15													
16													
17 18													
19													
20													
21 22													
23													
24													
25 26													
27													
28 29													
30													
31								_					
TOTAL	0	0	0	0	0	0)	0	0	0	0	0	46
MEAN	0	0	0	0	0	0)	0	0	0	0	0	2
MAX MIN	0 0	0	0	0	0	0		0	0 0	0	17 0	0 0	107 0
AC_FT	0	0	0	0	0	0		0	0	0	1	0	91
WTR YR	2002	TOTAL	46	 6 ME	 AN	0	MAX	10	7 MII	N N	0 A	 C_FT	92

Computation of Continuous Records of Streamflow

Station Number: 5543 Name: Scatter Wash

Drainage Area: 18.1 mi²

Period of Record: September 18, 1996 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

		Pe	ak	HOWS	or intere	-si uui	nig wa	lei iea	2002	Pea	k		
		rge (cfs			(feet)	•	Day	Discha	arge	(cfs)	Gage	Ht.	(ft.)
07/14		400	1.	17			09/06		304		1.0	0 (
DAY	ОСТ	NOV	DEC	JAN	Daily FEB				Y J	UN	JUL	AUG	SEP
1 2 3 4			4										
5 6 7 8 9													11 70 25
10 11 12 13 14 15											28 84		1
16 17 18 19 20 21													
22 23 24 25 26											19 13		
27 28 29 30 31									_				
TOTAL	1	1	 5	1	 1	 1	 1		 1	1	 146	 1	111
MEAN	0		0	0	0	0) ()		5	0	4
MAX	0	0	28	0	0	0	C) ()	0	400	0	304
MIN AC_FT	0		0 10	0 2	0 2	0 2	2) 2		0 290	0 2	0 221
WTR YR	2002	TOTAL	271	MEAN	1	 1 MA	x 4	100 м	IN	0	AC_F1	 [538

Flood Flow Frequency (Channel Design Analysis)
Magnitude and Probability of Instantaneous Peak Flow
Discharge, in cfs, for Indicated Recurrence Interval
100-year
6,100

Computation of Continuous Records of Streamflow

Station Number: 5568 **Name:** Skunk Creek @ I-17 **USGS Gage:** 09512860 – Skunk Creek near Phoenix, Arizona

Drainage Area: 64.9 mi²

See USGS Water-Data Report AZ-02-1 for data for this site.

			Frequency ntation of Bulletin mination of obser										
	Magnitud	le and Probability	of Instantaneous P	eak Flow									
	Discha	rge, in cfs, for India	cated Recurrence I	nterval									
2-year													
1,070													

Computation of Continuous Records of Streamflow

Station Number: 5583 Name: Cline Creek

Drainage Area: 10 mi²

Period of Record: November 20, 2001

Discharge, in cfs, Water Year October 2001 to September 2002

	Daily Mean Values											
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												3
8												1
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL		0	0	0	0	0	0	0	0	0	0	4
MEAN		0	0	0	0	0	0	0	0	0	0	0
MAX		0	0	0	0	0	0	0	0	0	0	63
MIN		0	0	0	0	0	0	0	0	0	0	0
AC_FT		0	0	0	0	0	0	0	0	0	0	7
WTR YR	2002 !	 FOTAL	4	MEAN	(MAX	63	MIN		AC_F	' 'T	7

Gaging established during Water Year 2002 on November 20, 2001.

Computation of Continuous Records of Streamflow

Station Number: 5588 **Name:** Skunk Creek near New River

Drainage Area: 4 mi² (approximate)

Period of Record: June 21, 1995 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

		Pea		riows	or intere	est aurin	g wate	er Year 20	UZ Pea	ak		
Day	Discharge	(cfs)		Ht.	(feet)	Da	ay D	ischarge			Ht.	(ft.)
09/ 07	206		1.7	76								
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR			JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29												21 1
30 31												
TOTAL MEAN MAX MIN AC FT	0 0 0 0	23 1 206 0 45										
	<u>-</u>											

NOTE: ID number changed from 5583 to 5588 during Water Year 2001. All historic data moved to ID 5588.

0 MAX

206 MIN

23 MEAN

Flood Flow Frequency											
Magnitude a	nd Probability of Instantane	ous Peak Flow									
Discharge,	in cfs, for Indicated Recurre	ence Interval									
10-year	50-year	100-year									
1.730											

WTR YR 2002 TOTAL

0 AC FT

Computation of Continuous Records of Streamflow

Station Number: 5598 Name: New River @ Bell

Drainage Area: 185 mi², of which 164 mi² are controlled by New River Dam

Period of Record: April 4, 1990 to current year*

Revised Records: WY1996, WY1995

DAY	OCT	NOV	DEC	JAN	Daily M	lean Va MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31												3 5
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	8 0 26 0 16										
WTR YR	2002	TOTAL	8	MEAN	0	MAX	26	MIN	0	AC_F	 r	16

	Flood Flow Frequency (based on HEC-1 analysis by R. W. Cruff, 1995)											
			of Instantaneous Pea									
	Disc	harge, in cfs, for indi	cated Recurrence Int	erval								
2-year	5-year	10-year	25-year	50-year	100-year							
1,920												

Computation of Continuous Records of Streamflow

Station Number: 5613 Name: New River Outlet

Drainage Area: 164 mi²

Period of Record: November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 :	COTAL	0	MEAN	(XAM C	(NIM C	(AC_I	FT	0

Computation of Continuous Records of Streamflow

Station Number: 5968 Name: StoneRidge Dam

Drainage Area: 0.86 mi²

Period of Record: December 11, 1996 to current date

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3 4												
5												
6												
7												
8												
9												
10												1
11 12												
13												
14												
15												
16												
17												
18												
19 20												
21												
22												
23												
24												
25												
26												
27												
28 29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	1
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	20
MIN	0	0	0 0	0	0	0	0	0 0	0	0	0	0 2
AC_FT												
WTR YR	2002	TOTAL	1	MEAN		0 MAX	20	MIN	0	AC_E	T	2

Computation of Continuous Records of Streamflow

Station Number: 5973 **Name:** SunRidge Canyon Dam

Drainage Area: 1.6 mi²

Period of Record: February 4, 1997 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	J AN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												4
10 11												4
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22 23												
23												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	4
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	114
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	7
WTR YR	2002	TOTAL	4	MEAN		 XAM 0	114	MIN	0	AC_I	 FT	7

Computation of Continuous Records of Streamflow

Station Number: 5978 **Name:** GoldenEaglePark Dam

Drainage Area: 7.13 mi² of which 2.02 mi², 2.13 mi², and 1.6 mi² are controlled by

Aspen, North Heights, and Sunridge Canyon Dams respectively.

Period of Record: December 12, 1996 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

			eak				9		Pe	ak		
<u>Day</u> 09/10	Discha	rge (cf	s) Gage	Ht.	(feet)	Da	ay I	Discharg	e (cfs) Gage	Ht.	(ft.)
09/10		925	*1	2.03								
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	APR	MAY	JUN 	JUL .	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22												70 35
23 24 25 26 27 28 29 30 31 TOTAL MEAN	0 0	 0 0	0 0	0	 0 0		 0 0	0	 0 0	0 0	 0 0	104
MAX MIN AC_FT	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	614 0 207
WTR YR	2002	TOTAL	104	MEAN	Ī	0 MAX	63	14* MIN	0	AC_FT		207

See also Pool Level and Storage Volume Data.

*NOTE: Surveyed high water marks for the September 10, 2002 event indicated a peak of 12.0 feet. An instrument check after the event did not indicate a problem with the equipment. Drawdown effects on the gage may be an issue at this location.

Computation of Continuous Records of Streamflow

Station Number: 5983 Name: North Heights Dam

2.13 mi² **Drainage Area:**

Period of Record: October 11, 1996 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Vear 2002

Peak flows of interest during Water Year 2002 Peak Peak												
Day	Dischar	re ge (cfs		H+	(feet)	т)av i	Discharge			H+	(ft)
09/10	2	19	14	.82	(1000)	. =	<u> </u>	Discharge	(010)	ouge	110.	(10.7
DAY	OCT	NOV	DEC	JAN	Daily FEB				JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8		2 1 2 1	2									
10 11 12 13 14 15 16 17 18 19 20 21			2									13
22 23 24 25 26 27 28 29 30 31										1		
TOTAL MEAN MAX MIN AC_FT	0 0 0 0 0	6 0 3 0 12	3 0 3 0 6	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0	0 0 0 0 0	1 0 9 0 2	0 0 0 0	13 0 219 0 25
WTR Y	R 2002	TOTAL	23	MEAN	 I	0 MA	ς 2	 19 MIN	0	AC_F1	 !	46

See also Pool Level and Storage Volume Data.

Computation of Continuous Records of Streamflow

Station Number: 5988 **Name:** Aspen Dam

Drainage Area: 2.02 mi²

Period of Record: January 2, 1997 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4												
5 6												
7												
8												
9 10												5
11												2
12												
13 14												
15												
16												
17 18												
19												
20												
21 22												
23												
24												
25 26												
27												
28												
29 30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	7
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX MIN	0	2	0 0	0 0	0	0	0	0	0 0	2	0	79 0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	15
WTR YR	2002	TOTAL	8	MEAN		0 MAX	79	MIN) AC_F	 r	15

Computation of Continuous Records of Streamflow

Station Number: 5993 **Name:** Hesperus Dam

Drainage Area: 2.91 mi²

Period of Record: December 18, 1996 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV		JAN	FEB	Mean V	APR	MAY		JUL	AUG	SEP
1												
2												
3												
4												
5 6												
7												
8												
9												
10												7
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21 22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	7
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	153
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	14
WTR YR	2002	TOTAL	7	MEAN		0 MAX	15	3 MIN	(AC_	FT	14

Computation of Continuous Records of Streamflow

Station Number: 6503 **Name:** Guadalupe FRS

Drainage Area: 1.87 mi²

Period of Record: June 29, 1989 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow or impoundment during Water Year 2002

				1	Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN		0 MAX	(0 MIN		O AC_1	 FT	0

NOTE: Gated outlet assumed closed.

Computation of Continuous Records of Streamflow

Station Number: 6563 Name: South Mountain Fan

Drainage Area: 1.98 mi²

Period of Record: June 9, 1993 to current year

Revised Records: WY1996: WY1995

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	/alues APR	MAY	JUN	JUL	AUG	SEP
1 2 3												
3 4												
4 5 6 7												
7												
8 9 10												
10 11												
12 13												
14 15										2 1		
16										1		
17 18												
19 20												
21 22												
23 24												
25												
26 27												
28 29												
30 31												
TOTAL	0	 0	0	0	0	0	0	0	0	3	0	0
MEAN MAX	0	0	0	0	0	0	0	0	0	0 155	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	6	0 	0
WTR YR	2002	TOTAL	3	MEAN		0 MAX	155	MIN	(0 AC_	r T	6

		Flood Flow (based on HEC-	Frequency 1 analysis, 1997)								
	Magnitud	le and Probability	of Instantaneous P	eak Flow							
	Discha	rge, in cfs, for indic	cated Recurrence I	nterval							
2-year	5-year	10-year	25-year	50-year	100-year						
300											

Computation of Continuous Records of Streamflow

Station Number: 6573 Name: EMF @ Broadway

Drainage Area: 15.4 mi²

Period of Record: August 10, 1989 to current year

		т-	Peak eak	flows	of inter	est durin	g Wate	r Year 20		eak		
Day	Dischar			Ht.	(feet)	Da	y D	ischarq		s) Gage	Ht.	(ft.)
07/23		643		83	(====,		<u>, </u>		- (0	, cage		(= 0.7
DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	alues APR	MAY 	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21			6									
22 23 24 25 26 27 28 29 30 31										75 27		
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0 0	6 0 68 0 11	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0	3 643 0 202	0 0 0 0	0 0 0 0 0
WTR Y	R 2002	TOTAL	108	MEAN	1	0 MAX	64	3 MIN	C	AC_F	•	213

Computation of Continuous Records of Streamflow

Station Number: 6583 Name: EMF @ Queen Creek

Drainage Area: 104.6 mi²

Period of Record: January 18, 1989 to current year

Revised Records: WY2000:WY1998-1999

DAY	ОСТ	NOV	DEC	JAN	Daily FEB	Mean '	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4												
5												
6												
7												
8												
9 10												
11												
12												
13												
14												
15												
16 17												
18												
19												
20												
21												
22 23												
24										55		
25										69		
26										37		
27												
28 29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	162	0	0
MEAN	0	0	0	0	0	0	0	0	0	5	0	0
MAX MIN	0	0	0	0	0	0	0	0	0	90 0	0 0	0
AC_FT	0	0	0	0	0	0	0	0	0	321	0	0
WTR YR	2002	TOTAL	162	MEAN			 2 9(O MIN		 D AC_F	 Т :	 321

Computation of Continuous Records of Streamflow

6598 EMF @ Arizona Ave. **Station Number:** Name:

214 mi² (at Hunt Highway, 8 miles upstream.) Drainage Area:

Period of Record: February 10, 1989 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

				flows	of inter	est dur	ing Wa	ter Y	ear 200				
Dorr	Peak ay Discharge (cfs) Gage Ht					,	Da	Dia	ahamaa	Pea		U+	/f+ \
07/24		42		80	(Ieec)	. :	Day	DIS	charge	(CIS)	Gage	nc.	(10.)
					Daily								
DAY	OCT	NOV	DEC	JAN	FEB	MAR			MAY .	JUN	JUL	AUG	SEP
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23											117		
24											117		
25											26		
26											43		
27													
28													
29													
30													
31								-					
TOTAL	0	0	0	0	0	0		- -	0	0	186	0	0
MEAN	0	0	0	0	0	0	(0		6	0	0
MAX	0	0	0	0	0	0	(0	0	242	0	0
MIN		0	0	0	0	0	(0	0		0	0
AC_FT		0	0	0	0	0	(0	0	370	0	0
WTR Y	R 2002	TOTAL	186	MEAN	1	1 MA	x 2	242	MIN	0	AC_F	ľ	370

Computation of Continuous Records of Streamflow

Station Number: 6603 Name: Guadalupe Channel

13.7 mi² (discharge under US 60 limited to 1,800 cfs; drainage area downstream of US 60 about 1.5 mi² (1.2 mi² east of Sossaman Road **Drainage Area:**

and south of US 60.)

Period of Record: August 7, 1998 to current year


Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

Peak Peak

Discharge (cfs) Gage Ht. (feet) Day Discharge (cfs) Gage Ht. (ft.) 07/23

Hydrograph of July 23, 2002 event:



Computation of Continuous Records of Streamflow

Station Number: 6603 **Guadalupe Channel** Name:

13.7 mi² (discharge under US 60 limited to 1,800 cfs; drainage area downstream of US 60 about 1.5 mi² (1.2 mi² east of Sossaman Road **Drainage Area:**

and south of US 60.)

Period of Record: August 7, 1998 to current year

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21			19 2									
22 23 24 25 26 27 28 29 30 31										57 2		
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0	22 1 138 0 43	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	60 2 940 0	0 0 0 0 0	0 0 0 0
WTR YR	2002	TOTAL	 82	MEAN		0 MA	x 94	0 MIN	(D AC_F	 T 1	162

Flood Flow Frequency (from design sheets)
Magnitude and Probability of Instantaneous Peak Flow
Discharge, in cfs, for Indicated Recurrence Interval
100-year
2,400

Computation of Continuous Records of Streamflow

Station Number: 6628 Name: Signal Butte FRS

Drainage Area: 16.4 mi² not including area from Apache Junction FRS

Period of Record: November 10, 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	 0	0	0	0	0	0	0	0	 0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 :	TOTAL	0	MEAN	(XAM C	() MIN	(D AC_I	FT	0

Computation of Continuous Records of Streamflow

Station Number: 6673 Name: Apache Jct. FRS

Drainage Area: 5.8 mi²

Period of Record: November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

	Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1													
2													
3													
4													
5													
6													
7 8													
9													
10													
11													
12													
13													
14													
15													
16 17													
18													
19													
20													
21													
22													
23										3			
24 25										1			
26													
27													
28													
29													
30													
31													
TOTAL	0	0	0	0	0	0	0	0	0	4	0	0	
MEAN	0	0	0	0	0	0	0	0	0	0	0	0	
MAX	0	0	0	0	0	0	0	0	0	18	4	0	
MIN	0	0	0	0	0	0	0	0	0	0	0	0	
AC_FT	0	0	0	0	0	0	0	0	0	8	0	0	
WTR YR 2	2002 7	OTAL	4	MEAN	0	MAX	18	MIN	C	AC_E	 Т	8	

Computation of Continuous Records of Streamflow

Station Number: 6683 Name: Powerline FRS

Drainage Area: 49.9 mi²

Period of Record: December 3, 1992 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												1
7												
8												
9												
10 11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22 23												
23												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	1	0	0	0	0	0	0	1	0	1
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	3	0	2	0	0	0	0	0	0	4	2	2
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	1	0	0	0	0	0	0	2	1	1
WTR YR	2002 '	 IOTAL	3	MEAN		0 MAX		4 MIN	0	AC_I	 FT	5

Computation of Continuous Records of Streamflow

Station Number: 6688 Name: Vineyard FRS

Drainage Area: 57.8 mi²

Period of Record: November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3 4												
5												
6												
7												
8												
9												
10												
11 12												1
13												Τ.
14												
15												
16												
17												
18 19												
20												
21												
22												
23												
24												
25												
26 27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	2
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	2
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	4
WTR YR	2002	TOTAL	2	MEAN		0 MAX	2	MIN	0	AC_F	'Т	4

Computation of Continuous Records of Streamflow

Station Number: 6703 Name: Rittenhouse FRS

Drainage Area: 51.3 mi²

Period of Record: September 27, 1988 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean '	Values APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4			1									
5			_									
6												11
7												22
8												16
9												4
10 11												12
12												50 5
13												2
14												1
15												
16												
17												
18 19												
20												
21												
22												
23												
24										1		
25												
26 27												
28												
29											33	
30											5	
31											1	
TOTAL	0	0	2	0	0	0	0	0	0	2	39	124
MEAN	0	0	0	0	0	0	0	0	0	0	1	4
MAX	0	0	5	0	0	0	0	0	0	6	64	79
MIN AC FT	0	0	0 3	0 0	0	0	0 0	0	0	0 3	0 78	0 246
WTR YR			 167	 MEAN		 KAM 0			 C			331
MIN IN	2002	TOIAL	107	HEALIN		O LITA	. /3	, MIN		, AC_1		JJ1

Computation of Continuous Records of Streamflow

Station Number: 6707* Name: Queen Creek at Rittenhouse Road

Drainage Area: Undetermined

Period of Record: September 14, 1993 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

WTR YR 2	2002 TO	OTAL	0	MEAN	0	MAX	0	MIN	0	AC FI	!	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0

^{*} Gage ID number changed during Water Year 1997 from 6713 to 6707 to mitigate radio interference problems.

NOTE: The gage recorded a peak stage of 2.26 feet on September 11, 2002. The PZF was surveyed to be about 2.2 feet in June 2000. A small flow may have occurred.

Computation of Continuous Records of Streamflow

Station Number: 6723 Name: Queen Creek @ CAP

Drainage Area: 256 mi²

Period of Record: January 14, 1999 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 TO	DTAL	0	MEAN	0	MAX	0	MIN	0	AC FT		0

Computation of Continuous Records of Streamflow

Station Number: 6739 **Name:** Whitlow Ranch Dam

Drainage Area: 143 mi²

Period of Record: FCDMC - January 8, 1998 to current year*

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

WTR YR 2	002 т	OTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT		0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0

NOTE: Gage becomes disconnected from the USACOE gaging equipment on occasion. There may have been several impoundments behind the dam during the water year that may not have been recorded by FCDMC gaging equipment. For more information, refer to the *U.S. Army Corps of Engineers, Los Angeles District*.

Computation of Continuous Records of Streamflow

Station Number: 6813 Name: Buckeye FRS #3

Drainage Area: 9.3 mi²

Period of Record: November 23, 1992 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												1
8												
9												
10 11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22 23												
23												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	1
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	6
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	3
WTR YR	2002	rotal	1	MEAN		0 MAX		6 MIN	0	AC_I	 FT	3

Computation of Continuous Records of Streamflow

Station Number: 6823 Name: White Tanks #4 FRS

Drainage Area: 18.6 mi² (White Tanks ADMS) **Period of Record:** November 1987 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flows or impoundments during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN	(XAM C	(NIM C	(AC_E	T.	0

Computation of Continuous Records of Streamflow

Station Number: 6833 Name: Waterman @ Rainbow

Drainage Area: 362 mi²

Period of Record: March 18, 1999 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

	Daily Mean Values											
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL 2	AUG	SEP
1												
2												
3												
4												
5												
6												
7												11 79
8 9												79
10												
11												
12												
13												
14												
15												
16												
17 18												
19												
20												
21												
22												
23												
24												
25 26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	90
MEAN	0	0	0	0	0	0	0	0	0	0	0	3
MAX	0	0	0	0	0	0	0	0	0	0	0	133
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	179
WTR YR	2002	TOTAL	90	MEAN	0	MAX	133	MIN	0	AC_FT		 179

NOTE: Many days of irrigation tailwater flows at this site.

Computation of Continuous Records of Streamflow

Station Number: 6848 Name: Gila R. @ 116th Ave

Drainage Area: 43,300 mi² (approximate)

Period of Record: December 21, 1998 to current year*

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4		178										
5		308										
6		181										
7 8												
9												
10												
11												
12							16					
13 14												
15												
16												
17												
18 19												
20												
21												
22												
23												
24 25												
26												
27												
28												
29												
30 31												
TOTAL	0		0	0	0	0	16	0	0	0	0	0
MEAN	0	22	0	0	0	0	1	0	0	0	0	0
MAX MIN	0		0	0	0	0	339 0	0	0 0	0 0	0	0
AC_FT	0		0	0	0	0	31	0	0	0	0	0
WTR YR	2002	TOTAL	 682	MEAN		2 MAX	418	MIN	 0	AC FT	13	 353

^{*}Gage installed on December 21, 1998, replacing FCDMC gage #6863 at the old 115th Avenue Gila River crossing. Old gage was in service from November 6, 1997 until installation of new gage 6848.

^{**}An undetermined amount of flow occurs more or less continually at this location below the gage.

Computation of Continuous Records of Streamflow

Station Number: 6853 **Name:** Gila @ Estrella Pky **USGS Gage:**09514100 (Gila River at Estrella Parkway nr Goodyear, AZ)

Drainage Area: 45,585 mi²

See USGS Water-Data Report AZ-02-1 for data for this site.

Flood Flow Frequency (source: Table 2-4 from <i>Study for Modified Roosevelt Dam</i>)										
	Magnitude and Probability of Instantaneous Peak Flow									
Discharge, in cfs, for Indicated Recurrence Interval										
5-year 10-year 20-year 50-year 100-year										
20,000 50,000 84,000 170,000 217,000										

Computation of Continuous Records of Streamflow

Station Number: 6863 Name: Bullard Wash

Drainage Area: Undetermined

Period of Record: March 30, 2000 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC			Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1												
2 3												
4												
5												
6	4											
7												
8												
9 10												
11												
12												
13												
14										1		
15												
16												
17 18												
19												
20												
21												
22										6		
23												
24 25												
26												
27												
28												
29												
30												
31												
TOTAL	4	0	0	0	0	0	0	0	0	7	0	0
MEAN	0	0	0	0	0	0	0	0	0	Ó	0	0
MAX	48	0	0	0	0	0	0	0	0	61	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	8	0	0	0	0	0	0	0	0	14	0	0
WTR YR	2002	TOTAL	 11	MEAN		 0 MAX	61	MIN	0	AC FT		23

Computation of Continuous Records of Streamflow

Station Number: 6893 **Name:** Estrella Fan

Drainage Area: 1.0 mi²

Period of Record: April 30, 1993 to current year

Revised Records: WY1997: WY1996

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flows during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN	(XAM C	(NIM C	() AC_1	FT	0

		Flood Flow (based on HEC-	Frequency 1 analysis, 1997)									
	Magnitude and Probability of Instantaneous Peak Flow											
	Discha	rge, in cfs, for indic	cated Recurrence I	nterval								
2-year	5-year	10-year	25-year	50-year	100-year							
310	860	1,280	1,800	2,250	2,710							

Computation of Continuous Records of Streamflow

Station Number: 6923 Name: Sauceda Wash

Drainage Area: 126 mi²

Period of Record: February 28, 1990 to current year*

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC		Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
DAY 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY 	JUN 	JUL	AUG	SEP 5 1
29 30 31												
TOTAL MEAN MAX MIN AC_FT	13 0 79 0 25	6 0 0 0	6 0 0 0 11	6 0 0 0 11	5 0 0 0 10	6 0 0 0 11	6 0 0 0 11	6 0 0 0 11	6 0 0 0 11	6 0 0 0 11	6 0 0 0 11	12 0 120 0 23
WTR YR	2002	TOTAL	81	MEAN		0 MAX	12	0 MIN		0 AC_	 FT	160

^{*} USGS maintained a crest stage gage at this location from 11/27/1963 to 09/30/1979. In 1990, a joint USGS/FCDMC continuous station was installed. The USGS continuous station was discontinued 10/01/1994. Since Water Year 1995, the continuous station has been operated by the FCDMC and the crest stage gage by the USGS.

^{**} See also USGS crest stage gage, 09519760, data for this site.

	(based on Hi station skew us	Flood Flow ECWRC implemented based on exa	Frequency ntation of Bulletin mination of obser	17B, n = 25, ved data plots)									
	Magnitud	le and Probability o	of Instantaneous P	eak Flow									
	Discha	rge, in cfs, for indic	cated Recurrence I	nterval									
2-year													
530	1,640	2,610	3,640	5,020	6,040								

Computation of Continuous Records of Streamflow

Station Number: 6933 Name: Sand Tank Wash at I-8

Drainage Area: 185 mi²

Period of Record: May 31, 2001 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flow of interest during Water Year 2002

		Pe	eak		or milere	ot duii	ng ma	ici ica	. 2002	Pea	k		
Day	Dischar			Ht.	(feet)	1	Day	Disch	narge			Ht.	(ft.)
09/07	7	90*			3.88*	-							
DAY	OCT	NOV	DEC	JAN	Daily FEB	MAR	API	R MZ			JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25													56 12
26 27 28 29 30 31								_	-				
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0	0 0 0 0 0	0 0 0 0	())))	0 0 0 0	0 0 0 0 0	0	0 0 0 0	69 2 1624 0 136

*NOTE: Peak at gage was 3.88 feet during September 7, 2002 event. Due to ADOT construction activities, the corresponding peak discharge was 790 cfs as confirmed by an indirect measurement. The 1,624 cfs at 3.88 feet is the correct rated value. The construction caused a higher than expected peak gage height.

0 MAX

1624* MIN

69 MEAN

WTR YR 2002 TOTAL

AC FT

136

Computation of Continuous Records of Streamflow

Station Number: 6953 Name: Rainbow Wash near SR 85

Drainage Area: 16.4 mi²

Period of Record: November 14, 2000 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flow of interest during Water Year 2002

				k flow	of intere	est dur	ing Wa	iter \	Year 2002				
		Pea								Pea			
<u>Day</u> 09/07	Dischar	r <mark>ge (cfs)</mark> 251	Gage	Ht. 65	(feet)		Day	Di:	scharge	(cfs)	Gage	Ht.	(ft.)
DAY	OCT	NOV	DEC	JAN	Daily FEB	MAR	AP.	R		JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 31 31 31 31 31 31 31 31 31 31 31								_					24 1
TOTAL MEAN MAX MIN AC_FT		0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0) 	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	25 1 251 0 50
	 R 2002	TOTAL	 25	MEAN	1 	0 M Z	 .X	 251	MIN	 0	AC F	 r	50

Computation of Continuous Records of Streamflow

Station Number: 6983 Name: Vekol Wash

Drainage Area: 150 mi²

Period of Record: FCDMC Continuous Station: March 7, 1990 to current year

USGS Continuous Station: 1990 – 1996 (09488650)

USGS Crest Stage Gage: 1996 - current year (09488650)

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	aily M		alues APR	MAN	JUN	T TTT	ATTC	CED
DAY		NOV 			FEB		APR	MAY 		JUL	AUG	SEP
1												
2												
4												
5												
6												
7												10
8												
9												
10												
11												
12												
13 14												
15												
16												
17												
18												
19												
20												
21												
22												
23 24												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	10
MEAN	0	0	0		0	0	0	0	0	0	0	0
MAX	U	0	0	0	0	0	0	0			0	127
MIN	0	0	0	0	0	0	0	0	0	0		0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	20
WTR YR	2002	COTAL	10	MEAN	0	MAX	127	MIN	0	AC_1	FT	20

NOTE: Gaging station was moved approximately 400 feet downstream (north) of the I-8 bridge on August 19, 2000. The gaging station is now co-located with the USGS gaging station ID 09488650.

Computation of Continuous Records of Streamflow

Station Number: 7013 Name: Martinez Creek

Drainage Area: 109 mi²


Period of Record: November 23, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

Peak Peak

Hydrograph for September 7, 2002 event:



Note: Flows below about 3,000 cfs are considered approximate at best due to multiple channel configuration of Martinez Creek at the gage location. The rating for flows above 3,000 cfs are still considered poor due to the expanding dowstream reach, mobile bed conditions, and the angle of attack of flow at the gage.

		Flood Flow	Frequency									
(based on R. W. Cruff analysis, 1995 combining FEMA, 1994 and Box Canyon relation shape)												
Magnitude and Probability of Instantaneous Peak Flow												
	Discha	rge, in cfs, for indic	cated Recurrence I	nterval								
2-year	5-year	10-year	25-year	50-year	100-year							
1,520	5,000	9,220	18,000	27,400	32,000							

Continued on next page.

Computation of Continuous Records of Streamflow

Station Number: 7013 Name: Martinez Creek

Drainage Area: 109 mi²

Period of Record: November 23, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN		Mean MAF	Values R APR		JUN	JUL	AUG	SEP
1												
2												
3 4												
5												
6												
7												66
8												19
9												
10												
11 12												
13										6		
14										Ü		
15												
16												
17												
18												
19 20												
21												
22												
23												
24												
25												
26												
27 28												
29												
30												
31												
TOTAL	0	0	0	0	0) 0	0			0	85
MEAN	0	0	0	0	0	(0	3
MAX	0	0	0	0	0	(0	1415
MIN	0	0	0	0	0					0	0	1.00
AC_FT	0	0	0	0	0)		0		12 	0	168
WTR YR	2002	TOTAL	91	MEAN		0 MZ	X 14	15 MI	N	0 AC_	FT	181

Computation of Continuous Records of Streamflow

Station Number: 7028 Name: Sols Trib @ US 93

Drainage Area: 6.5 mi²

Period of Record: January 30, 2002 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL				0	0	0	0	0	0	0	0	0
MEAN				0	0	0	0	0	0	0	0	0
MAX				0	0	0	0	0	0	0	0	1
MIN				0	0	0	0	0	0	0	0	0
AC FT				0	0	0	0	0	0	0	0	0
WTR YR	2002	TOTAL	0	MEAN	(MAX (1	MIN	0	AC_F	T	0

Gaging established during Water Year 2002 on January 30, 2002.

Computation of Continuous Records of Streamflow

7043 121 mi² **Station Number:** Sols Wash near Matthie Name:

Drainage Area:

Period of Record: August 4, 1995 to current year
Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flows of interest during Water Year 2002

		Pea			or micer	ost dariii	g maic	i icai zoo	- Pea	k		
			Gage	Ht.	(feet)	Da	y D	ischarge	(cfs)	Gage	Ht.	(ft.)
09/07	2	289	1.	26								
DAY	OCT	NOV	DEC	JAN	Daily FEB			MAY .	JUN 	JUL 	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 31 31 31 31 31 31 31 31 31 31 31												21
TOTAL MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	21 1 289 0 42
WTR YF	2002	TOTAL	21	MEAN	Ī	MAX 0	28	9 MIN	0	AC_FI	!	42

Flood Flow Frequency (FEMA Sept. 1995)										
Magnitude and Probability of Instantaneous Peak Flow										
Discharge	e, in cfs, for indicated Recurrenc	e Interval								
10-year										
4,800 9,800 12,250										

Computation of Continuous Records of Streamflow

Station Number: 7063 **Name:** Hartman Wash

Drainage Area: 5.4 mi²

Period of Record: FCDMC: July 6, 1994 to current year

USGS: Crest Stage Data, WY 1964-1979 and 1992 to current year

(09515800)

Revised Records: WY1996: WY1995

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

				1	Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 !	TOTAL	0	MEAN	(XAM 0	(NIM 0	(D AC_E	?T	0

Computation of Continuous Records of Streamflow

Station Number: 7083 **Name:** Flying E Wash

Drainage Area: 8.5 mi² (4 mi² partially controlled by three stock tanks)

Period of Record: July 12, 1994 to current year **Revised Records:** WY1996: WY1994-1995

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

No recorded flow during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
TOTAL			 0	 0	0		0					
MEAN	0	0	0	0	0	0	0	0			0	0
MAX	0	0	0	0	0	0	0	0			0	0
MIN	0	0	0	0	0	0	0	0			0	0
AC_FT	0	0	0	0	0	0	0	0			0	0
WTR YR	2002 !	 FOTAL	0	MEAN	(MAX) MIN		0 AC_1	 FT	0

NOTE: Gage was down due to construction from May 18, 2002 to August 27, 2002.

Flood Flow Frequency (based on Wickenburg ADMS HEC-1 and R. W. Cruff, 1995 graphical extension)										
	Magnitud	de and Probability	of Instantaneous P	eak Flow						
	Discha	arge, in cfs, for indi	cated Recurrence I	nterval						
2-year	5-year	10-year	25-year	50-year	100-year					
890	2,200	3,490	4,770	5,860	6,940					

Computation of Continuous Records of Streamflow

Station Number: 7093 **Name:** Casandro Wash

Drainage Area: 0.61 mi²

Period of Record: July 12, 1994 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

	Flood Flow Frequency (based on FEMA, 9/95 and R. W. Cruff, 1995 graphical extension)											
	Magnitud	le and Probability	of Instantaneous Po	eak Flow								
	Discha	rge, in cfs, for indic	cated Recurrence I	nterval								
2-year	5-year	10-year	25-year	50-year	100-year							
5	20	50	200	500	800							

Computation of Continuous Records of Streamflow

Station Number: 7113 **Name:** Powder House Wash

Drainage Area: 1.8 mi²

Period of Record: May 18, 1995 to current year **Revised Records:** WY2000:WY1995-1999

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

Peak flow of interest during Water Year 2002

	Peak flow of interest during Water Year 2002 Peak Peak												
Darr	Discharge			U +	(foot)	,	Da 1)i aabawaa			u+	/£+ \	
<u>Day</u> 09/06	232	(CIS)	0.8	nt.	(Teet)	:	Day I	Discharge	(CIS)	Gage	пс.	(10.)	
DAY		NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR		JUN	JUL 	AUG	SEP	
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 	0	 		0				0	 		0	9	
MEAN MAX MIN AC_FT	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 232 0 19	

Flood Flow Frequency (FEMA Sept. 1995)									
Magnitude and Probability of Instantaneous Peak Flow									
Discharge	e, in cfs, for indicated Recurrenc	e Interval							
10-year	10-year 50-year 100-year								
300 1,300 1,900									

WTR YR 2002 TOTAL 9 MEAN 0 MAX 232 MIN 0 AC FT 19

Computation of Continuous Records of Streamflow

Station Number: 7133 Name: Casandro Dam

Drainage Area: 1.3 mi²

Period of Record: August 15, 1996 to current year

Discharge, in cfs, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3 4												
5												
6												
7												
8												2
9												1
10												
11 12												
13												
14												
15												
16												
17												
18												
19 20												
21												
22												
23												
24												
25												
26												
27 28												
28												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	3
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	12
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	6
WTR YR	2002 !	TOTAL	3	MEAN	(XAM C	12	MIN	0	AC_E	T	6

See also Pool Level and Storage Volume Data.

POOL LEVEL DATA

Computation of Continuous Records of Reservoir Depths

Station Number: 0773* **Name:** Tat Momolikot Dam

Drainage Area: 1,780 mi²

Period of Record: January 21, 1998 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.9	2.4	2.6	 2.7	1.9	1.2	0.8	0.8	0.8	0.8	4.0	2.0
1 2	0.9	2.4	2.5	2.7	1.9	1.1	0.8	0.8	0.8	0.8	3.9	1.9
3	0.9	2.4	2.5	2.6	1.9	1.1	0.8	0.8	0.8	0.8	3.8	1.9
4	0.9		2.5	2.6	1.9	0.9	0.8	0.8	0.8	0.8	3.7	1.9
5	0.9	2.3	2.6	2.6	1.9	1.0	0.8	0.8	0.8	0.8	3.6	1.8
6	0.9	2.7	2.6	2.6	1.8	0.8	0.8	0.8	0.8	0.8	3.5	1.8
7	0.9	3.5	2.6	2.5	1.8	0.8	0.8	0.8	0.8	0.8	3.5	1.7
8	2.5	3.7	2.5	2.5	1.8	0.9	0.8	0.8	0.8	0.8	3.4	1.8
9	3.8	3.6	2.5	2.5	1.8	0.8	0.8	0.8	0.8	0.8	3.3	2.0
10	3.8	3.6	2.5	2.5	1.7	0.9	0.8	0.8	0.8	0.8	3.3	2.0
11	3.7	3.5	2.7	2.4	1.7	0.8	0.8	0.8	0.8	0.8	3.2	2.9
12	3.7	3.4	3.3	2.4	1.7	0.8	0.8	0.8	0.8	0.8	3.1	2.9
13	3.7	3.4	3.3	2.4	1.7	0.8	0.8	0.8	0.8	0.8	3.1	2.8
14	3.4	3.3	3.3	2.4	1.6	0.8	0.8	0.8	0.8	0.8	3.0	2.8
15	3.3	3.2	3.2	2.3	1.6	0.8	0.8	0.8	0.8	2.7	2.9	2.7
16	3.2	3.2	3.2	2.3	1.6	0.9	0.8	0.8	0.8	4.6	2.9	2.6
17	3.2	3.1	3.1	2.3	1.6	0.8	0.8	0.8	0.8	4.7	2.8	2.6
18	3.1	3.1	3.1	2.3	1.6	0.9	0.8	0.8	0.8	4.5	2.8	2.5
19	3.1	3.0	3.1	2.2	1.5	0.8	0.8	0.8	0.8	4.3	2.7	2.5
20	3.0	3.0	3.0	2.2	1.5	0.8	0.8	0.8	0.8	4.1	2.6	2.4
21	3.0	2.9	3.0	2.2	1.5	0.8	0.8	0.8	0.8	3.9	2.6	2.3
22	3.0	2.9	3.0	2.3	1.4	0.8	0.8	0.8	0.8	3.8	2.5	2.3
23	2.8	2.9	2.9	2.1	1.4	0.9	0.8	0.8	0.8	3.6	2.5	2.2
24	2.8	2.8	2.9	2.1	1.4	0.8	0.8	0.8	0.8	3.5	2.4	2.2
25	2.8	2.8	2.9	2.1	1.4	0.8	0.8	0.8	0.8	3.4	2.4	2.1
26		2.7	2.8	2.1	1.3	0.8	0.8	0.8	0.8	3.4	2.3	2.1
27		2.7	2.8	2.0	1.3	0.8	0.8	0.8	0.8	3.4	2.3	2.1
28		2.6	2.8	2.0	1.3	0.8	0.8	0.8	0.8	4.2	2.2	2.0
29	2.5	2.6	2.8	2.0		0.8	0.8	0.8	0.8	4.3	2.1	2.0
30	2.5	2.6	2.7	2.0		0.8	0.8	0.8	0.8	4.2	2.1	1.9
31	2.4		2.7	2.0		0.8		0.8		4.1	2.0	
MEAN	2.6	3.0	2.8	2.3	1.6	0.9	0.8	0.8	0.8	2.5	2.9	2.2
MAX	4.0	3.8	3.3	2.7	2.0	1.3	0.8	0.8	0.8	4.7	4.0	2.9
MIN	0.8	2.3	2.5	2.0	1.3	0.8	0.8	0.8	0.8	0.8	2.0	1.7
WTR YR	2002	 MEAN	1.95	MAX	4.74	MIN	0.81					

*NOTE: Float gage was removed and a pressure transducer type gage was installed on January 24, 2000. Subsequently, the gage id number changed to 0773 from 0768. Data prior to January 24 has been deleted.

Computation of Continuous Records of Reservoir Depths

Station Number: 4563 Name: Spookhill FRS

Drainage Area: 13.6 mi²

Period of Record: November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean '	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
4	0.6	0.6	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
9	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
10	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
11	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
12	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
13	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
14	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
15	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
16	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
17	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
18	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
19	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
20	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
21	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
22	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
23	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
24	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	1.2	0.6	0.6
25	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
26	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
27	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
28	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
29	0.6	0.6	0.6	0.6		0.6	0.6	0.6	0.6	0.6	0.6	0.6
30	0.6	0.6	0.6	0.6		0.6	0.6	0.6	0.6	0.6	0.6	0.6
31	0.6		0.6	0.6		0.6		0.6		0.6	0.6	
MEAN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
MAX	0.6	0.6	1.4	0.6	0.6	0.6	0.6	0.6	0.6	1.8	0.6	0.6
MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
WTR VR	2002	MEAN	n 59	MAY	1 76	MTN	n 59			·	·	-

WTR YR 2002 MEAN 0.59 MAX 1.76 MIN 0.59

Computation of Continuous Records of Reservoir Depths

Station Number: 4648 Name: E.Fork CC #1

Drainage Area: 1.18 mi²

Period of Record: March 2, 1994 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	ОСТ	NOV	DEC	JAN	Daily FEB	Mean '	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.2	0.2
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.2
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
21 22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
24	0.1	0.1	0.1		0.1		0.1	0.1	0.1	0.2	0.2	
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
29	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.2	0.2	0.2
30	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.2	0.2	0.2
31	0.1		0.1	0.1		0.1		0.1		0.2	0.2	
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
MAX	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9	0.2	1.1
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
			0 12		2 02		0 10					

WTR YR 2002 MEAN 0.13 MAX 3.92 MIN 0.10

Computation of Continuous Records of Reservoir Depths

Station Number: 4653 **Name:** Tatum Basin Outflow

Drainage Area: 2.17 mi²

Period of Record: May 8, 1998 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean '	Values					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.7	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1		0.1	0.1		0.1		0.1		0.1	0.1	
MEAN	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.8	0.1	0.1
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WITH VE	2002	MEAN	0 06	MAY	0 90	MTN	0 05					

WTR YR 2002 MEAN 0.06 MAX 0.80 MIN 0.05

Computation of Continuous Records of Reservoir Depths

Station Number: 4658 Name: E.Fork CC #4

Drainage Area: 0.68 mi²

Period of Record: January 18, 1994 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
6	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
24		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
28	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.2	2.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
								 _				

WTR YR 2002 MEAN 0.01 MAX 2.00 MIN 0.00

Computation of Continuous Records of Reservoir Depths

Station Number: 4683 Name: E.Fork CC #3

Drainage Area: 3.52 mi² (1.86 mi² controlled by EFCC #1 and EFCC #4)

Period of Record: September 13, 1994 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean WAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2		0.2	0.2		0.2		0.2		0.2	0.2	
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2
MAX	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	3.2	0.2	0.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR YR	2002 i	 MEAN	0.15	MAX	3.17	MIN	0.15					

Computation of Continuous Records of Reservoir Depths

Station Number: 4803 **Name:** Dreamy Draw Dam

Drainage Area: 1.3 mi²

Period of Record: November 1987 to current year

Revised Records: WY1996: WY1995

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1		0.1	0.1		0.1		0.1		0.1	0.1	
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.2	0.1	0.1
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	13.8	0.1	1.4
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WTR YR 2002 MEAN 0.12 MAX 13.79 MIN 0.12

Computation of Continuous Records of Reservoir Depths

Station Number: 4818 Name: 10 St. Wash Basin #1

Drainage Area: 1.21 mi²

Period of Record: November 26, 1996 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean WAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4
7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
13	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.6	0.3	0.3
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	1.5	0.3	0.3
16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3
17 18	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
19	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
20	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
21	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
27	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
28	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
29	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3		0.3	0.3		0.3		0.3		0.3	0.3	
MEAN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3
MAX	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	3.3	0.3	1.2
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WTR YR	2002	MEAN	0.31	MAX	3.33	MIN	0.30					

....

Computation of Continuous Records of Streamflow

Station Number: 4828 **Name:** Phoenix Basin #3

Drainage Area: 0.50 mi²

Period of Record: December 18, 2001 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
2				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
3				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
4				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
5				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
6				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
7				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
8				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
9				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
10				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
11				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
12				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
13				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
14				0.4	0.4	0.4	0.4	0.4	0.4	1.5	0.4	0.4
15				0.4	0.4	0.4	0.4	0.4	0.4	1.2	0.4	0.4
16				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
17				0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
18			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
19			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
20			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
21			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
22			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
23			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.4
24			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
25			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
26			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
27			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
28			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
29			0.4	0.4		0.4	0.4	0.4	0.4	0.4	0.4	0.4
30			0.4	0.4		0.4	0.4	0.4	0.4	0.4	0.4	0.4
31			0.4	0.4		0.4		0.4		0.4	0.4	
MEAN			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.4
MAX			0.4	0.4	0.4	0.4	0.4	0.4	0.4	10.4	0.4	1.3
MIN			0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4

Gaging established during Water Year 2002 on December 18, 2001.

0.41 MAX 10.36 MIN

WTR YR 2002 MEAN

Computation of Continuous Records of Streamflow

Station Number: 4848 **Name:** Phoenix East Park

Drainage Area: 0.11 mi²

Period of Record: November 28, 2001 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	D JAN	aily M FEB	lean Va MAR	lues APR	MAY	JUN	JUL	AUG	SEP
1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1
15			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26			0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
27			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29		0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
30		0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
31			0.1	0.1		0.1		0.1		0.1	0.1	
MEAN		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MAX		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.8	0.1	0.1
MIN		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WTR YR	2002	MEAN	0.14	MAX	4.84	MIN	0.10					

Gaging established during Water Year 2002 on November 28, 2001.

Computation of Continuous Records of Streamflow

Station Number: 4853 **Name:** Phoenix Basin #7

Drainage Area: 0.55 mi²

Period of Record: December 19, 2001 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	ОСТ	NOV	DEC	D JAN	aily M FEB	lean Va MAR	lues APR	MAY	JUN	JUL	AUG	SEP
1				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
7			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14			0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0
15			0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0
16			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0
24			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29			0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30			0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31			0.0	0.0		0.0		0.0		0.0	0.0	
MEAN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
MAX			0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.1	0.0	3.1
MIN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WITE VE	2002 1	 ME'A NI	0 01	MAY	12 11	MTN	0 00					

WTR YR 2002 MEAN 0.01 MAX 12.11 MIN 0.00

Gaging established during Water Year 2002 on December 19, 2001.

Computation of Continuous Records of Streamflow

Station Number: 4858 **Name:** Phoenix West Park

Drainage Area: 0.62 mi²

Period of Record: November 29, 2001 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP													
1			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
2			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
3			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
4			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
5			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
6			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
7			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	
8			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
9			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
10			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
11			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
12			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
13			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
14			0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.3	0.2	0.2	
15			0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.8	0.2	0.2	
16			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
17			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
18			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
19			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
20			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
21			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
22			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
23			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.2	
24			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	
25			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
26			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
27			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
28			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
29		0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2	
30		0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2	
31			0.2	0.2		0.2		0.2		0.2	0.2		
MEAN		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	
MAX		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	10.7	0.2	0.8	
MIN		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
MITTO VD	2002	 ME'AN	0 21	MAY	10 73	MTN	0.20						

WTR YR 2002 MEAN 0.21 MAX 10.73 MIN 0.20

Gaging established during Water Year 2002 on November 29, 2001.

Computation of Continuous Records of Reservoir Depths

Station Number: 4899* **Name:** CaveButtes Dam Pool

Drainage Area: 191 mi²

Period of Record: November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	ОСТ	NOV	DEC	JAN	Daily FEB	Mean WAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
2	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
3	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
4	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
5	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
6	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
7	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
8		1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
10	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
11	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
12	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
13	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
14	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
15	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
16	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
17	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
18	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
19	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
20	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
21	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
22	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
23	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
24	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
25	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
26	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
27	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
28	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
29	1.9	1.9	1.9	1.9		1.9	1.9	1.9	1.9	1.9	1.9	1.9
30	1.9	1.9	1.9	1.9		1.9	1.9	1.9	1.9	1.9	1.9	1.9
31	1.9		1.9	1.9		1.9		1.9		1.9	1.9	
MEAN	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	 1.9
MAX	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.8	1.9	1.9
MIN	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
WTR YR	2002 1	 MEAN	1.90	MAX	2.81	MIN	1.90					

*NOTE: Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on February 17, 2000. The gage id number changed from 4904 to 4899.

See also Surface Water Streamflow (4903) and Storage Volume data (4902).

Computation of Continuous Records of Streamflow

Station Number: 4938 **Name:** Reata Pass Dam

Drainage Area: 1.0 mi²

Period of Record: October 2, 2001 to current year

Previous gage: February 25, 1993 to November 17, 1998

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values													
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
29	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	
30	0.0	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	
31	0.1		0.1	0.1		0.1		0.1		0.1	0.1		
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6	
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
WTR YR	2002	MEAN	0.05	MAX	0.55	MIN	0.05						

Gaging reestablished during Water Year 2002 on October 2, 2001.

Computation of Continuous Records of Reservoir Depths

Station Number: 5113 Name: Saddleback FRS

Drainage Area: 29.6 mi² excluding area brought in from Harquahala FRS

Period of Record: December 16, 1988 to current year Depth, in feet, Water Year October 1998 to September 1999

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

No recorded impoundments during Water Year 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
13	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
17	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
19	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
20	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
21	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
27	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
28	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
29	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3		0.3	0.3		0.3		0.3		0.3	0.3	
MEAN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MAX	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WTR VR	2002	MEAN	0 30	MAX	0 30	MTN	0 30					

WTR YR 2002 MEAN 0.30 MAX 0.30 MIN 0.30

Computation of Continuous Records of Reservoir Depths

Station Number: 5128 Name: Harquahala FRS

Drainage Area: 102.3 mi²

Period of Record: March 1, 1994 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
6	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
7	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	3.9
9	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	9.8
10	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	7.9
11	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	6.0
12	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	4.8
13	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4		0.4	0.4	4.0
14	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	3.0
15	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	1.7
16	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.6
17	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
18	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
19	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
20	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
21	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
22	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
23	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
24	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
25	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
26	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
27	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
28	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
29	0.4	0.4	0.4	0.4		0.4	0.4	0.4	0.4	0.4	0.4	0.4
30	0.4	0.4	0.4	0.4		0.4	0.4	0.4	0.4	0.4	0.4	0.4
31	0.4		0.4	0.4		0.4		0.4		0.4	0.4	
MEAN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	1.7
MAX	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	11.8
MIN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4

WTR YR 2002 MEAN 0.48 MAX 11.81 MIN 0.38

NOTE: Gated outlet not opened. Therefore, many days of post-flood impoundment.

NOTE(2): Field visit confirmed peak of gage to be about 6.2 feet for Water Year 2002.

Computation of Continuous Records of Reservoir Depths

Station Number: 5203 Name: Buckeye FRS #1

Drainage Area: 74 mi² not including area from Buckeye FRS #2 and #3

Period of Record: November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean '	Values APR	MAY	JUN	JUL	AUG	SEP
1	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
2	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
3	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
4	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
6	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
7	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.4
8	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-1.4
9	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
10	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
11	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
12	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
13	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
14	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
15	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
16	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
17	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
18	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
19	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
20	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
21	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
22	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
23	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
24	-2.5		-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
25	-2.5		-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
26	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
27	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
28	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
29	-2.5	-2.5	-2.5	-2.5		-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
30	-2.5	-2.5	-2.5	-2.5		-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
31	-2.5		-2.5 	-2.5		-2.5 		-2.5		-2.5 	-2.5 	
MEAN	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
MAX	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	0.3
MIN	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5
WTR YR	2002	MEAN	-2.49	MAX	0.31	MIN	-2.49					

NOTE: Instrument is 2.49 feet below gage datum zero at invert elevation of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

Computation of Continuous Records of Reservoir Depths

Station Number: 5208 **Name:** Buckeye FRS #2 **Drainage Area:** 5.7 mi² without area from Buckeye FRS #2

Period of Record: November 11, 1992 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
2	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
3	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
5	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
6	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
7	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-0.8
8	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-0.9
9	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
10	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
11	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
12	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
13	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
14	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
15	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
16	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
17	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
18	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
19	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
20	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
21	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
22	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
23	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
24	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
25	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
26	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
27	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
28	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
29	-1.4	-1.4	-1.4	-1.4		-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
30	-1.4	-1.4	-1.4	-1.4		-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
31	-1.4		-1.4	-1.4		-1.4		-1.4		-1.4	-1.4	
MEAN	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
MAX	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	1.8
MIN	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
WTR YR	2002	MEAN	-1.39	MAX	1.76	MIN	-1.39					

Instrument 1.39 feet below zero gage datum at invert of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

Computation of Continuous Records of Reservoir Depths

Station Number: 5233 Name: Sunset FRS

Drainage Area: 0.95 mi² (from Wickenburg ADMS) **Period of Record:** Febraury 12, 1989 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0
7	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.4
8	4.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.5
9	3.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	4.8
10	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.3	0.1	4.6
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0	0.1	4.5
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.7	0.1	4.2
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.1	3.9
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	3.7
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.3	0.1	3.4
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0	0.1	3.2
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.9	0.1	3.0
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6	0.1	2.0
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.1	0.2
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1		0.1	0.1		0.1		0.1		0.1	0.1	
MEAN	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	1.6
MAX	4.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.6	0.1	4.9
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WTR YR 2002 MEAN 0.29 MAX 4.93 MIN 0.13

Computation of Continuous Records of Reservoir Depths

Station Number: 5248 Name: Sunnycove FRS

Drainage Area: 0.98 mi² (from Wickenburg ADMS) **Period of Record:** November 1987 to current year

Revised Records: WY2000:WY1999

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6			0.6	0.6
2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6		0.6	0.6	0.6
3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
4	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	1.4
7	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	4.9
8	6.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	5.8
9	5.4	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	6.2
10	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.6	5.5
11	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	5.1
12	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	4.6
13	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	4.2
14	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	3.7
15	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	3.2
16	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	2.7
17	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	2.0
18	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.9
19	0.6	0.6	0.6		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
20	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
21	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
22	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
23	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
24	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
25	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
26	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
27	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
28	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
29	0.6	0.6	0.6	0.6		0.6	0.6	0.6	0.6	0.6	0.6	0.6
30	0.6	0.6	0.6	0.6		0.6	0.6	0.6	0.6	0.6	0.6	0.6
31	0.6 		0.6	0.6		0.6	 	0.6		0.6	0.6 	
MEAN	1.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	2.0
MAX	7.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	1.2	0.6	6.7
MIN	0.6	0.6 	0.6	0.6	0.6	0.6	0.6 	0.6	0.6	0.6	0.6	0.6
	0000		0 75	147.17	7 00	14717	0 60					

WTR YR 2002 MEAN 0.75 MAX 7.02 MIN 0.60

Computation of Continuous Records of Reservoir Depths

Station Number: 5418 Name: White Tanks #3 FRS

Drainage Area: 20.5 mi² (White Tanks ADMS) **Period of Record:** November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

No recorded impoundments during Water Year 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0 00		0 00		0 00					

WTR YR 2002 MEAN 0.00 MAX 0.00 MIN 0.00

Computation of Continuous Records of Reservoir Depths

Station Number: 5443 Name: McMicken Dam South

Drainage Area: 247 mi²

Period of Record: February 13, 2002 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

	Daily Mean Values											
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1						0.0	0.0	0.0	0.0	0.0	0.0	0.0
2						0.0	0.0	0.0	0.0	0.0	0.0	0.0
3						0.0	0.0	0.0	0.0	0.0	0.0	0.0
4						0.0	0.0	0.0	0.0	0.0	0.0	0.0
5						0.0	0.0	0.0	0.0	0.0	0.0	0.0
6						0.0	0.0	0.0	0.0	0.0	0.0	0.0
7						0.0	0.0	0.0	0.0	0.0	0.0	0.0
8						0.0	0.0	0.0	0.0	0.0	0.0	0.0
9						0.0	0.0	0.0	0.0	0.0	0.0	0.0
10						0.0	0.0	0.0	0.0	0.0	0.0	0.0
11						0.0	0.0	0.0	0.0	0.0	0.0	0.3
12						0.0	0.0	0.0	0.0	0.0	0.0	0.1
13					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29						0.0	0.0	0.0	0.0	0.0	0.0	0.0
30						0.0	0.0	0.0	0.0	0.0	0.0	0.0
31						0.0		0.0		0.0	0.0	
MEAN					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
MIN					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
 WTD VD	2002 1	 ME'' N	0.00	MAY	0 90	MTN	0.00					

WTR YR 2002 MEAN 0.00 MAX 0.90 MIN 0.00

Gaging established during Water Year 2002 on February 13, 2002.

Computation of Continuous Records of Reservoir Depths

Station Number: 5448 Name: McMicken Dam

Drainage Area: 247 mi²

Period of Record: November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean WAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	2002	MEAN	0.00	MAX	0.60	MIN	0.00	_	_	_	_	·

Computation of Continuous Records of Reservoir Depths

Station Number: 5534* **Name:** Adobe Dam

Drainage Area: 89.6 mi²

Period of Record: November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean '	Values APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2											
MEAN MAX MIN	3.2 3.2 3.2	3.2 3.2 3.2	3.2 3.2 3.2	3.2 3.3 3.2	3.2 3.2 3.2							
WTR YR	2002	MEAN	3.20	MAX	3.28	MIN	3.20					

^{*}NOTE: Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on August 10, 2000. The gage id number changed from 5539 to 5534. Gage was also moved from at the principal outlet to the original stilling well location and thus the datum increased by 3.1 feet.

See also Surface Water Streamflow (5538) and Storage Volume data (5537).

	Flood Elevation Frequency (from USACE Design Memorandum)												
Magnitude and Probability of Elevation of Impound													
	Elevation, in feet gage height, for Indicated Recurrence Invterval												
2-year	5-year	10-year	25-year	50-year	100-year								
12.8 18.5 23.3 28.3 31.3 34.5													

Computation of Continuous Records of Reservoir Depths

Station Number: 5609* **Name:** New River Dam

Drainage Area: 164 mi²

Period of Record: November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

No impoundments recorded during Water Year 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	Values APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9	2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9	2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9	2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9	2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9	2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9	2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9	2.9 2.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9	2.992.999999999999999999999999999999999	2.9999999999999999999999999999999999999	2.9 2.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9	2.992.9992.9999999999999999999999999999
MEAN MAX MIN	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9	2.9 2.9 2.9
WTR YR	2002	MEAN	2.88	MAX	2.88	MIN	2.88					

^{*}NOTE: Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on August 10, 2000. The gage id number changed from 5614 to 5609.

See also Surface Water Streamflow (5613) and Storage Volume data (5612).

	Flood Elevatio	n Frequency (fror	n USACE Design	Memorandum)							
Magnitude and Probability of Elevation of Impound											
	Elevation, in fe	et gage height, fo	r Indicated Recur	rence Invterval							
2-year	5-year	10-year	25-year	50-year	100-year						
7.4 12.4 31 40 46.9 53.9											

Computation of Continuous Records of Reservoir Depths

Station Number: 5968 **Name:** StoneRidge Dam

Drainage Area: 0.86 mi²

Period of Record: December 11, 1996 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	 0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
3	0.6	0.6	0.7	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.6
4	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
5	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6
6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
9	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
10	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7
11	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.7
12	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
13	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
14	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
15	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
16	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
17	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6
18	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
19	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
20	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
21	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
22	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
23	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
24	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6
25	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
26	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
27	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
28	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
29	0.6	0.6	0.6	0.6		0.6	0.6	0.6	0.6	0.6	0.6	0.6
30	0.6	0.6	0.6	0.6		0.6	0.6	0.6	0.6	0.6	0.6	0.6
31	0.6		0.6	0.6		0.6		0.6		0.6	0.6	
MEAN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.7
MAX	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	2.4
MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
WTR YR	2002	MEAN	0.65	MAX	2.38	MIN	0.65					

See also Surface Water Streamflow and Storage Volume data.

NOTE: Surveyed high water marks following the September 10, 2002 events indicated a peak of about 4.25 feet. A post-event equipment check did not indicate equipment problems. Drawdown effects on the gage may be an issue at this location.

Computation of Continuous Records of Reservoir Depths

Station Number: 5973 **Name:** SunRidge Canyon Dam

Drainage Area: 1.6 mi²

Period of Record: February 4, 1997 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	_	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
6	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
8	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
9	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
10	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.4
11	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
12	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
13	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
14	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
15	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
16	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
17	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
18	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
19	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
20	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
21	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
22	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
23	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
24	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
25	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
26	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
27	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
28	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
29	1.3	1.3	1.3	1.3		1.3	1.3	1.3	1.3		1.3	1.3
30	1.3	1.3	1.3	1.3		1.3	1.3	1.3			1.3	1.3
31	1.3		1.3	1.3		1.3		1.3		1.3	1.3	
MEAN	1.3	1.3	1.3	1.3			1.3	1.3	1.3	1.3	1.3	1.3
MAX	1.3		1.3								1.3	6.2
MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3

WTR YR 2002 MEAN 1.28 MAX 6.15 MIN 1.28

Computation of Continuous Records of Reservoir Depths

Station Number: 5978 Name: Golden Eagle Park Dam

Drainage Area: 7.13 mi² of which 2.02 mi², 2.13 mi², and 1.6 mi² are controlled by

Aspen, North Heights, and Sunridge Canyon Dams respectively.

Period of Record: December 12, 1996 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

5317	0.00	11011	250	73.37	-	Mean V					3.770	222
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.2	2.3	2.3	2.3	2.3	2.2	2.3	2.2	2.2	2.3	2.3	2.3
2	2.2	2.3	2.3	2.3	2.3	2.2	2.3	2.2	2.2	2.3	2.3	2.3
3	2.2	2.3	2.3	2.3	2.3	2.2	2.2	2.3	2.2	2.3	2.3	2.3
4	2.2	2.2	2.3	2.3	2.2	2.2	2.2	2.2	2.2	2.3	2.3	2.3
5	2.2	2.3	2.3	2.3	2.2	2.2	2.2	2.2	2.3	2.3	2.3	2.3
6	2.2	2.3	2.3	2.3	2.2	2.3	2.2	2.2	2.2	2.3	2.3	2.3
7	2.3	2.2	2.3	2.2	2.2	2.3	2.3	2.2	2.3	2.3	2.3	2.3
8	2.3	2.2	2.2	2.2	2.2	2.2	2.3	2.2	2.3	2.3	2.3	2.3
9	2.3	2.2	2.3	2.2	2.2	2.2	2.3	2.2	2.2	2.3	2.3	2.3
10	2.3	2.3	2.3	2.3	2.2	2.2	2.2	2.2	2.2	2.3	2.3	2.8
11	2.2	2.3	2.3	2.3	2.2	2.3	2.2	2.2	2.3	2.3	2.3	2.4
12	2.2	2.3	2.3	2.2	2.2	2.3	2.2	2.2	2.3	2.3	2.3	2.3
13	2.2	2.3	2.3	2.2	2.2	2.3	2.2	2.2	2.3	2.3	2.3	
14	2.2	2.2	2.3	2.3	2.2	2.2	2.2	2.3	2.3	2.3	2.3	
15	2.3	2.3	2.3	2.3	2.2	2.3	2.2	2.2	2.3	2.3	2.3	
16	2.2	2.3	2.3	2.3	2.2	2.2	2.2	2.2	2.3	2.3	2.3	2.2
17	2.3	2.3	2.3	2.3	2.2	2.3	2.3	2.2	2.3	2.3	2.3	2.3
18	2.3	2.3	2.3	2.3	2.2	2.2	2.3	2.2	2.3	2.3	2.3	2.3
19	2.2	2.3	2.2	2.3	2.2	2.2	2.2	2.2	2.3	2.3	2.3	2.2
20	2.2	2.3	2.3	2.2	2.2	2.2	2.2	2.2	2.3	2.3	2.3	2.3
21	2.3	2.2	2.3	2.2	2.2	2.2	2.2	2.3	2.3	2.3	2.3	2.3
22	2.3	2.2	2.3	2.2	2.2	2.2	2.2	2.3	2.3	2.3	2.2	2.3
23	2.3	2.2	2.3	2.2	2.2	2.2	2.3	2.2	2.3	2.3	2.2	2.3
24	2.3	2.2	2.3	2.2	2.3	2.2	2.3	2.3	2.3	2.3	2.2	2.3
25	2.3	2.3	2.3	2.3	2.2	2.2	2.2	2.2	2.3	2.3	2.2	2.3
26	2.3	2.3	2.2	2.3	2.2	2.2	2.2	2.2	2.3	2.3	2.2	2.3
27	2.3	2.3	2.3	2.3	2.2	2.3	2.2	2.3	2.3	2.3	2.2	2.3
28	2.3	2.3	2.2	2.3	2.2	2.3	2.2	2.2	2.3	2.3	2.3	2.3
29	2.3	2.3	2.2	2.3		2.3	2.2	2.2	2.3	2.3	2.3	2.3
30	2.3	2.3	2.3	2.3		2.3	2.2	2.2	2.3	2.3	2.3	2.3
31	2.3		2.3	2.3		2.3		2.2		2.3	2.3	
MEAN	2.3	2.3	2.3	2.3	2.2	2.2	2.2	2.2	2.3	2.3	2.3	2.3
MAX	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	7.4
MIN	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.3	2.2	2.2

See also Surface Water Streamflow and Storage Volume Data.

2.27 MAX

NOTE: Surveyed high water marks for the September 10, 2002 event indicated a peak of 12.0 feet. An instrument check after the event did not indicate a problem with the equipment. Drawdown effects on the gage may be an issue at this location.

2.20

7.40 MIN

WTR YR 2002 MEAN

Computation of Continuous Records of Reservoir Depths

Station Number: 5983 **Name:** North Heights Dam

Drainage Area: 2.13 mi²

Period of Record: October 11, 1996 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3
6 7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	1.0
11	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3
13	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3
16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
17	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
18	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
19 20	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
21	0.2	0.3	0.3	0.3	0.2	0.3	0.3	0.1	0.3	0.3	0.3	0.3
22	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
27	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
28	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3
29	0.2	0.3	0.3	0.3		0.3	0.3	0.1	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3		0.3	0.3		0.3		0.1		0.3	0.3	
MEAN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.3	0.3
MAX	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.8	0.3	14.8
MIN	0.2	0.3	0.3	0.3	0.2	0.3	0.3	0.1	0.1	0.3	0.3	0.3

WTR YR 2002 MEAN 0.28 MAX 14.82 MIN 0.13

Computation of Continuous Records of Reservoir Depths

Station Number: 5988 **Name:** Aspen Dam

Drainage Area: 2.02 mi²

Period of Record: January 2, 1997 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1
4	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.4
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.3
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2
29	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.1	0.1	0.1	0.2
30	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.1	0.1	0.1	0.2
31	0.2		0.2	0.2		0.2		0.1		0.1	0.1	
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
MAX	0.2	0.3		0.2	0.2	0.2	0.2		0.2	0.3	0.2	4.4
MIN	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
												-

WTR YR 2002 MEAN 0.17 MAX 4.40 MIN 0.14

Computation of Continuous Records of Reservoir Depths

Station Number: 5993 **Name:** Hesperus Dam

Drainage Area: 2.91 mi²

Period of Record: December 18, 1996 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.9	0.9	1.0	1.0	0.9	0.9	0.9	0.9		0.9	1.0	1.0
2	0.9	1.0	1.0	1.0	0.9	0.9	0.9	0.9		0.9	1.0	1.0
3	0.9	1.0	1.0	1.0	0.9	0.9	0.9	0.9		0.9	1.0	1.0
4	1.0	0.9	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
5	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
6	1.0	1.0	1.0	1.0	0.9	0.9	0.9		0.9	0.9	1.0	1.0
7	1.0	1.0	1.0	0.9	0.9	0.9	1.0	0.9		0.9	1.0	1.0
8	1.0	1.0	1.0	1.0	0.9	1.0	1.0	0.9		0.9	1.0	1.0
9	1.0	1.0	1.0	1.0	0.9	1.0	1.0	0.9		0.9	1.0	1.0
10	1.0	0.9	1.0	1.0	0.9	0.9	1.0	0.9		0.9	1.0	1.4
11	0.9	1.0	1.0	0.9	0.9	0.9	0.9	0.9		0.9	1.0	1.0
12	0.9	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
13	0.9	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
14	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
15	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
16	0.9	1.0	1.0	1.0	0.9	0.9	1.0	0.9	0.9	0.9	1.0	1.0
17	0.9	0.9	1.0	1.0	0.9	0.9	1.0		0.9	0.9	1.0	1.0
18	0.9	0.9	1.0	1.0	0.9	0.9	0.9		0.9	0.9	1.0	1.0
19	0.9	1.0	1.0	0.9	0.9	1.0	0.9	0.9	0.9		1.0	1.0
20	0.9	0.9	1.0	1.0	0.9	1.0	0.9	0.9	0.9		1.0	1.0
21	0.9	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9		1.0	1.0
22	0.9	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
23	0.9	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
24	0.9	0.9	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
25	0.9	0.9	1.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
26	0.9	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
27	0.9	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
28	0.9	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
29	0.9	1.0	1.0	1.0		0.9	0.9	0.9	0.9	0.9	1.0	1.0
30	1.0	1.0	1.0	1.0		1.0	0.9		0.9	0.9	1.0	1.0
31	1.0		1.0	1.0		1.0				0.9	1.0	
MEAN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.9	0.9	1.0	1.0	1.0
MAX	1.0	1.0	1.0	1.0	0.9	1.0	1.0	0.9	0.9	0.9	1.0	8.9
MIN	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0
MMD VD	2002	MEAN	0 07	MAV	0 02	MTM	0.05					

WTR YR 2002 MEAN 0.97 MAX 8.93 MIN 0.95

Computation of Continuous Records of Reservoir Depths

Station Number: 6503 **Name:** Guadalupe FRS

Drainage Area: 1.87 mi²

Period of Record: June 29, 1989 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean V	Values					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
12		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
13		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
17	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
19	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
20	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
21	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
27	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
28	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
29	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3		0.3	0.3		0.3		0.3		0.3	0.3	
MEAN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MAX	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WITD VD	2002	 ME'' N	0.26	MAY	0 26	MTN	0.26					

WTR YR 2002 MEAN 0.26 MAX 0.26 MIN 0.26

Computation of Continuous Records of Reservoir Depths

Station Number: 6608 **Name:** Freestone Basin

Drainage Area: 4.26 mi² (area downstream of Eastern Canal only, does not include

area from overflows of Eastern Canal)

Period of Record: December 19, 1996 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.8	0.1	0.1	0.1	0.1	0.1	0.6	0.1	0.4	0.4	0.2	1.0
2	0.7	0.1	0.1	0.1	0.1	0.1	0.3	0.0	0.5	0.1	0.1	1.1
3	0.7	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.4	0.0	0.3	0.3
4	0.8	0.2	2.2	0.1	0.1	0.1	0.1	0.1	0.6	0.0	0.5	0.1
5	1.0	0.4	2.6	0.6	0.1	0.1	0.1	0.1	0.7		0.4	0.1
6	0.9	0.1	0.1	1.7	0.1	0.1	0.0	0.1	0.8		0.1	0.6
7	1.3	0.2	0.0	1.3	0.1	0.6	0.6	0.1	0.9		0.1	1.6
8	0.4	0.1	0.1	0.8	0.1	1.9	0.4	0.3	0.9	0.0	0.1	0.1
9	0.0	0.4	0.3	0.0	0.1	1.8	0.1	0.3	0.9	0.1	0.1	1.0
10	0.3	0.4	0.2	0.2	0.1	1.6	0.1	0.0	0.3	0.1	0.2	0.9
11	0.3	0.4	0.4	0.3	0.0	1.5	0.1	0.0	0.3	0.2	0.5	0.6
12	0.1	0.2	1.1	0.1	0.1	1.4	0.1	0.1	0.6	0.1	0.2	0.1
13	0.0	0.1	0.4	0.0	0.2	1.2	0.2	0.2	0.3	0.6	0.2	0.1
14	0.1	0.1	0.1	0.1	0.2	1.1	0.1	0.0	0.3	1.1	0.2	0.3
15	0.1	0.1	0.5	0.1	0.2	1.0	0.1	0.1	0.7	0.5	0.2	0.8
16	0.2	0.1	2.0	0.1	0.2	0.9	0.1	0.4	0.9	0.1	0.2	0.3
17	0.7	0.6	1.5	0.1	0.4	0.7	0.1	0.7	0.3	0.1	0.2	0.1
18	0.7	1.4	0.1	0.1	0.4	0.6	0.2	0.7	0.1	0.1	0.4	0.1
19	0.2	0.5	0.1	0.1	0.1	0.5	0.1	0.7	0.3	0.2	0.3	0.1
20	0.0	0.2	0.1	0.1	0.1	0.6	0.1	0.3	1.0	0.5	0.1	0.2
21	0.1	0.4	0.2	0.1	0.1	1.2	0.1	0.1	0.5	0.8	0.1	0.9
22	0.5	0.4	0.1	0.0	0.0	1.1	0.1	0.1	0.0	0.4	0.1	1.3
23	0.6	0.8	1.9	0.1	0.0	1.0	0.0	0.1	0.4	0.7	0.1	0.5
24	0.7	0.9	1.5	0.1	0.1	0.9	0.1	0.2	0.2	1.8	0.3	0.3
25	0.7	0.9	0.7	0.1	0.1	0.8	0.0	0.3	0.4	0.2	0.5	0.1
26	0.3	0.5	0.8	0.1	0.1	0.7	0.2	0.5	0.3	0.2	0.3	0.1
27	0.0	0.3	0.1	0.1	0.1	0.2	0.1	0.7	0.4	0.1	0.1	0.1
28	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.2	0.6	0.7	0.2
29	0.1	0.4	0.1	0.1		0.1	0.1	0.1	0.7	0.4	0.8	0.5
30	0.5	0.6	0.1	0.4		0.1	0.2	0.1	1.0	0.2	0.2	0.3
31	0.2		0.1	0.3		0.4		0.2		0.2	0.9	
MEAN	0.4	0.4	0.6	0.2	0.1	0.7	0.1	0.2	0.5	0.3	0.3	0.5
MAX	1.4	1.5	4.0	2.2	0.4	2.0	0.9	0.9	1.2	3.4	2.2	3.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
WTR YR	2002	MEAN	0.37	MAX	4.00	MIN	0.00					

Many days of impoundment due to irrigation tailwater. The gage is located inside a pump housing that, when stage reaches a certain level, pumps water from the gage house and basin. The daily stage values fluctuate substantially. Gage Heights above 10.0 feet are generally caused by storm events.

See also Storage Volume data.

Computation of Continuous Records of Reservoir Depths

Station Number: 6623 Name: Crossroads Park

Drainage Area: 15.7 mi² (area downstream of US 60 only, does not include area from

Eastern Canal tailwater ditch under US 60)

Period of Record: December 18, 1996 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

No impoundments recorded during Water Year 2002

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
6	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
8	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
9	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
10	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
11	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
12	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
13	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
14	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
15	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
16	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
17	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
18	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
19	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
20	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
21	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
22	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
23	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
24	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
25	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
26	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
27	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
28	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
29	1.3	1.3	1.3	1.3		1.3	1.3	1.3	1.3	1.3	1.3	1.3
30	1.3	1.3	1.3	1.3		1.3	1.3	1.3	1.3	1.3	1.3	1.3
31	1.3		1.3	1.3		1.3		1.3		1.3	1.3	
MEAN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
MAX	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3		1.3	1.3	1.3
MIN	1.3	1.3	1.3	1.3	1.3	1.3		1.3	1.3	1.3	1.3	1.3
			1 22		1 22							

WTR YR 2002 MEAN 1.33 MAX 1.33 MIN 1.33

See also Storage Volume data.

Computation of Continuous Records of Reservoir Depths

Station Number: 6628 Name: Signal Butte FRS

Drainage Area: 16.4 mi² not including area from Apache Junction FRS

Period of Record: November 10, 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.7	-0.2
2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.7	-0.2
3	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.6	-0.2
4	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.6	-0.2
5	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2		1.5	-0.2
6	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2		1.4	-0.2
7	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2		1.3	-0.2
8	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.1	-0.2
9	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.0	-0.2
10	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.9	-0.2
11	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.9	-0.2
12	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.8	-0.2
13	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.6	-0.2
14	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.5	-0.2
15	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.3	-0.2
16	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.2	-0.2
17	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.1	-0.2
18	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
19	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
20	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
21	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
22	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
23	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.5	-0.2	-0.2
24	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.9	-0.2	-0.2
25	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.3	-0.2	-0.2
26	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.0	-0.2	-0.2
27	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	2.6	-0.2	-0.2
28	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	2.4	-0.2	-0.2
29	-0.2	-0.2	-0.2	-0.2		-0.2	-0.2	-0.2	-0.2	2.1	-0.2	-0.2
30	-0.2	-0.2	-0.2	-0.2		-0.2	-0.2	-0.2	-0.2	2.0	-0.2	-0.2
31	-0.2		-0.2	-0.2		-0.2		-0.2		1.8	-0.2	
MEAN	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.5	0.4	-0.2
MAX	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	4.1	1.8	-0.2
MIN	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2

WTR YR 2002 MEAN -0.13 MAX 4.14 MIN -0.25

Computation of Continuous Records of Reservoir Depths

Station Number: 6673 **Name:** Apache Jct. FRS

Drainage Area: 5.8 mi²

Period of Record: November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean '	Values					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1		0.1	0.1		0.1		0.1		0.1	0.1	
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.5	0.4	0.1
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WITTO VD	2002	MEAN	0 13	MAY	2 49	MTN	0 13					

WTR YR 2002 MEAN 0.13 MAX 2.48 MIN 0.13

Computation of Continuous Records of Reservoir Depths

Station Number: 6683 Name: Powerline FRS

Drainage Area: 49.9 mi²

Period of Record: December 3, 1992 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean '	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8 9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26 27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2		0.2	0.2		0.2		0.2		0.2	0.2	
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MAX	0.4	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.6	0.4	0.4
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
ramp vp	2002	ME 2 27	0 00	143.17	0 60		0 00					

WTR YR 2002 MEAN 0.20 MAX 0.62 MIN 0.20

Computation of Continuous Records of Reservoir Depths

Station Number: 6688 Name: Vineyard FRS

Drainage Area: 57.8 mi²

Period of Record: November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	2002	MEAN	0.00	MAX	0.30	MIN	0.00					

Computation of Continuous Records of Reservoir Depths

Station Number: 6703 **Name:** Rittenhouse FRS

Drainage Area: 51.3 mi²

Period of Record: September 27, 1988 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.9
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.0
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.7
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.7
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.9
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	2.6	0.1
30	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.8	0.1
31	0.1		0.1	0.1		0.1		0.1		0.1	0.3	
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.5
MAX	0.1	0.1	0.9	0.1	0.1	0.1	0.1	0.1	0.1	1.0	4.8	6.0
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WTR YR	2002	MEAN	0.17	MAX	6.01	MIN	0.13					

.....

Computation of Continuous Records of Streamflow

Station Number: 6739 **Name:** Whitlow Ranch Dam

Drainage Area: 143 mi²

Period of Record: FCDMC – January 8, 1998 to current year* Depth, in feet, Water Year 2002 --- October 2001 to September 2002

No impoundments recorded during Water Year 2002

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP 1 3.3 3.3 3.3						Daily	Mean V	alues					
2	DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
3	1	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
4 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.	2	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
5 3.3	3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
6	4	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
7	5	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
8	6	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
9 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.	7	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
10	8	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
11	9	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
12	10	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
13	11	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
14 3.3 3.	12	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
14 3.3 3.	13	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
15	14	3.3		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
16 3.3 3.	15	3.3	3.3	3.3	3.3	3.3	3.3	3.3		3.3	3.3	3.3	3.3
17	16	3.3		3.3	3.3		3.3		3.3	3.3	3.3	3.3	3.3
18	17	3.3	3.3	3.3	3.3	3.3		3.3	3.3	3.3	3.3	3.3	3.3
19 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.	18												
20 3.3 3.	19												
21 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.	20												
22 3.3 3.													
23 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3	22	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	
24 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.	23	3.3						3.3					
25 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.	24	3.3											
26 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.	25	3.3											
27 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.	26												
28 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.													
29 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.													
30 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3													
31 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3	30	3.3											
MAX 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.													
MAX 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.		3 3	3 3	3 3 	3 3 	3 3 	3 3	3 3 	3 3	3 3	3 3	3 3 	3 2
		٠ . ٥	J.J	ى. 	J.J	J.J	J.J	J.J 	J.J	J.J	J.J	J.J	J.J

WTR YR 2002 MEAN 3.30 MAX 3.30 MIN 3.30

NOTE: Gage becomes disconnected from the USACOE gaging equipment on occasion. There may have been several impoundments behind the dam during the water year that may not have been recorded by FCDMC gaging equipment. For more information, refer to the *U.S. Army Corps of Engineers, Los Angeles District*.

Computation of Continuous Records of Reservoir Depths

Station Number: 6813 Name: Buckeye FRS #3

Drainage Area: 9.3 mi²

Period of Record: November 23, 1992 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean MAR	Values APR	MAY	JUN	JUL	AUG	SEP
1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
2	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
3	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
4	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
5	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
6	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
7	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.0
8	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
9	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
10	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
11	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
12	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
13	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
14	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
15	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
16	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
17	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
18	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
19	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
20	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
21	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
22	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
23	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
24	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
25	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
26	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
27	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
28	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
29	-4.1	-4.1	-4.1	-4.1		-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
30	-4.1	-4.1	-4.1	-4.1		-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
31	-4.1 		-4.1	-4.1		-4.1		-4.1 		-4.1	-4.1	
MEAN	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
MAX	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-3.4
MIN	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
			4 00				4 00					

WTR YR 2002 MEAN -4.08 MAX -3.40 MIN -4.08

Note: Instrument is 4.08 feet below zero gage datum at invert of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

Computation of Continuous Records of Reservoir Depths

Station Number: 6823 Name: White Tanks #4 FRS

Drainage Area: 18.6 mi² (White Tanks ADMS) **Period of Record:** November 1987 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

No recorded impoundment during Water Year 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0		0.0	0.0		0.0		0.0		0.0	0.0	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR	2002	MEAN	0.00	MAX	0.00	MIN	0.00					

WIN IN 2002 FILMIN 0.00 FILM 0.00 MIN 0.00

Computation of Continuous Records of Reservoir Depths

Station Number: 7133 **Name:** Casandro Dam

Drainage Area: 1.3 mi²

Period of Record: August 15, 1996 to current year

Depth, in feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.9
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.8
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2		0.2	0.2		0.2		0.2		0.2	0.2	
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MAX	0.2	0.2		0.2	0.2	0.2	0.2		0.2	0.5	0.2	3.6
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
		·						·	·	·	·	

WTR YR 2002 MEAN 0.19 MAX 3.61 MIN 0.19

STORAGE VOLUME DATA

Computation of Continuous Records of Storage Volumes

Station Number: 772* **Name:** Tat Momolikot Dam

Drainage Area: 1,780 mi²

Period of Record: January 21, 1998 to current year

Spillway Capacity: 198,545 acre-feet

Volume, in acre-feet, Water Year October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	 69	431	470	492	340	191					757	349
2	69	426	464	486	333	175					735	337
3	69	426	459	481	331	159					715	328
4	69	426	459	476	328	93					699	321
5	67	416	477	472	325	118					683	312
6	63	495	475	465	320	33					667	301
7	76	570	466	460	313	30					655	296
8	447	655	458	457	310	61					639	319
9	730	690	455	451	309	52					625	343
10	727	672	451	446	300	59					610	351
11	707	660	496	441	293	37					596	527
12	694	645	616	437	291	54					584	536
13	694	630	625	433	285	48					569	522
14	659	616	616	425	276	49					555	508
15	623	605	609	421	274	52				487	542	494
16	609	595	599	415	271	69				885	530	485
17	591	584	588	413	269	52				909	519	480
18	583	575	581	407	266	61				872	519	457
19	571	564	579	397	258	52				831	508	445
20	559	553	565	393	249	39				789	485	433
21	555	547	559	388	241	31				753	469	421
22	555	537	551	404	233	44				717	457	410
23	535	528	543	380	230	56				690	450	397
24	519	519	538	375	228	51				669	438	389
25	519	513	533	370	222	52				650	424	379
26	519	503	523	364	211	30				630	417	372
27	519	498	519	358	204					631	405	364
28	519	485	515	357	200					799	390	353
29	489	481	507	354						835	381	342
30	456	475	503	352						806	370	332
31	441		498	347						778	359	
MEAN	461	544	526		275	56	0	0	0	411	540	397
MAX	755	709	627		343	204	0	0	0	915	766	539
MIN	35	410	446	343	199	0	0	0	0	0	354	292
WTR YR	2002			MAX	915	MIN	0	 -	 -			

^{*}Gage ID was 0769 prior to January 24, 2000.

^{**}FCD Operated gage since January 1998. However, previous gage did not work properly. A pressure transducer gage was installed January 24, 2000 and all previous data were deleted. Previously, the US Army Corps of Engineers, Los Angeles District maintained a gage at this location.

Computation of Continuous Records of Storage Volumes

Station Number: 4562 Name: Spookhill FRS Cap

Drainage Area: 13.6 mi²

Period of Record: November 1987 to current year

Spillway Capacity: 1,391 acre-feet

Volume, in acre feet, Water Year October 2001 to September 2002

DAY	OCT	NOV	DEC	Da JAN	aily Mo FEB		lues APR	MAY	JUN	JUL	AUG	SEP
1 2												
3												
4												
5												
6												
7 8												
9												
10												
11												
12												
13												
14 15												
16												
17												
18												
19												
20 21												
22												
23												
24												
25												
26 27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 4647 Name: E.Fork CC #1 Cap

Drainage Area: 1.18 mi²

Period of Record: March 2, 1994 to current year

Spillway Capacity: 59 acre-feet

Volume, in acre feet, Water Year October 2001 to September 2002

DAY	OCT	NOV	DEC	Da N		ean Vai	lues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11 12												
13												
14										2		
15										۷		
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0		0	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	21	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 4652 **Name:** Tatum Basin Cap

Drainage Area: 2.17 mi²

Period of Record: May 8, 1998 to current year

Spillway Capacity: 32.7 acre-feet

Volume, in acre feet, Water Year October 2001 to September 2002

	Daily Mean Values AY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP													
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP		
1														
2														
3														
4														
5														
6														
7														
8														
9														
10														
11														
12														
13														
14														
15										1				
16										1				
17														
18														
19														
20														
21														
22														
23														
24										2				
25										1				
26										1				
27														
28														
29														
30														
31														
MEAN	0	0	0	0	0	0	0	0	0	0	0	0		
MAX	0	0	0	0	0	0	0	0	0	2	0	0		
MIN	0	0	0	0	0	0	0	0	0	0	0	0		
WTR YR	2002 I	MEAN	0	MAX	2	MIN	0							

Computation of Continuous Records of Storage Volumes

Station Number: 4657 Name: E.Fork CC #4 Cap

Drainage Area: 0.68 mi²

Period of Record: January 18, 1994 Spillway Capacity: 74 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN			APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4 5												
6												
7												
8												
9												
10												
11												
12												
13												
14 15												
16												
17												
18												
19												
20												
21												
22												
23 24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	1	1	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	 0	MAX	 1	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 4682 Name: E.Fork CC #3 Cap

Drainage Area: 3.52 mi² (1.86 mi² controlled by EFCC#1 and EFCC#4)

Period of Record: September 13, 1994 to current year

Spillway Capacity: 175 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean V	dlues					
DAY	OCT	NOV	DEC		FEB		APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13										1		
14 15										1		
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	19	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	0	MAX	19	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 4802 Name: Dreamy Draw Dam Cap

Drainage Area: 1.3 mi²

Period of Record: November 1987 to current year

Revised Records: WY1996: WY1995

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	alues APR	MAY	JUN	JUL	AUG	SEP
1 2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	10	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	10	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 4817 Name: 10 St.Wash #1 Cap

Drainage Area: 1.21 mi²

Period of Record: November 26, 1996 to current year

Spillway Capacity: 21.64 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	ОСТ	NOV	DEC	JAN		Mean V MAR		MAY	TIIN	JUL	AUG	SEP
1												
2												
4												
5												
6												
7												
8 9												
10												
11												
12												
13 14												
15										1		
16										_		
17												
18												
19 20												
21												
22												
23												
24 25												
26												
27												
28												
29												
30 31												
21												
MEAN	0	0	0		0	0		0		0	0	0
MAX	0	0	0	0	0	0	0	0	0	3	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	3	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 4827 Name: Phoenix Basin #3 Cap

Drainage Area: 0.50 mi²

Period of Record: December 18, 2001 to current year

Spillway Capacity: 60.2 acre-feet

Volume, in acre-feet, Water Year 2002 --- October 2001 to September 2002

				D	aily M	ean Va	lues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	0	0	0	0	0	0	5	0	0
MIN			0	0	0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	0	MAX	5	MIN	0					

See also Surface Water Streamflow and Pool Level data.

Gaging established during Water Year 2002 on December 18, 2001.

Computation of Continuous Records of Storage Volumes

Station Number: 4847 **Name:** Phoenix East Park Ca

Drainage Area: 0.11 mi²

Period of Record: November 28, 2001 to current year

Spillway Capacity: 23.4 acre-feet

Volume, in acre-feet, Water Year 2002 --- October 2001 to September 2002

	Daily Mean Values DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP													
DAY	OCT	NOV	DEC	JAN		MAR	APR	MAY	JUN	JUL	AUG	SEP		
1														
1														
2														
3														
4 5														
6														
7														
8														
9														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														
MEAN			0	0	0	0	0	0	0	0	0	0		
MAX			0	0	0	0	0	0	0	2	0	0		
MIN			0	0	0	0	0	0	0	0	0	0		
WTR YR	 2002	MEAN	 0	MAX	 2	MIN	 0							
			_		_		•							

See also Surface Water Streamflow and Pool Level data.

Gaging established during Water Year 2002 on November 28, 2001.

Computation of Continuous Records of Storage Volumes

Station Number: 4852 Name: Phoenix Basin #7 Cap

Drainage Area: 0.55 mi²

Period of Record: December 19, 2001 to current year

Spillway Capacity: 103.5 acre-feet

Volume, in acre-feet, Water Year 2002 --- October 2001 to September 2002

DAY	ОСТ	NOV	DEC	Da J AN	aily M FEB	lean Va MAR	lues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										2		
15										1		
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	0	0	0	0	0	0	21	0	1
MIN			0	0	0	0	0	0	0	0	0	0
WTR YR	2002 I	MEAN	0	MAX	 21	MIN	0					

See also Surface Water Streamflow and Pool Level data.

Gaging established during Water Year 2002 on December 19, 2001.

Computation of Continuous Records of Storage Volumes

Station Number: 4857 Name: Phoenix West Park Cap

Drainage Area: 0.62 mi²

Period of Record: November 29, 2001 to current year

Spillway Capacity: 113 acre-feet

Volume, in acre-feet, Water Year 2002 --- October 2001 to September 2002

Daily Mean Values												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										2		
15										3		
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	0	0	0	0	0	0	18	0	1
MIN			0	0	0	0	0	0	0	0	0	0
WTR YR	2002	 MEAN	0	MAX	 18	MIN	0					

See also Surface Water Streamflow and Pool Level data.

Gaging established during Water Year 2002 on November 29, 2001.

Computation of Continuous Records of Storage Volumes

Station Number: 4902 Name: Cave Buttes Dam Cap

Drainage Area: 191 mi²

Period of Record: November 1987 to current year

Spillway Capacity: 46,100 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

						Mean V	alues					
DAY	OCT	NOV			FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16 17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	8	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	8	MIN	0					

See also Surface Water Streamflow (4903) and Pool Level (4899) data.

Computation of Continuous Records of Storage Volumes

Station Number: 14938 Name: Reata Pass Dam Cap

Drainage Area: 1.0 mi²

Period of Record: October 2, 2001 to current year

Spillway Capacity: Undetermined

Volume, in acre feet, Water Year 2002--- October 2001 to September 2002

NOTE: Volumetric Capacities unavailable at this time for Reata Pass Dam.

Computation of Continuous Records of Storage Volumes

Station Number: 5112 Name: Saddleback FRS Cap

Drainage Area: 29.6 mi²

Period of Record: December 16, 1988 to current year

Spillway Capacity: 6,743 acre-feet

Volume, in acre feet, Water Year 2002--- October 2001 to September 2002

No recorded impound during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN			0	0	0	0	0	0	0	0	0	0
MAX			0	0	0	0	0	0	0	0	0	0
MIN			0	0	0	0	0	0	0	0	0	0
WTR YR	2002	 MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5127 Name: Harquahala FRS Cap

Drainage Area: 102.3 mi²

Period of Record: March 1, 1994 to current year

Spillway Capacity: 8,689 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

						Mean V						
DAY	OCT	NOA	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												0
8 9												2
10												5 3
11												1
12												1
13												_
14												
15												
16												
17												
18												
19												
20												
21												
22 23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	11
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	11	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5202 **Name:** Buckeye FRS #1 Cap **Drainage Area:** 74 mi² without area from Buckeye FRS #2 and #3

Period of Record: November 1987 to current year

Spillway Capacity: 8,105 acre-feet

Volume, in acre-feet, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												5
9												
10												
11												
12												
13												
14												
15												
16 17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	18
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	18	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5207 Name: Buckeye FRS #2 Cap

Drainage Area: 5.7 mi² without area from Buckeye FRS #3

Period of Record: November 11, 1992 to current year

Spillway Capacity: 824 acre-feet

Volume, in acre-feet, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean V	alues					
DAY	OCT		DEC		FEB		APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												2
8 9												
10												
11												
12												
13												
14												
15												
16 17												
18												
19												
20												
21												
22												
23												
24 25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	12
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR			0	MAX	12	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5232 Name: Sunset FRS Cap

Drainage Area: 0.95 mi² (from Wickenburg ADMS) **Period of Record:** February 12, 1989 to current year

Spillway Capacity: 86 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												1
7	2											3
8 9	3 1											4 4
10	1											4
11												
12												3
13												2
14												1
15												1
16												1
17 18												1
19												
20												
21												
22												
23												
24												
25												
26 27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	3	0	0	0	0	0	0	0	0	0	0	5
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	 5	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5247 Name: Sunnycove FRS Cap

Drainage Area: 0.98 mi² (from Wickenburg ADMS) **Period of Record:** November 1987 to current year

Spillway Capacity: 216 acre-feet **Revised Records:** WY2000:WY1999

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

						Mean V						
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												0
7	4											2
8 9	4 3											3
10	3											3
11												3 3 2 2
12												2
13												1
14												1
15												1
16												1
17												
18												
19												
20										3		
21												
22 23												
23 24												
25												
26												
27												
28												
29												
30												
31												
 MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	4	0	0	0	0	0	0	0	0	33	0	4
MIN	0	0	0	0	0	0	0	0	0	0	0	0
 WTR YR	2002 1	MEAN	0	MAX	33	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5417 Name: White Tanks #3 Cap

Drainage Area: 20.5 mi² (White Tanks ADMS) **Period of Record:** November 1987 to current year

Spillway Capacity: 3,134 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

No recorded impound during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 2002 1	 MEAN	0	MAX	0	MIN	 0					

Computation of Continuous Records of Storage Volumes

Station Number: 5443 Name: McMicken Dam South

Drainage Area: 247 mi²

Period of Record: February 13, 2002 to current year

Spillway Capacity: 20,700 acre-feet

Volume, in acre-feet, Water Year October 2001 to September 2002

DAY	OCT	NOV	DEC	Da N	aily Me FEB	an Vai MAR	lues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												37
12												11
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN					0	0	0	0	0	0	0	1
MAX					0	0	0	0	0	0	0	40
MIN					0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	0 1	MAX .	40 MIN	1	0					

Gaging established during Water Year 2002 on February 13, 2002.

Computation of Continuous Records of Storage Volumes

Station Number: 5447 Name: McMicken Dam Cap

Drainage Area: 247 mi²

Period of Record: November 1987 to current year

Spillway Capacity: 20,070 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
4												
5												
6												
7												
8												137
9												
10												
11												76
12												138
13												120
14												114
15 16												106 6
17												0
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28 29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	23
MAX		^	0	0	0	0	0	0	0	0	0	188
	0	0										
MIN	0	0	0	0	0	0	0	0	0	0	0	0

Computation of Continuous Records of Storage Volumes

Station Number: 5537 **Name:** Adobe Dam Cap

Drainage Area: 89.6 mi²

Period of Record: November 1987 to current year

Spillway Capacity: 18,776 acre-feet

Volume, in acre-feet, Water Year October 2001 to September 2002

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB		APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3				7								
4												
5												
6												
7												
8												
9 10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23 24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	28	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	0	MAX	28	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5612 Name: New River Dam Cap

Drainage Area: 164 mi²

Period of Record: November 1987 to current year

Spillway Capacity: 43,700 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V	/alues APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6 7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22 23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5967 **Name:** StoneRidge Dam Cap

Drainage Area: 0.86 mi²

Period of Record: December 11, 1996 to current year

Spillway Capacity: 66.2 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	ОСТ	NOV	DEC	JAN		Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1 2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20 21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	0	MIN	0					

See also Surface Water Streamflow and Pool Level data.

NOTE: Gage peak did not match surveyed high water mark for September 10, 2002 event. High water marks were at about 4.25 feet which corresponds to about 0.6 acre-feet of storage.

Computation of Continuous Records of Storage Volumes

Station Number: 5972 **Name:** SunRidge Canyon Cap

Drainage Area: 1.6 mi²

Period of Record: February 4, 1997 to current year

Spillway Capacity: 94 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAV	ОСШ	NOV	DEC			Mean V		MAN	TITAL	7777	AHC	CED
DAY		NOV		JAN 		MAR		MAY		JUL 		
1												
2												
3 4												
5												
6												
7												
8												
9 10												
11												
12												
13												
14												
15												
16 17												
18												
19												
20												
21												
22 23												
24												
25												
26												
27												
28												
29												
30 31												
MEAN	0	0	0		0	0		0			0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR			0		0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5977 Name: Golden Eagle Park Cap

Drainage Area: 7.13 mi² of which 2.02 mi², 2.13 mi², and 1.6 mi² are controlled by

Aspen, North Heights, and SunRidge Canyon Dams, respectively.

Period of Record: December 12, 1996 to current year

Spillway Capacity: 95 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

						Mean V						~
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL 	AUG	SEP
1												
2												
3												
4												
5 6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19 20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	3
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	0	MAX	3	MIN	0					

See also Surface Water Streamflow and Pool Level data.

NOTE: Gage peak did not match surveyed high water mark for September 10, 2002 event. High water marks were at about 12.03 feet which corresponds to about 15 acre-feet of storage.

Computation of Continuous Records of Storage Volumes

Station Number: 5982 **Name:** N. Heights Dam Cap

Drainage Area: 2.13 mi²

Period of Record: October 11, 1996 Spillway Capacity: 138 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

						Mean V						
DAY	OCT	NOV	DEC	JAN			APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8 9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21 22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	16
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	 MEAN	0	MAX	16	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 5987 Name: Aspen Dam Cap

Drainage Area: 2.02 mi²

Period of Record: January 2, 1997 to current year

Spillway Capacity: 183 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	FEB	Mean V MAR	APR		JUN	JUL	AUG	SEP
1												
2												
3 4												
5												
6												
7												
8												
9												
10												
11 12												
13												
14												
15												
16												
17 18												
19												
20												
21												
22												
23												
24												
25 26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	4
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN		MAX	4	MIN	0				_	-

See also Surface Water Streamflow and Pool Level data.

NOTE: Gage peak did not match surveyed high water mark for September 10, 2002 event. High water marks were at about 5.88 feet which corresponds to about 9.0 acre-feet of storage.

Computation of Continuous Records of Storage Volumes

Station Number: 5992 **Name:** Hesperus Dam Cap

Drainage Area: 2.91 mi²

Period of Record: December 18, 1996 to current year

Spillway Capacity: 276 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN			APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5 6												
7												
8												
9												
10												
11												
12												
13												
14												
15 16												
17												
18												
19												
20												
21												
22												
23												
24 25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	3
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	0	MAX	3	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 6502 Name: Guadalupe FRS Cap

Drainage Area: 1.87 mi²

Period of Record: June 29, 1989 to current year

Spillway Capacity: 329 acre-feet

Volume, in acre-feet, Water Year October 2001 to September 2002

No impoundments recorded during Water Year 2002

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	0	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 6608 **Name:** Freestone Basin

Drainage Area: 4.26 mi² (area downstream of Eastern Canal only, does not include

area from overflows of Eastern Canal)

Period of Record: December 19, 1995 to current year

Spillway Capacity: 218 acre-feet

Volume, in acre-feet, Water Year October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	alues APR	MAY	JUN	JUL	AUG	SEP
1	1						1					1
2	1											1
3	1											
4	1		4						1			
5	1		5	1					1			
6	1			2					1			1
7	1			1		1	1		1			2
8				1		2			1			
9						2			1			1
10						2						1
11						1						1
12			1			1			1			
13						1				1		
14						1				1		
15			1			1			1			1
16			2			1			1			
17	1	1	2			1		1				
18	1	1				1		1				
19		1				1		1				
20						1			1	1		
21						1			1	1		1
22	1					1						1
23	1	1	3			1				1		
24	1	1	2			1				3		
25	1	1	1			1					1	
26		1	1			1		1				
27								1				
28										1	1	
29									1		1	
30		1							1			
31											1	
MEAN	0	0	1	0	0	1	0	0	1	0	0	0
MAX	1	1	8	3	0	2	1	1	1	6	3	5
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 I	MEAN	0	MAX	 8	MIN	0					

See also Pool Level data.

Many days of storage from irrigation tailwater. The gage is located inside a pump housing that, when stage reaches a certain level, pumps water from the gage house and basin. The daily stage values fluctuate substantially. Gage Heights above 10.0 feet are generally caused by storm events.

Computation of Continuous Records of Storage Volumes

Station Number: 6623 Name: Crossroads Park

Drainage Area: 15.7 mi² (area downstream of US 60 only, does not include area from

Eastern Canal tailwater ditch under US 60.)

Period of Record: December 18, 1995 to current year

Spillway Capacity: 456 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

No impoundments recorded during Water Year 2002

					Daily	Mean V	alues					
DAY	OCT	NOA	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 I	MEAN	0	MAX	0	MIN	 0					

See also Pool Level data.

Computation of Continuous Records of Storage Volumes

Station Number: 6627 **Name:** Signal Butte FRS Cap **Drainage Area:** 16.4 mi² not including area from Apache Junction FRS

Period of Record: November 10, 1987 to current year

Spillway Capacity: 1,665 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN		Mean V MAR		MAY	JUN	JUL	AUG	SEP
1											1	
2											2	
3											1	
4											1	
5											1	
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23										3		
24										16		
25										11		
26										8		
27										5		
28										4		
29										3		
30										2		
31										2		
MEAN	0	0	0	0	0	0	0	0	0	2	0	0
MAX	0	0	0	0	0	0	0	0	0	19	2	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	19	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 6672 Name: Apache Jct. FRS Cap

Drainage Area: 5.8 mi²

Period of Record: November 1987 to current year

Spillway Capacity: 676 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

						Mean V	alues					
DAY	OCT	NOV			FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16 17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	2	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	2	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 6682 **Name:** Powerline FRS Cap

Drainage Area: 49.9 mi²

Period of Record: December 3, 1992 to current year

Spillway Capacity: 4,064 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

DAY	OCT	NOV	DEC	TAN		Mean V	alues APR	MAV	TIINI	TTTT	AIIC	SEP
		NOV		JAN 				MAY 	JUN	JUL 	AUG	SEP
1												
2												
3 4			1									
5			1									
6			_									1
7												
8												
9												
10												
11												
12 13												
14												
15												
16												
17												
18												
19												
20												
21 22												
23										1		
24										_		
25												
26												
27												
28											1	
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	5	0	5	0	0	0	0	0	0	7	5	5
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	0	MAX	7	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 6687 Name: Vineyard FRS Cap

Drainage Area: 57.8 mi²

Period of Record: November 1987 to current year

Spillway Capacity: 3,531 acre-feet

Volume, in acre-feet, Water Year October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN			APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4 5												
6												
7												
8												
9												
10												
11												2
12												10
13												4
14 15												
16												
17												
18												
19												
20												
21												
22												
23 24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	0	0	0	0	0	0	0	0	0	0	11
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	 11	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 6702 **Name:** Rittenhouse FRS Cap

Drainage Area: 51.3 mi²

Period of Record: September 27, 1988 to current year

Spillway Capacity: 3,475 acre-feet

Volume, in acre-feet, Water Year October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	Daily FEB	Mean V MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3 4												
5												
6												1
7												2
8												1
9 10												6
11												24
12												
13												
14												
15 16												
17												
18												
19												
20												
21 22												
23												
24												
25												
26 27												
28												
29											8	
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	0	0	0	0	0	0	0	0	1	27	69
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002	MEAN	0	MAX	69	MIN	0					

Computation of Continuous Records of Storage Volumes

Station Number: 6742 Name: Whitlow Dam Capacity

Drainage Area: 143 mi²

Period of Record: August 2000 to current year

Spillway Capacity:

Volume, in acre-feet, Water Year October 2001 to September 2002

No impoundments recorded during Water Year 2002

DAY	OCT	NOV	DEC	JAN			APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6 7												
8												
9												
10												
11												
12												
13												
14												
15 16												
17												
18												
19												
20												
21												
22												
23 24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0		0	0	0		0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	2002 1	MEAN	0	MAX	0	MIN	0					

NOTE: Tie-in to Corps of Engineers gaging equipment was set up in August 2000. FCD gage was in operation since January 8, 1998. All FCD data prior to August 2000 has been deleted because it is believed that the gage did not operate correctly during that period. See U.S. Army Corps of Engineers, Los Angeles District for official information at this gage site.

Computation of Continuous Records of Storage Volumes

Station Number: 6812 Name: Buckeye FRS #3 Cap

Drainage Area: 9.3 mi²

Period of Record: November 23, 1992 to current year

Spillway Capacity: 1,286 acre-feet

Volume, in acre-feet, Water Year October 2001 to September 2002

No recorded impoundments during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR	 2002 1	 MEAN	 0	MAX	0	MIN	 0					

Computation of Continuous Records of Storage Volumes

Station Number: 6822 Name: White Tanks #4 Cap

Drainage Area: 18.6 mi² (from White Tanks ADMS) **Period of Record:** November 1987 to current year

Spillway Capacity: 1,243 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

No recorded impoundments during Water Year 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2	2002 1	MEAN	0	MAX	0	MIN	U					

Computation of Continuous Records of Storage Volumes

Station Number: 7132 **Name:** Casandro Dam Cap

Drainage Area: 1.3 mi²

Period of Record: August 15, 1996 to current year

Spillway Capacity: 143 acre-feet

Volume, in acre feet, Water Year 2002 --- October 2001 to September 2002

					Daily	Mean V	alues					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												2
9												2
10												
11												
12 13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28 29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	11
MIN	0	0	0	0	0	0	0	0	0	0	0	0
 WITD VD	2002 1	ME'AN	0	MAX	 11	MIN	0					

This page intentionally blank.

Data Collection Branch using this Comment/Errata sheet. Simply fold this sheet over in half so that the address labels are on the outside, tape closed, add a stamp and place in the mail.
Comments:
Errors (please include page numbers, gage names or IDs, and dates whenever possible):

Comments about this report or errors discovered may be forwarded to the Flood Warning and

Flood Control District of Maricopa County Flood Warning and Data Collection Branch 2801 W. Durango Street Phoenix, Arizona 85009

Place Stamp Here

Flood Control District of Maricopa County Flood Warning and Data Collection Branch 2801 W. Durango Street Phoenix, Arizona 85009